







<p>Solder Board-Component View 8</p>	 <p>A photograph showing a small black component on a blue textured PCB. The component is labeled 'NT-MC06L' and '2020.07.09'. A black ruler with white markings is placed below the component for scale. The ruler shows markings from 0 to 100 mm.</p>
<p>Solder Board-Component View 9</p>	 <p>A photograph showing a yellow component on a blue textured PCB. The component is labeled '16 Sensor 9' and 'L50'. A black ruler with white markings is placed below the component for scale. The ruler shows markings from 0 to 100 mm.</p>

<p style="text-align: center;">Solder Board-Component View 10</p>	
<p style="text-align: center;">Solder Board-Component View 11</p>	

<p>Solder Board-Component View 12</p>	 <p>A photograph showing a small green printed circuit board (PCB) component mounted on a blue perforated metal surface. The component is positioned next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 20 mm. The component has several small components and a connector on its surface.</p>
<p>Solder Board-Component View 13</p>	 <p>A photograph showing a rectangular silver battery component mounted on a blue perforated metal surface. The battery has a white label with the text: "JUX 903040 3.7V" and "+ 1200mAh 220321". Two red and black wires are connected to the battery. The component is positioned next to a black ruler with white markings. The ruler shows measurements in millimeters, with the battery's length being approximately 60 mm.</p>

