



## Appendix A

### RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: NETWORK PLAYER

Test Model: 9000N

#### Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu




## A.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.762	$\geq 0.5$	Pass
NVNT	b	2437	Ant1	9.269	$\geq 0.5$	Pass
NVNT	b	2462	Ant1	9.969	$\geq 0.5$	Pass
NVNT	g	2412	Ant1	15.276	$\geq 0.5$	Pass
NVNT	g	2437	Ant1	15.022	$\geq 0.5$	Pass
NVNT	g	2462	Ant1	15.691	$\geq 0.5$	Pass
NVNT	n20	2412	Ant1	17.242	$\geq 0.5$	Pass
NVNT	n20	2437	Ant1	15.201	$\geq 0.5$	Pass
NVNT	n20	2462	Ant1	16.283	$\geq 0.5$	Pass
NVNT	n40	2422	Ant1	35.764	$\geq 0.5$	Pass
NVNT	n40	2437	Ant1	36.456	$\geq 0.5$	Pass
NVNT	n40	2452	Ant1	36.315	$\geq 0.5$	Pass



Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1



-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1







-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1



-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1







-6dB Bandwidth NVNT n20 2462MHz Ant1




-6dB Bandwidth NVNT n40 2422MHz Ant1



-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1







## A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	14.07	30	Pass
NVNT	b	2437	Ant1	15.44	30	Pass
NVNT	b	2462	Ant1	15.10	30	Pass
NVNT	g	2412	Ant1	14.30	30	Pass
NVNT	g	2437	Ant1	15.57	30	Pass
NVNT	g	2462	Ant1	15.14	30	Pass
NVNT	n20	2412	Ant1	14.21	30	Pass
NVNT	n20	2437	Ant1	14.18	30	Pass
NVNT	n20	2462	Ant1	14.77	30	Pass
NVNT	n40	2422	Ant1	13.52	30	Pass
NVNT	n40	2437	Ant1	13.31	30	Pass
NVNT	n40	2452	Ant1	12.88	30	Pass




## A.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.52	8	Pass
NVNT	b	2437	Ant1	-9.01	8	Pass
NVNT	b	2462	Ant1	-9.57	8	Pass
NVNT	g	2412	Ant1	-13.47	8	Pass
NVNT	g	2437	Ant1	-13.4	8	Pass
NVNT	g	2462	Ant1	-15	8	Pass
NVNT	n20	2412	Ant1	-15.44	8	Pass
NVNT	n20	2437	Ant1	-13.29	8	Pass
NVNT	n20	2462	Ant1	-15.9	8	Pass
NVNT	n40	2422	Ant1	-18.66	8	Pass
NVNT	n40	2437	Ant1	-18.53	8	Pass
NVNT	n40	2452	Ant1	-18.25	8	Pass




Test Graphs


PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1





PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1








PSD NVNT n20 2412MHz Ant1




PSD NVNT n20 2437MHz Ant1






PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1







### A.4 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-53.28	-20	Pass
NVNT	b	2462	Ant1	-53.84	-20	Pass
NVNT	g	2412	Ant1	-37.44	-20	Pass
NVNT	g	2462	Ant1	-48.43	-20	Pass
NVNT	n20	2412	Ant1	-34.35	-20	Pass
NVNT	n20	2462	Ant1	-48.95	-20	Pass
NVNT	n40	2422	Ant1	-33.1	-20	Pass
NVNT	n40	2452	Ant1	-39.91	-20	Pass








Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission










Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission
















## A.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.32	-20	Pass
NVNT	b	2437	Ant1	-49.21	-20	Pass
NVNT	b	2462	Ant1	-50.71	-20	Pass
NVNT	g	2412	Ant1	-46.23	-20	Pass
NVNT	g	2437	Ant1	-48.34	-20	Pass
NVNT	g	2462	Ant1	-48.91	-20	Pass
NVNT	n20	2412	Ant1	-46.18	-20	Pass
NVNT	n20	2437	Ant1	-46.42	-20	Pass
NVNT	n20	2462	Ant1	-45	-20	Pass
NVNT	n40	2422	Ant1	-37.84	-20	Pass
NVNT	n40	2437	Ant1	-41.28	-20	Pass
NVNT	n40	2452	Ant1	-41.8	-20	Pass




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission








Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission








Tx. Spurious NVNT g 2437MHz Ant1 Ref



Tx. Spurious NVNT g 2437MHz Ant1 Emission











Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission








Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission









Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission



Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission






### A.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	88.22	0.54	1.42
NVNT	b	2437	Ant1	88.47	0.53	1.42
NVNT	b	2462	Ant1	89.37	0.49	1.42
NVNT	g	2412	Ant1	58.29	2.34	8.89
NVNT	g	2437	Ant1	47.06	3.27	8.93
NVNT	g	2462	Ant1	55.45	2.56	8.93
NVNT	n20	2412	Ant1	58.33	2.34	8.93
NVNT	n20	2437	Ant1	60.87	2.16	8.93
NVNT	n20	2462	Ant1	55.45	2.56	8.93
NVNT	n40	2422	Ant1	82.14	0.85	0.45
NVNT	n40	2437	Ant1	84.06	0.75	0.45
NVNT	n40	2452	Ant1	82.94	0.81	0.45




Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1








Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1








Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1








Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1



## A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-51.2	3.6	47.63	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-57.69	3.6	41.14	Average	54	Pass
NVNT	b	2412	Ant1	2316.084	-46.9	3.6	51.93	Peak	74	Pass
NVNT	b	2412	Ant1	2387.571	-56.82	3.6	42.01	Average	54	Pass
NVNT	b	2412	Ant1	2390	-51.14	3.6	47.69	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-56.98	3.6	41.85	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-50.71	3.6	48.12	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-57.06	3.6	41.77	Average	54	Pass
NVNT	b	2462	Ant1	2486.697	-47	3.6	51.83	Peak	74	Pass
NVNT	b	2462	Ant1	2492.103	-56.52	3.6	42.31	Average	54	Pass
NVNT	b	2462	Ant1	2500	-51.12	3.6	47.71	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-56.94	3.6	41.89	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.95	3.6	47.88	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-55.83	3.6	43.00	Average	54	Pass
NVNT	g	2412	Ant1	2369.436	-47.15	3.6	51.68	Peak	74	Pass
NVNT	g	2412	Ant1	2388.039	-53.38	3.6	45.45	Average	54	Pass
NVNT	g	2412	Ant1	2390	-47.96	3.6	50.87	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.07	3.6	44.76	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-47.05	3.6	51.78	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-53.82	3.6	45.01	Average	54	Pass
NVNT	g	2462	Ant1	2485.107	-42.76	3.6	56.07	Peak	74	Pass
NVNT	g	2462	Ant1	2483.57	-52.6	3.6	46.23	Average	54	Pass
NVNT	g	2462	Ant1	2500	-49.43	3.6	49.40	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-54.83	3.6	44.00	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-51.73	3.6	47.10	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-56.51	3.6	42.32	Average	54	Pass
NVNT	n20	2412	Ant1	2389.209	-44.95	3.6	53.88	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.911	-52.68	3.6	46.15	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-46.27	3.6	52.56	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-52.99	3.6	45.84	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-47.75	3.6	51.08	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-54.38	3.6	44.45	Average	54	Pass
NVNT	n20	2462	Ant1	2485.955	-42.46	3.6	56.37	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.888	-53.65	3.6	45.18	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-48.71	3.6	50.12	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.69	3.6	43.14	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-50.72	3.6	48.11	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-57.85	3.6	40.98	Average	54	Pass
NVNT	n40	2422	Ant1	2389.094	-35.89	3.6	62.94	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.662	-52.23	3.6	46.60	Average	54	Pass




NVNT	n40	2422	Ant1	2390	-39.08	3.6	59.75	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-52.29	3.6	46.54	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-44.26	3.6	54.57	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-52.59	3.6	46.24	Average	54	Pass
NVNT	n40	2452	Ant1	2485.336	-34.52	3.6	64.31	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.322	-52.35	3.6	46.48	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-45.76	3.6	53.07	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-55.52	3.6	43.31	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average








Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average









Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average






Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average







Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average

