



FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

Epik One America Corporation

170 Ocean Lane Dr. #705, Key Biscayne, FL 33149

FCC ID: 2AO6ZX572

Report Type: Original Report	Product Type: Smart phone
Report Number: RSZ180627001-00D	
Report Date: 2018-07-26	
Reviewed By: Rocky Kang RF Engineer	<i>Rocky Kang</i>
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

Note: This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	3
TEST METHODOLOGY	3
MEASUREMENT UNCERTAINTY.....	4
TEST FACILITY	4
SYSTEM TEST CONFIGURATION.....	5
DESCRIPTION OF TEST CONFIGURATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50 (D) (H) - RF OUTPUT POWER	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST DATA	11
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH.....	35
APPLICABLE STANDARD	35
TEST PROCEDURE	35
TEST DATA	35
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	66
APPLICABLE STANDARD	66
TEST PROCEDURE	66
TEST DATA	66
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS.....	100
APPLICABLE STANDARD	100
TEST PROCEDURE	100
TEST DATA	100
FCC § 22.917 (A); § 24.238 (A); §27.53 (H)(M) - BAND EDGES	104
APPLICABLE STANDARD	104
TEST PROCEDURE	104
TEST DATA	104
FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY.....	155
APPLICABLE STANDARD	155
TEST PROCEDURE	155
TEST DATA	156

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The *Epik One America Corporation's* product, model number: *X572 (FCC ID: 2A06ZX572)* or the "EUT" in this report was a *Smart phone*, which was measured approximately: 15.4 cm (L) * 7.5 cm (W) * 0.9 cm (H), rated with input voltage: DC 3.8 V from rechargeable li-ion battery or DC 5.0V from adapter.

Adapter Information:

Model: ZHY-QU050100S

Input: 100-240V, 50/60Hz, 0.2A

Output: DC 5.0V, 1 A

**All measurement and test data in this report was gathered from production sample serial number: 180627001 (Assigned by BACL, Shenzhen). The EUT supplied by the applicant was received on 2018-06-27.*

Objective

This test report is prepared on behalf of *Epik One America Corporation* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DTS & DSS submissions with FCC ID: 2A06ZX572.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services

Part 24 Subpart E - Personal Communication Services

Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D and KDB 971168 D01 v03.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		uncertainty
Occupied Channel Bandwidth		±5%
RF output power, conducted		±1.5dB
Unwanted Emission, conducted		±1.5dB
Emissions, radiated	Below 1GHz	±4.70dB
	Above 1GHz	±4.80dB
Temperature		±1 °C
Supply voltages		±0.4%

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh
Rohde & Schwarz	Wideband Radio Communication Tester	CMU200	106891

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1307, §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ180627001-20.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal Analyzer	FSEM	845987/005	2018-04-24	2019-04-24
Sunol Sciences	Broadband Antenna	JB1	A040904-1	2017-12-22	2020-12-21
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2018-05-21	2019-05-21
HP	Amplifier	HP8447E	1937A01046	2018-05-21	2018-11-19
Anritsu	Signal Generator	68369B	004114	2017-12-24	2018-12-24
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2018-01-11	2019-01-11
COM POWER	Dipole Antenna	AD-100	041000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2015-08-18	2018-08-17
Ducommun technologies	RF Cable	UFA210A-1-4724-30050U	MFR64369 223410-001	2018-05-21	2018-11-19
Ducommun technologies	RF Cable	104PEA	218124002	2018-05-21	2018-11-19
Ducommun technologies	RF Cable	RG-214	1	2018-05-21	2018-11-19
Ducommun technologies	RF Cable	RG-214	2	2018-05-22	2018-11-22
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Ducommun technologies	Pre-amplifier	ALN-22093530-01	991373-01	2017-08-03	2018-08-03

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	SPECTRUM ANALYZER	FSU26	200120	2017-12-24	2018-12-24
ESPEC	Temperature & Humidity Chamber	EL-10KA	09107726	2017-12-21	2018-12-21
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Fluke	Digital Multimeter	287	19000011	2018-04-12	2019-04-12
Rohde & Schwarz	Wideband Radio Communication Tester	CMU200	106891	2017-12-14	2018-12-14
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh	2018-06-23	2019-06-23
Ducommun technologies	RF Cable	RG-214	3	Each Time	
WEINSCHEL	10dB Attenuator	5324	AU 3842	Each Time	
N/A	Power Splitter	N/A	N/A	2018-05-21	2019-05-21

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ180627001-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50 (d) (h) - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data

Environmental Conditions

Temperature:	26 °C
Relative Humidity:	50 %
ATM Pressure:	101.0 kPa

The testing was performed by Shawn Xiao on 2018-07-02.

Conducted Power

Cellular Band (Part 22H)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	32.71	38.45
	190	836.6	32.78	38.45
	251	848.8	32.71	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	32.60	31.91	30.20	28.94	38.45
	190	836.6	32.71	32.12	30.22	29.24	38.45
	251	848.8	32.54	32.52	30.24	29.74	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	26.61	25.24	23.45	21.54	38.45
	190	836.6	26.64	25.31	23.52	21.38	38.45
	251	848.8	26.60	25.26	23.41	21.42	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		22.73	21.47	21.31
		HSDPA	1	21.56	21.64	21.54
			2	21.72	21.59	21.52
			3	21.54	21.45	21.60
			4	21.70	21.44	21.54
		HSUPA	1	21.44	21.47	21.31
			2	21.70	21.57	21.60
			3	21.74	21.80	21.44
			4	21.72	21.52	21.48
			5	21.71	21.60	21.58
		HSPA+	1	21.31	21.11	21.19

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	29.31	33
	661	1880.0	29.21	33
	810	1909.8	29.23	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	29.31	28.75	26.81	25.61	33
	661	1880.0	29.21	28.24	26.75	25.32	33
	810	1909.8	29.21	28.22	26.25	25.20	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	24.10	23.13	22.41	21.08	33
	661	1880.0	24.22	22.78	21.83	20.34	33
	810	1909.8	23.45	22.48	21.45	20.13	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		21.06	20.90	21.10
		HSDPA	1	21.49	21.34	21.56
			2	20.54	20.54	20.52
			3	20.04	20.57	20.61
			4	20.11	20.68	20.97
		HSUPA	1	21.06	20.90	21.10
			2	20.01	20.57	20.27
			3	20.03	20.62	20.35
			4	20.03	20.70	20.34
			5	20.14	20.70	20.45
		HSPA+	1	21.31	21.02	21.20

Peak-to-average ratio (PAR)

Cellular Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.31	13
	Middle	2.25	13
	High	2.26	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.62	13
	Middle	2.58	13
	High	2.64	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.41	13
	Middle	3.21	13
	High	3.50	13
HSDPA (16QAM)	Low	3.54	13
	Middle	3.34	13
	High	3.55	13
HSUPA (BPSK)	Low	3.21	13
	Middle	3.24	13
	High	3.37	13
HSPA+	Low	3.45	13
	Middle	3.43	13
	High	3.47	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.12	13
	Middle	2.10	13
	High	2.16	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.44	13
	Middle	2.65	13
	High	2.53	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.24	13
	Middle	2.51	13
	High	3.41	13
HSDPA (16QAM)	Low	3.54	13
	Middle	3.63	13
	High	3.79	13
HSUPA (BPSK)	Low	3.72	13
	Middle	3.56	13
	High	3.75	13
HSPA+	Low	3.42	13
	Middle	3.83	13
	High	3.56	13

Radiated Power

GSM Mode:

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	92.83	171	1.0	H	30.8	0.7	0.0	30.10	38.45	8.35
836.6	93.92	11	1.6	V	33.5	0.7	0.0	32.80	38.45	5.65
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	87.70	57	2.5	H	17.7	1.30	9.40	25.80	33	7.2
1880.00	86.89	101	1.7	V	16.6	1.30	9.40	24.70	33	8.3

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	87.89	171	1.0	H	25.9	0.7	0.0	25.20	38.45	13.25
836.6	88.74	11	1.6	V	28.3	0.7	0.0	27.60	38.45	10.85
EIRP, PCS Band (Part 24E), Middle Channel										
1880.00	83.58	57	2.5	H	13.6	1.30	9.40	21.70	33	11.3
1880.00	82.77	101	1.7	V	12.5	1.30	9.40	20.60	33	12.4

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	84.01	320	2.4	H	22.0	0.7	0.0	21.30	38.45	17.15
836.6	83.19	272	1.6	V	22.8	0.7	0.0	22.10	38.45	16.35
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	81.23	355	1.0	H	11.2	1.30	9.40	19.30	33	13.7
1880.00	80.44	103	2.3	V	10.2	1.30	9.40	18.30	33	14.7

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 2:

Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.24	22.20	22.14
		RB Size=1, RB Offset=2	22.05	22.02	21.97
		RB Size=1, RB Offset=5	21.86	21.80	21.72
		RB Size=3, RB Offset=0	21.95	21.98	21.89
		RB Size=3, RB Offset=1	21.73	21.74	21.63
		RB Size=3, RB Offset=2	21.58	21.58	21.52
		RB Size=6, RB Offset=0	21.64	21.65	21.57
	16QAM	RB Size=1, RB Offset=0	22.06	21.99	21.89
		RB Size=1, RB Offset=2	21.90	21.79	21.70
		RB Size=1, RB Offset=5	21.67	21.64	21.59
		RB Size=3, RB Offset=0	21.83	21.76	21.69
		RB Size=3, RB Offset=1	21.50	21.43	21.38
		RB Size=3, RB Offset=2	21.39	21.35	21.27
		RB Size=6, RB Offset=0	21.52	21.47	21.38
3.0	QPSK	RB Size=1, RB Offset=0	22.47	22.48	22.41
		RB Size=1, RB Offset=7	22.34	22.29	22.24
		RB Size=1, RB Offset=14	22.28	22.26	22.19
		RB Size=8, RB Offset=0	21.86	21.82	21.78
		RB Size=8, RB Offset=4	21.93	21.89	21.77
		RB Size=8, RB Offset=7	21.87	21.83	21.75
		RB Size=15, RB Offset=0	21.63	21.66	21.63
	16QAM	RB Size=1, RB Offset=0	22.32	22.23	22.19
		RB Size=1, RB Offset=7	22.16	22.03	21.99
		RB Size=1, RB Offset=14	22.02	21.96	21.84
		RB Size=8, RB Offset=0	21.68	21.61	21.53
		RB Size=8, RB Offset=4	21.77	21.73	21.62
		RB Size=8, RB Offset=7	21.72	21.64	21.54
		RB Size=15, RB Offset=0	21.53	21.43	21.37

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.26	22.4	22.15
		RB Size=1, RB Offset=12	22.21	22.35	22.05
		RB Size=1, RB Offset=24	22.37	22.47	22.24
		RB Size=12, RB Offset=0	21.87	22.06	21.82
		RB Size=12, RB Offset=6	21.80	22.02	21.69
		RB Size=12, RB Offset=11	21.98	22.19	21.92
		RB Size=25, RB Offset=0	21.45	21.79	21.54
	16QAM	RB Size=1, RB Offset=0	22.22	22.43	22.11
		RB Size=1, RB Offset=12	22.12	22.34	22.05
		RB Size=1, RB Offset=24	22.29	22.56	22.16
		RB Size=12, RB Offset=0	21.89	22.15	21.86
		RB Size=12, RB Offset=6	21.82	22.05	21.74
		RB Size=12, RB Offset=11	21.96	22.21	21.99
		RB Size=25, RB Offset=0	21.54	21.83	21.57
10.0	QPSK	RB Size=1, RB Offset=0	21.95	22.12	21.87
		RB Size=1, RB Offset=24	21.86	22.07	21.75
		RB Size=1, RB Offset=49	21.99	22.21	21.90
		RB Size=25, RB Offset=0	21.83	22.07	21.85
		RB Size=25, RB Offset=12	21.80	22.00	21.74
		RB Size=25, RB Offset=24	21.88	22.15	21.97
		RB Size=50, RB Offset=0	21.75	22.00	21.84
	16QAM	RB Size=1, RB Offset=0	21.92	22.08	21.84
		RB Size=1, RB Offset=24	21.83	22.03	21.71
		RB Size=1, RB Offset=49	21.97	22.19	21.89
		RB Size=25, RB Offset=0	21.72	21.95	21.71
		RB Size=25, RB Offset=12	21.64	21.84	21.65
		RB Size=25, RB Offset=24	21.85	22.06	21.78
		RB Size=50, RB Offset=0	21.45	21.86	21.57

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	21.43	21.73	21.37
		RB Size=1, RB Offset=37	21.56	21.55	21.46
		RB Size=1, RB Offset=74	21.78	21.73	21.69
		RB Size=36, RB Offset=0	21.58	21.60	21.55
		RB Size=36, RB Offset=18	22.03	22.02	21.94
		RB Size=36, RB Offset=37	21.63	21.65	21.54
		RB Size=75, RB Offset=0	21.46	21.41	21.33
	16QAM	RB Size=1, RB Offset=0	21.39	21.35	21.28
		RB Size=1, RB Offset=37	21.60	21.52	21.39
		RB Size=1, RB Offset=74	21.48	21.41	21.31
		RB Size=36, RB Offset=0	21.86	21.75	21.62
		RB Size=36, RB Offset=18	21.42	21.32	21.25
		RB Size=36, RB Offset=37	21.25	21.18	21.07
		RB Size=75, RB Offset=0	21.29	21.20	21.14
20.0	QPSK	RB Size=1, RB Offset=0	22.16	22.19	22.07
		RB Size=1, RB Offset=49	21.89	21.89	21.79
		RB Size=1, RB Offset=99	21.76	21.78	21.69
		RB Size=50, RB Offset=0	21.54	21.56	21.47
		RB Size=50, RB Offset=24	21.49	21.42	21.34
		RB Size=50, RB Offset=49	21.67	21.61	21.52
		RB Size=100, RB Offset=0	21.58	21.56	21.50
	16QAM	RB Size=1, RB Offset=0	22.03	21.91	21.83
		RB Size=1, RB Offset=49	21.70	21.67	21.62
		RB Size=1, RB Offset=99	21.59	21.46	21.40
		RB Size=50, RB Offset=0	21.37	21.28	21.17
		RB Size=50, RB Offset=24	21.22	21.09	21.01
		RB Size=50, RB Offset=49	21.45	21.40	21.33
		RB Size=100, RB Offset=0	21.46	21.38	21.33

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	4.58	13	Pass
QPSK (100RB Size)	4.37	13	Pass
16QAM (1RB Size)	5.34	13	Pass
16QAM (100RB Size)	5.52	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	86.92	339	1.8	H	16.9	1.30	9.40	25.00	33
1880.00	83.43	305	1.3	V	13.2	1.30	9.40	21.30	33
3 MHz Bandwidth									
1880.00	86.79	179	2.2	H	16.7	1.30	9.40	24.80	33
1880.00	84.12	291	1.4	V	13.9	1.30	9.40	22.00	33
5 MHz Bandwidth									
1880.00	87.66	305	2.1	H	17.6	1.30	9.40	25.70	33
1880.00	83.57	180	1.8	V	13.3	1.30	9.40	21.40	33
10 MHz Bandwidth									
1880.00	86.54	194	2.4	H	16.5	1.30	9.40	24.60	33
1880.00	83.42	19	1.5	V	13.2	1.30	9.40	21.30	33
15 MHz Bandwidth									
1880.00	86.73	197	1.1	H	16.7	1.30	9.40	24.80	33
1880.00	83.52	161	1.7	V	13.3	1.30	9.40	21.40	33
20 MHz Bandwidth									
1880.00	87.75	347	1.6	H	17.7	1.30	9.40	25.80	33
1880.00	83.69	206	2.1	V	13.4	1.30	9.40	21.50	33

16QAM:

Frequency (MHz)	Receiver Reading (dBµV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	85.21	323	1.7	H	15.2	1.30	9.40	23.30	33
1880.00	84.65	155	1.7	V	14.4	1.30	9.40	22.50	33
3 MHz Bandwidth									
1880.00	85.17	142	2.5	H	15.1	1.30	9.40	23.20	33
1880.00	84.76	157	1.1	V	14.5	1.30	9.40	22.60	33
5 MHz Bandwidth									
1880.00	84.97	61	1.7	H	14.5	1.30	9.40	23.00	33
1880.00	84.87	69	1.9	V	14.6	1.30	9.40	22.70	33
10 MHz Bandwidth									
1880.00	85.29	253	2.1	H	15.2	1.30	9.40	23.30	33
1880.00	84.79	43	2.4	V	14.5	1.30	9.40	22.60	33
15 MHz Bandwidth									
1880.00	85.06	120	1.3	H	15.0	1.30	9.40	23.10	33
1880.00	84.72	303	1.5	V	14.5	1.30	9.40	22.60	33
20 MHz Bandwidth									
1880.00	85.24	89	2.4	H	15.2	1.30	9.40	23.30	33
1880.00	84.83	167	2.3	V	14.6	1.30	9.40	22.70	33

LTE Band 4:

Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.18	22.18	22.10
		RB Size=1, RB Offset=2	21.36	21.38	21.32
		RB Size=1, RB Offset=5	21.49	21.44	21.37
		RB Size=3, RB Offset=0	22.57	22.56	22.45
		RB Size=3, RB Offset=1	22.32	22.27	22.19
		RB Size=3, RB Offset=2	21.53	21.48	21.42
		RB Size=6, RB Offset=0	22.26	22.28	22.19
	16QAM	RB Size=1, RB Offset=0	21.99	21.93	21.88
		RB Size=1, RB Offset=2	21.27	21.23	21.18
		RB Size=1, RB Offset=5	21.28	21.17	21.12
		RB Size=3, RB Offset=0	22.32	22.21	22.10
		RB Size=3, RB Offset=1	22.09	22.03	21.91
		RB Size=3, RB Offset=2	21.31	21.21	21.15
		RB Size=6, RB Offset=0	22.07	22.01	21.93
3.0	QPSK	RB Size=1, RB Offset=0	22.26	22.28	22.19
		RB Size=1, RB Offset=7	22.06	22.06	21.94
		RB Size=1, RB Offset=14	21.61	21.61	21.56
		RB Size=8, RB Offset=0	22.43	22.42	22.32
		RB Size=8, RB Offset=4	21.71	21.73	21.63
		RB Size=8, RB Offset=7	21.56	21.56	21.48
		RB Size=15, RB Offset=0	21.77	21.72	21.68
	16QAM	RB Size=1, RB Offset=0	22.07	22.01	21.93
		RB Size=1, RB Offset=7	21.85	21.77	21.70
		RB Size=1, RB Offset=14	21.51	21.43	21.38
		RB Size=8, RB Offset=0	22.28	22.24	22.13
		RB Size=8, RB Offset=4	21.51	21.43	21.34
		RB Size=8, RB Offset=7	21.41	21.34	21.25
		RB Size=15, RB Offset=0	21.61	21.51	21.48

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.34	22.31	22.19
		RB Size=1, RB Offset=12	21.71	21.67	21.56
		RB Size=1, RB Offset=24	22.15	22.10	22.01
		RB Size=12, RB Offset=0	22.70	22.66	22.62
		RB Size=12, RB Offset=6	22.57	22.56	22.46
		RB Size=12, RB Offset=11	22.26	22.23	22.17
		RB Size=25, RB Offset=0	22.42	22.37	22.25
	16QAM	RB Size=1, RB Offset=0	22.14	22.04	21.94
		RB Size=1, RB Offset=12	21.45	21.33	21.28
		RB Size=1, RB Offset=24	21.90	21.84	21.80
		RB Size=12, RB Offset=0	22.51	22.48	22.40
		RB Size=12, RB Offset=6	22.37	22.28	22.20
		RB Size=12, RB Offset=11	22.11	22.07	21.98
		RB Size=25, RB Offset=0	22.19	22.10	22.01
10.0	QPSK	RB Size=1, RB Offset=0	22.19	22.19	22.12
		RB Size=1, RB Offset=24	21.83	21.85	21.81
		RB Size=1, RB Offset=49	22.60	22.62	22.52
		RB Size=25, RB Offset=0	22.42	22.43	22.35
		RB Size=25, RB Offset=12	21.94	21.88	21.76
		RB Size=25, RB Offset=24	21.91	21.87	21.81
		RB Size=50, RB Offset=0	22.36	22.31	22.19
	16QAM	RB Size=1, RB Offset=0	22.08	22.03	21.91
		RB Size=1, RB Offset=24	21.72	21.63	21.53
		RB Size=1, RB Offset=49	22.43	22.38	22.32
		RB Size=25, RB Offset=0	22.26	22.14	22.08
		RB Size=25, RB Offset=12	21.67	21.57	21.53
		RB Size=25, RB Offset=24	21.75	21.66	21.60
		RB Size=50, RB Offset=0	22.11	22.03	21.93

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	21.86	21.86	21.79
		RB Size=1, RB Offset=37	21.65	21.61	21.55
		RB Size=1, RB Offset=74	21.86	21.80	21.76
		RB Size=36, RB Offset=0	22.09	22.07	22.01
		RB Size=36, RB Offset=18	22.16	22.15	22.05
		RB Size=36, RB Offset=37	21.23	21.25	21.20
		RB Size=75, RB Offset=0	22.00	21.97	21.85
	16QAM	RB Size=1, RB Offset=0	21.67	21.56	21.50
		RB Size=1, RB Offset=37	21.51	21.41	21.37
		RB Size=1, RB Offset=74	21.71	21.58	21.47
		RB Size=36, RB Offset=0	21.96	21.90	21.87
		RB Size=36, RB Offset=18	21.98	21.89	21.79
		RB Size=36, RB Offset=37	21.10	21.00	20.89
		RB Size=75, RB Offset=0	21.77	21.72	21.67
20.0	QPSK	RB Size=1, RB Offset=0	21.65	21.62	21.51
		RB Size=1, RB Offset=49	21.95	21.93	21.88
		RB Size=1, RB Offset=99	22.27	22.26	22.21
		RB Size=50, RB Offset=0	21.74	21.70	21.61
		RB Size=50, RB Offset=24	21.52	21.50	21.43
		RB Size=50, RB Offset=49	21.09	21.10	21.04
		RB Size=100, RB Offset=0	21.01	20.95	20.86
	16QAM	RB Size=1, RB Offset=0	21.38	21.27	21.21
		RB Size=1, RB Offset=49	21.80	21.68	21.64
		RB Size=1, RB Offset=99	22.15	22.07	22.00
		RB Size=50, RB Offset=0	21.51	21.46	21.33
		RB Size=50, RB Offset=24	21.31	21.23	21.15
		RB Size=50, RB Offset=49	20.93	20.84	20.72
		RB Size=100, RB Offset=0	20.81	20.74	20.67

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	4.61	13	Pass
QPSK (100RB Size)	4.53	13	Pass
16QAM (1RB Size)	5.42	13	Pass
16QAM (100RB Size)	5.62	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	88.94	79	2.4	H	15.8	1.30	8.90	23.40	30
1732.50	84.76	201	1.3	V	12.2	1.30	8.90	19.80	30
3 MHz Bandwidth									
1732.50	88.76	337	2.0	H	15.6	1.30	8.90	23.20	30
1732.50	85.26	235	2.0	V	12.7	1.30	8.90	20.30	30
5 MHz Bandwidth									
1732.50	89.19	357	2.2	H	16.0	1.30	8.90	23.60	30
1732.50	85.23	94	1.7	V	12.7	1.30	8.90	20.30	30
10 MHz Bandwidth									
1732.50	89.05	46	2.2	H	15.9	1.30	8.90	23.50	30
1732.50	84.95	216	1.5	V	12.4	1.30	8.90	20.00	30
15 MHz Bandwidth									
1732.50	88.96	335	1.7	H	15.8	1.30	8.90	23.40	30
1732.50	85.17	252	1.1	V	12.6	1.30	8.90	20.20	30
20 MHz Bandwidth									
1732.50	89.07	132	2.2	H	15.9	1.30	8.90	23.50	30
1732.50	85.25	200	1.6	V	12.7	1.30	8.90	20.30	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	88.16	6	1.4	H	15.0	1.30	8.90	22.60	30
1732.50	85.20	325	2.2	V	12.6	1.30	8.90	20.20	30
3 MHz Bandwidth									
1732.50	89.08	77	1.9	H	15.9	1.30	8.90	23.50	30
1732.50	85.99	159	1.4	V	13.4	1.30	8.90	21.00	30
5 MHz Bandwidth									
1732.50	88.73	312	1.2	H	15.6	1.30	8.90	23.20	30
1732.50	84.59	253	2.5	V	12.0	1.30	8.90	19.60	30
10 MHz Bandwidth									
1732.50	88.87	272	1.7	H	15.7	1.30	8.90	23.30	30
1732.50	82.61	128	1.4	V	10.0	1.30	8.90	17.60	30
15 MHz Bandwidth									
1732.50	89.17	216	1.6	H	16.0	1.30	8.90	23.60	30
1732.50	85.64	155	1.4	V	13.1	1.30	8.90	20.70	30
20 MHz Bandwidth									
1732.50	88.76	229	1.1	H	15.6	1.30	8.90	23.20	30
1732.50	85.36	141	2.4	V	12.8	1.30	8.90	20.40	30

LTE Band 5:

Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.56	22.53	22.43
		RB Size=1, RB Offset=2	21.61	21.54	21.45
		RB Size=1, RB Offset=5	21.70	21.64	21.57
		RB Size=3, RB Offset=0	22.72	22.66	22.54
		RB Size=3, RB Offset=1	22.58	22.56	22.44
		RB Size=3, RB Offset=2	21.98	21.94	21.91
		RB Size=6, RB Offset=0	22.74	22.76	22.72
	16QAM	RB Size=1, RB Offset=0	22.32	22.24	22.19
		RB Size=1, RB Offset=2	21.41	21.33	21.25
		RB Size=1, RB Offset=5	21.48	21.41	21.37
		RB Size=3, RB Offset=0	22.44	22.36	22.29
		RB Size=3, RB Offset=1	22.36	22.29	22.17
		RB Size=3, RB Offset=2	21.83	21.74	21.61
		RB Size=6, RB Offset=0	22.65	22.56	22.47
3.0	QPSK	RB Size=1, RB Offset=0	22.72	22.68	22.55
		RB Size=1, RB Offset=7	22.16	22.13	22.04
		RB Size=1, RB Offset=14	22.91	22.87	22.82
		RB Size=8, RB Offset=0	22.38	22.34	22.23
		RB Size=8, RB Offset=4	22.60	22.61	22.49
		RB Size=8, RB Offset=7	22.48	22.45	22.36
		RB Size=15, RB Offset=0	22.31	22.33	22.23
	16QAM	RB Size=1, RB Offset=0	22.47	22.35	22.24
		RB Size=1, RB Offset=7	21.95	21.83	21.77
		RB Size=1, RB Offset=14	22.72	22.64	22.56
		RB Size=8, RB Offset=0	22.13	22.01	21.94
		RB Size=8, RB Offset=4	22.41	22.30	22.23
		RB Size=8, RB Offset=7	22.26	22.18	22.12
		RB Size=15, RB Offset=0	22.13	22.02	21.96

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.13	22.08	22.02
		RB Size=1, RB Offset=12	21.25	21.24	21.16
		RB Size=1, RB Offset=24	22.00	22.00	21.94
		RB Size=12, RB Offset=0	22.44	22.47	22.41
		RB Size=12, RB Offset=6	22.41	22.42	22.34
		RB Size=12, RB Offset=11	21.50	21.45	21.35
		RB Size=25, RB Offset=0	22.42	22.36	22.27
	16QAM	RB Size=1, RB Offset=0	21.96	21.83	21.74
		RB Size=1, RB Offset=12	21.11	21.01	20.95
		RB Size=1, RB Offset=24	21.81	21.70	21.62
		RB Size=12, RB Offset=0	22.30	22.20	22.10
		RB Size=12, RB Offset=6	22.29	22.21	22.16
		RB Size=12, RB Offset=11	21.26	21.17	21.08
		RB Size=25, RB Offset=0	22.14	22.05	21.98
10.0	QPSK	RB Size=1, RB Offset=0	22.06	22.05	21.95
		RB Size=1, RB Offset=24	21.90	21.90	21.84
		RB Size=1, RB Offset=49	22.44	22.41	22.30
		RB Size=25, RB Offset=0	22.13	22.07	21.98
		RB Size=25, RB Offset=12	22.00	21.95	21.86
		RB Size=25, RB Offset=24	21.88	21.82	21.73
		RB Size=50, RB Offset=0	21.40	21.41	21.32
	16QAM	RB Size=1, RB Offset=0	21.91	21.84	21.80
		RB Size=1, RB Offset=24	21.74	21.61	21.49
		RB Size=1, RB Offset=49	22.21	22.10	22.03
		RB Size=25, RB Offset=0	21.89	21.83	21.72
		RB Size=25, RB Offset=12	21.82	21.72	21.63
		RB Size=25, RB Offset=24	21.64	21.58	21.46
		RB Size=50, RB Offset=0	21.19	21.16	21.08

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	4.59	13	Pass
QPSK (50RB Size)	4.35	13	Pass
16QAM (1RB Size)	5.24	13	Pass
16QAM (50RB Size)	4.91	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBµV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	78.06	277	1.2	H	16.0	0.7	0.0	15.30	38.45
836.5	82.77	181	1.8	V	22.3	0.7	0.0	21.60	38.45
3 MHz Bandwidth									
836.5	71.92	223	2.2	H	15.9	0.7	0.0	15.20	38.45
836.5	82.87	108	2.3	V	22.4	0.7	0.0	21.70	38.45
5 MHz Bandwidth									
836.5	77.85	328	2.5	H	15.8	0.7	0.0	15.10	38.45
836.5	82.91	112	1.2	V	22.5	0.7	0.0	21.80	38.45
10 MHz Bandwidth									
836.5	77.75	174	1.5	H	15.7	0.7	0.0	15.00	38.45
836.5	82.73	118	1.6	V	22.3	0.7	0.0	21.60	38.45

16QAM:

Frequency (MHz)	Receiver Reading (dBµV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	77.98	61	1.5	H	15.9	0.7	0.0	15.20	38.45
836.5	82.15	285	2.3	V	21.7	0.7	0.0	21.00	38.45
3 MHz Bandwidth									
836.5	77.82	183	1.1	H	15.8	0.7	0.0	15.10	38.45
836.5	83.32	342	2.0	V	23.0	0.7	0.0	22.30	38.45
5 MHz Bandwidth									
836.5	77.71	194	1.4	H	15.7	0.7	0.0	15.00	38.45
836.5	82.43	212	1.4	V	22.0	0.7	0.0	21.30	38.45
10 MHz Bandwidth									
836.5	78.35	313	1.5	H	16.3	0.7	0.0	15.60	38.45
836.5	82.42	153	2.0	V	22.0	0.7	0.0	21.30	38.45

LTE Band 7:

Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.62	22.28	22.59
		RB Size=1, RB Offset=12	22.50	22.57	22.63
		RB Size=1, RB Offset=24	22.67	22.84	22.78
		RB Size=12, RB Offset=0	21.69	21.68	21.74
		RB Size=12, RB Offset=6	21.75	21.86	21.34
		RB Size=12, RB Offset=11	21.71	21.69	21.08
		RB Size=25, RB Offset=0	21.63	21.57	21.61
	16QAM	RB Size=1, RB Offset=0	22.39	21.65	22.73
		RB Size=1, RB Offset=12	22.56	21.68	22.67
		RB Size=1, RB Offset=24	22.71	21.47	22.45
		RB Size=12, RB Offset=0	21.53	20.53	21.51
		RB Size=12, RB Offset=6	21.54	21.81	21.66
		RB Size=12, RB Offset=11	21.55	20.07	21.48
		RB Size=25, RB Offset=0	21.06	20.61	20.37
10.0	QPSK	RB Size=1, RB Offset=0	22.60	22.37	22.78
		RB Size=1, RB Offset=24	22.70	22.31	22.60
		RB Size=1, RB Offset=49	22.55	22.23	22.73
		RB Size=25, RB Offset=0	21.82	21.58	22.04
		RB Size=25, RB Offset=12	21.84	21.74	21.95
		RB Size=25, RB Offset=24	21.77	21.71	22.02
		RB Size=50, RB Offset=0	22.38	21.78	22.77
	16QAM	RB Size=1, RB Offset=0	21.98	21.42	21.49
		RB Size=1, RB Offset=24	21.81	22.00	21.91
		RB Size=1, RB Offset=49	21.67	22.14	21.93
		RB Size=25, RB Offset=0	21.74	22.20	21.95
		RB Size=25, RB Offset=12	20.99	21.18	21.20
		RB Size=25, RB Offset=24	21.12	21.09	21.01
		RB Size=50, RB Offset=0	21.01	21.26	21.20

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.11	22.13	22.21
		RB Size=1, RB Offset=37	21.78	21.84	22.13
		RB Size=1, RB Offset=74	21.86	21.77	21.89
		RB Size=36, RB Offset=0	21.84	21.76	22.17
		RB Size=36, RB Offset=18	21.71	21.82	21.94
		RB Size=36, RB Offset=37	21.78	21.69	21.85
		RB Size=75, RB Offset=0	22.06	21.82	22.07
	16QAM	RB Size=1, RB Offset=0	22.33	22.24	22.31
		RB Size=1, RB Offset=37	22.31	22.23	22.38
		RB Size=1, RB Offset=74	21.83	21.93	21.96
		RB Size=36, RB Offset=0	21.78	21.85	21.73
		RB Size=36, RB Offset=18	21.23	21.25	21.14
		RB Size=36, RB Offset=37	21.34	21.53	21.87
		RB Size=75, RB Offset=0	21.23	21.38	21.52
20.0	QPSK	RB Size=1, RB Offset=0	21.85	21.85	22.07
		RB Size=1, RB Offset=49	21.42	21.81	21.92
		RB Size=1, RB Offset=99	21.69	21.73	21.86
		RB Size=50, RB Offset=0	21.43	21.77	21.70
		RB Size=50, RB Offset=24	21.38	21.39	21.94
		RB Size=50, RB Offset=49	21.56	21.35	21.93
		RB Size=100, RB Offset=0	21.70	21.44	21.60
	16QAM	RB Size=1, RB Offset=0	22.08	22.53	22.54
		RB Size=1, RB Offset=49	21.28	22.27	22.27
		RB Size=1, RB Offset=99	22.11	21.92	22.44
		RB Size=50, RB Offset=0	22.24	22.23	22.30
		RB Size=50, RB Offset=24	21.97	22.26	22.54
		RB Size=50, RB Offset=49	22.36	22.63	22.70
		RB Size=100, RB Offset=0	21.07	21.37	22.53

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	4.94	13	Pass
QPSK (100RB Size)	4.59	13	Pass
16QAM (1RB Size)	5.83	13	Pass
16QAM (100RB Size)	5.64	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	85.25	114	2.4	H	15.8	2.60	10.20	23.40	33
2535.00	83.54	317	2.1	V	14.7	2.60	10.20	22.30	33
10 MHz Bandwidth									
2535.00	84.67	203	1.3	H	15.2	2.60	10.20	22.80	33
2535.00	83.54	142	2.0	V	14.7	2.60	10.20	22.30	33
15 MHz Bandwidth									
2535.00	84.28	220	1.4	H	14.8	2.60	10.20	22.40	33
2535.00	82.57	58	2.4	V	13.7	2.60	10.20	21.30	33
20 MHz Bandwidth									
2535.00	84.63	194	2.2	H	15.1	2.60	10.20	22.70	33
2535.00	82.79	222	1.2	V	13.9	2.60	10.20	21.50	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	83.82	72	1.9	H	14.3	2.60	10.20	21.90	33
2535.00	83.71	196	2.4	V	14.8	2.60	10.20	22.40	33
10 MHz Bandwidth									
2535.00	84.95	260	1.5	H	15.5	2.60	10.20	23.10	33
2535.00	83.26	273	2.1	V	14.4	2.60	10.20	22.00	33
15 MHz Bandwidth									
2535.00	84.72	73	1.3	H	15.2	2.60	10.20	22.80	33
2535.00	83.95	228	1.6	V	15.1	2.60	10.20	22.70	33
20 MHz Bandwidth									
2535.00	84.81	61	2.2	H	15.3	2.60	10.20	22.90	33
2535.00	83.56	36	1.4	V	14.7	2.60	10.20	22.30	33

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	25~26 °C
Relative Humidity:	52~55 %
ATM Pressure:	100.5~101.0 kPa

The testing was performed by Shawn Xiao from 2018-07-02 to 2018-07-25.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	245.2	315.7
EGPRS(8PSK)	836.6	248.4	310.9

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.17	4.71
HSUPA (BPSK)	836.6	4.18	4.73
HSDPA (16QAM)	836.6	4.18	4.73


PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	245.2	320.5
EGPRS(8PSK)	1880.0	250.0	315.7

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.18	4.74
HSUPA (BPSK)	1880.0	4.20	4.73
HSDPA (16QAM)	1880.0	4.20	4.73


Cellular Band (Part 22H)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 3.JUL.2018 15:34:34

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 25.JUL.2018 18:37:27

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 3.JUL.2018 15:53:32

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 3.JUL.2018 15:58:21


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 3.JUL.2018 15:59:52


PCS Band (Part 24E)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 3.JUL.2018 15:38:39

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 25.JUL.2018 18:58:59

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 3.JUL.2018 15:47:01

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 3.JUL.2018 15:51:35

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode




Date: 3.JUL.2018 15:50:07

LTE Band 2: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.111	1.327
	16QAM	1.106	1.317
3.0	QPSK	2.683	2.875
	16QAM	2.683	2.885
5.0	QPSK	4.551	5.272
	16QAM	4.535	5.208
10.0	QPSK	8.974	9.872
	16QAM	8.974	9.936
15.0	QPSK	13.558	15.000
	16QAM	13.510	15.00
20.0	QPSK	17.949	19.423
	16QAM	17.949	19.423

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:45:40

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:42:55

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:39:38

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:35:57

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:31:57

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:29:07

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:22:55

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:20:05

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:57:12

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:00:15

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 2.JUL.2018 23:54:03

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2018 23:52:00

LTE Band 4: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.106	1.317
	16QAM	1.106	1.322
3.0	QPSK	2.683	2.875
	16QAM	2.683	2.885
5.0	QPSK	4.551	5.272
	16QAM	4.535	5.160
10.0	QPSK	8.974	10.032
	16QAM	8.974	9.808
15.0	QPSK	13.510	15.048
	16QAM	13.510	14.856
20.0	QPSK	17.885	19.359
	16QAM	17.949	19.359

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:15:47

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:17:58

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:20:02

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:22:21

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:27:08

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:29:53

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:32:00

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:33:57

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:38:37

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:36:05

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 3.JUL.2018 00:40:31

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:42:54

LTE Band 5: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.106	1.322
	16QAM	1.101	1.308
3.0	QPSK	2.683	2.875
	16QAM	2.683	2.885
5.0	QPSK	4.535	5.160
	16QAM	4.535	5.256
10.0	QPSK	9.006	10.128
	16QAM	9.006	9.712

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:47:21

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:49:28

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:05:42

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 00:51:25

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 20:30:57

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 20:56:32

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 3.JUL.2018 20:59:35

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:03:48

LTE Band 7: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.551	5.224
	16QAM	4.551	5.224
10.0	QPSK	8.974	9.936
	16QAM	8.974	9.776
15.0	QPSK	13.558	15.048
	16QAM	13.510	14.952
20.0	QPSK	17.885	19.295
	16QAM	17.949	19.551

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:11:53

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:08:58

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:17:43

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:15:34

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:20:07

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 3.JUL.2018 21:22:19

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 3.JUL.2018 21:24:58

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 3.JUL.2018 21:26:52

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	50~55 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Shawn Xiao from 2018-07-02 to 2018-07-18.


Test result: Compliance

EUT operation mode: transmitting

Please refer to the following plots.

Cellular Band (Part 22H)


30 MHz – 1 GHz (GSM Mode)



Fundamental test


Date: 2.JUL.2018 16:40:16

1 GHz – 10 GHz (GSM Mode)




Date: 2.JUL.2018 16:41:45

30 MHz – 1 GHz (WCDMA Mode)



Date: 2.JUL.2018 16:35:20


1 GHz – 10 GHz (WCDMA Mode)



Date: 2.JUL.2018 16:35:59


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)




Date: 2.JUL.2018 16:45:07

1 GHz – 2 GHz (GSM Mode)




Date: 2.JUL.2018 16:47:42

2 GHz – 20 GHz (GSM Mode)




Date: 2.JUL.2018 16:48:09

30 MHz – 1 GHz (WCDMA Mode)




Date: 2.JUL.2018 16:32:11

1 GHz – 2 GHz (WCDMA Mode)



Date: 2.JUL.2018 16:31:16


2 GHz – 20 GHz (WCDMA Mode)



Date: 2.JUL.2018 16:33:03


LTE Band 2: (QPSK)

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 4.JUL.2018 00:24:04

1 GHz - 2 GHz (1.4 MHz, Middle Channel)




Date: 4.JUL.2018 00:18:41

2 GHz - 20 GHz (1.4 MHz, Middle Channel)




Date: 4.JUL.2018 00:43:52

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:23:49

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:18:17

2 GHz - 20 GHz (3.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:43:22

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:23:33

1 GHz - 2 GHz (5.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:17:50

2 GHz - 20 GHz (5.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:42:49

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:23:18

1 GHz - 2 GHz (10.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:17:20

2 GHz - 20 GHz (10.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:44:14

30 MHz - 1 GHz (15.0 MHz, Middle Channel)



Date: 4.JUL.2018 00:23:04


1 GHz - 2 GHz (15.0 MHz, Middle Channel)



Fundamental test


Date: 4.JUL.2018 00:16:16

2 GHz - 20 GHz (15.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:44:43

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:22:39

1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 4.JUL.2018 00:16:39


2 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 4.JUL.2018 00:45:01


LTE Band 4: (QPSK)

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 4.JUL.2018 00:24:55

1 GHz - 2 GHz (1.4 MHz, Middle Channel)




Date: 4.JUL.2018 00:35:28

2 GHz - 20 GHz (1.4 MHz, Middle Channel)




Date: 4.JUL.2018 00:34:56

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:30:50

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:35:58

2 GHz - 20 GHz (3.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:34:42

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:31:33

1 GHz - 2 GHz (5.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:36:22

2 GHz - 20 GHz (5.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:34:26

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:31:51

1 GHz - 2 GHz (10.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:36:43

2 GHz - 20 GHz (10.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:34:06

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:32:10

1 GHz - 2 GHz (15.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:37:04

2 GHz - 20 GHz (15.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:33:50

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 4.JUL.2018 00:32:30

1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 4.JUL.2018 00:37:31


2 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 4.JUL.2018 00:33:31


LTE Band 5:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 3.JUL.2018 22:26:10

1 GHz - 9 GHz (1.4 MHz, Middle Channel)




Date: 3.JUL.2018 22:00:55

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 3.JUL.2018 22:27:13

1 GHz - 9 GHz (3.0 MHz, Middle Channel)




Date: 3.JUL.2018 22:00:36

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 3.JUL.2018 22:27:55

1 GHz - 9 GHz (5.0 MHz, Middle Channel)




Date: 3.JUL.2018 21:58:55

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 3.JUL.2018 22:28:28


1 GHz - 9 GHz (10.0 MHz, Middle Channel)



Date: 3.JUL.2018 21:59:54


LTE Band 7: (QPSK)

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 18.JUL.2018 23:08:34

1 GHz - 3 GHz (5.0 MHz, Middle Channel)




Date: 3.JUL.2018 21:49:42

3 GHz - 26 GHz (5.0 MHz, Middle Channel)




Date: 3.JUL.2018 21:50:32

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 18.JUL.2018 23:08:46

1 GHz - 3 GHz (10.0 MHz, Middle Channel)




Date: 3.JUL.2018 21:48:34

3 GHz - 26 GHz (10.0 MHz, Middle Channel)




Date: 3.JUL.2018 21:51:24

30 MHz - 1 GHz (15.0 MHz, Middle Channel)



Date: 18.JUL.2018 23:09:01


1 GHz - 3 GHz (15.0 MHz, Middle Channel)



Fundamental test


Date: 3.JUL.2018 21:47:45

3 GHz - 26 GHz (15.0 MHz, Middle Channel)




Date: 3.JUL.2018 21:51:48

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 18.JUL.2018 23:09:14

1 GHz - 3 GHz (20.0 MHz, Middle Channel)



Date: 3.JUL.2018 21:45:44

3 GHz - 26 GHz (20.0 MHz, Middle Channel)



Date: 3.JUL.2018 21:52:08

FCC § 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m) SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917(a) and § 24.238(a) and § 27.53(h)(m)

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data

Environmental Conditions

Temperature:	26 °C
Relative Humidity:	48 %
ATM Pressure:	110.0 kPa

The testing was performed by Shawn Xiao on 2018-07-02.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBµV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GSM Mode, Middle channel										
850.78	31.33	93	1.1	H	-65.7	0.70	0	-66.40	-13	53.40
850.78	31.62	234	1.6	V	-65.4	0.70	0	-66.10	-13	53.10
1673.20	49.40	248	1.7	H	-57.7	1.30	8.90	-50.10	-13	37.10
1673.20	59.02	282	2.0	V	-47.5	1.30	8.90	-39.90	-13	26.90
2509.80	61.24	40	1.3	H	-42.3	2.60	10.20	-34.70	-13	21.70
2509.80	54.88	238	1.4	V	-48.0	2.60	10.20	-40.40	-13	27.40
4183.00	60.21	309	1.4	H	-41.2	1.50	11.80	-30.90	-13	17.90
4183.00	65.58	273	1.8	V	-35.0	1.50	11.80	-24.70	-13	11.70
WCDMA Mode, Middle channel										
850.78	31.21	95	2.0	H	-65.8	0.70	0	-66.50	-13	53.50
850.78	31.96	189	1.7	V	-65.0	0.70	0	-65.70	-13	52.70
1673.20	48.92	337	2.0	H	-58.2	1.30	8.90	-50.60	-13	37.60
1673.20	48.56	168	1.7	V	-57.9	1.30	8.90	-50.30	-13	37.30

30 MHz ~ 20 GHz:

PCS Band (Part 24E)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GSM Mode, Middle channel										
850.78	31.69	300	1.2	H	-65.3	0.70	0	-66.00	-13	53.00
850.78	32.00	353	1.3	V	-65.0	0.70	0	-65.70	-13	52.70
3760.00	53.85	347	1.6	H	-47.4	1.50	11.80	-37.10	-13	24.10
3760.00	52.67	130	2.3	V	-48.1	1.50	11.80	-37.80	-13	24.80
5640.00	59.64	115	1.6	H	-38.0	1.70	12.40	-27.30	-13	14.30
5640.00	56.28	327	1.4	V	-41.0	1.70	12.40	-30.30	-13	17.30
WCDMA Mode, Middle channel										
850.78	32.22	24	1.6	H	-64.8	0.70	0	-65.50	-13	52.50
850.78	32.60	295	1.3	V	-64.4	0.70	0	-65.10	-13	52.10
3760.00	59.71	58	2.3	H	-41.5	1.50	11.80	-31.20	-13	18.20
3760.00	58.66	100	1.7	V	-42.1	1.50	11.80	-31.80	-13	18.80

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
Band 2, Middle channel										
Test frequency range: 30 MHz ~ 20 GHz										
850.78	32.85	98	1.4	H	-64.1	0.70	0	-64.80	-13	51.80
850.78	32.53	23	1.1	V	-64.5	0.70	0	-65.20	-13	52.20
3760.00	58.84	72	1.2	H	-42.4	1.50	11.80	-32.10	-13	19.10
3760.00	57.15	168	2.3	V	-43.6	1.50	11.80	-33.30	-13	20.30
Band 4, Middle channel,										
Test frequency range: 30 MHz ~ 18 GHz										
850.78	32.83	65	1.6	H	-64.2	0.70	0	-64.90	-13	51.90
850.78	32.35	324	2.3	V	-64.7	0.70	0	-65.40	-13	52.40
3465.00	55.56	30	1.8	H	-44.8	1.50	12.00	-34.30	-13	21.30
3465.00	53.88	37	1.4	V	-47.3	1.50	12.00	-36.80	-13	23.80
Band 5										
Test frequency range:30 MHz ~ 10 GHz										
850.78	31.10	60	1.6	H	-65.9	0.70	0	-66.60	-13	53.60
850.78	31.50	355	1.0	V	-65.5	0.70	0	-66.20	-13	53.20
1673.00	49.73	25	1.8	H	-57.3	1.30	8.90	-49.70	-13	36.70
1673.00	46.52	45	2.2	V	-60.0	1.30	8.90	-52.40	-13	39.40
Band 7, Middle channel										
Test frequency range: 30 MHz ~26 GHz										
850.78	32.39	215	1.2	H	-64.6	0.70	0	-65.30	-25	40.30
850.78	32.99	70	1.5	V	-64.0	0.70	0	-64.70	-25	39.70
5070.00	56.36	190	1.3	H	-41.5	1.60	12.10	-31.00	-25	6.00
5070.00	57.78	54	1.9	V	-40.1	1.60	12.10	-29.60	-25	4.60
7605.00	52.64	200	2.3	H	-42.6	2.10	10.50	-34.20	-25	9.20
7605.00	52.63	50	2.5	V	-42.3	2.10	10.50	-33.90	-25	8.90

Note:

- 1) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 2) Margin = Limit- Absolute Level

FCC § 22.917 (a); § 24.238 (a); §27.53 (h)(m) - BAND EDGES

Applicable Standard

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency



Test Data

Environmental Conditions


Temperature:	24~25 °C
Relative Humidity:	48~50 %
ATM Pressure:	100.5~101.0 kPa

The testing was performed by Shawn Xiao from 2018-07-02 to 2018-07-25.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 19.JUL.2018 20:10:07

Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 19.JUL.2018 20:11:14

Cellular Band, Left Band Edge for EDGE Mode




Date: 25.JUL.2018 18:41:42

Cellular Band, Right Band Edge for EDGE Mode




Date: 25.JUL.2018 18:43:36

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 2.JUL.2018 16:07:06

Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 2.JUL.2018 16:08:06

Cellular Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 2.JUL.2018 16:18:50

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 2.JUL.2018 16:19:29

Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 2.JUL.2018 16:06:28

Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 2.JUL.2018 16:04:46

PCS Band, Left Band Edge for GSM (GMSK) Mode




Date: 2.JUL.2018 17:01:22

PCS Band, Right Band Edge for GSM (GMSK) Mode




Date: 2.JUL.2018 17:02:49

PCS Band, Left Band Edge for EDGE Mode




Date: 25.JUL.2018 18:51:18

PCS Band, Right Band Edge for EDGE Mode




Date: 25.JUL.2018 18:53:27

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 2.JUL.2018 16:11:22

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 2.JUL.2018 16:13:16

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 2.JUL.2018 16:16:13

PCS Band, Right Band Edge for HSDPA (16QAM) Mode



Date: 2.JUL.2018 16:17:15

PCS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 2.JUL.2018 16:15:16


PCS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 2.JUL.2018 16:14:24


LTE Band 2:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:16:33

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 16:21:13

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:17:18

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 16:20:14

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:22:16

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 16:24:49

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:22:52

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 16:24:17

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:59:52

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:58:30

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 21:00:23

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:57:50

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:54:07

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:55:38

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:53:32

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:56:28

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:52:01

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:50:45

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:52:31

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:49:34

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:46:27

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:47:31

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 5.JUL.2018 20:45:20


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 5.JUL.2018 20:48:19


LTE Band 4:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:54:47

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 16:57:08

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:55:20

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 16:56:20

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:58:56

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:00:56

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 16:59:26

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:00:24

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:03:36

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:05:15

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:04:09

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:04:49

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:08:00

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:09:58

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:08:29

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:09:16

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:11:19

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:12:44

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:11:44

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:12:21

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:15:43

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:17:33

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 3.JUL.2018 17:16:18


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 3.JUL.2018 17:17:08


Band 5:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:20:36

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:22:52

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:21:23

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:22:24

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:24:04

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:26:52

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 3.JUL.2018 17:25:37

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 3.JUL.2018 17:26:24

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:03:03

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:01:22

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:04:05

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 19:57:22

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 19:48:30

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 19:51:13

16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 5.JUL.2018 19:39:16


16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 5.JUL.2018 19:52:17


LTE Band 7:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:12:43

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:15:02

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:11:34

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:16:40

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:22:14

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:20:05

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:24:46

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:18:01

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:35:25

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:36:38

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:27:44

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:37:20

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 5.JUL.2018 20:40:55

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 5.JUL.2018 20:39:51

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 5.JUL.2018 20:42:03

16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 5.JUL.2018 20:38:33

FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055, §22.355, §24.235 and & §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data

Environmental Conditions

Temperature:	26 °C
Relative Humidity:	50 %
ATM Pressure:	101.0 kPa

The testing was performed by Shawn Xiao on 2018-07-08.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)

GSM Mode

Middle Channel, $f_0 = 836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	7	0.0084	2.5
-20		6	0.0072	2.5
-10		5	0.0060	2.5
0		10	0.0120	2.5
10		9	0.0108	2.5
20		6	0.0072	2.5
30		8	0.0096	2.5
40		7	0.0084	2.5
50		11	0.0131	2.5
25		V min.= 3.6	15	0.0179
	V max.= 4.35	13	0.0155	2.5

EDGE Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	3	0.0036	2.5
-20		5	0.0060	2.5
-10		4	0.0048	2.5
0		3	0.0036	2.5
10		4	0.0048	2.5
20		5	0.0060	2.5
30		2	0.0024	2.5
40		5	0.0060	2.5
50		4	0.0048	2.5
25		V min.= 3.6	5	0.0060
	V max.= 4.35	3	0.0036	2.5

WCDMA Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	6	0.0072	2.5
-20		7	0.0084	2.5
-10		-4	-0.0048	2.5
0		5	0.0060	2.5
10		6	0.0072	2.5
20		-15	-0.0179	2.5
30		6	0.0072	2.5
40		-7	-0.0084	2.5
50		8	0.0096	2.5
25		V min.= 3.6	9	0.0108
	V max.= 4.35	7	0.0084	2.5

PCS Band (Part 24E)

GSM Mode

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	12	0.0064	pass
-20		14	0.0074	pass
-10		12	0.0064	pass
0		10	0.0053	pass
10		9	0.0048	pass
20		14	0.0074	pass
30		11	0.0059	pass
40		10	0.0053	pass
50		13	0.0069	pass
25		V min.= 3.6	11	0.0059
	V max.= 4.35	8	0.0043	pass

EDGE Mode

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	9	0.0048	pass
-20		10	0.0053	pass
-10		9	0.0048	pass
0		8	0.0043	pass
10		9	0.0048	pass
20		11	0.0059	pass
30		10	0.0053	pass
40		11	0.0059	pass
50		12	0.0064	pass
25		V min.= 3.6	10	0.0053
	V max.= 4.35	9	0.0048	pass

WCDMA Mode

Middle Channel, $f_0=1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	6	0.0032	pass
-20		5	0.0027	pass
-10		8	0.0043	pass
0		5	0.0027	pass
10		-6	-0.0032	pass
20		-10	-0.0053	pass
30		-4	-0.0021	pass
40		5	0.0027	pass
50		6	0.0032	pass
25		V min.= 3.6	7	0.0037
	V max.= 4.35	8	0.0043	pass

**LTE:
QPSK:**

Band 2:

20.0 MHz Middle Channel, $f_0=1880$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-1.82	-0.0010	pass
-20		-1.36	-0.0007	pass
-10		-3.48	-0.0018	pass
0		-4.14	-0.0022	pass
10		-4.35	-0.0023	pass
20		-2.64	-0.0014	pass
30		-1.39	-0.0007	pass
40		-4.42	-0.0024	pass
50		-4.38	-0.0023	pass
25		V min.= 3.6	-3.47	-0.0018
	V max.= 4.35	-4.24	-0.0023	pass

Band 4:

20 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	1710.318365	1754.696131	1710	1755
-20		1710.315599	1754.688692	1710	1755
-10		1710.316617	1754.689827	1710	1755
0		1710.316356	1754.699269	1710	1755
10		1710.315543	1754.689542	1710	1755
20		1710.315958	1754.688924	1710	1755
30		1710.319656	1754.684925	1710	1755
40		1710.315982	1754.687949	1710	1755
50		1710.319870	1754.689958	1710	1755
25	V min.= 3.6	1710.316976	1754.691959	1710	1755
25	V max.= 4.35	1710.319314	1754.688920	1710	1755

Band 5:

10.0 MHz Middle Channel, f ₀ = 836.5MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-3.04	-0.0036	2.5
-20		-5.58	-0.0067	2.5
-10		-5.13	-0.0061	2.5
0		-2.52	-0.0030	2.5
10		-4.04	-0.0048	2.5
20		-3.80	-0.0045	2.5
30		-3.96	-0.0047	2.5
40		-2.75	-0.0033	2.5
50		-1.81	-0.0022	2.5
25	V min.= 3.6	-4.62	-0.0055	2.5
	V max.= 4.35	-4.00	-0.0048	2.5

Band 7:

20 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	2500.316963	2569.784969	2500	2570
-20		2500.313668	2569.785861	2500	2570
-10		2500.318355	2569.783690	2500	2570
0		2500.312547	2569.789769	2500	2570
10		2500.313756	2569.786969	2500	2570
20		2500.314962	2569.790764	2500	2570
30		2500.312645	2569.790963	2500	2570
40		2500.311530	2569.790391	2500	2570
50		2500.312629	2569.785956	2500	2570
25	V min.= 3.6	2500.311960	2569.790911	2500	2570
25	V max.= 4.35	2500.318974	2569.790751	2500	2570

**LTE:
16QAM:**

Band 2:

20.0 MHz Middle Channel, f ₀ =1880 MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	1.07	0.0006	pass
-20		-3.16	-0.0017	pass
-10		3.74	0.0020	pass
0		1.51	0.0008	pass
10		0.68	0.0004	pass
20		-2.30	-0.0012	pass
30		3.11	0.0017	pass
40		3.32	0.0018	pass
50		0.67	0.0004	pass
25	V min.= 3.6	-2.10	-0.0011	pass
	V max.= 4.35	-1.87	-0.0010	pass

Band 4:

20 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	1710.318400	1754.690031	1710	1755
-20		1710.317209	1754.689992	1710	1755
-10		1710.316817	1754.689527	1710	1755
0		1710.316046	1754.691669	1710	1755
10		1710.315893	1754.687142	1710	1755
20		1710.315838	1754.688764	1710	1755
30		1710.319856	1754.684785	1710	1755
40		1710.315122	1754.687536	1710	1755
50		1710.319160	1754.689798	1710	1755
25		V min.= 3.6	1710.316056	1754.691654	1710
25	V max.= 4.35	1710.319884	1754.685890	1710	1755

Band 5:

10.0 MHz Middle Channel, f _o =836.5MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-5.00	-0.0060	2.5
-20		-5.65	-0.0068	2.5
-10		-4.59	-0.0055	2.5
0		-5.78	-0.0069	2.5
10		-4.52	-0.0054	2.5
20		-4.10	-0.0049	2.5
30		-5.11	-0.0061	2.5
40		-6.08	-0.0073	2.5
50		-4.61	-0.0055	2.5
25		V min.= 3.6	-2.00	-0.0024
	V max.= 4.35	-2.76	-0.0033	2.5

Band 7:

20 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	2500.316463	2569.784869	2500	2570
-20		2500.313798	2569.789121	2500	2570
-10		2500.318485	2569.789160	2500	2570
0		2500.312487	2569.789479	2500	2570
10		2500.311656	2569.788939	2500	2570
20		2500.314592	2569.799254	2500	2570
30		2500.312495	2569.799623	2500	2570
40		2500.311460	2569.7956551	2500	2570
50		2500.312499	2569.785986	2500	2570
25		V min.= 3.6	2500.311980	2569.790981	2500
25	V max.= 4.35	2500.318984	2569.790981	2500	2570

***** END OF REPORT *****