

150Mbps Nano Wireless USB Adapter **GN-W77** Manual



REV : 1.0
Data : Feb. 6, 2018


► General Usage

Insert the GN-W77 into the Dash cam USB jack

► Features

- 150Mbps wireless transmission rate
 - Seamlessly compatible with 802.11 b/g/n technology
 - GN-W77 complies with IEEE 802.11g and IEEE 802.11b standards.
 - The GN-W77 auto-sensing capability allows high pocket transfer rate of up to 150Mbps for maximum throughput.
-

► How to Use



- Install the Dash Camera right next to the rear view mirror.
- Put the WiFi dongle in the USB port on the Dash Camera.
- Connect your phone through the app 'G-net system' and monitor.

<Important caution while in use>

1. This device is designed to be used only on the dash board camera.
 2. Do not use this WiFi dongle with any other devices.
 3. This device is proven to comply the FCC rule only when it is used with dash board camera.
-

► FCC ID information

FCC ID : 2A07Z-GN-W77

Federal Communication Commission Interference Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device should be installed and operated with minimum 5mm between the radiator and your body.