

日期	
产品名称	Bietrun WXM28 专业一拖二话筒套餐 说明书
型号	
文件名	
图纸类型	手板 <input type="checkbox"/> 打样 <input type="checkbox"/> 生产 <input type="checkbox"/>
版本号	1
设计	
确认	
批准	
深圳璟都科技有限公司	
图例：	

工艺要求说明：
 尺寸：21*14 cm
 材质：157g铜版纸，彩色印刷，装订成册

备注：

1. Product introduction

This UHF Professional 2-Channel Rechargeable Wireless Microphone System uses UHF frequency band transmission, which has the advantages of anti-interference, strong signal, low delay, and clear sound quality. It is easy to use and operate.

Note: Please read and follow all warnings carefully before use, and keep this manual for subsequent use.

2. Product description

Rechargeable Transmitter MIC-X

3. Bluetooth connection

For direct calls with Bluetooth audio, search for the Bietrun WXM28 on your mobile phone. If the connection is successful, there will be a prompt, and the Bluetooth logo on the display of the receiver will stay on.

3.2 Output connection

Audio amplifier devices with XLR interface, 6.35mm and 3.5mm audio interface, and other audio equipment, Bietrun speakers, power amplifiers, and other speakers.

4. FAQ

No.	Problems	Solutions
1	Receiver with no sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
2	Receiver with no sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
3	No sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
4	Low sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
5	Intermittent sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
6	Intermittent sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
7	Intermittent sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.

5. Parameter

Property	Value
Frequency	470MHz
Bandwidth	12.5MHz
Modulation	FM
Power	500mW
Power consumption	100mW
Working frequency	470MHz
Signal-to-noise ratio	>120dB
Modulation	FM
Power	500mW
Power consumption	100mW

6. Packing List

Item	Quantity
1* Rechargeable Transmitter MIC-X	1
1* Receiver MIC-B	1
1* Charging cable	1
1* Manual	1

Manufacturer:
 SHENZHEN LINGXIANG INTELLIGENT TECHNOLOGY CO., LTD.
 ADDRESS: 27 FLOOR BUILDING D, JIANGYUAN INDUSTRIAL AREA,
 XIYUAN STREET, BAOAN DISTRICT, SHENZHEN,
 GUANGDONG, CHINA.

1. Product introduction

This UHF Professional 2-Channel Rechargeable Wireless Microphone System uses UHF frequency band transmission, which has the advantages of anti-interference, strong signal, low delay, and clear sound quality. It is easy to use and operate.

Note: Please read and follow all warnings carefully before use, and keep this manual for subsequent use.

2. Product description

Rechargeable Transmitter MIC-X

3. Bluetooth connection

For direct calls with Bluetooth audio, search for the Bietrun WXM28 on your mobile phone. If the connection is successful, there will be a prompt, and the Bluetooth logo on the display of the receiver will stay on.

3.2 Output connection

Audio amplifier devices with XLR interface, 6.35mm and 3.5mm audio interface, and other audio equipment, Bietrun speakers, power amplifiers, and other speakers.

4. FAQ

No.	Problems	Solutions
1	Receiver with no sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
2	Receiver with no sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
3	No sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
4	Low sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
5	Intermittent sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
6	Intermittent sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.
7	Intermittent sound	(1) Check whether the receiver is powered on. (2) Check whether the transmitter is powered on. (3) Check whether the receiver is in the same channel as the transmitter. (4) Check whether the receiver is in the same frequency as the transmitter. (5) Check whether the receiver is in the same mode as the transmitter. (6) Check whether the receiver is in the same power as the transmitter.

5. Parameter

Property	Value
Frequency	470MHz
Bandwidth	12.5MHz
Modulation	FM
Power	500mW
Power consumption	100mW
Working frequency	470MHz
Signal-to-noise ratio	>120dB
Modulation	FM
Power	500mW
Power consumption	100mW

6. Packing List

Item	Quantity
1* Rechargeable Transmitter MIC-X	1
1* Receiver MIC-B	1
1* Charging cable	1
1* Manual	1

Manufacturer:
 SHENZHEN LINGXIANG INTELLIGENT TECHNOLOGY CO., LTD.
 ADDRESS: 27 FLOOR BUILDING D, JIANGYUAN INDUSTRIAL AREA,
 XIYUAN STREET, BAOAN DISTRICT, SHENZHEN,
 GUANGDONG, CHINA.

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.