






EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 <p>A photograph showing five disassembled components of an Electronic Under Test (EUT) laid out on a light blue surface. From left to right, the components are: a black plastic housing with a silver metal plate, a green printed circuit board (PCB) with a gold flex cable, a white battery pack with a green top, another black plastic housing, and a small black component. A black ruler with white markings is placed below the components, showing measurements in millimeters. The ruler is oriented vertically on the left and horizontally at the bottom.</p>
<p>Solder Board-Component View 1</p>	 <p>A close-up photograph of two green PCB components connected by a gold flex cable. The components are laid out on a light blue surface. A black ruler with white markings is placed below the components, showing measurements in millimeters. The ruler is oriented vertically on the left and horizontally at the bottom.</p>

<p style="text-align: center;">Solder Board-Component View 2</p>	 <p>A photograph showing a small green PCB component with two gold-colored pads and a gold-colored flex cable attached. The component is placed on a blue fabric surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component positioned between the 10mm and 60mm marks.</p>
<p style="text-align: center;">Solder Board-Component View 3</p>	 <p>A photograph showing a small white cylindrical component with two gold-colored pads. The component is placed on a blue fabric surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component positioned between the 10mm and 40mm marks. The component has the text "3HY401430" and "+ 3.7V 130mAh" printed on it.</p>

<p>Solder Board-Component View 4</p>	
<p>Antenna View</p>	