






EXHIBIT 4 - TEST SETUP PHOTOGRAPHS

Radiation Emission Test Setup (Below 30MHz)	 A photograph of a radiation emission test chamber. The interior walls are covered with white, square-shaped electromagnetic interference (EMI) absorbers. A yellow, rectangular test fixture is positioned on a circular turntable in the center of the chamber. A black metal frame is visible in the foreground, partially obscuring the turntable. The floor is a light-colored concrete.
Radiation Emission Test Setup (30MHz to 1GHz)	 A photograph of a radiation emission test chamber, similar to the one above. The interior walls are covered with white, square-shaped EMI absorbers. A yellow, rectangular test fixture is positioned on a circular turntable in the center of the chamber. In the foreground, a metal frame with several vertical rods is visible, likely used for mounting antennas or sensors. The floor is a light-colored concrete.

Radiation Emission Test Setup (1GHz to 18GHz)	 A photograph of a radiation emission test setup for the 1GHz to 18GHz range. A white, cube-shaped test item is placed on a yellow wooden stand in the center of an anechoic chamber. The chamber walls are lined with white square-shaped absorbers, and the floor is covered with blue pyramidal absorbers. A red horn antenna is positioned to the right of the stand, pointing towards the test item. A white cylindrical object is also visible on the right side of the chamber.
Radiation Emission Test Setup (Above 18GHz)	 A photograph of a radiation emission test setup for frequencies above 18GHz. The same white, cube-shaped test item is on the yellow wooden stand in the center of the anechoic chamber. The walls are lined with white square-shaped absorbers, and the floor is covered with blue pyramidal absorbers. A blue cable is connected to the test item, and a small electronic device is visible on the right side of the chamber.



***** END OF REPORT *****