

NUXX

MP-3

MIGHTY PLUG PRO
Guitar and Bass Amp Modeling
Earphone Amplifier



FCC E   

©Cherub Technology Co., Ltd.

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Cherub Technology Co., Ltd.
www.nuxx.com
Made in China

Copyright
 Copyright 2022 Cherub Technology Co. All rights reserved. NUX and MIGHTY PLUG PRO are trademarks of Cherub Technology Co. Other product names modeled in this product are trademarks of their respective companies that do not endorse and are not associated or affiliated with Cherub Technology Co.
Accuracy
 Whilst every effort has been made to ensure the accuracy and content of this manual, Cherub Technology Co. makes no representations or warranties regarding the contents.

**WARNING!-IMPORTANT SAFETY INSTRUCTIONS
 BEFORE CONNECTING, READ INSTRUCTIONS**

<p>WARNING: To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.</p>	<p>CAUTION: To reduce the risk of fire or electric shock, do not remove screws. No user-serviceable parts inside. Refer servicing to qualified service personnel.</p>
<p>The lightning symbol within a triangle means "electrical caution": It indicates the presence of information about operating voltage and potential risks of electrical shock.</p>	<p>The exclamation point within a triangle means "caution": Please read the information next to all caution signs.</p>

1. Use only the supplied power supply or power cord. If you are not sure of the type of power available, consult your dealer or local power company.
2. Do not place near heat sources, such as radiators, heat registers, or appliances which produce heat.
3. Guard against objects or liquids entering the enclosure.
4. Do not attempt to service this product yourself, as opening or removing covers may expose you to dangerous voltage points or other risks. Refer all servicing to qualified service personnel.
5. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as when the power supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus; the apparatus has been exposed to rain or moisture; does not operate normally or has been dropped.
6. The power supply cord should be unplugged when the unit is to be unused for long periods of time.

6. The power supply cord should be unplugged when the unit is to be unused for long periods of time.
7. Protect the power cord from being walked on or pinched, particularly at plugs, convenience receptacles and at the point where they exit from the apparatus.
8. Prolonged listening at high volume levels may cause irreparable hearing loss and/or damage. Always be sure to practice "safe listening".

Follow all instructions and heed all warnings
KEEP THESE INSTRUCTIONS!

Overview

Thank you for purchasing the NUX MIGHTY PLUG PRO, since the release of the original MIGHTY PLUG, this kind of versatile amp modeling amp-plug became a new trend. And now, the MIGHTY PLUG PRO offers even more versatility and tones.


The MIGHTY PLUG PRO provides a variety of effects for electric guitar and bass guitar including amp modeling and cabinet IRs. It also comes with acoustic amp modeling and acoustic IRs to let you simulate acoustic guitar sounds. You can also load 3rd party IRs through Mighty Editor™ edit software to expand your tones. (You can load any WAV format IRs. Mighty Editor™ will convert to 32bits/48kHz onto the device automatically.)



Note: There are 34 default IRs, and user IR slots are 20 (from 35 to 54).

You can customize the presets through the Mighty Amp™ APP (mobile) or Mighty Editor™ edit software (PC). Change

the effect blocks' order? Absolutely! You can do lots of things with this intuitive interface!




The Mighty Amp™ APP and Mighty Editor™ edit software can let you tweak all the signal blocks and parameters. The MIGHTY PLUG PRO offers GATE, COMP, EFX, AMP, IR, EQ, MOD, DLY and RVB, you can adjust the block order freely. In addition to the 34 built-in IRs, there are 20 empty slots for 3rd party IRs loading. The Mighty Editor™ edit software will convert the WAV(IR) sample rate automatically.

The MIGHTY PLUG PRO can be used as a USB recording interface. It supports Normal / Dry Out / Re-amp / Loopback routing, you can adjust it through the Mighty Amp™ APP or Mighty Editor™ edit software intuitively, no need to setup USB OUT in DAW. You can livestream your jam sessions with Loopback!

*All of the brand and model names mentioned on this page are Trademarks of their respective owners, which are in no way associated or affiliated with NUX Effects and Cherub Technology CO. LTD.

*Thank you Dian Liew and Mighty Plug / Air group users to inspire us to develop MIGHTY PLUG PRO with great functions and APP experience.

Control Panel & I/O Jacks



1/4" (6.35mm) phone plug
Sturdy and flexible plug that can fit into all kind of guitar and bass securely. It is compatible to use without blocking the whammy bar on Stratocaster type guitars.

*Stratocaster is the trademark of Fender company, which is in no way associated or affiliated with NUX Effects and Cherub Technology CO. LTD.

POWER/MUTE button

Hold the POWER/MUTE button for 2 seconds to turn on the device. While the device is engaged (the PRESET switch indicator will also turn on), short press the POWER/MUTE button can mute the headphone out, in the meantime the PRESET switch indicator will flash.

VOLUME ± buttons

While the device is engaged, you can press the VOLUME + button to increase the headphone volume, or press the VOLUME - button to decrease the headphone volume.




PRESET switch & indicator

While the device is engaged, you can press the PRESET switch to change the preset from 1~7. The indicator will show different color related to different presets.

Note: You can adjust which preset can be ACTIVE while you press the PRESET switch through Mighty Amp™ App or Mighty Editor™ edit software. (ACTIVE function)

Mighty Amp™ App example: Choose preset 1, 3, 5, 7 and press Active icon, then the device will know preset 1, 3, 5, 7 will be chosen while you press the PRESET switch.



Mighty Editor™ example: Click  icon, the 7 presets will be colored, then choose the one you want to active, like 1, 3, 5, 7. Then press  icon again, Mighty Editor™ will show current preset, and according to the interface, you will see which one is chosen .



BATTERY indicator


While you connect the included USB-C cable to the device with PC or charger, it will charge the device, and the BATTERY indicator will show "Red" while charging. When the battery is full, the BATTERY indicator will turn off. When the device is running out of battery power, the BATTERY indicator will flash "Red".

Note: The charging time is around 2.5 hrs. Operation time is around 5 hrs.

App indicator

While the Mighty Amp™ App connects with the device, the App indicator will turn on "Blue".

To Operation: Launch the Mighty Amp™ App on your mobile phone, and press "Settings" to choose "Current Amp" as "MIGHTY PLUG PRO", then "click to scan devices". When the APP finds the "MIGHTY PLUG PRO", click it, the App will connect with the device. In the meantime, the App indicator will turn on "Blue".



Note: The App is using Bluetooth MIDI to communicate with the device.

Note: For Android OS, you may need to turn on GPS permission.


Privacy Note: We do not use your GPS to track you. Where you want to play music is your business, not ours!

Applications that scan for Bluetooth devices must request permission in the manifest file. This LOCATION permission is required because it may be possible to guess the location of an Android device by seeing which BTLE devices are nearby. https://developer.android.com/reference/android/media/midi/package-summary#btle_location_permissions

AUDIO indicator

When a mobile phone or other player connects with the MIGHTY PLUG PRO's Bluetooth audio, the AUDIO indicator will turn on "Blue".

Operation: After the App connected with the device, you can connect via Bluetooth Audio from "Settings" on the mobile phone to play audio stream. Click "Settings" on the mobile phone. Enter "Bluetooth", and choose "MIGHTY PLUG PRO". Once connected, you will hear a hint sound from the Bluetooth audio, you will hear a hint sound from the headphone out.



Note: The Bluetooth audio and Bluetooth MIDI are independent, you have to connect them separately.

RESET port

If your MIGHTY PLUG PRO freezes while operating, you can press the RESET port to reboot the device.

1/8" (3.5mm) stereo headphone output

Connect your headphone and get great silent practice experience with MIGHTY PLUG PRO.


Note: The headphone out also supports TRRS earbuds with mic or headset with mic. You can engage the MIC via the Mighty Amp™ APP or Mighty Editor™ edit software while "live streaming".




Note: Once activated, the microphone signal can be streamed via USB audio.

If you want to play audio (Bluetooth audio or PC's audio playback) via USB for live streaming, please choose Loopback on the USB routing.

Operation:
Mighty Amp™ App
Click "Other" and press the Microphone Settings' icon.





Click "Settings" and choose USB Audio Setting, then choose "Normal-LoopBack".




Mighty Editor™ edit software

Click the Bluetooth icon to display the Microphone Settings and Bluetooth Settings. Click the **⌘** icon on Microphone Settings to engage the MIC.



Click the **⚙️** icon and choose "Loopback" in "Routing Mode".



USB-C port

The USB-C port is used to charge the device, access the Mighty Editor™ edit software communication, USB audio stream, and Firmware updates.

Charging time: around 2.5 hrs, the built-in battery is 3.7V / 1450mAh. You can charge the device by PC or 5V USB charger.

Recording:

For WIN OS, please go to the product page to download ASIO driver for recording.

For MAC OS, the device supports CORE AUDIO, so there is no need for an additional driver.


Firmware Update:

Connect USB with PC, hold the PRESET switch and turn on the device by pressing the POWER button to enter DFU (Device Firmware Update) mode. Then use the DFU updater software to update the firmware. (You can get the firmware and firmware update guide on the product page.)

Connections


Silent Practice:

Plug the MIGHTY PLUG PRO into your guitar, put on the headphone, and rock out without disturbing your neighbors. Jam with backing tracks through mobile device via Bluetooth audio stream.




Recording:

By connecting to your PC via USB, the MIGHTY PLUG PRO can be a recording interface. It's a portable recording and practice tool while you are touring.



Live Stream with TRRS Headset or Earbuds with mic:

MIGHTY PLUG PRO's phone out supports TRRS headset or earbuds with mic. Choose Loopback USB routing, you can do live streaming with your PC or mobile phone (USB On-The-Go).



Mighty Amp™ App & Mighty Editor™



Mighty Amp™ App



Mighty Editor™

You can check the **MIGHTY PLUG PRO** tutorial on **NUX EFX** YouTube channel for more details.

The **Mighty Amp™** APP allows you to tweak parameters, move block order on the mobile phone. Additionally, you can set Events on JamTrack or load custom tracks into your phone through the PC.

The **Mighty Editor™** edit software can load 3rd party IRs and you can tweak parameters for all effects. Use the editor to change the order of the effect blocks, and export or import presets.

Features

- Small but mighty.
- TSAC-HD (White-Box) Amp Modeling algorithm offers realistic playability & feedback.
- 512 samples IR resolution. (34 premium built-in IRs and 20 user slots for 3rd party)
- 7 presets with ACTIVE functions. (PRESET switch toggles ACTIVE ones sequentially.)
- GATE, COMP, EFX, AMP, IR, EQ, MOD, DLY, RVB effect blocks with free order.
- White-box algorithm EFX offers analog response and natural chaos.
- Stereo DLY / RVB effects with gorgeous tone.
- Patch Level function for each preset.
- Headphone Volume +/- adjust buttons.
- High quality Headphone out preamp supports TRRS headset or earbuds with mic.
- 5hrs playing time. (Battery: 3.7V / 1450mAh)
- Ultra-low system latency: 1.2ms
- Wide dynamic range: 103 dB
- Intuitive **Mighty Amp™** App & **Mighty Editor™** edit software (3rd party IR loader).

Specifications

- Input Impedance: 1M Ω
- Headphone Output Impedance: 10 Ω
- Dynamic Range: 103dB
- Sampling Rate: 48kHz / 32bit
- System Latency: 1.2ms
- Charging Power: 5V USB-C
- Battery: 3.7V / 1450mAh
- Current Draw: 4V / 260mA
- Dimensions: 81mm(L) x 41mm(W) x 30mm(H)
- Weight: 70g

Accessories

- Owner's manual
- Warranty card
- USB cable

*Specification may change without notice.

WARNING

To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure statement. The device can be used in portable exposure condition without restriction.


The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

产品简介

自MIGHTY PLUG推出后，这种轻量化的音箱模拟效果耳机放大器便广受用户喜爱并逐渐在业内引领了新一轮潮流。新一代MIGHTY PLUG PRO（型号：MP-3）将为您提供更强大的功能、更便捷的操作以及更专业的体验。

MIGHTY PLUG PRO内置了包括音箱模拟以及箱体模拟在内的各种丰富的吉他和贝斯效果供您选用，我们还为喜欢木吉他的电吉他手们准备了箱琴吉他模拟功能。MIGHTY PLUG PRO内置了34个出厂IR文件，以及20个用户IR存储位置，支持导入第三方IR文件来丰富您的音色。

此外，MIGHTY PLUG PRO除了手机端App外还新增了桌面端编辑软件Mighty Editor™，让您可以更便捷地调整效果参数、加载IR以及调整预设。值得一提的是Mighty Editor™还内置了IR文件格式转换工具，在您导入第三方IR文件（wav）时，无需担心格式问题。




最后MIGHTY PLUG PRO支持USB音频串流，您可以将它用作一个便携的USB录音声卡，支持Normal/Dry、Out/Reamp以及Loopback等录音模式，Loopback模式可以用于直播。

*本说明书中所提及的产品名称、注册商标和公司名称属于其各所有者，与纽克斯效果器或深圳市爵科电子科技有限公司无任何关联或附属关系。提及仅用于功能或特性说明，而非侵犯其所有者的各项权利。

*特别感谢给予我们开发MIGHTY PLUG PRO灵感的人：DAN ILEVI以及MIGHTY PLUG/AR用户群的所有人。



控制面板与输入/输出接口



6.35mm插头

结实而又灵活的插头，适用于各种吉他或贝斯的输出接口，即便是装了摇杆的Statocaster也没有问题。

* Statocaster是Fender公司的注册商标，此处引述仅为说明MIGHTY PLUG PRO能与此类型吉他适配。

电源/静音按键


- 开关机：按住此按键两秒钟可以开机或关机，开机后预设按键指示灯会亮起。
- 静音：开机状态下短按此按键可以开启或者关闭静音功能。当静音功能处于开启状态时，耳机输出接口停止输出信号同时预设按键指示灯会开始持续闪烁。

音量控制按键

当MIGHTY PLUG PRO处于工作状态时，使用音量+按键来调大耳机输出音量；使用音量-按键来调低耳机输出音量。

预设按键及预设按键指示灯

MIGHTY PLUG PRO内置七个预设，短按此按键可循环切换预设。切换预设后预设按键指示灯的颜色也将发生变化。



提示：您可以通过Mighty Amp™ App或者Mighty Editor™编辑软件来进行用户自选预设以简化切换预设流程。自选预设解释：您可以选定任意数量的预设。

例：贝斯手小K日常需求两个预设，那么小K可以选定任意两个预设，编辑好音色并保存。这之后，小K便可以直接使用预设切换按键在这两个预设之间切换（而不用从预设1切换到预设7）。



充电指示灯

- 低电量警告：当电池电量不足时，充电指示灯（红色）会持续闪烁，此时应尽量快为电池充电。
- 充电提示：充电过程中，充电指示灯会保持红色常亮状态；充满电后，充电指示灯会自动熄灭。

App指示灯

指示Mighty Amp™ App与MIGHTY PLUG PRO的联动状态。Mighty Amp™ App连接指南：

- 1.确认MIGHTY PLUG PRO处于开机状态并在手机或平板电脑上打开Mighty Amp™ App。
- 2.点击下方标签栏上的“Settings”（图1）进入设置列表，点击“Current Amp”（图2）进入设备选择页面，然后点击“MIGHTY PLUG PRO”（图3）选定设备。
- 3.选定设备后，点击设置列表下方的“Click to scan device”，App开始自动扫描。
- 4.当MIGHTY PLUG PRO出现在“Found Devices”标题下，点击MIGHTY PLUG PRO进行连接。
- 5.连接成功后App指示灯会保持蓝色常亮状态；未连接时App指示灯会保持熄灭状态。




图1

图2

图3

▲ Mighty Amp与MIGHTY PLUG PRO是通过蓝牙MIDI来完成数据交换的。


多数安卓用户可能需要为Mighty Amp App开启位置权限。我们不会收集您的隐私信息，MIGHTY PLUG PRO存在的意义就是为了让您能随时随地弹琴。如果您想了解为什么一定需要开启位置权限，请参考安卓官方的开发者文档：https://developer.android.com/reference/android/media/midi/package-summary#ble_location_permissions

蓝牙音频指示灯

指示MIGHTY PLUG PRO的蓝牙音频连接状态。

蓝牙音频连接指南

1. 确认MIGHTY PLUG PRO处于开机状态，并且已经与Mighty Amp™ App建立连接。
2. 进入手机或平板电脑的设置，找到蓝牙设置菜单。
3. 进入蓝牙设置菜单，在蓝牙设备标题下找到MIGHTY PLUG PRO，点击进行连接。



4. 连接成功后，会有提示音响起，同时蓝牙音频指示灯会保持蓝色常亮状态；蓝牙音频未连接时，蓝牙音频指示灯会保持熄灭状态。

▲ 蓝牙音频与蓝牙MIDI是相对独立的，初次使用或更换控制设备后均需手动完成一次连接。

重置按键

如遇故障（按键无任何响应），请使用回形针或SIM卡针按压此按键强制重启MIGHTY PLUG PRO。

3.5mm立体声耳机输出接口

请将您的耳机插入此接口，来获得优质的静音练习体验。

提示：此接口支持带麦克风的TRRS入耳式耳机或头戴式耳机，您可以通过Mighty Amp™ App或Mighty Editor™编辑软件在需要（弹唱直播）时开启麦克风输入。





提示：麦克风输入开启后麦克风输入会串流至USB音频输出。

如果您在直播或录音时想要将蓝牙音频或电脑的音频串流至USB音频输入，请选择“Loopback”作为输出模式。


- 使用Mighty Amp™ App 开启/关闭麦克风输入。
点击下方菜单栏“Other”图标，然后点击🔊图标开启或关闭麦克风输入。




- 使用Mighty Amp™ App选择USB音频输出模式。
点击下方菜单栏上的“Settings”图标进入设置列表，点击“USB Audio Setting”，点击“Normal-Loopback”。



- 使用Mighty Editor™编辑软件开启/关闭麦克风输入。
点击右上方的🔊蓝牙图标进入设置页面，然后点击🔊图标开启或关闭麦克风输入。




开启麦克风输入



关闭麦克风输入

- 使用Mighty Editor™编辑软件选择USB音频输出模式。点击右上方的⚙️图标进入设置页面，选择“Loopback”。



USB-C接口

- 为MIGHTY PLUG PRO充电：请使用5V/1A充电器或连接电脑USB接口为MIGHTY PLUG PRO充电。充满电耗时约两个半小时。
- MIGHTY PLUG PRO录音：Windows用户需要访问MIGHTY PLUG PRO产品页面下载并安装专用ASIO驱动；


MacOS原生支持Core Audio，所以Mac用户无需安装驱动。

- 为MIGHTY PLUG PRO更新固件：使用高品质数据线并按照MIGHTY PLUG PRO产品页面固件更新指南所述步骤进行操作即可。


连接场景

•静音练习


按下图所示将设备连接好，带上耳机并调整好音量，静悄悄的摇滚起来。



- **电脑录音**
MIGHTY PLUG PRO可作为一个便携的USB录音声卡，按下图所示连接好设备，MIGHTY PLUG PRO即可变身为您趁手的录音工具。



- **直播**
按照下图所示将设备连接好，即可开启直播与您的观众分享您的音乐。



Mighty Amp™ App 与Mighty Editor™编辑软件



您可以访问MIGHTY PLUG PRO产品页面、我司微信公众号或哔哩哔哩获取MIGHTY PLUG PRO更多文字及视频介绍。

Mighty Amp™ App是MIGHTY PLUG PRO配套的音色编辑软件。您可以使用它编辑预设音色，改变效果信号链以及解锁更多隐藏功能。此外，Mighty Amp™ App的伴奏播放功能不仅支持导入第三方伴奏甚至还支持自定义事件（例：AB循环）。

Mighty Editor™ 是MIGHTY PLUG PRO配套的桌面端音色编辑软件。您可以使用它编辑预设音色，改变效果信号链，导入第三方IR（脉冲反应）文件以及导入导出预设等。

产品特点

- 体积小且功能强大的音箱模拟效果耳机放大器。
- TSAC-HD白盒建模音箱模拟算法，提供真实的演奏手感和反馈。
- 支持512采样IR（脉冲反应）文件，出厂内置34个精选IR以及20个第三方IR存储位置。
- 7组预设带用户自选功能。
- 9大效果模块，支持自定义效果信号链。
- 物理音量调节按键。
- 高品质耳机输出前级，支持TRRS入耳式耳机或头戴式耳机麦克风输入。
- 3.7V/1450mAh大容量电池，最长可连续使用5小时。
- 1.2毫秒超低系统延迟。
- 动态范围：103dB。
- 配套易于上手的移动端和桌面端音色编辑软件。

技术规格

- 输入阻抗：1MΩ
- 耳机输出阻抗：10Ω
- 动态范围：103dB
- 采样率：48kHz / 32bit
- 系统延迟：1.2ms
- 充电电压：5V USB-C
- 电池容量：3.7V / 1450mAh
- 需求电流：4V / 260mA
- 体积：81mm(L) x 41mm(W) x 30mm(H)
- 重量：70g

随机附件

- 使用说明书
- 保修卡
- USB线

*技术规格如有变更，恕不另行通知。

有关产品中所含有害物质的说明

为了控制和减少电器电子产品废弃后对环境造成的污染，本资料就本公司产品中所含的特定有害物质及其安全性予以说明。
本资料适用于2016年7月1号以后本公司所制造的产品。

环保使用期限



此标志适用于在中国国内销售的电子信息产品，表示环保使用期限的年数。所谓环保使用期限是指在制造日起的规定的期限内，产品中所含的有害物质不致引起环境污染，不会对人身、财产造成严重的不良影响。环保使用期限仅在遵照产品使用说明，正确使用产品的条件下才有效。不当的使用，将会导致有害物质泄漏的危险。

产品中有害物质的名称及含量

部件名称	有害物质					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
塑胶件	○	○	○	○	○	○
五金件	×	○	○	○	○	○
硅胶件	○	○	○	○	○	○
内置电路板	×	○	○	○	○	○
附件	×	○	○	○	○	○
*交流电源适配器、线缆	×	○	○	○	○	○

*表示某些产品可能不含有这些项目，上表当中的信息仅在产品含有这些项目时适用。

本表格依据SJ/T 11364的规定编制。

○：表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。

×：表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求，因根据现有的技术水平，还没有什么物质能够代替它。

保护环境

如果需要废弃本产品，请遵循本地相关指引，请勿随意丢弃或作为生活垃圾处理，以避免对环境造成污染。

质量承诺

亲爱的 NUX 用户：
在您使用 NUX 产品时，请仔细阅读产品说明书，当您有疑问和困难时，请拨打售后服务热线：400-990-9866

- 一周内出现质量问题可退货退款
 - 一年内出现质量问题可免费维修
 - 一月内出现质量问题可调换
 - 终身享有咨询和维修服务
- [请向经销商索取正规发票并予以保存]

换修政策

一、包换政策：
1、消费者通过正规授权渠道购买的产品，自购机之日起7个月之内，在正常使用情况下出现非人为的产品性能故障，且产品外观及包装保持完好，可向所购机的经销商换机。

2、消费者在换机时应出示由经销商开出的购机凭证，否则经销商可以不予更换。

二、保修政策：

1、消费者通过正规授权渠道购买的产品(以发票所示销售方为准)，自购买之日起1年内，若出现非人为损坏的性能故障，可享受免费维修服务。
2、对于超过1年或人为及不可抗力因素造成损坏的产品，我司可提供有偿维修服务。

*本售后政策仅适用于中国大陆地区，其它国家及地区以当地售后政策及法律法规为准。

合格证

名称 名称
Name 电话机、电话新盖微触式电话机
型号 型号
Type MP-3
生产日期 生产日期
Date

本产品经检验合格 执行标准: Q/WKQZ 001-2020
This product is inspected and approved. Product is certified with Q/WKQZ 001-2020

制造商: 深圳市新科电子科技有限公司 制造商地址: 深圳市南山区蛇口兴华路1号新科大厦5楼507 电话: 0755-26868866 网址: www.nuxet.com 生产商: 深圳市新科电子科技有限公司 生产商地址: 珠海市高新区唐家湾镇科技九路10号 电话: 0756-3688866