



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

Appendix N

Product Name: Siyata SD7

Model: SD7



1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

Test Band: 26b 1.4MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.41	23.36	23.68	-1.74	0.41	21.67	21.62	21.94	38.45	PASS
		2	23.41	23.45	23.56	-1.74	0.41	21.67	21.71	21.82	38.45	PASS
		5	23.30	23.46	23.38	-1.74	0.41	21.56	21.72	21.64	38.45	PASS
	3	0	23.52	23.44	23.61	-1.74	0.41	21.78	21.70	21.87	38.45	PASS
		2	23.52	23.53	23.52	-1.74	0.41	21.78	21.79	21.78	38.45	PASS
		3	23.41	23.46	23.42	-1.74	0.41	21.67	21.72	21.68	38.45	PASS
16QAM	1	0	22.38	22.49	22.93	-1.74	0.41	20.64	20.75	21.19	38.45	PASS
			22.67	22.52	23.04	-1.74	0.41	20.93	20.78	21.30	38.45	PASS
		2	22.67	22.61	22.99	-1.74	0.41	20.93	20.87	21.25	38.45	PASS
	3	5	22.58	22.58	22.76	-1.74	0.41	20.84	20.84	21.02	38.45	PASS
		0	22.80	22.58	22.82	-1.74	0.41	21.06	20.84	21.08	38.45	PASS
		2	22.82	22.68	22.71	-1.74	0.41	21.08	20.94	20.97	38.45	PASS
	6	3	22.73	22.62	22.61	-1.74	0.41	20.99	20.88	20.87	38.45	PASS
		0	21.72	21.45	21.95	-1.74	0.41	19.98	19.71	20.21	38.45	PASS
		Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)										

Test Band: 26b 3MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	23.55	23.47	24.18	-1.74	0.41	21.81	21.73	22.44	38.45	PASS	
		7	23.50	23.60	23.79	-1.74	0.41	21.76	21.86	22.05	38.45	PASS	
		14	23.31	23.57	23.36	-1.74	0.41	21.57	21.83	21.62	38.45	PASS	
	8	0	22.46	22.48	23.11	-1.74	0.41	20.72	20.74	21.37	38.45	PASS	
		4	22.42	22.59	23.05	-1.74	0.41	20.68	20.85	21.31	38.45	PASS	
		7	22.34	22.57	22.98	-1.74	0.41	20.60	20.83	21.24	38.45	PASS	
	15	0	22.43	22.57	23.03	-1.74	0.41	20.69	20.83	21.29	38.45	PASS	
			22.66	22.63	23.50	-1.74	0.41	20.92	20.89	21.76	38.45	PASS	
16QAM	1	7	22.61	22.86	23.52	-1.74	0.41	20.87	21.12	21.78	38.45	PASS	
		14	22.44	22.81	23.09	-1.74	0.41	20.70	21.07	21.35	38.45	PASS	
		0	21.60	21.53	22.23	-1.74	0.41	19.86	19.79	20.49	38.45	PASS	
	8	4	21.57	21.65	22.23	-1.74	0.41	19.83	19.91	20.49	38.45	PASS	
		7	21.50	21.61	22.15	-1.74	0.41	19.76	19.87	20.41	38.45	PASS	
		15	0	21.56	21.60	22.10	-1.74	0.41	19.82	19.86	20.36	38.45	PASS
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)												

Test Band: 26b 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.55	23.40	24.14	-1.74	0.41	21.81	21.66	22.40	38.45	PASS
		13	23.42	23.59	24.08	-1.74	0.41	21.68	21.85	22.34	38.45	PASS
		24	23.28	23.63	23.47	-1.74	0.41	21.54	21.89	21.73	38.45	PASS



	12	0	22.50	22.47	23.14	-1.74	0.41	20.76	20.73	21.40	38.45	PASS
		6	22.43	22.58	23.11	-1.74	0.41	20.69	20.84	21.37	38.45	PASS
		13	22.39	22.60	22.99	-1.74	0.41	20.65	20.86	21.25	38.45	PASS
16QAM	25	0	22.50	22.56	23.03	-1.74	0.41	20.76	20.82	21.29	38.45	PASS
	22.76		22.68	22.97	-1.74	0.41	21.02	20.94	21.23	38.45	PASS	
	1	13	22.61	22.91	23.00	-1.74	0.41	20.87	21.17	21.26	38.45	PASS
		24	22.51	23.01	22.53	-1.74	0.41	20.77	21.27	20.79	38.45	PASS
	12	0	21.56	21.58	22.09	-1.74	0.41	19.82	19.84	20.35	38.45	PASS
		6	21.51	21.68	22.13	-1.74	0.41	19.77	19.94	20.39	38.45	PASS
		13	21.46	21.72	22.04	-1.74	0.41	19.72	19.98	20.30	38.45	PASS
	25	0	21.61	21.64	22.09	-1.74	0.41	19.87	19.90	20.35	38.45	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 26b 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	23.57	23.32	23.87	-1.74	0.41	21.83	21.58	22.13	38.45	PASS
		25	23.34	23.51	24.15	-1.74	0.41	21.60	21.77	22.41	38.45	PASS
		49	23.29	23.90	23.02	-1.74	0.41	21.55	22.16	21.28	38.45	PASS
	25	0	22.55	22.44	23.08	-1.74	0.41	20.81	20.70	21.34	38.45	PASS
		13	22.39	22.62	23.12	-1.74	0.41	20.65	20.88	21.38	38.45	PASS
		25	22.33	22.71	23.09	-1.74	0.41	20.59	20.97	21.35	38.45	PASS
	50	0	22.44	22.61	23.07	-1.74	0.41	20.70	20.87	21.33	38.45	PASS
		25	22.63	22.58	23.53	-1.74	0.41	20.89	20.84	21.79	38.45	PASS
		49	22.40	22.76	23.56	-1.74	0.41	20.66	21.02	21.82	38.45	PASS
16QAM	1	0	22.35	23.13	22.65	-1.74	0.41	20.61	21.39	20.91	38.45	PASS
		25	21.68	21.51	22.17	-1.74	0.41	19.94	19.77	20.43	38.45	PASS
		13	21.56	21.70	22.15	-1.74	0.41	19.82	19.96	20.41	38.45	PASS
	25	25	21.45	21.88	22.13	-1.74	0.41	19.71	20.14	20.39	38.45	PASS
		0	21.52	21.68	22.10	-1.74	0.41	19.78	19.94	20.36	38.45	PASS
		25	21.45	21.88	22.13	-1.74	0.41	19.71	20.14	20.39	38.45	PASS
	50	0	21.52	21.68	22.10	-1.74	0.41	19.78	19.94	20.36	38.45	PASS
		25	21.45	21.88	22.13	-1.74	0.41	19.71	20.14	20.39	38.45	PASS
		49	21.45	21.88	22.13	-1.74	0.41	19.71	20.14	20.39	38.45	PASS

Note:

1) dBd = dBi - 2.15

2) EIRP = Conducted output power + Antenna gain (dBi)

3) ERP = Conducted output power + Antenna gain (dBd)



2. Frequency stability

2.1 Test Result

Test Band: 26b 1.4MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	6	0	NT	LV	- 4.663 5	- 15.57 83	- 9.598 7	-0.0057	-0.0186	-0.0113	2.50	PASS
				NV	- 1.144 4	- 11.28 67	- 11.04 36	-0.0014	-0.0135	-0.0130	2.50	PASS
				HV	- 2.102 9	- 11.45 84	- 10.25 68	-0.0025	-0.0137	-0.0121	2.50	PASS
16QAM	6	0	NT	LV	- 16.63 68	- 6.308 6	- 10.42 84	-0.0202	-0.0075	-0.0123	2.50	PASS
				NV	- 11.20 09	- 6.094 0	- 5.378 7	-0.0136	-0.0073	-0.0063	2.50	PASS
				HV	- 9.713 2	- 7.052 4	- 5.836 5	-0.0118	-0.0084	-0.0069	2.50	PASS

Test Band: 26b 1.4MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	6	0	NV	-30.00	- 5.049 7	- 12.66 00	- 9.813 3	-0.0061	-0.0151	-0.0116	2.50	PASS
				-20.00	- 0.386 2	- 10.60 01	- 5.407 3	0.0005	-0.0127	-0.0064	2.50	PASS
				-10.00	- 3.390 3	- 7.610 3	- 6.065 4	-0.0041	-0.0091	-0.0072	2.50	PASS
				0.00	- 0.715 3	- 5.207 1	- 3.919 6	-0.0009	-0.0062	-0.0046	2.50	PASS
				10.00	- 2.803 8	- 2.861 0	- 2.431 9	-0.0034	-0.0034	-0.0029	2.50	PASS
				20.00	- 1.444 8	- 9.484 3	- 1.945 5	0.0018	-0.0113	-0.0023	2.50	PASS
				30.00	- 1.144 4	- 5.936 6	- 1.344 7	-0.0014	-0.0071	-0.0016	2.50	PASS
				40.00	- 4.963 9	- 3.061 3	- 1.530 6	-0.0060	-0.0037	-0.0018	2.50	PASS
				50.00	- 0.286 1	- 2.260 2	- 0.085 8	-0.0003	-0.0027	-0.0001	2.50	PASS



16QAM	6	0	NV	-30.00	- 10.05 65	- 7.696 2	- 9.398 5	-0.0122	-0.0092	-0.0111	2.50	PASS
				-20.00	- 5.536 1	- 6.709 1	- 3.562 0	-0.0067	-0.0080	-0.0042	2.50	PASS
				-10.00	- 7.123 9	- 1.730 9	- 6.480 2	-0.0086	-0.0021	-0.0076	2.50	PASS
				0.00	- 7.510 2	0.128 7	- 0.529 3	-0.0091	0.0002	-0.0006	2.50	PASS
				10.00	- 4.563 3	- 0.615 1	- 4.091 3	-0.0055	-0.0007	-0.0048	2.50	PASS
				20.00	- 6.923 7	- 0.085 8	- 6.451 6	-0.0084	-0.0001	-0.0076	2.50	PASS
				30.00	- 1.974 1	- 1.444 8	- 1.144 4	-0.0024	-0.0017	-0.0013	2.50	PASS
				40.00	- 2.703 7	- 2.117 2	- 4.277 2	-0.0033	-0.0025	-0.0050	2.50	PASS
				50.00	- 7.052 4	- 3.404 6	- 6.494 5	-0.0086	-0.0041	-0.0077	2.50	PASS

Test Band: 26b 3MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	15	0	NT	LV	6.723 4	- 1.959 8	0.786 8	0.0081	-0.0023	0.0009	2.50	PASS
				NV	2.846 7	- 3.604 9	- 1.816 8	0.0034	-0.0043	-0.0021	2.50	PASS
				HV	6.408 7	- 4.119 9	3.647 8	0.0078	-0.0049	0.0043	2.50	PASS
16QAM	15	0	NT	LV	0.858 3	2.117 2	- 1.030 0	0.0010	0.0025	-0.0012	2.50	PASS
				NV	1.587 9	0.371 9	3.361 7	0.0019	0.0004	0.0040	2.50	PASS
				HV	4.391 7	- 1.816 8	0.243 2	0.0053	-0.0022	0.0003	2.50	PASS

Test Band: 26b 3MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	15	0	NV	-30.00	5.707 7	- 0.300 4	0.543 6	0.0069	-0.0004	0.0006	2.50	PASS
				-20.00	5.049	-	-	0.0061	-0.0034	-0.0011	2.50	PASS



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

					7	2.832 4	0.901 2					
				-10.00	6.895 1	- 4.234 3	1.187 3	0.0084	-0.0051	0.0014	2.50	PASS
				0.00	2.474 8	- 6.294 2	- 2.603 5	0.0030	-0.0075	-0.0031	2.50	PASS
				10.00	6.508 8	0.314 7	2.818 1	0.0079	0.0004	0.0033	2.50	PASS
				20.00	1.130 1	- 1.444 8	- 0.772 5	0.0014	-0.0017	-0.0009	2.50	PASS
				30.00	4.663 5	- 3.604 9	- 4.434 6	0.0056	-0.0043	0.0052	2.50	PASS
				40.00	- 0.243 2	- 5.350 1	- 0.472 1	-0.0003	-0.0064	-0.0006	2.50	PASS
				50.00	4.134 2	1.058 6	1.888 3	0.0050	0.0013	0.0022	2.50	PASS
16QAM	15	0	NV	-30.00	6.237 0	- 1.330 4	4.534 7	0.0076	-0.0016	0.0054	2.50	PASS
				-20.00	4.663 5	0.815 4	1.173 0	0.0056	0.0010	0.0014	2.50	PASS
				-10.00	1.959 8	- 2.131 5	- 3.204 3	0.0024	-0.0025	-0.0038	2.50	PASS
				0.00	5.307 2	- 3.805 2	1.974 1	0.0064	-0.0045	0.0023	2.50	PASS
				10.00	3.733 6	2.532 0	- 1.072 9	0.0045	0.0030	-0.0013	2.50	PASS
				20.00	2.131 5	- 0.572 2	4.506 1	0.0026	-0.0007	0.0053	2.50	PASS
				30.00	5.407 3	- 3.461 8	0.543 6	0.0066	-0.0041	0.0006	2.50	PASS
				40.00	2.989 8	- 1.273 2	5.621 9	0.0036	-0.0015	0.0066	2.50	PASS
				50.00	6.451 6	0.972 7	2.503 4	0.0078	0.0012	0.0030	2.50	PASS

Test Band: 26b 5MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NT	LV	- 0.615 1	1.773 8	6.008 1	-0.0007	0.0021	0.0071	2.50	PASS
				NV	3.318 8	0.515 0	3.132 8	0.0040	0.0006	0.0037	2.50	PASS
				HV	- 1.974	- 2.431	0.386 2	-0.0024	-0.0029	0.0005	2.50	PASS



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

					1	9						
16QAM	25	0	NT	LV	- 4.463 2	- 0.944 1	1.730 9	-0.0054	-0.0011	0.0020	2.50	PASS
				NV	- 1.173 0	- 3.089 9	5.550 4	-0.0014	-0.0037	0.0066	2.50	PASS
				HV	0.057 2	- 4.663 5	6.823 5	0.0001	-0.0056	0.0081	2.50	PASS

Test Band: 26b 5MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NV	-30.00	1.845 4	3.719 3	2.431 9	0.0022	-0.0044	0.0029	2.50	PASS
				-20.00	- 2.732 3	- 4.720 7	4.749 3	-0.0033	-0.0056	0.0056	2.50	PASS
				-10.00	0.028 6	1.559 3	1.587 9	0.0000	0.0019	0.0019	2.50	PASS
				0.00	1.444 8	0.000 0	- 1.101 5	0.0017	0.0000	-0.0013	2.50	PASS
				10.00	3.776 6	- 2.231 6	3.647 8	0.0046	-0.0027	0.0043	2.50	PASS
				20.00	- 0.772 5	- 4.792 2	1.616 5	-0.0009	-0.0057	0.0019	2.50	PASS
				30.00	1.287 5	2.188 7	0.529 3	0.0016	0.0026	0.0006	2.50	PASS
				40.00	4.563 3	0.858 3	7.052 4	0.0055	0.0010	0.0083	2.50	PASS
16QAM	25	0	NV	50.00	1.874 0	- 1.258 8	3.290 2	0.0023	-0.0015	0.0039	2.50	PASS
				-30.00	2.174 4	- 5.264 3	5.078 3	0.0026	-0.0063	0.0060	2.50	PASS
				-20.00	0.014 3	- 0.629 4	2.217 3	0.0000	-0.0008	0.0026	2.50	PASS
				-10.00	- 2.002 7	- 0.271 8	8.111 0	-0.0024	-0.0003	0.0096	2.50	PASS
				0.00	0.886 9	- 2.589 2	5.965 2	0.0011	-0.0031	0.0070	2.50	PASS
				10.00	0.286 1	- 4.749 3	4.220 0	0.0003	-0.0057	0.0050	2.50	PASS
				20.00	- 2.203 0	- 5.707 7	0.615 1	-0.0027	-0.0068	0.0007	2.50	PASS
				30.00	1.287	-	5.278	0.0016	-0.0076	0.0062	2.50	PASS



				5	6.337 2	6					
			40.00	3.104 2	- 0.457 8	5.650 5	0.0038	-0.0005	0.0067	2.50	PASS
			50.00	- 0.686 6	- 1.015 7	2.632 1	-0.0008	-0.0012	0.0031	2.50	PASS

Test Band: 26b 10MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NT	LV	- 3.819 5	1.230 2	- 5.478 9	-0.0046	0.0015	-0.0065	2.50	PASS
				NV	- 0.071 5	- 0.701 0	- 3.161 4	-0.0001	-0.0008	-0.0037	2.50	PASS
				HV	- 4.534 7	- 2.274 5	- 4.491 8	-0.0055	-0.0027	-0.0053	2.50	PASS
16QAM	50	0	NT	LV	- 3.104 2	- 6.451 6	- 4.077 0	-0.0037	-0.0077	-0.0048	2.50	PASS
				NV	- 0.028 6	- 1.015 7	- 4.363 1	0.0000	-0.0012	-0.0052	2.50	PASS
				HV	- 1.430 5	- 0.815 4	- 1.430 5	-0.0017	-0.0010	-0.0017	2.50	PASS

Test Band: 26b_10MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NV	-30.00	- 3.590 6	- 5.650 5	- 2.503 4	-0.0043	-0.0068	-0.0030	2.50	PASS
				-20.00	- 1.301 8	- 1.444 8	- 5.993 8	-0.0016	0.0017	-0.0071	2.50	PASS
				-10.00	- 4.706 4	- 2.174 4	- 2.818 1	-0.0057	-0.0026	-0.0033	2.50	PASS
				0.00	- 0.901 2	- 3.304 5	- 2.789 5	-0.0011	-0.0040	-0.0033	2.50	PASS
				10.00	- 1.444 8	- 1.072 9	- 3.218 7	0.0017	0.0013	-0.0038	2.50	PASS
				20.00	- 5.207 1	- 2.875 3	- 4.248 6	-0.0063	-0.0034	-0.0050	2.50	PASS
				30.00	- 2.718 0	- 4.620 6	- 3.247 3	-0.0033	-0.0055	-0.0038	2.50	PASS
				40.00	- - -	- - -	- - -	-0.0037	-0.0048	-0.0035	2.50	PASS



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

					3.104 2	4.005 4	2.932 5					
				50.00	- 3.261 6	- 3.347 4	- 2.961 2	-0.0039	-0.0040	-0.0035	2.50	PASS
16QAM	50	0	NV	-30.00	- 4.148 5	- 4.177 1	- 4.277 2	-0.0050	-0.0050	-0.0051	2.50	PASS
				-20.00	- 3.862 4	- 6.609 0	- 2.174 4	-0.0047	-0.0079	-0.0026	2.50	PASS
				-10.00	- 2.589 2	- 0.600 8	- 2.117 2	-0.0031	-0.0007	-0.0025	2.50	PASS
				0.00	- 1.030 0	- 1.001 4	- 5.765 0	-0.0012	-0.0012	-0.0068	2.50	PASS
				10.00	- 5.736 4	- 4.577 6	0.329 0	-0.0069	-0.0055	0.0004	2.50	PASS
				20.00	- 2.560 6	- 4.148 5	- 3.747 9	-0.0031	-0.0050	-0.0044	2.50	PASS
				30.00	- 0.844 0	0.343 3	- 6.108 3	-0.0010	0.0004	-0.0072	2.50	PASS
				40.00	- 4.763 6	- 3.576 3	- 0.472 1	-0.0057	-0.0043	-0.0006	2.50	PASS
				50.00	0.672 3	- 1.459 1	- 2.489 1	0.0008	-0.0017	-0.0029	2.50	PASS





Shenzhen CTL Testing Technology Co., Ltd.


Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com


3. Modulation Characteristics

3.1 Test Graph












3.1 Test Graph












Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

3.1 Test Graph












Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

3.1 Test Graph











4. 99% & 26dB Bandwidth


4.1 Test Result


Test Band: 26b_1.4MHz Bandwidth							
Test Mode	RB Allocation		99% Occupied Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	1.098	1.102	1.107	N/A	PASS
16QAM	6	0	1.104	1.102	1.108	N/A	PASS

4.2 Test Graph












Test Band: 26b_1.4MHz Bandwidth							
Test Mode	RB Allocation		26dB Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	1.262	1.265	1.259	N/A	PASS
16QAM	6	0	1.273	1.256	1.260	N/A	PASS

4.2 Test Graph














Test Band: 26b 3MHz Bandwidth							
Test Mode	RB Allocation		99% Occupied Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	15	0	2.746	2.742	2.753	N/A	PASS
16QAM	15	0	2.745	2.735	2.738	N/A	PASS

4.2 Test Graph













Test Band: 26b_3MHz Bandwidth							
Test Mode	RB Allocation		26dB Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	15	0	3.073	3.062	3.112	N/A	PASS
16QAM	15	0	3.086	3.060	3.070	N/A	PASS

4.2 Test Graph















Test Band: 26b_5MHz Bandwidth							
Test Mode	RB Allocation		99% Occupied Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	4.557	4.555	4.570	N/A	PASS
16QAM	25	0	4.562	4.572	4.544	N/A	PASS

4.2 Test Graph












Test Band: 26b_5MHz Bandwidth							
Test Mode	RB Allocation		26dB Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.057	5.044	5.048	N/A	PASS
16QAM	25	0	5.079	5.036	5.055	N/A	PASS

4.2 Test Graph













Test Band: 26b_10MHz Bandwidth							
Test Mode	RB Allocation		99% Occupied Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	9.039	9.077	9.012	N/A	PASS
16QAM	50	0	9.050	9.081	8.989	N/A	PASS

4.2 Test Graph












Test Band: 26b_10MHz Bandwidth							
Test Mode	RB Allocation		26dB Bandwidth (MHz)			Limit	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	9.989	9.951	9.889	N/A	PASS
16QAM	50	0	9.898	9.970	9.916	N/A	PASS

4.2 Test Graph












5. Peak-Average Ratio



5.1 Test Result


Test Band: 26b 1.4MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	4.93	4.50	4.04	13	PASS
16QAM	6	0	6.25	8.37	5.12	13	PASS

5.2 Test Graph















Test Band: 26b_3MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	15	0	4.76	4.47	4.05	13	PASS
16QAM	15	0	6.08	5.71	5.14	13	PASS

5.2 Test Graph















Test Band: 26b 5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	4.94	4.79	4.44	13	PASS
16QAM	25	0	6.04	5.86	5.44	13	PASS

5.2 Test Graph














Test Band: 26b_10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	6.11	6.11	6.21	13	PASS
16QAM	50	0	6.75	6.79	6.66	13	PASS

5.2 Test Graph









6. Spurious Emission

6.1 Test Graph

