

## A.4 Band Edge (Authorized-band band-edge)

Note: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

### Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-29.40	12.46	-7.54	Pass
High Channel	-47.54	8.24	-11.76	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-35.21	8.05	-11.95	Pass
High Channel	-45.69	8.37	-11.63	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-32.85	7.95	-12.05	Pass
High Channel	-45.59	8.60	-11.41	Pass

802.11n-40 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-41.87	1.85	-18.15	Pass
High Channel	-40.41	8.59	-11.41	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-30.20	8.96	-11.04	Pass
High Channel	-45.68	8.70	-11.30	Pass

## 802.11ax-40 MHz(SU) Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-36.62	3.35	-16.65	Pass
High Channel	-40.55	8.70	-11.30	Pass

Test Plots

802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE



802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE



802.11g LOW CHANNEL, CARRIER LEVEL



802.11g LOW CHANNEL, BAND EDGE






802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE



802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL




802.11n-20 MHz HIGH CHANNEL, BAND EDGE







802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE



802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-40 MHz HIGH CHANNEL, BAND EDGE



802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL



802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE







802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE



802.11ax-40 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-40 MHz(SU) LOW CHANNEL, BAND EDGE



802.11ax-40 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, BAND EDGE



## A.5 Conducted Emissions

Note: Not applicable.

## A.6 Radiated Emission

Note <sup>1</sup>: The symbol of "--" in the table which means not application.


Note <sup>2</sup>: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note <sup>3</sup>: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note <sup>4</sup>: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

### Test Data and Plots

#### 30 MHz to 1 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	239.953	22.49	-26.69	35.5	13.01	Peak	236.00	200	Horizontal	Pass
2	304.441	25.01	-24.98	35.5	10.49	Peak	257.00	200	Horizontal	Pass
3	325.291	31.27	-24.46	35.5	4.23	Peak	226.00	200	Horizontal	Pass
4	350.505	30.50	-23.49	35.5	5.00	Peak	121.00	200	Horizontal	Pass
5	370.627	31.00	-23.37	35.5	4.50	Peak	84.00	200	Horizontal	Pass
6	929.693	27.29	-12.48	35.5	8.21	Peak	234.00	100	Horizontal	Pass



30 MHz to 1 GHz, ANT V

10m RE Test Case\_FCC Certification\_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	190.980	23.62	-28.55	33.0	9.38	Peak	0.00	200	Vertical	Pass
2	239.953	24.60	-26.69	35.5	10.90	Peak	149.00	100	Vertical	Pass
3	347.596	29.04	-23.50	35.5	6.46	Peak	99.00	100	Vertical	Pass
4	362.384	30.31	-23.41	35.5	5.19	Peak	220.00	100	Vertical	Pass
5	379.598	27.26	-23.14	35.5	8.24	Peak	62.00	100	Vertical	Pass
6	943.754	27.99	-12.13	35.5	7.51	Peak	279.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

#### 1 GHz to 18 GHz, ANT H 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.500	41.50	-17.41	74.0	32.50	Peak	271.00	300	Horizontal	Pass
1**	1286.500	32.29	-17.41	54.0	21.71	AV	271.00	300	Horizontal	Pass
2	2411.900	108.82	-10.20	74.0	-34.82	Peak	213.00	100	Horizontal	N/A
2**	2411.900	105.19	-10.20	54.0	-51.19	AV	213.00	100	Horizontal	N/A
3	4824.250	47.99	-3.48	74.0	26.01	Peak	143.00	100	Horizontal	Pass
3**	4824.250	42.33	-3.48	54.0	11.67	AV	143.00	100	Horizontal	Pass
4	7760.750	53.41	1.53	74.0	20.59	Peak	186.00	400	Horizontal	Pass
4**	7760.750	44.68	1.53	54.0	9.32	AV	186.00	400	Horizontal	Pass
5	11794.062	52.19	-0.15	74.0	21.81	Peak	290.00	300	Horizontal	Pass
5**	11794.062	43.04	-0.15	54.0	10.96	AV	290.00	300	Horizontal	Pass
6	16414.500	55.27	2.97	74.0	18.73	Peak	28.00	100	Horizontal	Pass
6**	16414.500	45.22	2.97	54.0	8.78	AV	28.00	100	Horizontal	Pass

#### 1 GHz to 18 GHz, ANT V 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.900	41.77	-16.99	74.0	32.23	Peak	356.00	400	Vertical	Pass
1**	1502.900	32.13	-16.99	54.0	21.87	AV	356.00	400	Vertical	Pass
2	2411.900	106.44	-10.20	74.0	-32.44	Peak	253.00	200	Vertical	N/A
2**	2411.900	102.21	-10.20	54.0	-48.21	AV	253.00	200	Vertical	N/A
3	4824.000	48.93	-3.61	74.0	25.07	Peak	226.00	100	Vertical	Pass
3**	4824.000	45.80	-3.61	54.0	8.20	AV	226.00	100	Vertical	Pass
4	7787.250	53.70	0.81	74.0	20.30	Peak	248.00	100	Vertical	Pass
4**	7787.250	44.48	0.81	54.0	9.52	AV	248.00	100	Vertical	Pass
5	12418.688	52.09	1.08	74.0	21.91	Peak	249.00	200	Vertical	Pass
5**	12418.688	42.19	1.08	54.0	11.81	AV	249.00	200	Vertical	Pass
6	16400.850	54.51	3.16	74.0	19.49	Peak	348.00	200	Vertical	Pass
6**	16400.850	45.01	3.16	54.0	8.99	AV	348.00	200	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.400	41.88	-17.20	74.0	32.12	Peak	309.00	400	Horizontal	Pass
1**	1428.400	31.92	-17.20	54.0	22.08	AV	309.00	400	Horizontal	Pass
2	2437.000	108.70	-10.41	74.0	-34.70	Peak	207.00	150	Horizontal	N/A
2**	2437.000	105.69	-10.41	54.0	-51.69	AV	207.00	150	Horizontal	N/A
3	4988.500	49.15	-3.31	74.0	24.85	Peak	36.00	150	Horizontal	Pass
3**	4988.500	40.20	-3.31	54.0	13.80	AV	36.00	150	Horizontal	Pass
4	7774.750	53.73	1.48	74.0	20.27	Peak	225.00	100	Horizontal	Pass
4**	7774.750	44.41	1.48	54.0	9.59	AV	225.00	100	Horizontal	Pass
5	12338.888	52.47	0.78	74.0	21.53	Peak	131.00	200	Horizontal	Pass
5**	12338.888	42.69	0.78	54.0	11.31	AV	131.00	200	Horizontal	Pass
6	16427.099	54.22	2.80	74.0	19.78	Peak	4.00	100	Horizontal	Pass
6**	16427.099	44.98	2.80	54.0	9.02	AV	4.00	100	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1219.200	42.01	-17.50	74.0	31.99	Peak	129.00	200	Vertical	Pass
1**	1219.200	32.87	-17.50	54.0	21.13	AV	129.00	200	Vertical	Pass
2	2437.000	107.56	-10.41	74.0	-33.56	Peak	224.00	150	Vertical	N/A
2**	2437.000	103.55	-10.41	54.0	-49.55	AV	224.00	150	Vertical	N/A
3	4874.250	49.14	-3.45	74.0	24.86	Peak	274.00	150	Vertical	Pass
3**	4874.250	44.33	-3.45	54.0	9.67	AV	274.00	150	Vertical	Pass
4	7312.000	53.30	0.54	74.0	20.70	Peak	274.00	150	Vertical	Pass
4**	7312.000	48.26	0.54	54.0	5.74	AV	274.00	150	Vertical	Pass
5	9748.000	49.36	-2.05	74.0	24.64	Peak	282.00	150	Vertical	Pass
5**	9748.000	46.89	-2.05	54.0	7.11	AV	282.00	150	Vertical	Pass
6	17461.350	54.89	5.36	74.0	19.11	Peak	89.00	300	Vertical	Pass
6**	17461.350	45.35	5.36	54.0	8.65	AV	89.00	300	Vertical	Pass



## 1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1373.200	41.98	-16.89	74.0	32.02	Peak	360.00	100	Horizontal	Pass
1**	1373.200	32.27	-16.89	54.0	21.73	AV	360.00	100	Horizontal	Pass
2	2462.000	107.64	-11.43	74.0	-33.64	Peak	210.00	100	Horizontal	N/A
2**	2462.000	104.46	-11.43	54.0	-50.46	AV	210.00	100	Horizontal	N/A
3	4995.250	48.74	-3.21	74.0	25.26	Peak	331.00	100	Horizontal	Pass
3**	4995.250	39.97	-3.21	54.0	14.03	AV	331.00	100	Horizontal	Pass
4	7361.250	53.87	0.64	74.0	20.13	Peak	58.00	200	Horizontal	Pass
4**	7361.250	43.02	0.64	54.0	10.98	AV	58.00	200	Horizontal	Pass
5	11806.412	51.82	-0.22	74.0	22.18	Peak	56.00	200	Horizontal	Pass
5**	11806.412	42.61	-0.22	54.0	11.39	AV	56.00	200	Horizontal	Pass
6	16448.625	54.89	2.52	74.0	19.11	Peak	63.00	300	Horizontal	Pass
6**	16448.625	44.52	2.52	54.0	9.48	AV	63.00	300	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.300	42.36	-16.95	74.0	31.64	Peak	68.00	200	Vertical	Pass
1**	1399.300	32.44	-16.95	54.0	21.56	AV	68.00	200	Vertical	Pass
2	2462.000	107.07	-11.43	74.0	-33.07	Peak	227.00	150	Vertical	N/A
2**	2462.000	103.18	-11.43	54.0	-49.18	AV	227.00	150	Vertical	N/A
3	4924.000	48.80	-3.57	74.0	25.20	Peak	36.00	150	Vertical	Pass
3**	4924.000	44.25	-3.57	54.0	9.75	AV	36.00	150	Vertical	Pass
4	7387.000	51.42	-0.35	74.0	22.58	Peak	80.00	150	Vertical	Pass
4**	7387.000	46.81	-0.35	54.0	7.19	AV	80.00	150	Vertical	Pass
5	9847.987	50.88	-2.75	74.0	23.12	Peak	288.00	150	Vertical	Pass
5**	9847.987	46.40	-2.75	54.0	7.60	AV	288.00	150	Vertical	Pass
6	17473.950	54.85	5.12	74.0	19.15	Peak	92.00	400	Vertical	Pass
6**	17473.950	45.17	5.12	54.0	8.83	AV	92.00	400	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.500	42.72	-17.62	74.0	31.28	Peak	223.00	400	Horizontal	Pass
1**	1199.500	34.52	-17.62	54.0	19.48	AV	223.00	400	Horizontal	Pass
2	2412.300	110.81	-10.33	74.0	-36.81	Peak	205.00	200	Horizontal	N/A
2**	2412.300	103.48	-10.33	54.0	-49.48	AV	205.00	200	Horizontal	N/A
3	4970.500	48.90	-3.46	74.0	25.10	Peak	119.00	100	Horizontal	Pass
3**	4970.500	39.92	-3.46	54.0	14.08	AV	119.00	100	Horizontal	Pass
4	7862.250	52.50	1.15	74.0	21.50	Peak	201.00	100	Horizontal	Pass
4**	7862.250	43.04	1.15	54.0	10.96	AV	201.00	100	Horizontal	Pass
5	12404.200	52.25	1.10	74.0	21.75	Peak	19.00	100	Horizontal	Pass
5**	12404.200	43.13	1.10	54.0	10.87	AV	19.00	100	Horizontal	Pass
6	16772.287	54.01	1.56	74.0	19.99	Peak	197.00	300	Horizontal	Pass
6**	16772.287	45.44	1.56	54.0	8.56	AV	197.00	300	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.400	45.65	-17.55	74.0	28.35	Peak	239.00	200	Vertical	Pass
1**	1198.400	37.41	-17.55	54.0	16.59	AV	239.00	200	Vertical	Pass
2	2412.900	107.36	-10.17	74.0	-33.36	Peak	330.00	100	Vertical	N/A
2**	2412.900	100.51	-10.17	54.0	-46.51	AV	330.00	100	Vertical	N/A
3	4968.250	48.41	-3.62	74.0	25.59	Peak	331.00	200	Vertical	Pass
3**	4968.250	39.78	-3.62	54.0	14.22	AV	331.00	200	Vertical	Pass
4	7819.750	53.34	1.34	74.0	20.66	Peak	145.00	100	Vertical	Pass
4**	7819.750	43.95	1.34	54.0	10.05	AV	145.00	100	Vertical	Pass
5	12381.400	53.33	1.01	74.0	20.67	Peak	182.00	400	Vertical	Pass
5**	12381.400	41.91	1.01	54.0	12.09	AV	182.00	400	Vertical	Pass
6	17461.088	54.51	5.36	74.0	19.49	Peak	99.00	300	Vertical	Pass
6**	17461.088	45.16	5.36	54.0	8.84	AV	99.00	300	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.300	42.90	-17.01	74.0	31.10	Peak	0.00	300	Horizontal	Pass
1**	1503.300	32.31	-17.01	54.0	21.69	AV	0.00	300	Horizontal	Pass
2	2438.200	112.15	-10.12	74.0	-38.15	Peak	174.00	200	Horizontal	N/A
2**	2438.200	104.12	-10.12	54.0	-50.12	AV	174.00	200	Horizontal	N/A
3	4878.250	48.59	-3.40	74.0	25.41	Peak	258.00	150	Horizontal	Pass
3**	4878.250	39.57	-3.40	54.0	14.43	AV	258.00	150	Horizontal	Pass
4	7867.500	53.07	1.52	74.0	20.93	Peak	39.00	400	Horizontal	Pass
4**	7867.500	43.78	1.52	54.0	10.22	AV	39.00	400	Horizontal	Pass
5	12387.100	52.17	1.04	74.0	21.83	Peak	297.00	300	Horizontal	Pass
5**	12387.100	42.61	1.04	54.0	11.39	AV	297.00	300	Horizontal	Pass
6	17295.974	54.28	2.62	74.0	19.72	Peak	252.00	400	Horizontal	Pass
6**	17295.974	44.50	2.62	54.0	9.50	AV	252.00	400	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1426.800	42.53	-17.15	74.0	31.47	Peak	357.00	100	Vertical	Pass
1**	1426.800	32.38	-17.15	54.0	21.62	AV	357.00	100	Vertical	Pass
2	2438.000	112.06	-10.31	74.0	-38.06	Peak	210.00	100	Vertical	N/A
2**	2438.000	104.40	-10.31	54.0	-50.40	AV	210.00	100	Vertical	N/A
3	4986.500	48.52	-3.10	74.0	25.48	Peak	232.00	100	Vertical	Pass
3**	4986.500	39.49	-3.10	54.0	14.51	AV	232.00	100	Vertical	Pass
4	7755.750	52.76	0.98	74.0	21.24	Peak	103.00	200	Vertical	Pass
4**	7755.750	44.04	0.98	54.0	9.96	AV	103.00	200	Vertical	Pass
5	12519.862	52.27	1.32	74.0	21.73	Peak	109.00	300	Vertical	Pass
5**	12519.862	42.82	1.32	54.0	11.18	AV	109.00	300	Vertical	Pass
6	16407.412	53.92	3.07	74.0	20.08	Peak	360.00	100	Vertical	Pass
6**	16407.412	45.91	3.07	54.0	8.09	AV	360.00	100	Vertical	Pass



## 1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	41.75	-16.69	74.0	32.25	Peak	29.00	100	Horizontal	Pass
1**	1497.100	32.77	-16.69	54.0	21.23	AV	29.00	100	Horizontal	Pass
2	2462.800	110.15	-11.44	74.0	-36.15	Peak	179.00	200	Horizontal	N/A
2**	2462.800	103.00	-11.44	54.0	-49.00	AV	179.00	200	Horizontal	N/A
3	4922.500	48.51	-3.41	74.0	25.49	Peak	81.00	150	Horizontal	Pass
3**	4922.500	40.23	-3.41	54.0	13.77	AV	81.00	150	Horizontal	Pass
4	7764.000	53.83	1.74	74.0	20.17	Peak	0.00	100	Horizontal	Pass
4**	7764.000	44.45	1.74	54.0	9.55	AV	0.00	100	Horizontal	Pass
5	11801.900	52.34	-0.17	74.0	21.66	Peak	104.00	400	Horizontal	Pass
5**	11801.900	42.63	-0.17	54.0	11.37	AV	104.00	400	Horizontal	Pass
6	16180.612	54.05	1.94	74.0	19.95	Peak	204.00	400	Horizontal	Pass
6**	16180.612	44.06	1.94	54.0	9.94	AV	204.00	400	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.400	43.21	-17.55	74.0	30.79	Peak	11.00	100	Vertical	Pass
1**	1223.400	35.77	-17.55	54.0	18.23	AV	11.00	100	Vertical	Pass
2	2464.300	108.80	-11.26	74.0	-34.80	Peak	230.00	200	Vertical	N/A
2**	2464.300	101.34	-11.26	54.0	-47.34	AV	230.00	200	Vertical	N/A
3	4995.000	49.09	-3.29	74.0	24.91	Peak	38.00	200	Vertical	Pass
3**	4995.000	39.52	-3.29	54.0	14.48	AV	38.00	200	Vertical	Pass
4	7388.250	53.29	-0.28	74.0	20.71	Peak	256.00	200	Vertical	Pass
4**	7388.250	44.08	-0.28	54.0	9.92	AV	256.00	200	Vertical	Pass
5	12347.201	51.79	0.83	74.0	22.21	Peak	233.00	300	Vertical	Pass
5**	12347.201	42.51	0.83	54.0	11.49	AV	233.00	300	Vertical	Pass
6	16399.275	54.78	3.14	74.0	19.22	Peak	179.00	400	Vertical	Pass
6**	16399.275	45.04	3.14	54.0	8.96	AV	179.00	400	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.200	43.23	-17.63	74.0	30.77	Peak	254.00	200	Horizontal	Pass
1**	1200.200	33.78	-17.63	54.0	20.22	AV	254.00	200	Horizontal	Pass
2	2412.700	110.56	-10.22	74.0	-36.56	Peak	208.00	150	Horizontal	N/A
2**	2412.700	103.38	-10.22	54.0	-49.38	AV	208.00	150	Horizontal	N/A
3	4911.500	49.29	-3.32	74.0	24.71	Peak	332.00	150	Horizontal	Pass
3**	4911.500	40.07	-3.32	54.0	13.93	AV	332.00	150	Horizontal	Pass
4	7499.750	52.76	0.32	74.0	21.24	Peak	227.00	200	Horizontal	Pass
4**	7499.750	43.18	0.32	54.0	10.82	AV	227.00	200	Horizontal	Pass
5	12401.825	52.05	1.10	74.0	21.95	Peak	110.00	300	Horizontal	Pass
5**	12401.825	42.41	1.10	54.0	11.59	AV	110.00	300	Horizontal	Pass
6	17285.738	54.84	2.58	74.0	19.16	Peak	233.00	100	Horizontal	Pass
6**	17285.738	44.97	2.58	54.0	9.03	AV	233.00	100	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.000	45.25	-17.61	74.0	28.75	Peak	347.00	400	Vertical	Pass
1**	1198.000	37.48	-17.61	54.0	16.52	AV	347.00	400	Vertical	Pass
2	2410.700	107.18	-10.37	74.0	-33.18	Peak	328.00	150	Vertical	N/A
2**	2410.700	99.79	-10.37	54.0	-45.79	AV	328.00	150	Vertical	N/A
3	4853.750	49.00	-3.60	74.0	25.00	Peak	38.00	150	Vertical	Pass
3**	4853.750	38.79	-3.60	54.0	15.21	AV	38.00	150	Vertical	Pass
4	7749.250	53.45	0.17	74.0	20.55	Peak	360.00	100	Vertical	Pass
4**	7749.250	43.70	0.17	54.0	10.30	AV	360.00	100	Vertical	Pass
5	12555.013	51.91	1.06	74.0	22.09	Peak	261.00	200	Vertical	Pass
5**	12555.013	43.27	1.06	54.0	10.73	AV	261.00	200	Vertical	Pass
6	16412.662	53.88	3.00	74.0	20.12	Peak	19.00	300	Vertical	Pass
6**	16412.662	45.68	3.00	54.0	8.32	AV	19.00	300	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.500	41.89	-16.83	74.0	32.11	Peak	57.00	200	Horizontal	Pass
1**	1348.500	32.62	-16.83	54.0	21.38	AV	57.00	200	Horizontal	Pass
2	2438.300	111.72	-10.02	74.0	-37.72	Peak	205.00	150	Horizontal	N/A
2**	2438.300	103.61	-10.02	54.0	-49.61	AV	205.00	150	Horizontal	N/A
3	4908.750	49.30	-3.33	74.0	24.70	Peak	360.00	200	Horizontal	Pass
3**	4908.750	40.37	-3.33	54.0	13.63	AV	360.00	200	Horizontal	Pass
4	7934.750	53.29	2.63	74.0	20.71	Peak	233.00	300	Horizontal	Pass
4**	7934.750	43.46	2.63	54.0	10.54	AV	233.00	300	Horizontal	Pass
5	12396.125	52.21	1.09	74.0	21.79	Peak	144.00	200	Horizontal	Pass
5**	12396.125	42.34	1.09	54.0	11.66	AV	144.00	200	Horizontal	Pass
6	16402.426	53.90	3.13	74.0	20.10	Peak	147.00	100	Horizontal	Pass
6**	16402.426	45.32	3.13	54.0	8.68	AV	147.00	100	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.300	45.74	-17.67	74.0	28.26	Peak	76.00	200	Vertical	Pass
1**	1211.300	36.66	-17.67	54.0	17.34	AV	76.00	200	Vertical	Pass
2	2435.500	108.79	-10.16	74.0	-34.79	Peak	225.00	200	Vertical	N/A
2**	2435.500	101.43	-10.16	54.0	-47.43	AV	225.00	200	Vertical	N/A
3	4869.250	49.03	-3.44	74.0	24.97	Peak	18.00	200	Vertical	Pass
3**	4869.250	41.05	-3.44	54.0	12.95	AV	18.00	200	Vertical	Pass
4	7354.500	53.32	0.44	74.0	20.68	Peak	210.00	300	Vertical	Pass
4**	7354.500	43.21	0.44	54.0	10.79	AV	210.00	300	Vertical	Pass
5	11789.550	52.13	-0.16	74.0	21.87	Peak	360.00	400	Vertical	Pass
5**	11789.550	43.39	-0.16	54.0	10.61	AV	360.00	400	Vertical	Pass
6	17493.113	55.45	4.77	74.0	18.55	Peak	259.00	200	Vertical	Pass
6**	17493.113	44.44	4.77	54.0	9.56	AV	259.00	200	Vertical	Pass



## 1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.100	42.59	-17.46	74.0	31.41	Peak	151.00	400	Horizontal	Pass
1**	1223.100	32.84	-17.46	54.0	21.16	AV	151.00	400	Horizontal	Pass
2	2462.800	109.88	-11.44	74.0	-35.88	Peak	215.00	150	Horizontal	N/A
2**	2462.800	102.47	-11.44	54.0	-48.47	AV	215.00	150	Horizontal	N/A
3	4792.750	49.23	-3.45	74.0	24.77	Peak	311.00	150	Horizontal	Pass
3**	4792.750	38.84	-3.45	54.0	15.16	AV	311.00	150	Horizontal	Pass
4	7485.250	53.36	1.24	74.0	20.64	Peak	163.00	100	Horizontal	Pass
4**	7485.250	43.99	1.24	54.0	10.01	AV	163.00	100	Horizontal	Pass
5	12416.312	52.13	1.08	74.0	21.87	Peak	34.00	100	Horizontal	Pass
5**	12416.312	42.61	1.08	54.0	11.39	AV	34.00	100	Horizontal	Pass
6	16411.088	53.25	3.02	74.0	20.75	Peak	2.00	100	Horizontal	Pass
6**	16411.088	45.39	3.02	54.0	8.61	AV	2.00	100	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.600	44.40	-17.60	74.0	29.60	Peak	232.00	200	Vertical	Pass
1**	1223.600	35.89	-17.60	54.0	18.11	AV	232.00	200	Vertical	Pass
2	2463.700	108.69	-11.23	74.0	-34.69	Peak	232.00	200	Vertical	N/A
2**	2463.700	101.81	-11.23	54.0	-47.81	AV	232.00	200	Vertical	N/A
3	4890.000	49.14	-3.52	74.0	24.86	Peak	360.00	200	Vertical	Pass
3**	4890.000	39.08	-3.52	54.0	14.92	AV	360.00	200	Vertical	Pass
4	7753.000	54.63	0.79	74.0	19.37	Peak	337.00	300	Vertical	Pass
4**	7753.000	43.72	0.79	54.0	10.28	AV	337.00	300	Vertical	Pass
5	12208.975	52.06	0.53	74.0	21.94	Peak	300.00	300	Vertical	Pass
5**	12208.975	42.21	0.53	54.0	11.79	AV	300.00	300	Vertical	Pass
6	16399.537	54.28	3.15	74.0	19.72	Peak	338.00	300	Vertical	Pass
6**	16399.537	44.94	3.15	54.0	9.06	AV	338.00	300	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.400	45.38	-17.64	74.0	28.62	Peak	171.00	200	Horizontal	Pass
1**	1193.400	37.76	-17.64	54.0	16.24	AV	171.00	200	Horizontal	Pass
2	2420.100	108.22	-10.24	74.0	-34.22	Peak	209.00	100	Horizontal	N/A
2**	2420.100	100.41	-10.24	54.0	-46.41	AV	209.00	100	Horizontal	N/A
3	4958.250	49.25	-3.48	74.0	24.75	Peak	0.00	150	Horizontal	Pass
3**	4958.250	40.66	-3.48	54.0	13.34	AV	0.00	150	Horizontal	Pass
4	7761.750	52.95	1.45	74.0	21.05	Peak	119.00	400	Horizontal	Pass
4**	7761.750	43.34	1.45	54.0	10.66	AV	119.00	400	Horizontal	Pass
5	12535.537	51.91	1.23	74.0	22.09	Peak	289.00	300	Horizontal	Pass
5**	12535.537	42.21	1.23	54.0	11.79	AV	289.00	300	Horizontal	Pass
6	17481.038	54.71	4.99	74.0	19.29	Peak	82.00	100	Horizontal	Pass
6**	17481.038	44.85	4.99	54.0	9.15	AV	82.00	100	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.000	48.29	-17.37	74.0	25.71	Peak	166.00	100	Vertical	Pass
1**	1197.000	39.66	-17.37	54.0	14.34	AV	166.00	100	Vertical	Pass
2	2423.500	104.93	-10.21	74.0	-30.93	Peak	327.00	100	Vertical	N/A
2**	2423.500	97.18	-10.21	54.0	-43.18	AV	327.00	100	Vertical	N/A
3	4724.000	48.91	-3.55	74.0	25.09	Peak	360.00	100	Vertical	Pass
3**	4724.000	39.06	-3.55	54.0	14.94	AV	360.00	100	Vertical	Pass
4	7849.250	53.38	1.07	74.0	20.62	Peak	125.00	300	Vertical	Pass
4**	7849.250	43.02	1.07	54.0	10.98	AV	125.00	300	Vertical	Pass
5	12423.675	51.97	1.07	74.0	22.03	Peak	137.00	200	Vertical	Pass
5**	12423.675	43.02	1.07	54.0	10.98	AV	137.00	200	Vertical	Pass
6	16529.475	54.57	0.71	74.0	19.43	Peak	287.00	400	Vertical	Pass
6**	16529.475	44.11	0.71	54.0	9.89	AV	287.00	400	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.900	45.60	-17.52	74.0	28.40	Peak	154.00	400	Horizontal	Pass
1**	1201.900	38.13	-17.52	54.0	15.87	AV	154.00	400	Horizontal	Pass
2	2434.600	108.11	-10.27	74.0	-34.11	Peak	212.00	100	Horizontal	N/A
2**	2434.600	100.52	-10.27	54.0	-46.52	AV	212.00	100	Horizontal	N/A
3	4915.000	49.44	-3.41	74.0	24.56	Peak	17.00	100	Horizontal	Pass
3**	4915.000	39.34	-3.41	54.0	14.66	AV	17.00	100	Horizontal	Pass
4	7288.500	52.91	-0.52	74.0	21.09	Peak	194.00	300	Horizontal	Pass
4**	7288.500	43.13	-0.52	54.0	10.87	AV	194.00	300	Horizontal	Pass
5	12401.588	52.95	1.10	74.0	21.05	Peak	360.00	100	Horizontal	Pass
5**	12401.588	43.07	1.10	54.0	10.93	AV	360.00	100	Horizontal	Pass
6	16426.574	55.04	2.81	74.0	18.96	Peak	303.00	200	Horizontal	Pass
6**	16426.574	45.04	2.81	54.0	8.96	AV	303.00	200	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.000	49.18	-17.53	74.0	24.82	Peak	241.00	300	Vertical	Pass
1**	1202.000	41.12	-17.53	54.0	12.88	AV	241.00	300	Vertical	Pass
2	2438.800	106.04	-10.20	74.0	-32.04	Peak	231.00	200	Vertical	N/A
2**	2438.800	98.00	-10.20	54.0	-44.00	AV	231.00	200	Vertical	N/A
3	4955.500	48.49	-3.54	74.0	25.51	Peak	38.00	150	Vertical	Pass
3**	4955.500	39.28	-3.54	54.0	14.72	AV	38.00	150	Vertical	Pass
4	7487.500	53.28	1.35	74.0	20.72	Peak	80.00	400	Vertical	Pass
4**	7487.500	43.78	1.35	54.0	10.22	AV	80.00	400	Vertical	Pass
5	12165.037	51.83	0.10	74.0	22.17	Peak	32.00	200	Vertical	Pass
5**	12165.037	42.66	0.10	54.0	11.34	AV	32.00	200	Vertical	Pass
6	17293.875	54.37	2.61	74.0	19.63	Peak	330.00	400	Vertical	Pass
6**	17293.875	45.24	2.61	54.0	8.76	AV	330.00	400	Vertical	Pass



## 1 GHz to 18 GHz, ANT H 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.000	44.34	-17.73	74.0	29.66	Peak	156.00	400	Horizontal	Pass
1**	1211.000	36.76	-17.73	54.0	17.24	AV	156.00	400	Horizontal	Pass
2	2455.400	108.10	-11.14	74.0	-34.10	Peak	205.00	100	Horizontal	N/A
2**	2455.400	99.63	-11.14	54.0	-45.63	AV	205.00	100	Horizontal	N/A
3	4895.500	48.84	-3.46	74.0	25.16	Peak	0.00	200	Horizontal	Pass
3**	4895.500	39.78	-3.46	54.0	14.22	AV	0.00	200	Horizontal	Pass
4	7739.000	53.24	0.20	74.0	20.76	Peak	43.00	100	Horizontal	Pass
4**	7739.000	43.03	0.20	54.0	10.97	AV	43.00	100	Horizontal	Pass
5	12177.388	52.02	0.21	74.0	21.98	Peak	287.00	400	Horizontal	Pass
5**	12177.388	42.67	0.21	54.0	11.33	AV	287.00	400	Horizontal	Pass
6	17487.864	54.54	4.86	74.0	19.46	Peak	253.00	200	Horizontal	Pass
6**	17487.864	44.99	4.86	54.0	9.01	AV	253.00	200	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1210.100	46.67	-17.70	74.0	27.33	Peak	161.00	100	Vertical	Pass
1**	1210.100	40.01	-17.70	54.0	13.99	AV	161.00	100	Vertical	Pass
2	2460.100	105.95	-11.26	74.0	-31.95	Peak	173.00	150	Vertical	N/A
2**	2460.100	97.74	-11.26	54.0	-43.74	AV	173.00	150	Vertical	N/A
3	4989.500	49.33	-3.50	74.0	24.67	Peak	19.00	100	Vertical	Pass
3**	4989.500	40.14	-3.50	54.0	13.86	AV	19.00	100	Vertical	Pass
4	7768.500	52.97	1.44	74.0	21.03	Peak	360.00	300	Vertical	Pass
4**	7768.500	43.69	1.44	54.0	10.31	AV	360.00	300	Vertical	Pass
5	12391.375	52.13	1.06	74.0	21.87	Peak	261.00	300	Vertical	Pass
5**	12391.375	42.48	1.06	54.0	11.52	AV	261.00	300	Vertical	Pass
6	17320.913	55.07	2.83	74.0	18.93	Peak	194.00	100	Vertical	Pass
6**	17320.913	43.56	2.83	54.0	10.44	AV	194.00	100	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.100	42.82	-16.90	74.0	31.18	Peak	0.00	400	Horizontal	Pass
1**	1447.100	32.72	-16.90	54.0	21.28	AV	0.00	400	Horizontal	Pass
2	2412.700	111.57	-10.22	74.0	-37.57	Peak	15.00	150	Horizontal	N/A
2**	2412.700	102.96	-10.22	54.0	-48.96	AV	15.00	150	Horizontal	N/A
3	4959.750	48.80	-3.51	74.0	25.20	Peak	360.00	150	Horizontal	Pass
3**	4959.750	39.68	-3.51	54.0	14.32	AV	360.00	150	Horizontal	Pass
4	7488.500	53.13	1.44	74.0	20.87	Peak	103.00	400	Horizontal	Pass
4**	7488.500	43.91	1.44	54.0	10.09	AV	103.00	400	Horizontal	Pass
5	12565.463	52.14	0.88	74.0	21.86	Peak	154.00	200	Horizontal	Pass
5**	12565.463	42.53	0.88	54.0	11.47	AV	154.00	200	Horizontal	Pass
6	16428.676	54.03	2.78	74.0	19.97	Peak	156.00	200	Horizontal	Pass
6**	16428.676	44.99	2.78	54.0	9.01	AV	156.00	200	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.100	45.05	-17.36	74.0	28.95	Peak	216.00	100	Vertical	Pass
1**	1213.100	36.18	-17.36	54.0	17.82	AV	216.00	100	Vertical	Pass
2	2407.700	109.59	-10.44	74.0	-35.59	Peak	331.00	150	Vertical	N/A
2**	2407.700	99.61	-10.44	54.0	-45.61	AV	331.00	150	Vertical	N/A
3	4821.500	49.44	-3.63	74.0	24.56	Peak	0.00	200	Vertical	Pass
3**	4821.500	39.50	-3.63	54.0	14.50	AV	0.00	200	Vertical	Pass
4	7364.000	52.99	0.77	74.0	21.01	Peak	322.00	300	Vertical	Pass
4**	7364.000	43.31	0.77	54.0	10.69	AV	322.00	300	Vertical	Pass
5	12324.400	51.77	0.70	74.0	22.23	Peak	208.00	400	Vertical	Pass
5**	12324.400	42.11	0.70	54.0	11.89	AV	208.00	400	Vertical	Pass
6	16423.426	54.99	2.85	74.0	19.01	Peak	18.00	200	Vertical	Pass
6**	16423.426	44.51	2.85	54.0	9.49	AV	18.00	200	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1209.700	42.03	-17.52	74.0	31.97	Peak	282.00	300	Horizontal	Pass
1**	1209.700	32.86	-17.52	54.0	21.14	AV	282.00	300	Horizontal	Pass
2	2436.100	112.67	-10.19	74.0	-38.67	Peak	345.00	200	Horizontal	N/A
2**	2436.100	104.14	-10.19	54.0	-50.14	AV	345.00	200	Horizontal	N/A
3	4928.000	49.04	-3.78	74.0	24.96	Peak	0.00	150	Horizontal	Pass
3**	4928.000	38.90	-3.78	54.0	15.10	AV	0.00	150	Horizontal	Pass
4	7879.250	52.84	1.97	74.0	21.16	Peak	302.00	200	Horizontal	Pass
4**	7879.250	43.83	1.97	54.0	10.17	AV	302.00	200	Horizontal	Pass
5	12780.450	51.74	0.99	74.0	22.26	Peak	27.00	400	Horizontal	Pass
5**	12780.450	42.34	0.99	54.0	11.66	AV	27.00	400	Horizontal	Pass
6	16419.489	53.87	2.91	74.0	20.13	Peak	273.00	300	Horizontal	Pass
6**	16419.489	44.91	2.91	54.0	9.09	AV	273.00	300	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1210.500	45.19	-17.81	74.0	28.81	Peak	217.00	200	Vertical	Pass
1**	1210.500	37.08	-17.81	54.0	16.92	AV	217.00	200	Vertical	Pass
2	2437.600	111.47	-10.20	74.0	-37.47	Peak	336.00	100	Vertical	N/A
2**	2437.600	102.12	-10.20	54.0	-48.12	AV	336.00	100	Vertical	N/A
3	4878.500	48.89	-3.52	74.0	25.11	Peak	134.00	150	Vertical	Pass
3**	4878.500	39.44	-3.52	54.0	14.56	AV	134.00	150	Vertical	Pass
4	7926.750	53.23	1.94	74.0	20.77	Peak	91.00	400	Vertical	Pass
4**	7926.750	43.98	1.94	54.0	10.02	AV	91.00	400	Vertical	Pass
5	12525.325	52.03	1.29	74.0	21.97	Peak	128.00	100	Vertical	Pass
5**	12525.325	42.83	1.29	54.0	11.17	AV	128.00	100	Vertical	Pass
6	16403.213	54.26	3.12	74.0	19.74	Peak	0.00	100	Vertical	Pass
6**	16403.213	44.62	3.12	54.0	9.38	AV	0.00	100	Vertical	Pass

## 1 GHz to 18 GHz, ANT H802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.900	42.17	-16.96	74.0	31.83	Peak	127.00	100	Horizontal	Pass
1**	1504.900	32.56	-16.96	54.0	21.44	AV	127.00	100	Horizontal	Pass
2	2462.700	111.14	-11.45	74.0	-37.14	Peak	0.00	200	Horizontal	N/A
2**	2462.700	102.91	-11.45	54.0	-48.91	AV	0.00	200	Horizontal	N/A
3	4953.500	49.08	-3.43	74.0	24.92	Peak	360.00	150	Horizontal	Pass
3**	4953.500	39.68	-3.43	54.0	14.32	AV	360.00	150	Horizontal	Pass
4	7762.000	53.15	1.58	74.0	20.85	Peak	161.00	400	Horizontal	Pass
4**	7762.000	44.88	1.58	54.0	9.12	AV	161.00	400	Horizontal	Pass
5	11690.512	52.65	-0.67	74.0	21.35	Peak	0.00	300	Horizontal	Pass
5**	11690.512	42.55	-0.67	54.0	11.45	AV	0.00	300	Horizontal	Pass
6	16414.762	53.98	2.97	74.0	20.02	Peak	11.00	200	Horizontal	Pass
6**	16414.762	45.55	2.97	54.0	8.45	AV	11.00	200	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.600	43.70	-17.78	74.0	30.30	Peak	222.00	300	Vertical	Pass
1**	1222.600	35.25	-17.78	54.0	18.75	AV	222.00	300	Vertical	Pass
2	2460.700	111.11	-11.30	74.0	-37.11	Peak	307.00	150	Vertical	N/A
2**	2460.700	101.33	-11.30	54.0	-47.33	AV	307.00	150	Vertical	N/A
3	4928.000	48.49	-3.78	74.0	25.51	Peak	88.00	100	Vertical	Pass
3**	4928.000	40.20	-3.78	54.0	13.80	AV	88.00	100	Vertical	Pass
4	7929.750	53.41	2.35	74.0	20.59	Peak	139.00	200	Vertical	Pass
4**	7929.750	43.90	2.35	54.0	10.10	AV	139.00	200	Vertical	Pass
5	11790.262	52.00	-0.15	74.0	22.00	Peak	213.00	400	Vertical	Pass
5**	11790.262	42.93	-0.15	54.0	11.07	AV	213.00	400	Vertical	Pass
6	16428.937	54.13	2.78	74.0	19.87	Peak	141.00	400	Vertical	Pass
6**	16428.937	44.93	2.78	54.0	9.07	AV	141.00	400	Vertical	Pass



## 1 GHz to 18 GHz, ANT H 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.300	46.50	-17.43	74.0	27.50	Peak	275.00	400	Horizontal	Pass
1**	1197.300	36.05	-17.43	54.0	17.95	AV	275.00	400	Horizontal	Pass
2	2417.300	109.30	-10.22	74.0	-35.30	Peak	0.00	200	Horizontal	N/A
2**	2417.300	100.21	-10.22	54.0	-46.21	AV	0.00	200	Horizontal	N/A
3	4961.750	48.65	-3.43	74.0	25.35	Peak	360.00	100	Horizontal	Pass
3**	4961.750	39.80	-3.43	54.0	14.20	AV	360.00	100	Horizontal	Pass
4	7742.250	54.27	0.46	74.0	19.73	Peak	74.00	200	Horizontal	Pass
4**	7742.250	43.45	0.46	54.0	10.55	AV	74.00	200	Horizontal	Pass
5	11788.599	51.60	-0.16	74.0	22.40	Peak	103.00	200	Horizontal	Pass
5**	11788.599	43.08	-0.16	54.0	10.92	AV	103.00	200	Horizontal	Pass
6	16493.776	53.64	1.05	74.0	20.36	Peak	276.00	300	Horizontal	Pass
6**	16493.776	43.47	1.05	54.0	10.53	AV	276.00	300	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.300	49.10	-17.66	74.0	24.90	Peak	208.00	400	Vertical	Pass
1**	1193.300	40.89	-17.66	54.0	13.11	AV	208.00	400	Vertical	Pass
2	2423.700	107.84	-10.26	74.0	-33.84	Peak	360.00	200	Vertical	N/A
2**	2423.700	98.63	-10.26	54.0	-44.63	AV	360.00	200	Vertical	N/A
3	4920.750	48.45	-3.53	74.0	25.55	Peak	241.00	200	Vertical	Pass
3**	4920.750	38.94	-3.53	54.0	15.06	AV	241.00	200	Vertical	Pass
4	7996.500	53.39	1.20	74.0	20.61	Peak	0.00	300	Vertical	Pass
4**	7996.500	43.26	1.20	54.0	10.74	AV	0.00	300	Vertical	Pass
5	12548.600	52.21	1.16	74.0	21.79	Peak	46.00	300	Vertical	Pass
5**	12548.600	43.42	1.16	54.0	10.58	AV	46.00	300	Vertical	Pass
6	16698.262	53.73	3.01	74.0	20.27	Peak	49.00	400	Vertical	Pass
6**	16698.262	43.68	3.01	54.0	10.32	AV	49.00	400	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.400	45.55	-17.60	74.0	28.45	Peak	179.00	100	Horizontal	Pass
1**	1200.400	37.35	-17.60	54.0	16.65	AV	179.00	100	Horizontal	Pass
2	2438.200	109.21	-10.12	74.0	-35.21	Peak	359.00	200	Horizontal	N/A
2**	2438.200	100.34	-10.12	54.0	-46.34	AV	359.00	200	Horizontal	N/A
3	4890.750	48.84	-3.52	74.0	25.16	Peak	292.00	150	Horizontal	Pass
3**	4890.750	39.30	-3.52	54.0	14.70	AV	292.00	150	Horizontal	Pass
4	7493.250	53.26	1.01	74.0	20.74	Peak	62.00	400	Horizontal	Pass
4**	7493.250	43.89	1.01	54.0	10.11	AV	62.00	400	Horizontal	Pass
5	12180.000	52.17	0.23	74.0	21.83	Peak	183.00	200	Horizontal	Pass
5**	12180.000	41.51	0.23	54.0	12.49	AV	183.00	200	Horizontal	Pass
6	16863.636	54.48	3.33	74.0	19.52	Peak	86.00	400	Horizontal	Pass
6**	16863.636	44.78	3.33	54.0	9.22	AV	86.00	400	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1204.200	49.35	-17.74	74.0	24.65	Peak	217.00	300	Vertical	Pass
1**	1204.200	38.99	-17.74	54.0	15.01	AV	217.00	300	Vertical	Pass
2	2434.100	108.41	-10.42	74.0	-34.41	Peak	236.00	100	Vertical	N/A
2**	2434.100	99.00	-10.42	54.0	-45.00	AV	236.00	100	Vertical	N/A
3	4954.000	48.91	-3.46	74.0	25.09	Peak	195.00	100	Vertical	Pass
3**	4954.000	40.44	-3.46	54.0	13.56	AV	195.00	100	Vertical	Pass
4	7757.250	53.26	1.46	74.0	20.74	Peak	67.00	100	Vertical	Pass
4**	7757.250	44.40	1.46	54.0	9.60	AV	67.00	100	Vertical	Pass
5	12526.750	51.50	1.28	74.0	22.50	Peak	31.00	100	Vertical	Pass
5**	12526.750	42.53	1.28	54.0	11.47	AV	31.00	100	Vertical	Pass
6	17452.425	54.36	5.52	74.0	19.64	Peak	259.00	300	Vertical	Pass
6**	17452.425	45.90	5.52	54.0	8.10	AV	259.00	300	Vertical	Pass

## 1 GHz to 18 GHz, ANT H 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1208.000	44.67	-17.73	74.0	29.33	Peak	285.00	300	Horizontal	Pass
1**	1208.000	36.58	-17.73	54.0	17.42	AV	285.00	300	Horizontal	Pass
2	2456.700	109.11	-10.88	74.0	-35.11	Peak	243.00	150	Horizontal	N/A
2**	2456.700	98.73	-10.88	54.0	-44.73	AV	243.00	150	Horizontal	N/A
3	4917.000	48.78	-3.38	74.0	25.22	Peak	239.00	200	Horizontal	Pass
3**	4917.000	39.37	-3.38	54.0	14.63	AV	239.00	200	Horizontal	Pass
4	7713.000	53.52	1.75	74.0	20.48	Peak	61.00	400	Horizontal	Pass
4**	7713.000	43.22	1.75	54.0	10.78	AV	61.00	400	Horizontal	Pass
5	12076.687	52.24	-0.20	74.0	21.76	Peak	57.00	400	Horizontal	Pass
5**	12076.687	42.52	-0.20	54.0	11.48	AV	57.00	400	Horizontal	Pass
6	17312.776	54.11	2.75	74.0	19.89	Peak	332.00	400	Horizontal	Pass
6**	17312.776	45.72	2.75	54.0	8.28	AV	332.00	400	Horizontal	Pass

## 1 GHz to 18 GHz, ANT V 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.700	48.31	-17.78	74.0	25.69	Peak	210.00	400	Vertical	Pass
1**	1207.700	39.71	-17.78	54.0	14.29	AV	210.00	400	Vertical	Pass
2	2449.900	108.15	-10.39	74.0	-34.15	Peak	300.00	200	Vertical	N/A
2**	2449.900	98.52	-10.39	54.0	-44.52	AV	300.00	200	Vertical	N/A
3	4844.750	48.87	-3.69	74.0	25.13	Peak	176.00	150	Vertical	Pass
3**	4844.750	40.36	-3.69	54.0	13.64	AV	176.00	150	Vertical	Pass
4	7757.000	53.33	1.47	74.0	20.67	Peak	149.00	400	Vertical	Pass
4**	7757.000	44.81	1.47	54.0	9.19	AV	149.00	400	Vertical	Pass
5	11793.588	51.65	-0.15	74.0	22.35	Peak	309.00	100	Vertical	Pass
5**	11793.588	42.99	-0.15	54.0	11.01	AV	309.00	100	Vertical	Pass
6	17458.199	54.51	5.42	74.0	19.49	Peak	139.00	200	Vertical	Pass
6**	17458.199	44.36	5.42	54.0	9.64	AV	139.00	200	Vertical	Pass

## A.7 Band Edge (Restricted-band band-edge)


Note <sup>1</sup>: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note <sup>2</sup>: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note <sup>3</sup>: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

### Test Data and Plots


#### 802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.100	55.02	-1.66	74.0	18.98	Peak	113.00	200	Horizontal	Pass
1**	2387.100	46.26	-1.66	54.0	7.74	AV	113.00	200	Horizontal	Pass
2	2389.950	53.59	-1.82	74.0	20.41	Peak	20.00	200	Horizontal	Pass
2**	2389.950	44.89	-1.82	54.0	9.11	AV	20.00	200	Horizontal	Pass




802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.41	-1.10	74.0	20.59	Peak	227.00	150	Horizontal	Pass
1**	2483.500	43.36	-1.10	54.0	10.64	AV	227.00	150	Horizontal	Pass
2	2496.835	54.33	-0.91	74.0	19.67	Peak	101.00	100	Horizontal	Pass
2**	2496.835	43.43	-0.91	54.0	10.57	AV	101.00	100	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	66.51	-1.73	74.0	7.49	Peak	115.00	150	Horizontal	Pass
1**	2389.550	49.87	-1.73	54.0	4.13	AV	115.00	150	Horizontal	Pass
2	2389.950	65.36	-1.82	74.0	8.64	Peak	213.00	100	Horizontal	Pass
2**	2389.950	50.33	-1.82	54.0	3.67	AV	213.00	100	Horizontal	Pass
3	2389.450	63.58	-1.77	74.0	10.42	Peak	242.00	100	Horizontal	Pass
3**	2389.450	51.13	-1.77	54.0	2.87	AV	242.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.69	-1.09	74.0	13.31	Peak	359.00	100	Horizontal	Pass
1**	2483.575	47.14	-1.09	54.0	6.86	AV	359.00	100	Horizontal	Pass
2	2483.785	66.39	-1.05	74.0	7.61	Peak	115.00	150	Horizontal	Pass
2**	2483.785	46.57	-1.05	54.0	7.43	AV	115.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.400	67.28	-1.79	74.0	6.72	Peak	118.00	200	Horizontal	Pass
1**	2389.400	50.54	-1.79	54.0	3.46	AV	118.00	200	Horizontal	Pass
2	2389.950	62.35	-1.82	74.0	11.65	Peak	212.00	100	Horizontal	Pass
2**	2389.950	50.99	-1.82	54.0	3.01	AV	212.00	100	Horizontal	Pass
3	2390.050	65.59	-1.85	74.0	8.41	Peak	113.00	100	Horizontal	Pass
3**	2390.050	51.59	-1.85	54.0	2.41	AV	113.00	100	Horizontal	Pass


802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	59.55	-1.09	74.0	14.45	Peak	0.00	100	Horizontal	Pass
1**	2483.590	46.92	-1.09	54.0	7.08	AV	0.00	100	Horizontal	Pass
2	2484.010	64.51	-1.06	74.0	9.49	Peak	0.00	200	Horizontal	Pass
2**	2484.010	46.36	-1.06	54.0	7.64	AV	0.00	200	Horizontal	Pass




802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.500	68.91	-1.70	74.0	5.09	Peak	111.00	100	Horizontal	Pass
1**	2386.500	49.60	-1.70	54.0	4.40	AV	111.00	100	Horizontal	Pass
2	2389.950	64.46	-1.82	74.0	9.54	Peak	273.00	200	Horizontal	Pass
2**	2389.950	51.91	-1.82	54.0	2.09	AV	273.00	200	Horizontal	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	65.22	-1.10	74.0	8.78	Peak	100.00	100	Horizontal	Pass
1**	2483.515	51.62	-1.10	54.0	2.38	AV	100.00	100	Horizontal	Pass
2	2483.875	67.45	-1.03	74.0	6.55	Peak	113.00	200	Horizontal	Pass
2**	2483.875	51.57	-1.03	54.0	2.43	AV	113.00	200	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	66.82	-1.75	74.0	7.18	Peak	221.00	100	Horizontal	Pass
1**	2389.650	51.78	-1.75	54.0	2.22	AV	221.00	100	Horizontal	Pass
2	2389.950	67.23	-1.82	74.0	6.77	Peak	334.00	200	Horizontal	Pass
2**	2389.950	52.43	-1.82	54.0	1.57	AV	334.00	200	Horizontal	Pass

802.11 ax20(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	63.30	-1.09	74.0	10.70	Peak	232.00	150	Horizontal	Pass
1**	2483.560	46.20	-1.09	54.0	7.80	AV	232.00	150	Horizontal	Pass
2	2483.800	63.70	-1.05	74.0	10.30	Peak	351.00	200	Horizontal	Pass
2**	2483.800	46.37	-1.05	54.0	7.63	AV	351.00	200	Horizontal	Pass


802.11ax40(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	67.13	-1.77	74.0	6.87	Peak	217.00	150	Horizontal	Pass
1**	2389.750	52.99	-1.77	54.0	1.01	AV	217.00	150	Horizontal	Pass
2	2389.950	64.82	-1.82	74.0	9.18	Peak	332.00	200	Horizontal	Pass
2**	2389.950	52.60	-1.82	54.0	1.40	AV	332.00	200	Horizontal	Pass
3	2388.350	64.21	-1.82	74.0	9.79	Peak	225.00	200	Horizontal	Pass
3**	2388.350	53.00	-1.82	54.0	1.00	AV	225.00	200	Horizontal	Pass



802.11 ax40(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	65.14	-1.10	74.0	8.86	Peak	359.00	200	Horizontal	Pass
1**	2483.515	51.56	-1.10	54.0	2.44	AV	359.00	200	Horizontal	Pass
2	2484.820	65.72	-1.24	74.0	8.28	Peak	350.00	200	Horizontal	Pass
2**	2484.820	50.36	-1.24	54.0	3.64	AV	350.00	200	Horizontal	Pass
3	2483.875	64.33	-1.03	74.0	9.67	Peak	360.00	200	Horizontal	Pass
3**	2483.875	51.92	-1.03	54.0	2.08	AV	360.00	200	Horizontal	Pass

## A.8 Power Spectral Density (PSD)

### Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-3.32	8
Middle	-4.88	8
High	-7.82	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.97	8
Middle	-7.90	8
High	-6.94	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.68	8
Middle	-8.69	8
High	-7.55	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.88	8
Middle	-11.81	8
High	-8.36	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.87	8
Middle	-10.45	8
High	-9.46	8

## 802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.36	8
Middle	-12.83	8
High	-8.87	8

Test Plots

802.11b LOW CHANNEL



802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL



802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL







802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL



802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL



802.11ax-40 MHz(SU) LOW CHANNEL



802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL





## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SZ2390956-AR.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SZ2390956-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SZ2390956-AI.PDF”.

## Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--