



802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE



802.11ax-40 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-40 MHz(SU) LOW CHANNEL, BAND EDGE



802.11ax-40 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emissions

Note: Not applicable.

A.6 Radiated Emission

Note ¹: The symbol of "--" in the table which means not application.


Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots


30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	182.009	21.82	-29.62	33.0	11.18	Peak	278.00	200	Horizontal	Pass
2	238.983	23.41	-26.65	35.5	12.09	Peak	198.00	200	Horizontal	Pass
3	338.868	29.84	-23.77	35.5	5.66	Peak	37.00	200	Horizontal	Pass
4	351.232	30.38	-23.51	35.5	5.12	Peak	201.00	200	Horizontal	Pass
5	364.081	30.98	-23.49	35.5	4.52	Peak	195.00	200	Horizontal	Pass
6	390.507	29.43	-22.75	35.5	6.07	Peak	358.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	178.615	25.08	-29.85	33.0	7.92	Peak	292.00	100	Vertical	Pass
2	299.835	29.69	-25.15	35.5	5.81	Peak	38.00	100	Vertical	Pass
3	344.201	29.82	-23.54	35.5	5.68	Peak	286.00	100	Vertical	Pass
4	357.778	30.18	-23.34	35.5	5.32	Peak	69.00	100	Vertical	Pass
5	365.536	28.90	-23.63	35.5	6.60	Peak	0.00	100	Vertical	Pass
6	653.069	26.68	-17.07	35.5	8.82	Peak	161.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.100	42.88	-16.82	74.0	31.12	Peak	134.00	300	Horizontal	Pass
1**	1412.100	31.55	-16.82	54.0	22.45	AV	134.00	300	Horizontal	Pass
2	2411.900	108.85	-10.20	74.0	-34.85	Peak	217.00	200	Horizontal	N/A
2**	2411.900	105.41	-10.20	54.0	-51.41	AV	217.00	200	Horizontal	N/A
3	4877.250	48.92	-3.42	74.0	25.08	Peak	243.00	150	Horizontal	Pass
3**	4877.250	39.26	-3.42	54.0	14.74	AV	243.00	150	Horizontal	Pass
4	7783.500	54.33	0.90	74.0	19.67	Peak	243.00	300	Horizontal	Pass
4**	7783.500	43.09	0.90	54.0	10.91	AV	243.00	300	Horizontal	Pass
5	12799.612	51.98	0.96	74.0	22.02	Peak	321.00	300	Horizontal	Pass
5**	12799.612	42.72	0.96	54.0	11.28	AV	321.00	300	Horizontal	Pass
6	16413.712	54.34	2.98	74.0	19.66	Peak	80.00	400	Horizontal	Pass
6**	16413.712	45.55	2.98	54.0	8.45	AV	80.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.100	42.10	-16.89	74.0	31.90	Peak	324.00	400	Vertical	Pass
1**	1350.100	32.43	-16.89	54.0	21.57	AV	324.00	400	Vertical	Pass
2	2411.900	107.76	-10.20	74.0	-33.76	Peak	134.00	200	Vertical	N/A
2**	2411.900	103.87	-10.20	54.0	-49.87	AV	134.00	200	Vertical	N/A
3	4824.250	52.22	-3.48	74.0	21.78	Peak	268.00	200	Vertical	Pass
3**	4824.250	50.44	-3.48	54.0	3.56	AV	268.00	200	Vertical	Pass
4	7757.250	53.36	1.46	74.0	20.64	Peak	100.00	300	Vertical	Pass
4**	7757.250	44.12	1.46	54.0	9.88	AV	100.00	300	Vertical	Pass
5	11791.925	52.48	-0.15	74.0	21.52	Peak	0.00	100	Vertical	Pass
5**	11791.925	43.20	-0.15	54.0	10.80	AV	0.00	100	Vertical	Pass
6	16837.125	54.29	3.02	74.0	19.71	Peak	140.00	300	Vertical	Pass
6**	16837.125	44.15	3.02	54.0	9.85	AV	140.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.200	42.43	-17.24	74.0	31.57	Peak	173.00	400	Horizontal	Pass
1**	1379.200	32.92	-17.24	54.0	21.08	AV	173.00	400	Horizontal	Pass
2	2435.900	108.81	-10.14	74.0	-34.81	Peak	212.00	200	Horizontal	N/A
2**	2435.900	106.06	-10.14	54.0	-52.06	AV	212.00	200	Horizontal	N/A
3	4874.250	47.46	-3.45	74.0	26.54	Peak	189.00	200	Horizontal	Pass
3**	4874.250	43.80	-3.45	54.0	10.20	AV	189.00	200	Horizontal	Pass
4	7497.250	53.05	0.66	74.0	20.95	Peak	321.00	400	Horizontal	Pass
4**	7497.250	43.18	0.66	54.0	10.82	AV	321.00	400	Horizontal	Pass
5	11789.075	52.54	-0.16	74.0	21.46	Peak	180.00	300	Horizontal	Pass
5**	11789.075	43.37	-0.16	54.0	10.63	AV	180.00	300	Horizontal	Pass
6	16888.838	54.48	2.91	74.0	19.52	Peak	260.00	100	Horizontal	Pass
6**	16888.838	44.03	2.91	54.0	9.97	AV	260.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.600	42.27	-16.79	74.0	31.73	Peak	310.00	400	Vertical	Pass
1**	1397.600	32.23	-16.79	54.0	21.77	AV	310.00	400	Vertical	Pass
2	2437.000	108.35	-10.41	74.0	-34.35	Peak	98.00	200	Vertical	N/A
2**	2437.000	104.72	-10.41	54.0	-50.72	AV	98.00	200	Vertical	N/A
3	4874.000	52.84	-3.49	74.0	21.16	Peak	265.00	100	Vertical	Pass
3**	4874.000	49.04	-3.49	54.0	4.96	AV	265.00	100	Vertical	Pass
4	7762.500	53.07	1.50	74.0	20.93	Peak	245.00	400	Vertical	Pass
4**	7762.500	44.62	1.50	54.0	9.38	AV	245.00	400	Vertical	Pass
5	11776.487	53.06	-0.17	74.0	20.94	Peak	360.00	400	Vertical	Pass
5**	11776.487	43.33	-0.17	54.0	10.67	AV	360.00	400	Vertical	Pass
6	17462.925	54.23	5.33	74.0	19.77	Peak	-1.00	100	Vertical	Pass
6**	17462.925	45.96	5.33	54.0	8.04	AV	-1.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1362.100	42.11	-16.91	74.0	31.89	Peak	34.00	400	Horizontal	Pass
1**	1362.100	33.09	-16.91	54.0	20.91	AV	34.00	400	Horizontal	Pass
2	2462.000	107.76	-11.43	74.0	-33.76	Peak	212.00	200	Horizontal	N/A
2**	2462.000	104.15	-11.43	54.0	-50.15	AV	212.00	200	Horizontal	N/A
3	4984.500	49.11	-3.44	74.0	24.89	Peak	40.00	150	Horizontal	Pass
3**	4984.500	39.34	-3.44	54.0	14.66	AV	40.00	150	Horizontal	Pass
4	7753.250	53.04	0.71	74.0	20.96	Peak	60.00	400	Horizontal	Pass
4**	7753.250	43.96	0.71	54.0	10.04	AV	60.00	400	Horizontal	Pass
5	12407.525	51.72	1.10	74.0	22.28	Peak	102.00	300	Horizontal	Pass
5**	12407.525	43.15	1.10	54.0	10.85	AV	102.00	300	Horizontal	Pass
6	17456.886	54.46	5.44	74.0	19.54	Peak	116.00	200	Horizontal	Pass
6**	17456.886	44.17	5.44	54.0	9.83	AV	116.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.900	41.96	-16.74	74.0	32.04	Peak	220.00	300	Vertical	Pass
1**	1581.900	32.86	-16.74	54.0	21.14	AV	220.00	300	Vertical	Pass
2	2462.000	107.34	-11.43	74.0	-33.34	Peak	95.00	200	Vertical	N/A
2**	2462.000	103.90	-11.43	54.0	-49.90	AV	95.00	200	Vertical	N/A
3	4924.250	51.33	-3.53	74.0	22.67	Peak	286.00	100	Vertical	Pass
3**	4924.250	48.68	-3.53	54.0	5.32	AV	286.00	100	Vertical	Pass
4	7492.250	53.05	1.23	74.0	20.95	Peak	286.00	100	Vertical	Pass
4**	7492.250	43.20	1.23	54.0	10.80	AV	286.00	100	Vertical	Pass
5	12383.300	52.49	1.02	74.0	21.51	Peak	336.00	400	Vertical	Pass
5**	12383.300	42.85	1.02	54.0	11.15	AV	336.00	400	Vertical	Pass
6	17465.287	54.40	5.28	74.0	19.60	Peak	343.00	300	Vertical	Pass
6**	17465.287	45.32	5.28	54.0	8.68	AV	343.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.600	42.10	-16.76	74.0	31.90	Peak	260.00	100	Horizontal	Pass
1**	1390.600	32.78	-16.76	54.0	21.22	AV	260.00	100	Horizontal	Pass
2	2412.900	111.45	-10.17	74.0	-37.45	Peak	204.00	150	Horizontal	N/A
2**	2412.900	103.33	-10.17	54.0	-49.33	AV	204.00	150	Horizontal	N/A
3	4816.500	48.92	-2.95	74.0	25.08	Peak	352.00	150	Horizontal	Pass
3**	4816.500	39.37	-2.95	54.0	14.63	AV	352.00	150	Horizontal	Pass
4	7754.000	53.71	1.14	74.0	20.29	Peak	79.00	400	Horizontal	Pass
4**	7754.000	44.23	1.14	54.0	9.77	AV	79.00	400	Horizontal	Pass
5	12923.250	52.17	1.30	74.0	21.83	Peak	0.00	400	Horizontal	Pass
5**	12923.250	41.94	1.30	54.0	12.06	AV	0.00	400	Horizontal	Pass
6	16176.151	54.32	1.97	74.0	19.68	Peak	69.00	300	Horizontal	Pass
6**	16176.151	44.41	1.97	54.0	9.59	AV	69.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.500	44.76	-17.62	74.0	29.24	Peak	205.00	300	Vertical	Pass
1**	1199.500	36.60	-17.62	54.0	17.40	AV	205.00	300	Vertical	Pass
2	2411.100	109.24	-10.33	74.0	-35.24	Peak	90.00	100	Vertical	N/A
2**	2411.100	102.05	-10.33	54.0	-48.05	AV	90.00	100	Vertical	N/A
3	4824.750	49.92	-3.68	74.0	24.08	Peak	281.00	150	Vertical	Pass
3**	4824.750	41.64	-3.68	54.0	12.36	AV	281.00	150	Vertical	Pass
4	7645.750	53.05	1.10	74.0	20.95	Peak	18.00	300	Vertical	Pass
4**	7645.750	43.58	1.10	54.0	10.42	AV	18.00	300	Vertical	Pass
5	11784.325	52.09	-0.16	74.0	21.91	Peak	153.00	300	Vertical	Pass
5**	11784.325	42.77	-0.16	54.0	11.23	AV	153.00	300	Vertical	Pass
6	16694.850	53.77	2.97	74.0	20.23	Peak	225.00	400	Vertical	Pass
6**	16694.850	44.53	2.97	54.0	9.47	AV	225.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1206.900	41.80	-17.55	74.0	32.20	Peak	278.00	100	Horizontal	Pass
1**	1206.900	32.03	-17.55	54.0	21.97	AV	278.00	100	Horizontal	Pass
2	2438.100	111.58	-10.22	74.0	-37.58	Peak	210.00	200	Horizontal	N/A
2**	2438.100	104.92	-10.22	54.0	-50.92	AV	210.00	200	Horizontal	N/A
3	4987.000	48.98	-3.07	74.0	25.02	Peak	149.00	100	Horizontal	Pass
3**	4987.000	40.17	-3.07	54.0	13.83	AV	149.00	100	Horizontal	Pass
4	7754.000	53.11	1.14	74.0	20.89	Peak	360.00	400	Horizontal	Pass
4**	7754.000	43.59	1.14	54.0	10.41	AV	360.00	400	Horizontal	Pass
5	11699.299	52.31	-0.53	74.0	21.69	Peak	8.00	100	Horizontal	Pass
5**	11699.299	43.18	-0.53	54.0	10.82	AV	8.00	100	Horizontal	Pass
6	17476.575	54.27	5.07	74.0	19.73	Peak	288.00	200	Horizontal	Pass
6**	17476.575	44.62	5.07	54.0	9.38	AV	288.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.000	42.54	-17.72	74.0	31.46	Peak	213.00	100	Vertical	Pass
1**	1224.000	33.57	-17.72	54.0	20.43	AV	213.00	100	Vertical	Pass
2	2438.600	110.52	-10.02	74.0	-36.52	Peak	69.00	200	Vertical	N/A
2**	2438.600	103.11	-10.02	54.0	-49.11	AV	69.00	200	Vertical	N/A
3	4882.000	49.77	-3.73	74.0	24.23	Peak	120.00	200	Vertical	Pass
3**	4882.000	40.33	-3.73	54.0	13.67	AV	120.00	200	Vertical	Pass
4	7486.000	53.16	1.41	74.0	20.84	Peak	203.00	100	Vertical	Pass
4**	7486.000	43.80	1.41	54.0	10.20	AV	203.00	100	Vertical	Pass
5	12800.137	51.85	0.95	74.0	22.15	Peak	205.00	100	Vertical	Pass
5**	12800.137	41.69	0.95	54.0	12.31	AV	205.00	100	Vertical	Pass
6	17467.386	54.33	5.24	74.0	19.67	Peak	274.00	100	Vertical	Pass
6**	17467.386	44.18	5.24	54.0	9.82	AV	274.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.700	46.77	-17.64	74.0	27.23	Peak	252.00	200	Horizontal	Pass
1**	1199.700	41.20	-17.64	54.0	12.80	AV	252.00	200	Horizontal	Pass
2	2464.000	109.47	-11.21	74.0	-35.47	Peak	133.00	150	Horizontal	N/A
2**	2464.000	102.11	-11.21	54.0	-48.11	AV	133.00	150	Horizontal	N/A
3	4737.250	48.58	-2.75	74.0	25.42	Peak	360.00	150	Horizontal	Pass
3**	4737.250	39.28	-2.75	54.0	14.72	AV	360.00	150	Horizontal	Pass
4	7871.000	53.81	1.76	74.0	20.19	Peak	147.00	200	Horizontal	Pass
4**	7871.000	45.19	1.76	54.0	8.81	AV	147.00	200	Horizontal	Pass
5	11786.937	52.52	-0.16	74.0	21.48	Peak	18.00	400	Horizontal	Pass
5**	11786.937	43.19	-0.16	54.0	10.81	AV	18.00	400	Horizontal	Pass
6	16408.989	54.67	3.05	74.0	19.33	Peak	219.00	400	Horizontal	Pass
6**	16408.989	46.05	3.05	54.0	7.95	AV	219.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	46.63	-17.65	74.0	27.37	Peak	337.00	200	Vertical	Pass
1**	1200.000	40.00	-17.65	54.0	14.00	AV	337.00	200	Vertical	Pass
2	2463.800	108.34	-11.22	74.0	-34.34	Peak	67.00	100	Vertical	N/A
2**	2463.800	100.59	-11.22	54.0	-46.59	AV	67.00	100	Vertical	N/A
3	4987.000	49.10	-3.07	74.0	24.90	Peak	229.00	150	Vertical	Pass
3**	4987.000	40.17	-3.07	54.0	13.83	AV	229.00	150	Vertical	Pass
4	7736.250	52.92	0.44	74.0	21.08	Peak	81.00	200	Vertical	Pass
4**	7736.250	44.50	0.44	54.0	9.50	AV	81.00	200	Vertical	Pass
5	11803.325	52.55	-0.18	74.0	21.45	Peak	190.00	100	Vertical	Pass
5**	11803.325	43.51	-0.18	54.0	10.49	AV	190.00	100	Vertical	Pass
6	17453.738	54.92	5.50	74.0	19.08	Peak	82.00	100	Vertical	Pass
6**	17453.738	45.00	5.50	54.0	9.00	AV	82.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.700	47.87	-17.51	74.0	26.13	Peak	70.00	200	Horizontal	Pass
1**	1198.700	41.46	-17.51	54.0	12.54	AV	70.00	200	Horizontal	Pass
2	2411.300	110.91	-10.28	74.0	-36.91	Peak	23.00	200	Horizontal	N/A
2**	2411.300	102.90	-10.28	54.0	-48.90	AV	23.00	200	Horizontal	N/A
3	4870.250	48.93	-3.47	74.0	25.07	Peak	205.00	100	Horizontal	Pass
3**	4870.250	39.66	-3.47	54.0	14.34	AV	205.00	100	Horizontal	Pass
4	7807.500	52.92	1.11	74.0	21.08	Peak	205.00	200	Horizontal	Pass
4**	7807.500	45.08	1.11	54.0	8.92	AV	205.00	200	Horizontal	Pass
5	11324.763	52.09	-2.34	74.0	21.91	Peak	281.00	200	Horizontal	Pass
5**	11324.763	40.90	-2.34	54.0	13.10	AV	281.00	200	Horizontal	Pass
6	16883.324	54.04	3.00	74.0	19.96	Peak	331.00	200	Horizontal	Pass
6**	16883.324	45.15	3.00	54.0	8.85	AV	331.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.900	48.68	-17.53	74.0	25.32	Peak	215.00	200	Vertical	Pass
1**	1198.900	42.47	-17.53	54.0	11.53	AV	215.00	200	Vertical	Pass
2	2410.400	108.09	-10.43	74.0	-34.09	Peak	161.00	200	Vertical	N/A
2**	2410.400	100.74	-10.43	54.0	-46.74	AV	161.00	200	Vertical	N/A
3	4812.250	51.42	-3.00	74.0	22.58	Peak	18.00	100	Vertical	Pass
3**	4812.250	40.97	-3.00	54.0	13.03	AV	18.00	100	Vertical	Pass
4	7753.750	53.39	1.12	74.0	20.61	Peak	0.00	100	Vertical	Pass
4**	7753.750	43.96	1.12	54.0	10.04	AV	0.00	100	Vertical	Pass
5	11802.613	51.92	-0.18	74.0	22.08	Peak	147.00	200	Vertical	Pass
5**	11802.613	43.38	-0.18	54.0	10.62	AV	147.00	200	Vertical	Pass
6	16875.187	54.12	3.14	74.0	19.88	Peak	351.00	100	Vertical	Pass
6**	16875.187	44.66	3.14	54.0	9.34	AV	351.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	47.27	-17.65	74.0	26.73	Peak	257.00	300	Horizontal	Pass
1**	1199.900	41.25	-17.65	54.0	12.75	AV	257.00	300	Horizontal	Pass
2	2436.100	111.53	-10.19	74.0	-37.53	Peak	138.00	200	Horizontal	N/A
2**	2436.100	104.50	-10.19	54.0	-50.50	AV	138.00	200	Horizontal	N/A
3	4994.750	48.98	-3.41	74.0	25.02	Peak	285.00	200	Horizontal	Pass
3**	4994.750	39.34	-3.41	54.0	14.66	AV	285.00	200	Horizontal	Pass
4	7931.500	53.15	2.30	74.0	20.85	Peak	128.00	200	Horizontal	Pass
4**	7931.500	44.01	2.30	54.0	9.99	AV	128.00	200	Horizontal	Pass
5	11786.937	52.26	-0.16	74.0	21.74	Peak	356.00	200	Horizontal	Pass
5**	11786.937	43.00	-0.16	54.0	11.00	AV	356.00	200	Horizontal	Pass
6	17449.538	54.37	5.57	74.0	19.63	Peak	217.00	200	Horizontal	Pass
6**	17449.538	45.41	5.57	54.0	8.59	AV	217.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1226.700	46.94	-17.64	74.0	27.06	Peak	4.00	300	Vertical	Pass
1**	1226.700	39.88	-17.64	54.0	14.12	AV	4.00	300	Vertical	Pass
2	2435.900	109.11	-10.14	74.0	-35.11	Peak	120.00	150	Vertical	N/A
2**	2435.900	101.41	-10.14	54.0	-47.41	AV	120.00	150	Vertical	N/A
3	4877.250	50.14	-3.42	74.0	23.86	Peak	212.00	100	Vertical	Pass
3**	4877.250	41.45	-3.42	54.0	12.55	AV	212.00	100	Vertical	Pass
4	7762.250	52.92	1.73	74.0	21.08	Peak	82.00	400	Vertical	Pass
4**	7762.250	44.38	1.73	54.0	9.62	AV	82.00	400	Vertical	Pass
5	12545.750	51.89	1.17	74.0	22.11	Peak	89.00	300	Vertical	Pass
5**	12545.750	42.29	1.17	54.0	11.71	AV	89.00	300	Vertical	Pass
6	16418.699	53.93	2.92	74.0	20.07	Peak	164.00	100	Vertical	Pass
6**	16418.699	44.70	2.92	54.0	9.30	AV	164.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.300	47.17	-17.43	74.0	26.83	Peak	250.00	400	Horizontal	Pass
1**	1197.300	41.05	-17.43	54.0	12.95	AV	250.00	400	Horizontal	Pass
2	2463.100	109.46	-11.42	74.0	-35.46	Peak	128.00	100	Horizontal	N/A
2**	2463.100	101.97	-11.42	54.0	-47.97	AV	128.00	100	Horizontal	N/A
3	4967.000	49.29	-3.71	74.0	24.71	Peak	16.00	150	Horizontal	Pass
3**	4967.000	39.38	-3.71	54.0	14.62	AV	16.00	150	Horizontal	Pass
4	7620.500	53.34	0.48	74.0	20.66	Peak	16.00	100	Horizontal	Pass
4**	7620.500	43.64	0.48	54.0	10.36	AV	16.00	100	Horizontal	Pass
5	11791.688	52.03	-0.15	74.0	21.97	Peak	232.00	100	Horizontal	Pass
5**	11791.688	43.32	-0.15	54.0	10.68	AV	232.00	100	Horizontal	Pass
6	16865.475	54.59	3.30	74.0	19.41	Peak	249.00	200	Horizontal	Pass
6**	16865.475	44.56	3.30	54.0	9.44	AV	249.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.000	47.73	-17.43	74.0	26.27	Peak	53.00	400	Vertical	Pass
1**	1223.000	39.17	-17.43	54.0	14.83	AV	53.00	400	Vertical	Pass
2	2460.500	108.39	-11.29	74.0	-34.39	Peak	62.00	150	Vertical	N/A
2**	2460.500	100.73	-11.29	54.0	-46.73	AV	62.00	150	Vertical	N/A
3	4924.000	49.09	-3.57	74.0	24.91	Peak	268.00	200	Vertical	Pass
3**	4924.000	39.95	-3.57	54.0	14.05	AV	268.00	200	Vertical	Pass
4	7799.250	53.19	0.67	74.0	20.81	Peak	81.00	200	Vertical	Pass
4**	7799.250	44.14	0.67	54.0	9.86	AV	81.00	200	Vertical	Pass
5	11791.213	51.84	-0.15	74.0	22.16	Peak	88.00	400	Vertical	Pass
5**	11791.213	43.56	-0.15	54.0	10.44	AV	88.00	400	Vertical	Pass
6	16424.475	54.12	2.84	74.0	19.88	Peak	310.00	300	Vertical	Pass
6**	16424.475	44.39	2.84	54.0	9.61	AV	310.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.700	48.03	-17.57	74.0	25.97	Peak	318.00	200	Horizontal	Pass
1**	1197.700	41.91	-17.57	54.0	12.09	AV	318.00	200	Horizontal	Pass
2	2425.600	109.10	-10.46	74.0	-35.10	Peak	133.00	100	Horizontal	N/A
2**	2425.600	100.64	-10.46	54.0	-46.64	AV	133.00	100	Horizontal	N/A
3	4730.500	48.83	-2.89	74.0	25.17	Peak	149.00	100	Horizontal	Pass
3**	4730.500	39.50	-2.89	54.0	14.50	AV	149.00	100	Horizontal	Pass
4	7478.750	53.63	0.57	74.0	20.37	Peak	43.00	300	Horizontal	Pass
4**	7478.750	44.61	0.57	54.0	9.39	AV	43.00	300	Horizontal	Pass
5	11799.287	51.89	-0.15	74.0	22.11	Peak	276.00	400	Horizontal	Pass
5**	11799.287	44.07	-0.15	54.0	9.93	AV	276.00	400	Horizontal	Pass
6	16416.074	54.77	2.95	74.0	19.23	Peak	203.00	200	Horizontal	Pass
6**	16416.074	45.06	2.95	54.0	8.94	AV	203.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.400	51.00	-17.48	74.0	23.00	Peak	53.00	200	Vertical	Pass
1**	1225.400	42.54	-17.48	54.0	11.46	AV	53.00	200	Vertical	Pass
2	2417.800	106.17	-10.22	74.0	-32.17	Peak	169.00	200	Vertical	N/A
2**	2417.800	97.63	-10.22	54.0	-43.63	AV	169.00	200	Vertical	N/A
3	4976.250	49.20	-3.59	74.0	24.80	Peak	64.00	200	Vertical	Pass
3**	4976.250	39.49	-3.59	54.0	14.51	AV	64.00	200	Vertical	Pass
4	7852.750	53.66	1.33	74.0	20.34	Peak	198.00	300	Vertical	Pass
4**	7852.750	44.36	1.33	54.0	9.64	AV	198.00	300	Vertical	Pass
5	11793.825	52.44	-0.15	74.0	21.56	Peak	217.00	400	Vertical	Pass
5**	11793.825	42.84	-0.15	54.0	11.16	AV	217.00	400	Vertical	Pass
6	16837.650	54.13	3.05	74.0	19.87	Peak	122.00	100	Vertical	Pass
6**	16837.650	44.32	3.05	54.0	9.68	AV	122.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.400	47.82	-17.75	74.0	26.18	Peak	319.00	100	Horizontal	Pass
1**	1201.400	41.65	-17.75	54.0	12.35	AV	319.00	100	Horizontal	Pass
2	2440.600	108.68	-9.80	74.0	-34.68	Peak	121.00	100	Horizontal	N/A
2**	2440.600	99.63	-9.80	54.0	-45.63	AV	121.00	100	Horizontal	N/A
3	4952.750	48.89	-3.46	74.0	25.11	Peak	125.00	200	Horizontal	Pass
3**	4952.750	39.97	-3.46	54.0	14.03	AV	125.00	200	Horizontal	Pass
4	7757.250	53.43	1.46	74.0	20.57	Peak	356.00	300	Horizontal	Pass
4**	7757.250	44.46	1.46	54.0	9.54	AV	356.00	300	Horizontal	Pass
5	12316.562	52.60	0.65	74.0	21.40	Peak	154.00	200	Horizontal	Pass
5**	12316.562	42.32	0.65	54.0	11.68	AV	154.00	200	Horizontal	Pass
6	16865.212	54.78	3.31	74.0	19.22	Peak	346.00	300	Horizontal	Pass
6**	16865.212	44.84	3.31	54.0	9.16	AV	346.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.600	51.82	-17.61	74.0	22.18	Peak	166.00	300	Vertical	Pass
1**	1201.600	43.22	-17.61	54.0	10.78	AV	166.00	300	Vertical	Pass
2	2432.600	106.05	-10.66	74.0	-32.05	Peak	115.00	100	Vertical	N/A
2**	2432.600	98.04	-10.66	54.0	-44.04	AV	115.00	100	Vertical	N/A
3	4857.250	49.17	-3.53	74.0	24.83	Peak	123.00	150	Vertical	Pass
3**	4857.250	40.77	-3.53	54.0	13.23	AV	123.00	150	Vertical	Pass
4	7886.750	53.51	1.78	74.0	20.49	Peak	80.00	300	Vertical	Pass
4**	7886.750	43.29	1.78	54.0	10.71	AV	80.00	300	Vertical	Pass
5	11787.412	52.31	-0.16	74.0	21.69	Peak	132.00	400	Vertical	Pass
5**	11787.412	44.06	-0.16	54.0	9.94	AV	132.00	400	Vertical	Pass
6	16441.801	55.25	2.61	74.0	18.75	Peak	52.00	300	Vertical	Pass
6**	16441.801	44.18	2.61	54.0	9.82	AV	52.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1208.600	46.56	-17.80	74.0	27.44	Peak	75.00	200	Horizontal	Pass
1**	1208.600	38.51	-17.80	54.0	15.49	AV	75.00	200	Horizontal	Pass
2	2442.400	107.23	-9.83	74.0	-33.23	Peak	122.00	200	Horizontal	N/A
2**	2442.400	98.91	-9.83	54.0	-44.91	AV	122.00	200	Horizontal	N/A
3	4993.250	49.57	-3.20	74.0	24.43	Peak	16.00	150	Horizontal	Pass
3**	4993.250	39.67	-3.20	54.0	14.33	AV	16.00	150	Horizontal	Pass
4	7490.250	53.59	1.43	74.0	20.41	Peak	58.00	400	Horizontal	Pass
4**	7490.250	43.69	1.43	54.0	10.31	AV	58.00	400	Horizontal	Pass
5	11807.126	52.48	-0.23	74.0	21.52	Peak	356.00	300	Horizontal	Pass
5**	11807.126	42.88	-0.23	54.0	11.12	AV	356.00	300	Horizontal	Pass
6	16407.676	54.79	3.06	74.0	19.21	Peak	256.00	100	Horizontal	Pass
6**	16407.676	45.74	3.06	54.0	8.26	AV	256.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1209.100	49.87	-17.84	74.0	24.13	Peak	44.00	100	Vertical	Pass
1**	1209.100	41.74	-17.84	54.0	12.26	AV	44.00	100	Vertical	Pass
2	2456.300	105.32	-10.82	74.0	-31.32	Peak	66.00	100	Vertical	N/A
2**	2456.300	97.38	-10.82	54.0	-43.38	AV	66.00	100	Vertical	N/A
3	4911.250	49.64	-3.40	74.0	24.36	Peak	215.00	150	Vertical	Pass
3**	4911.250	40.14	-3.40	54.0	13.86	AV	215.00	150	Vertical	Pass
4	7837.000	52.91	1.12	74.0	21.09	Peak	302.00	400	Vertical	Pass
4**	7837.000	43.67	1.12	54.0	10.33	AV	302.00	400	Vertical	Pass
5	11778.150	52.15	-0.17	74.0	21.85	Peak	159.00	400	Vertical	Pass
5**	11778.150	42.94	-0.17	54.0	11.06	AV	159.00	400	Vertical	Pass
6	16830.301	54.36	2.74	74.0	19.64	Peak	241.00	300	Vertical	Pass
6**	16830.301	44.48	2.74	54.0	9.52	AV	241.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.500	42.13	-17.52	74.0	31.87	Peak	191.00	300	Horizontal	Pass
1**	1197.500	33.96	-17.52	54.0	20.04	AV	191.00	300	Horizontal	Pass
2	2413.200	110.83	-10.45	74.0	-36.83	Peak	229.00	200	Horizontal	N/A
2**	2413.200	103.73	-10.45	54.0	-49.73	AV	229.00	200	Horizontal	N/A
3	4932.250	49.18	-3.20	74.0	24.82	Peak	58.00	200	Horizontal	Pass
3**	4932.250	40.32	-3.20	54.0	13.68	AV	58.00	200	Horizontal	Pass
4	7751.250	53.34	0.46	74.0	20.66	Peak	121.00	400	Horizontal	Pass
4**	7751.250	44.47	0.46	54.0	9.53	AV	121.00	400	Horizontal	Pass
5	12550.974	51.97	1.13	74.0	22.03	Peak	110.00	300	Horizontal	Pass
5**	12550.974	42.41	1.13	54.0	11.59	AV	110.00	300	Horizontal	Pass
6	17382.339	53.84	4.60	74.0	20.16	Peak	52.00	100	Horizontal	Pass
6**	17382.339	43.56	4.60	54.0	10.44	AV	52.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.400	47.87	-17.25	74.0	26.13	Peak	217.00	300	Vertical	Pass
1**	1213.400	37.67	-17.25	54.0	16.33	AV	217.00	300	Vertical	Pass
2	2410.600	108.09	-10.39	74.0	-34.09	Peak	310.00	200	Vertical	N/A
2**	2410.600	100.55	-10.39	54.0	-46.55	AV	310.00	200	Vertical	N/A
3	4830.750	47.39	-3.78	74.0	26.61	Peak	47.00	200	Vertical	Pass
3**	4830.750	43.58	-3.78	54.0	10.42	AV	47.00	200	Vertical	Pass
4	7483.500	53.36	1.28	74.0	20.64	Peak	300.00	100	Vertical	Pass
4**	7483.500	44.61	1.28	54.0	9.39	AV	300.00	100	Vertical	Pass
5	12267.162	51.82	0.92	74.0	22.18	Peak	18.00	200	Vertical	Pass
5**	12267.162	42.50	0.92	54.0	11.50	AV	18.00	200	Vertical	Pass
6	16407.937	54.48	3.06	74.0	19.52	Peak	235.00	400	Vertical	Pass
6**	16407.937	45.05	3.06	54.0	8.95	AV	235.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.900	42.18	-17.76	74.0	31.82	Peak	17.00	200	Horizontal	Pass
1**	1225.900	32.56	-17.76	54.0	21.44	AV	17.00	200	Horizontal	Pass
2	2435.800	110.91	-10.14	74.0	-36.91	Peak	230.00	200	Horizontal	N/A
2**	2435.800	104.20	-10.14	54.0	-50.20	AV	230.00	200	Horizontal	N/A
3	4987.500	49.44	-3.18	74.0	24.56	Peak	188.00	200	Horizontal	Pass
3**	4987.500	40.16	-3.18	54.0	13.84	AV	188.00	200	Horizontal	Pass
4	7819.500	52.98	1.38	74.0	21.02	Peak	188.00	100	Horizontal	Pass
4**	7819.500	43.23	1.38	54.0	10.77	AV	188.00	100	Horizontal	Pass
5	12325.112	52.02	0.70	74.0	21.98	Peak	257.00	100	Horizontal	Pass
5**	12325.112	43.33	0.70	54.0	10.67	AV	257.00	100	Horizontal	Pass
6	16667.025	54.56	2.64	74.0	19.44	Peak	26.00	300	Horizontal	Pass
6**	16667.025	44.17	2.64	54.0	9.83	AV	26.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1226.500	46.63	-17.55	74.0	27.37	Peak	214.00	200	Vertical	Pass
1**	1226.500	37.11	-17.55	54.0	16.89	AV	214.00	200	Vertical	Pass
2	2437.900	109.24	-10.28	74.0	-35.24	Peak	310.00	100	Vertical	N/A
2**	2437.900	101.82	-10.28	54.0	-47.82	AV	310.00	100	Vertical	N/A
3	4876.000	50.26	-3.46	74.0	23.74	Peak	38.00	100	Vertical	Pass
3**	4876.000	41.33	-3.46	54.0	12.67	AV	38.00	100	Vertical	Pass
4	7769.000	52.85	1.54	74.0	21.15	Peak	314.00	100	Vertical	Pass
4**	7769.000	44.40	1.54	54.0	9.60	AV	314.00	100	Vertical	Pass
5	12279.987	51.99	0.77	74.0	22.01	Peak	99.00	200	Vertical	Pass
5**	12279.987	43.37	0.77	54.0	10.63	AV	99.00	200	Vertical	Pass
6	17310.675	55.09	2.73	74.0	18.91	Peak	249.00	400	Vertical	Pass
6**	17310.675	45.46	2.73	54.0	8.54	AV	249.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.200	42.01	-17.49	74.0	31.99	Peak	243.00	100	Horizontal	Pass
1**	1223.200	33.68	-17.49	54.0	20.32	AV	243.00	100	Horizontal	Pass
2	2463.000	109.83	-11.43	74.0	-35.83	Peak	345.00	150	Horizontal	N/A
2**	2463.000	102.39	-11.43	54.0	-48.39	AV	345.00	150	Horizontal	N/A
3	4966.000	49.10	-3.53	74.0	24.90	Peak	157.00	200	Horizontal	Pass
3**	4966.000	40.16	-3.53	54.0	13.84	AV	157.00	200	Horizontal	Pass
4	7352.250	53.67	0.44	74.0	20.33	Peak	0.00	400	Horizontal	Pass
4**	7352.250	44.79	0.44	54.0	9.21	AV	0.00	400	Horizontal	Pass
5	12279.037	52.32	0.79	74.0	21.68	Peak	75.00	300	Horizontal	Pass
5**	12279.037	43.55	0.79	54.0	10.45	AV	75.00	300	Horizontal	Pass
6	16407.676	54.60	3.06	74.0	19.40	Peak	358.00	200	Horizontal	Pass
6**	16407.676	45.79	3.06	54.0	8.21	AV	358.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1238.400	44.84	-17.29	74.0	29.16	Peak	215.00	300	Vertical	Pass
1**	1238.400	36.12	-17.29	54.0	17.88	AV	215.00	300	Vertical	Pass
2	2463.500	108.86	-11.26	74.0	-34.86	Peak	305.00	200	Vertical	N/A
2**	2463.500	100.97	-11.26	54.0	-46.97	AV	305.00	200	Vertical	N/A
3	4915.750	49.35	-3.48	74.0	24.65	Peak	239.00	200	Vertical	Pass
3**	4915.750	39.59	-3.48	54.0	14.41	AV	239.00	200	Vertical	Pass
4	7768.750	53.20	1.52	74.0	20.80	Peak	32.00	200	Vertical	Pass
4**	7768.750	44.81	1.52	54.0	9.19	AV	32.00	200	Vertical	Pass
5	12101.387	51.98	-0.19	74.0	22.02	Peak	338.00	100	Vertical	Pass
5**	12101.387	42.79	-0.19	54.0	11.21	AV	338.00	100	Vertical	Pass
6	17297.551	54.73	2.63	74.0	19.27	Peak	332.00	200	Vertical	Pass
6**	17297.551	44.79	2.63	54.0	9.21	AV	332.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.500	45.35	-17.61	74.0	28.65	Peak	250.00	200	Horizontal	Pass
1**	1192.500	36.95	-17.61	54.0	17.05	AV	250.00	200	Horizontal	Pass
2	2416.300	110.26	-10.25	74.0	-36.26	Peak	224.00	150	Horizontal	N/A
2**	2416.300	99.45	-10.25	54.0	-45.45	AV	224.00	150	Horizontal	N/A
3	4950.500	48.92	-3.63	74.0	25.08	Peak	198.00	200	Horizontal	Pass
3**	4950.500	39.85	-3.63	54.0	14.15	AV	198.00	200	Horizontal	Pass
4	7585.500	52.98	0.66	74.0	21.02	Peak	0.00	200	Horizontal	Pass
4**	7585.500	43.08	0.66	54.0	10.92	AV	0.00	200	Horizontal	Pass
5	11781.474	53.01	-0.16	74.0	20.99	Peak	91.00	200	Horizontal	Pass
5**	11781.474	43.16	-0.16	54.0	10.84	AV	91.00	200	Horizontal	Pass
6	17424.863	54.78	5.50	74.0	19.22	Peak	203.00	200	Horizontal	Pass
6**	17424.863	43.99	5.50	54.0	10.01	AV	203.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.100	50.39	-17.65	74.0	23.61	Peak	219.00	300	Vertical	Pass
1**	1193.100	40.93	-17.65	54.0	13.07	AV	219.00	300	Vertical	Pass
2	2426.000	107.50	-10.10	74.0	-33.50	Peak	238.00	100	Vertical	N/A
2**	2426.000	98.64	-10.10	54.0	-44.64	AV	238.00	100	Vertical	N/A
3	4961.000	49.78	-3.67	74.0	24.22	Peak	157.00	200	Vertical	Pass
3**	4961.000	39.59	-3.67	54.0	14.41	AV	157.00	200	Vertical	Pass
4	7712.750	52.84	1.76	74.0	21.16	Peak	157.00	300	Vertical	Pass
4**	7712.750	43.55	1.76	54.0	10.45	AV	157.00	300	Vertical	Pass
5	11778.862	52.33	-0.17	74.0	21.67	Peak	360.00	300	Vertical	Pass
5**	11778.862	43.12	-0.17	54.0	10.88	AV	360.00	300	Vertical	Pass
6	17279.963	54.75	2.56	74.0	19.25	Peak	273.00	400	Vertical	Pass
6**	17279.963	44.44	2.56	54.0	9.56	AV	273.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	44.77	-17.65	74.0	29.23	Peak	279.00	200	Horizontal	Pass
1**	1199.900	37.94	-17.65	54.0	16.06	AV	279.00	200	Horizontal	Pass
2	2438.600	108.80	-10.02	74.0	-34.80	Peak	353.00	100	Horizontal	N/A
2**	2438.600	100.11	-10.02	54.0	-46.11	AV	353.00	100	Horizontal	N/A
3	4813.500	50.37	-2.98	74.0	23.63	Peak	279.00	100	Horizontal	Pass
3**	4813.500	41.86	-2.98	54.0	12.14	AV	279.00	100	Horizontal	Pass
4	7356.250	53.29	0.53	74.0	20.71	Peak	174.00	400	Horizontal	Pass
4**	7356.250	43.83	0.53	54.0	10.17	AV	174.00	400	Horizontal	Pass
5	12288.775	52.51	0.68	74.0	21.49	Peak	246.00	100	Horizontal	Pass
5**	12288.775	42.56	0.68	54.0	11.44	AV	246.00	100	Horizontal	Pass
6	16423.687	54.08	2.85	74.0	19.92	Peak	247.00	300	Horizontal	Pass
6**	16423.687	45.02	2.85	54.0	8.98	AV	247.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.500	50.60	-17.84	74.0	23.40	Peak	210.00	400	Vertical	Pass
1**	1202.500	40.00	-17.84	54.0	14.00	AV	210.00	400	Vertical	Pass
2	2439.700	107.89	-10.30	74.0	-33.89	Peak	302.00	200	Vertical	N/A
2**	2439.700	99.10	-10.30	54.0	-45.10	AV	302.00	200	Vertical	N/A
3	4836.750	48.82	-3.78	74.0	25.18	Peak	127.00	200	Vertical	Pass
3**	4836.750	39.59	-3.78	54.0	14.41	AV	127.00	200	Vertical	Pass
4	7487.750	53.18	1.49	74.0	20.82	Peak	213.00	400	Vertical	Pass
4**	7487.750	43.57	1.49	54.0	10.43	AV	213.00	400	Vertical	Pass
5	11790.262	51.99	-0.15	74.0	22.01	Peak	183.00	100	Vertical	Pass
5**	11790.262	43.91	-0.15	54.0	10.09	AV	183.00	100	Vertical	Pass
6	17320.913	54.51	2.83	74.0	19.49	Peak	308.00	200	Vertical	Pass
6**	17320.913	45.10	2.83	54.0	8.90	AV	308.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.700	44.81	-17.78	74.0	29.19	Peak	22.00	300	Horizontal	Pass
1**	1207.700	36.14	-17.78	54.0	17.86	AV	22.00	300	Horizontal	Pass
2	2439.300	108.81	-10.34	74.0	-34.81	Peak	338.00	150	Horizontal	N/A
2**	2439.300	98.15	-10.34	54.0	-44.15	AV	338.00	150	Horizontal	N/A
3	4933.000	48.75	-3.49	74.0	25.25	Peak	360.00	100	Horizontal	Pass
3**	4933.000	39.91	-3.49	54.0	14.09	AV	360.00	100	Horizontal	Pass
4	7840.500	53.18	1.36	74.0	20.82	Peak	33.00	100	Horizontal	Pass
4**	7840.500	43.34	1.36	54.0	10.66	AV	33.00	100	Horizontal	Pass
5	11786.225	52.56	-0.16	74.0	21.44	Peak	203.00	100	Horizontal	Pass
5**	11786.225	42.48	-0.16	54.0	11.52	AV	203.00	100	Horizontal	Pass
6	16415.813	53.86	2.96	74.0	20.14	Peak	261.00	100	Horizontal	Pass
6**	16415.813	45.38	2.96	54.0	8.62	AV	261.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.700	52.10	-17.78	74.0	21.90	Peak	221.00	100	Vertical	Pass
1**	1207.700	41.80	-17.78	54.0	12.20	AV	221.00	100	Vertical	Pass
2	2448.800	108.51	-10.22	74.0	-34.51	Peak	299.00	100	Vertical	N/A
2**	2448.800	98.63	-10.22	54.0	-44.63	AV	299.00	100	Vertical	N/A
3	4935.250	49.57	-3.45	74.0	24.43	Peak	94.00	200	Vertical	Pass
3**	4935.250	39.69	-3.45	54.0	14.31	AV	94.00	200	Vertical	Pass
4	7872.250	53.19	1.70	74.0	20.81	Peak	161.00	300	Vertical	Pass
4**	7872.250	43.87	1.70	54.0	10.13	AV	161.00	300	Vertical	Pass
5	12313.000	52.74	0.63	74.0	21.26	Peak	315.00	200	Vertical	Pass
5**	12313.000	43.35	0.63	54.0	10.65	AV	315.00	200	Vertical	Pass
6	16430.250	53.97	2.76	74.0	20.03	Peak	341.00	300	Vertical	Pass
6**	16430.250	44.76	2.76	54.0	9.24	AV	341.00	300	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	57.46	-1.83	74.0	16.54	Peak	118.00	100	Horizontal	Pass
1**	2389.300	49.97	-1.83	54.0	4.03	AV	118.00	100	Horizontal	Pass
2	2389.950	55.76	-1.82	74.0	18.24	Peak	14.00	150	Horizontal	Pass
2**	2389.950	48.22	-1.82	54.0	5.78	AV	14.00	150	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	52.99	-1.09	74.0	21.01	Peak	9.00	100	Horizontal	Pass
1**	2483.560	42.76	-1.09	54.0	11.24	AV	9.00	100	Horizontal	Pass
2	2484.355	54.26	-1.19	74.0	19.74	Peak	240.00	200	Horizontal	Pass
2**	2484.355	42.66	-1.19	54.0	11.34	AV	240.00	200	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.200	68.54	-1.77	74.0	5.46	Peak	215.00	200	Horizontal	Pass
1**	2388.200	49.55	-1.77	54.0	4.45	AV	215.00	200	Horizontal	Pass
2	2389.950	65.49	-1.82	74.0	8.51	Peak	215.00	100	Horizontal	Pass
2**	2389.950	52.48	-1.82	54.0	1.52	AV	215.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	57.39	-1.10	74.0	16.61	Peak	9.00	200	Horizontal	Pass
1**	2483.515	45.51	-1.10	54.0	8.49	AV	9.00	200	Horizontal	Pass
2	2483.830	60.61	-1.04	74.0	13.39	Peak	134.00	150	Horizontal	Pass
2**	2483.830	45.30	-1.04	54.0	8.70	AV	134.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.750	69.72	-1.84	74.0	4.28	Peak	251.00	150	Horizontal	Pass
1**	2388.750	50.76	-1.84	54.0	3.24	AV	251.00	150	Horizontal	Pass
2	2389.950	63.20	-1.82	74.0	10.80	Peak	227.00	200	Horizontal	Pass
2**	2389.950	51.54	-1.82	54.0	2.46	AV	227.00	200	Horizontal	Pass
3	2388.800	64.77	-1.85	74.0	9.23	Peak	115.00	200	Horizontal	Pass
3**	2388.800	52.57	-1.85	54.0	1.43	AV	115.00	200	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.17	-1.09	74.0	15.83	Peak	119.00	200	Horizontal	Pass
1**	2483.545	45.33	-1.09	54.0	8.67	AV	119.00	200	Horizontal	Pass
2	2485.630	61.05	-1.10	74.0	12.95	Peak	125.00	150	Horizontal	Pass
2**	2485.630	44.73	-1.10	54.0	9.27	AV	125.00	150	Horizontal	Pass

802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.700	70.46	-1.68	74.0	3.54	Peak	255.00	150	Horizontal	Pass
1**	2387.700	51.83	-1.68	54.0	2.17	AV	255.00	150	Horizontal	Pass
2	2389.950	65.08	-1.82	74.0	8.92	Peak	221.00	100	Horizontal	Pass
2**	2389.950	51.97	-1.82	54.0	2.03	AV	221.00	100	Horizontal	Pass
3	2387.950	65.57	-1.65	74.0	8.43	Peak	118.00	100	Horizontal	Pass
3**	2387.950	52.42	-1.65	54.0	1.58	AV	118.00	100	Horizontal	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.90	-1.10	74.0	8.10	Peak	252.00	100	Horizontal	Pass
1**	2483.500	52.54	-1.10	54.0	1.46	AV	252.00	100	Horizontal	Pass
2	2483.770	67.06	-1.05	74.0	6.94	Peak	222.00	150	Horizontal	Pass
2**	2483.770	52.12	-1.05	54.0	1.88	AV	222.00	150	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.900	72.21	-1.62	74.0	1.79	Peak	228.00	150	Horizontal	Pass
1**	2387.900	49.51	-1.62	54.0	4.49	AV	228.00	150	Horizontal	Pass
2	2389.950	65.33	-1.82	74.0	8.67	Peak	225.00	150	Horizontal	Pass
2**	2389.950	52.62	-1.82	54.0	1.38	AV	225.00	150	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	58.07	-1.09	74.0	15.93	Peak	356.00	100	Horizontal	Pass
1**	2483.575	45.42	-1.09	54.0	8.58	AV	356.00	100	Horizontal	Pass
2	2484.340	60.64	-1.19	74.0	13.36	Peak	244.00	150	Horizontal	Pass
2**	2484.340	44.74	-1.19	54.0	9.26	AV	244.00	150	Horizontal	Pass

802.11ax40(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.100	66.23	-1.72	74.0	7.77	Peak	249.00	200	Horizontal	Pass
1**	2388.100	50.67	-1.72	54.0	3.33	AV	249.00	200	Horizontal	Pass
2	2389.950	63.73	-1.82	74.0	10.27	Peak	254.00	100	Horizontal	Pass
2**	2389.950	50.00	-1.82	54.0	4.00	AV	254.00	100	Horizontal	Pass
3	2388.150	64.21	-1.74	74.0	9.79	Peak	252.00	100	Horizontal	Pass
3**	2388.150	52.06	-1.74	54.0	1.94	AV	252.00	100	Horizontal	Pass

802.11ax40(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	66.76	-1.09	74.0	7.24	Peak	0.00	200	Horizontal	Pass
1**	2483.575	52.13	-1.09	54.0	1.87	AV	0.00	200	Horizontal	Pass
2	2484.310	66.08	-1.18	74.0	7.92	Peak	0.00	100	Horizontal	Pass
2**	2484.310	51.22	-1.18	54.0	2.78	AV	0.00	100	Horizontal	Pass
3	2483.590	64.82	-1.09	74.0	9.18	Peak	360.00	100	Horizontal	Pass
3**	2483.590	52.83	-1.09	54.0	1.17	AV	360.00	100	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-4.36	8
Middle	-4.97	8
High	-8.37	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.99	8
Middle	-8.93	8
High	-7.82	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.38	8
Middle	-10.53	8
High	-7.89	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-15.79	8
Middle	-10.70	8
High	-8.69	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.45	8
Middle	-11.72	8
High	-9.79	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-16.54	8
Middle	-12.17	8
High	-10.39	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL




802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL



802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL



802.11ax-40 MHz(SU) LOW CHANNEL



802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2390951-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2390951-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2390951-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--