



**BUREAU
VERITAS**


Test Report No.: W7L-P23030025RF08

LTE BAND 26

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 26697	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1638.000	-47.80	-48.49	-13.00	-34.80	0.69	Peak	Horizontal
2	2456.000	-53.54	-58.82	-13.00	-40.54	5.28	Peak	Horizontal






Test Report No.: W7L-P23030025RF08

MODE	TX channel 26697	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1640.000	-47.14	-48.12	-13.00	-34.14	0.98	Peak	Vertical
2	2457.000	-53.47	-58.29	-13.00	-40.47	4.82	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P23030025RF08

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1640.000	-47.74	-48.45	-13.00	-34.74	0.71	Peak	Horizontal
2	2457.000	-52.22	-57.50	-13.00	-39.22	5.28	Peak	Horizontal






Test Report No.: W7L-P23030025RF08

MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1638.000	-47.43	-48.39	-13.00	-34.43	0.96	Peak	Vertical
2	2456.000	-54.10	-58.92	-13.00	-41.10	4.82	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P23030025RF08

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1638.000	-48.35	-49.04	-13.00	-35.35	0.69	Peak	Horizontal
2	2456.000	-52.80	-58.08	-13.00	-39.80	5.28	Peak	Horizontal






Test Report No.: W7L-P23030025RF08

MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1640.000	-46.19	-47.17	-13.00	-33.19	0.98	Peak	Vertical
2	2457.000	-52.74	-57.56	-13.00	-39.74	4.82	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P23030025RF08

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1632.000	-40.17	-40.81	-13.00	-27.17	0.64	Peak	Horizontal
2	2457.000	-53.41	-58.69	-13.00	-40.41	5.28	Peak	Horizontal






Test Report No.: W7L-P23030025RF08

MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1632.000	-39.81	-40.73	-13.00	-26.81	0.92	Peak	Vertical
2	2456.000	-54.12	-58.94	-13.00	-41.12	4.82	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-P23030025RF08

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



Test Report No.: W7L-P23030025RF08

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-P23030025RF08

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No modifications were made to the EUT by the lab during the test.



Test Report No.: W7L-P23030025RF08

6 APPENDIX

LTE BAND 14

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band14	10MHz	QPSK	23330	1RB#0	3.88	13	PASS
Band14	10MHz	QPSK	23330	50RB#0	5.13	13	PASS
Band14	10MHz	16QAM	23330	1RB#0	4.63	13	PASS
Band14	10MHz	16QAM	23330	50RB#0	5.95	13	PASS
Band14	10MHz	64QAM	23330	1RB#0	5.67	13	PASS
Band14	10MHz	64QAM	23330	50RB#0	6.36	13	PASS

Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band14-10MHz-16QAM-23330-50RB#0



Band14-10MHz-64QAM-23330-1RB#0




Band14-10MHz-64QAM-23330-50RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030025RF08





Test Report No.: W7L-P23030025RF08

26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band14	5MHz	QPSK	23305	25RB#0	4.4969	4.845	PASS
Band14	5MHz	QPSK	23330	25RB#0	4.4901	4.838	PASS
Band14	5MHz	QPSK	23355	25RB#0	4.4883	4.863	PASS
Band14	5MHz	16QAM	23305	25RB#0	4.5006	4.877	PASS
Band14	5MHz	16QAM	23330	25RB#0	4.4916	4.820	PASS
Band14	5MHz	16QAM	23355	25RB#0	4.4861	4.861	PASS
Band14	5MHz	64QAM	23305	25RB#0	4.4956	4.892	PASS
Band14	5MHz	64QAM	23330	25RB#0	4.4878	4.839	PASS
Band14	5MHz	64QAM	23355	25RB#0	4.4952	4.877	PASS
Band14	10MHz	QPSK	23330	50RB#0	8.9660	9.534	PASS
Band14	10MHz	16QAM	23330	50RB#0	8.9516	9.526	PASS
Band14	10MHz	64QAM	23330	50RB#0	8.9471	9.521	PASS



Test Report No.: W7L-P23030025RF08

Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band14-5MHz-16QAM-23305-25RB#0



Band14-5MHz-16QAM-23330-25RB#0



Band14-5MHz-16QAM-23355-25RB#0




BUREAU
VERITAS

Test Report No.: W7L-P23030025RF08



Band14-5MHz-64QAM-23305-25RB#0



Band14-5MHz-64QAM-23330-25RB#0



Band14-5MHz-64QAM-23355-25RB#0



BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-10MHz-QPSK-23330-50RB#0



Band14-10MHz-16QAM-23330-50RB#0



Band14-10MHz-64QAM-23330-50RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030025RF08





Test Report No.: W7L-P23030025RF08

BAND EDGE

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	-62.42,-70.03,-40.72,-27.36	PASS
Band14	5MHz	QPSK	23305	25RB#0	-62.32,-70.09,-31.14,-31.54	PASS
Band14	5MHz	QPSK	23355	1RB#24	-26.29,-36.37,-53.76,-62.28	PASS
Band14	5MHz	QPSK	23355	25RB#0	-35.47,-35.97,-49.43,-61.87	PASS
Band14	5MHz	16QAM	23305	1RB#0	-62.35,-70.21,-41.39,-29.21	PASS
Band14	5MHz	16QAM	23305	25RB#0	-62.39,-70.47,-32.51,-32.68	PASS
Band14	5MHz	16QAM	23355	1RB#24	-28.56,-38.39,-53.20,-61.82	PASS
Band14	5MHz	16QAM	23355	25RB#0	-35.29,-36.16,-47.70,-62.19	PASS
Band14	5MHz	64QAM	23305	1RB#0	-61.70,-70.31,-41.53,-29.33	PASS
Band14	5MHz	64QAM	23305	25RB#0	-62.32,-70.78,-36.68,-34.64	PASS
Band14	5MHz	64QAM	23355	1RB#24	-29.28,-39.73,-59.45,-62.08	PASS
Band14	5MHz	64QAM	23355	25RB#0	-35.62,-36.20,-50.47,-62.23	PASS
Band14	10MHz	QPSK	23330	1RB#0	-62.15,-70.49,-44.06,-39.91	PASS
Band14	10MHz	QPSK	23330	1RB#49	-62.25,-70.51,-42.51,-60.84	PASS
Band14	10MHz	QPSK	23330	50RB#0	-62.30,-70.79,-32.50,-35.15	PASS
Band14	10MHz	16QAM	23330	1RB#0	-62.32,-70.24,-45.06,-41.16	PASS
Band14	10MHz	16QAM	23330	1RB#49	-62.30,-70.96,-43.39,-60.61	PASS
Band14	10MHz	16QAM	23330	50RB#0	-62.18,-71.09,-35.06,-37.23	PASS
Band14	10MHz	64QAM	23330	1RB#0	-62.26,-70.80,-45.85,-43.14	PASS
Band14	10MHz	64QAM	23330	1RB#49	-62.38,-70.59,-46.31,-62.20	PASS
Band14	10MHz	64QAM	23330	50RB#0	-62.02,-70.85,-37.22,-39.16	PASS



Test Report No.: W7L-P23030025RF08

Test Graphs





BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-5MHz-QPSK-23355-25RB#0



Band14-5MHz-16QAM-23305-1RB#0




Band14-5MHz-16QAM-23305-25RB#0



BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-5MHz-16QAM-23355-1RB#24



Band14-5MHz-16QAM-23355-25RB#0




Band14-5MHz-64QAM-23305-1RB#0



BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-5MHz-64QAM-23305-25RB#0



Band14-5MHz-64QAM-23355-1RB#24



Band14-5MHz-64QAM-23355-25RB#0



BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band14-10MHz-QPSK-23330-1RB#0



Band14-10MHz-QPSK-23330-1RB#49



Band14-10MHz-QPSK-23330-50RB#0




BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-10MHz-16QAM-23330-1RB#0



Band14-10MHz-16QAM-23330-1RB#49




Band14-10MHz-16QAM-23330-50RB#0




BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band14-10MHz-64QAM-23330-1RB#0



Band14-10MHz-64QAM-23330-1RB#49



Band14-10MHz-64QAM-23330-50RB#0



BUREAU VERITAS

Test Report No.: W7L-P23030025RF08






Test Report No.: W7L-P23030025RF08

CONDUCTED SPURIOUS EMISSION

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	Range1:30~1000MHz	-39.62	PASS
Band14	5MHz	QPSK	23305	1RB#0	Range2:1000~10000MHz	-34.23	PASS
Band14	5MHz	QPSK	23305	1RB#0	Range3:1559~1610MHz	-49.02	PASS
Band14	5MHz	QPSK	23330	1RB#0	Range1:30~1000MHz	-40.1	PASS
Band14	5MHz	QPSK	23330	1RB#0	Range2:1000~10000MHz	-33.73	PASS
Band14	5MHz	QPSK	23330	1RB#0	Range3:1559~1610MHz	-45.8	PASS
Band14	5MHz	QPSK	23355	1RB#0	Range1:30~1000MHz	-40.01	PASS
Band14	5MHz	QPSK	23355	1RB#0	Range2:1000~10000MHz	-33.36	PASS
Band14	5MHz	QPSK	23355	1RB#0	Range3:1559~1610MHz	-45.94	PASS
Band14	10MHz	QPSK	23330	1RB#0	Range1:30~1000MHz	-38.96	PASS
Band14	10MHz	QPSK	23330	1RB#0	Range2:1000~10000MHz	-34.54	PASS
Band14	10MHz	QPSK	23330	1RB#0	Range3:1559~1610MHz	-48.94	PASS

Test Graphs






BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-5MHz-QPSK-23330-1RB#0-Range1:30~1000MHz



Band14-5MHz-QPSK-23330-1RB#0-Range2:1000~10000MHz




Band14-5MHz-QPSK-23330-1RB#0-Range3:1559~1610MHz



BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band14-5MHz-QPSK-23355-1RB#0-Range1:30~1000MHz



Band14-5MHz-QPSK-23355-1RB#0-Range2:1000~10000MHz




Band14-5MHz-QPSK-23355-1RB#0-Range3:1559~1610MHz




BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band14-10MHz-QPSK-23330-1RB#0-Range1:30~1000MHz



Band14-10MHz-QPSK-23330-1RB#0-Range2:1000~10000MHz




Band14-10MHz-QPSK-23330-1RB#0-Range3:1559~1610MHz



BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



FREQUENCY STABILITY

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band1 4	10MHz	QPSK	23330	50RB#0	LV	NT	1.80	0.002270	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	NT	2.10	0.002648	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	HV	NT	-2.45	-0.003090	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band1 4	10MHz	QPSK	23330	50RB#0	NV	-30	2.37	0.002989	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	-20	2.66	0.003354	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	-10	1.95	0.002459	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	0	4.22	0.005322	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	10	1.66	0.002093	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	20	2.36	0.002976	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	30	2.72	0.003430	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	40	2.68	0.003380	±2.5	PASS
Band1 4	10MHz	QPSK	23330	50RB#0	NV	50	3.03	0.003821	±2.5	PASS

Note: LV = Low voltage(3.4V); NV = Normal voltage(4V); HV = High voltage(4.35V);NT = Normal temperature (25°C).



Test Report No.: W7L-P23030025RF08

MAX Deviation calculation

Frequency Stability	Frequency (MHz)	Limit Line(MHz)	Result
$f_L - \text{MAX}(\Delta f) $	788.517000	≥ 788	PASS
$f_H + \text{MAX}(\Delta f) $	797.483000	≤ 798	

Note : 1. $|\text{MAX}(\Delta f)| = \text{Max Deviation}$

2. $f_L = \text{Occ low channel } f_L(-13\text{dBm/MHz})$

3. $f_H = \text{Occ High channel } f_H(-13\text{dBm/MHz})$

4. $|\text{MAX}(\Delta f)| = 4.22 \text{ Hz.}$



Test Report No.: W7L-P23030025RF08


LTE BAND26

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	10MHz	QPSK	26740	1RB#0	4.15	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	4.92	13	PASS
Band26	10MHz	16QAM	26740	1RB#0	4.96	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	5.76	13	PASS
Band26	10MHz	64QAM	26740	1RB#0	5.82	13	PASS
Band26	10MHz	64QAM	26740	50RB#0	6.31	13	PASS


Test Graphs





BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band26-10MHz-16QAM-26740-50RB#0



Band26-10MHz-64QAM-26740-1RB#0




Band26-10MHz-64QAM-26740-50RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030025RF08





Test Report No.: W7L-P23030025RF08

26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	1.0922	1.267	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	1.0907	1.268	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	1.0918	1.257	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	1.0920	1.272	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	1.0925	1.272	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	1.0928	1.268	PASS
Band26	1.4MHz	64QAM	26697	6RB#0	1.0911	1.261	PASS
Band26	1.4MHz	64QAM	26740	6RB#0	1.0921	1.253	PASS
Band26	1.4MHz	64QAM	26783	6RB#0	1.0893	1.263	PASS
Band26	3MHz	QPSK	26705	15RB#0	2.6949	2.925	PASS
Band26	3MHz	QPSK	26740	15RB#0	2.6970	2.927	PASS
Band26	3MHz	QPSK	26775	15RB#0	2.6988	2.910	PASS
Band26	3MHz	16QAM	26705	15RB#0	2.6924	2.927	PASS
Band26	3MHz	16QAM	26740	15RB#0	2.6962	2.913	PASS
Band26	3MHz	16QAM	26775	15RB#0	2.6919	2.941	PASS
Band26	3MHz	64QAM	26705	15RB#0	2.6988	2.927	PASS
Band26	3MHz	64QAM	26740	15RB#0	2.6909	2.906	PASS
Band26	3MHz	64QAM	26775	15RB#0	2.6998	2.917	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.4895	4.851	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.4821	4.828	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.4942	4.853	PASS
Band26	5MHz	16QAM	26715	25RB#0	4.4962	4.873	PASS
Band26	5MHz	16QAM	26740	25RB#0	4.4921	4.810	PASS
Band26	5MHz	16QAM	26765	25RB#0	4.5013	4.844	PASS
Band26	5MHz	64QAM	26715	25RB#0	4.4888	4.835	PASS
Band26	5MHz	64QAM	26740	25RB#0	4.4892	4.857	PASS
Band26	5MHz	64QAM	26765	25RB#0	4.4971	4.898	PASS
Band26	10MHz	QPSK	26740	50RB#0	8.9778	9.566	PASS
Band26	10MHz	16QAM	26740	50RB#0	8.9706	9.540	PASS
Band26	10MHz	64QAM	26740	50RB#0	8.9572	9.541	PASS


Test Graphs






BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band26-1.4MHz-16QAM-26697-6RB#0



Band26-1.4MHz-16QAM-26740-6RB#0




Band26-1.4MHz-16QAM-26783-6RB#0




BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band26-1.4MHz-64QAM-26697-6RB#0



Band26-1.4MHz-64QAM-26740-6RB#0




Band26-1.4MHz-64QAM-26783-6RB#0




BUREAU VERITAS


Test Report No.: W7L-P23030025RF08



Band26-3MHz-QPSK-26705-15RB#0



Band26-3MHz-QPSK-26740-15RB#0




Band26-3MHz-QPSK-26775-15RB#0




BUREAU VERITAS

Test Report No.: W7L-P23030025RF08



Band26-3MHz-16QAM-26705-15RB#0



Band26-3MHz-16QAM-26740-15RB#0




Band26-3MHz-16QAM-26775-15RB#0




BUREAU
VERITAS

Test Report No.: W7L-P23030025RF08



Band26-3MHz-64QAM-26705-15RB#0



Band26-3MHz-64QAM-26740-15RB#0



Band26-3MHz-64QAM-26775-15RB#0