


N25

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,760.500	-47.43	-13.00	34.43	25.94	H	1	2
4	6,206.000	-42.29	-13.00	29.29	30.25	H	191.9	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,760.500	-46.60	-13.00	33.60	25.63	V	127.4	1
4	6,179.000	-42.09	-13.00	29.09	30.22	V	1	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 371000:

MODE	TX channel 371000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,701.000	-48.06	-13.00	35.06	25.20	H	1	2
4	6,201.500	-42.46	-13.00	29.46	30.27	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 371000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,701.000	-45.81	-13.00	32.81	25.02	V	351.4	1
5	7,870.955	-42.09	-13.00	29.09	32.40	V	359	2






Test Report No.: W7L-P23070010RF09

CH376500:

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,756.000	-45.00	-13.00	32.00	25.91	H	192	1
4	6,228.500	-42.22	-13.00	29.22	30.14	H	192	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,756.000	-47.18	-13.00	34.18	25.60	V	359	2
4	6,186.500	-41.80	-13.00	28.80	30.19	V	1	2






BUREAU
VERITAS

Test Report No.: W7L-P23070010RF09

CH382000:

MODE	TX channel 382000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,811.000	-46.50	-13.00	33.50	26.22	H	1	2
5	7,900.318	-42.46	-13.00	29.46	32.34	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 382000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,811.000	-46.67	-13.00	33.67	25.93	V	1	2
5	7,905.470	-42.91	-13.00	29.91	32.46	V	78.4	2






BUREAU
VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 382000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,751.500	-47.53	-13.00	34.53	25.86	H	190.7	1
4	6,138.500	-42.32	-13.00	29.32	29.95	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 382000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,751.500	-48.06	-13.00	35.06	25.57	V	1	2
5	7,872.758	-42.56	-13.00	29.56	32.41	V	346.5	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,747.000	-47.10	-13.00	34.10	25.82	H	359	1
5	7,945.909	-42.20	-13.00	29.20	32.46	H	280.5	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,747.000	-47.46	-13.00	34.46	25.54	V	1	2
5	7,885.894	-42.73	-13.00	29.73	32.43	V	359	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 25MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.500	-47.38	-13.00	34.38	25.78	H	359.1	1
5	7,960.591	-42.71	-13.00	29.71	32.50	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.500	-47.79	-13.00	34.79	25.50	V	0.9	2
5	7,932.515	-42.11	-13.00	29.11	32.51	V	359	1






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,738.000	-46.89	-13.00	33.89	25.73	H	356.8	2
5	7,998.712	-42.16	-13.00	29.16	32.61	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,738.000	-49.34	-13.00	36.34	25.47	V	167	1
4	6,208.000	-42.25	-13.00	29.25	30.10	V	359	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,729.000	-47.89	-13.00	34.89	25.64	H	194.2	1
5	7,955.697	-42.50	-13.00	29.50	32.49	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 376500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,729.000	-46.96	-13.00	33.96	25.40	V	359	2
4	6,250.000	-42.30	-13.00	29.30	30.03	V	359	2





BUREAU VERITAS


Test Report No.: W7L-P23070010RF09

N26(Part90)

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 163800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,633.500	-55.89	-13.00	42.89	16.61	H	55.7	1
3	2,450.000	-49.68	-13.00	36.68	22.59	H	106	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 163800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,633.500	-56.94	-13.00	43.94	16.26	V	0.9	2
3	2,450.000	-51.71	-13.00	38.71	22.39	V	359	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 163800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,629.000	-55.16	-13.00	42.16	16.37	H	1	2
3	2,443.500	-49.63	-13.00	36.63	22.60	H	358.7	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 163800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,629.000	-57.89	-13.00	44.89	16.08	V	65.3	1
3	2,443.500	-50.67	-13.00	37.67	22.42	V	1.1	1






Test Report No.: W7L-P23070010RF09

N26(Part22)

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,668.000	-55.55	-13.00	42.55	17.84	H	68.8	2
3	2,502.000	-50.71	-13.00	37.71	22.08	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.000	-55.82	-13.00	42.82	17.62	V	306.8	2
3	2,502.000	-51.55	-13.00	38.55	21.72	V	255.4	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 165800:

MODE	TX channel 165800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-55.23	-13.00	42.23	17.22	H	357.9	2
3	2,473.000	-50.38	-13.00	37.38	22.41	H	255.4	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 165800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-54.34	-13.00	41.34	16.69	V	1.7	1
3	2,473.000	-51.00	-13.00	38.00	22.11	V	104.7	2






Test Report No.: W7L-P23070010RF09

CH167300:

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,663.500	-54.02	-13.00	41.02	17.67	H	359.1	2
3	2,496.000	-49.59	-13.00	36.59	22.13	H	58.1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-55.16	-13.00	42.16	17.35	V	70	1
3	2,496.000	-50.69	-13.00	37.69	21.74	V	1	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH 168800:

MODE	TX channel 168800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-55.15	-13.00	42.15	18.27	H	359	2
3	2,518.000	-50.61	-13.00	37.61	22.05	H	54.4	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 168800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-55.01	-13.00	42.01	18.17	V	359	2
3	2,519.000	-52.15	-13.00	39.15	21.75	V	359	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-55.11	-13.00	42.11	17.53	H	359	2
3	2,489.000	-52.77	-13.00	39.77	22.20	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-56.29	-13.00	43.29	17.13	V	48.6	2
3	2,489.000	-51.65	-13.00	38.65	21.84	V	254.2	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-56.12	-13.00	43.12	17.37	H	306.7	2
3	2,482.000	-50.30	-13.00	37.30	22.29	H	1.6	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-55.33	-13.00	42.33	16.88	V	72.4	1
3	2,483.000	-50.57	-13.00	37.57	21.93	V	257.8	1






Test Report No.: W7L-P23070010RF09

N30

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,615.500	-45.93	-40.00	5.93	26.75	H	359	2
5	6,923.076	-46.15	-40.00	6.15	31.41	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,615.500	-45.89	-40.00	5.89	26.62	V	188.5	1
5	6,923.076	-46.18	-40.00	6.18	31.51	V	359.1	1






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,610.500	-44.99	-40.00	4.99	26.79	H	1	1
5	6,915.864	-43.88	-40.00	3.88	31.37	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 462000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,610.500	-45.71	-40.00	5.71	26.65	V	171.6	2
5	6,916.121	-45.16	-40.00	5.16	31.48	V	359	2





Test Report No.: W7L-P23070010RF09


N38 HPUE

CHANNEL BANDWIDTH: 10MHz / QPSK

CH515000:

MODE	TX channel 515000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,140.500	-45.11	-25.00	20.11	27.25	H	318.8	1
5	7,712.500	-39.97	-25.00	14.97	31.57	H	23.6	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 515000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,142.000	-44.36	-25.00	19.36	27.14	V	206.3	2
5	7,710.500	-40.23	-25.00	15.23	31.55	V	1	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH519000:

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,180.500	-46.67	-25.00	21.67	27.52	H	359	1
5	7,772.000	-38.30	-25.00	13.30	31.87	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,182.500	-45.38	-25.00	20.38	27.48	V	22.5	2
5	7,771.500	-39.14	-25.00	14.14	31.91	V	1	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH523000:

MODE	TX channel 523000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,221.000	-45.24	-25.00	20.24	27.80	H	359	2
5	7,831.500	-38.38	-25.00	13.38	32.16	H	359.1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 523000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,221.000	-46.85	-25.00	21.85	27.79	V	1	1
5	7,831.500	-41.22	-25.00	16.22	32.25	V	24.6	2






BUREAU
VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,176.000	-44.57	-25.00	19.57	27.48	H	336.5	1
5	7,765.000	-39.61	-25.00	14.61	31.83	H	218.2	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,176.500	-45.26	-25.00	20.26	27.42	V	194.3	2
5	7,765.500	-40.33	-25.00	15.33	31.87	V	359.1	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,171,500	-46.76	-25.00	21.76	27.44	H	0.9	2
5	7,758,500	-39.66	-25.00	14.66	31.80	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.500	-45.81	-25.00	20.81	27.37	V	1	2
5	7,757.000	-38.32	-25.00	13.32	31.82	V	8.8	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,163.000	-44.80	-25.00	19.80	27.36	H	359.1	1
5	7,745.000	-39.01	-25.00	14.01	31.73	H	359.1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,162.000	-46.81	-25.00	21.81	27.26	V	196.7	2
5	7,743.500	-39.08	-25.00	14.08	31.74	V	143	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,155.000	-46.80	-25.00	21.80	27.32	H	155	1
5	7,730.500	-40.27	-25.00	15.27	31.66	H	333	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,154.000	-46.05	-25.00	21.05	27.22	V	155	1
5	7,732.000	-38.76	-25.00	13.76	31.68	V	1	1





**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09


N41 HPUE:

CHANNEL BANDWIDTH: 20MHz / QPSK

CH501204:

MODE	TX channel 501204	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,994.000	-47.42	-25.00	22.42	26.89	H	359.1	2
4	6,143.500	-42.09	-25.00	17.09	30.01	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 501204	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,994.000	-46.60	-25.00	21.60	26.76	V	1	1
5	7,925.045	-42.59	-25.00	17.59	32.50	V	359	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH518598:

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,168.000	-47.51	-25.00	22.51	27.40	H	359.1	2
4	6,166.000	-41.40	-25.00	16.40	30.27	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,168.000	-47.24	-25.00	22.24	27.32	V	359	2
5	7,830.258	-41.74	-25.00	16.74	32.25	V	359	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH535998:

MODE	TX channel 535998	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,322,000	-47.22	-25.00	22.22	27.22	H	1	1
4	6,268,500	-42.11	-25.00	17.11	30.24	H	1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 535998	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,322.000	-45.86	-25.00	20.86	27.09	V	1	2
5	7,917.318	-42.16	-25.00	17.16	32.48	V	359	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,159.000	-46.84	-25.00	21.84	27.34	H	255.3	2
5	7,979.136	-42.30	-25.00	17.30	32.55	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,159.000	-46.37	-25.00	21.37	27.25	V	165.7	1
5	7,965.742	-42.35	-25.00	17.35	32.57	V	76	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,150.000	-46.50	-25.00	21.50	27.30	H	218.3	1
4	6,216.000	-41.59	-25.00	16.59	30.20	H	218.3	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,150.000	-47.28	-25.00	22.28	27.19	V	162.2	2
5	8,000.000	-41.62	-25.00	16.62	32.62	V	0.9	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 50MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,141.000	-47.00	-25.00	22.00	27.26	H	195.5	2
4	6,117.500	-42.09	-25.00	17.09	29.71	H	1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,141.000	-46.09	-25.00	21.09	27.14	V	359	2
4	6,289.000	-41.78	-25.00	16.78	30.30	V	0.9	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,132.000	-47.91	-25.00	22.91	27.22	H	1	2
5	7,994.076	-42.36	-25.00	17.36	32.60	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,132.000	-46.46	-25.00	21.46	27.08	V	359	1
5	7,860.394	-42.56	-25.00	17.56	32.39	V	73.5	1






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 70MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,123.000	-47.48	-25.00	22.48	27.17	H	196.7	2
4	6,142.500	-42.26	-25.00	17.26	30.00	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,123.000	-47.12	-25.00	22.12	27.03	V	0.9	2
4	6,271.500	-41.78	-25.00	16.78	30.18	V	44.9	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,114.000	-45.42	-25.00	20.42	27.13	H	197.8	2
4	6,181.500	-42.41	-25.00	17.41	30.37	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,114.000	-47.51	-25.00	22.51	26.97	V	162.2	1
4	6,158.000	-42.24	-25.00	17.24	30.00	V	162.2	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,105.000	-46.89	-25.00	21.89	27.09	H	206.2	1
4	6,292.000	-42.57	-25.00	17.57	30.37	H	206.2	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,105.000	-47.20	-25.00	22.20	26.92	V	162.2	2
4	6,206.500	-42.74	-25.00	17.74	30.11	V	162.2	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,096.000	-46.57	-25.00	21.57	27.05	H	1	2
5	7,964.712	-41.86	-25.00	16.86	32.51	H	287.6	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,096.000	-47.33	-25.00	22.33	26.87	V	1	2
4	6,244.500	-42.46	-25.00	17.46	29.99	V	359	2





**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09


ENDC 5A_N38A

CHANNEL BANDWIDTH: (10+40) MHz / QPSK

CH 166800/518000:

MODE	TX channel 166800/518000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-55.67	-25.00	30.67	17.22	H	292.5	1
3	2,474.000	-50.26	-25.00	25.26	22.40	H	1.3	2
4	5,144.000	-46.71	-25.00	21.71	27.27	H	1	1
5	7,716.000	-40.06	-25.00	15.06	31.59	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 166800/518000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-56.60	-25.00	31.60	16.69	V	1	2
3	2,473.000	-50.85	-25.00	25.85	22.11	V	1	2
4	5,144.000	-48.11	-25.00	23.11	27.15	V	330.7	2
5	7,716.000	-41.22	-25.00	16.22	31.58	V	359	2






Test Report No.: W7L-P23070010RF09

CH 20525/519000:

MODE	TX channel 20525/519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-55.23	-25.00	30.23	17.69	H	1	2
3	2,496.000	-52.18	-25.00	27.18	22.13	H	1	1
4	5,154.000	-46.75	-25.00	21.75	27.32	H	359	2
5	7,731.000	-42.08	-25.00	17.08	31.67	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 20525/519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-55.77	-25.00	30.77	17.35	V	1	1
3	2,496.000	-49.51	-25.00	24.51	21.74	V	103.6	1
4	5,154.000	-47.12	-25.00	22.12	27.22	V	1	1
5	7,732.000	-40.42	-25.00	15.42	31.68	V	342.2	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH 167800/520000:

MODE	TX channel 167800/520000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-54.78	-25.00	29.78	18.27	H	54.5	2
3	2,519.000	-51.63	-25.00	26.63	22.05	H	107.1	2
4	5,164.000	-47.28	-25.00	22.28	27.36	H	1	2
5	7,746.000	-41.24	-25.00	16.24	31.74	H	208.6	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 167800/520000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-53.52	-25.00	28.52	18.17	V	53.4	2
3	2,519.000	-52.47	-25.00	27.47	21.75	V	304.5	2
4	5,164.000	-45.97	-25.00	20.97	27.28	V	316.4	2
5	7,746.000	-41.28	-25.00	16.28	31.76	V	333	2





BUREAU VERITAS


Test Report No.: W7L-P23070010RF09

N66

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,485.500	-45.51	-13.00	32.51	25.03	H	195.6	1
5	7,946.682	-42.24	-13.00	29.24	32.47	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,485.500	-48.06	-13.00	35.06	24.79	V	1	1
4	6,297.000	-42.23	-13.00	29.23	30.36	V	359.1	1






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK
CH343000:

MODE	TX channel 343000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,421.000	-41.98	-13.00	28.98	25.06	H	163.4	2
4	5,131.500	-45.80	-13.00	32.80	27.21	H	197.9	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 343000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,421.500	-46.45	-13.00	33.45	24.87	V	196.7	1
4	5,129.500	-45.97	-13.00	32.97	27.07	V	359.1	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH349000:

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,481.000	-45.77	-13.00	32.77	25.02	H	165.8	2
4	6,184.500	-41.00	-13.00	28.00	30.36	H	359.1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,481.000	-47.12	-13.00	34.12	24.77	V	1	1
4	6,284.500	-41.70	-13.00	28.70	30.27	V	359	1






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CH355000:

MODE	TX channel 355000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,540.000	-46.82	-13.00	33.82	24.99	H	359	1
5	7,874.818	-42.50	-13.00	29.50	32.28	H	73.6	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 355000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,539.000	-47.45	-13.00	34.45	24.87	V	159.7	2
5	7,961.364	-42.46	-13.00	29.46	32.56	V	68.8	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,475.500	-44.31	-13.00	31.31	25.00	H	195.5	1
5	7,870.439	-42.35	-13.00	29.35	32.28	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,475.500	-47.33	-13.00	34.33	24.75	V	165.8	2
5	7,880.742	-42.12	-13.00	29.12	32.42	V	76	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,471.000	-44.22	-13.00	31.22	24.99	H	200.3	1
5	7,945.652	-42.78	-13.00	29.78	32.46	H	298.4	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-46.85	-13.00	33.85	24.73	V	359.1	1
5	7,983.515	-41.61	-13.00	28.61	32.60	V	359.1	1






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,461.000	-42.08	-13.00	29.08	25.09	H	193.1	1
4	5,192.500	-46.23	-13.00	33.23	27.64	H	1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,461.500	-46.07	-13.00	33.07	24.79	V	1	2
4	5,192.000	-44.56	-13.00	31.56	27.59	V	162.2	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,451.000	-42.15	-13.00	29.15	25.22	H	164.6	2
4	5,180.000	-45.03	-13.00	32.03	27.52	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,450.500	-46.62	-13.00	33.62	24.91	V	194.4	1
4	5,182.000	-45.80	-13.00	32.80	27.48	V	163.4	2





Test Report No.: W7L-P23070010RF09


N70

CHANNEL BANDWIDTH: 5MHz / QPSK

CH339500:

MODE	TX channel 339500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,390.500	-47.65	-13.00	34.65	24.58	H	173	2
5	7,962.136	-42.16	-13.00	29.16	32.51	H	0.9	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 339500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,390.500	-47.73	-13.00	34.73	24.50	V	359	1
5	7,926.848	-41.62	-13.00	28.62	32.50	V	1	1






Test Report No.: W7L-P23070010RF09

CH340500:

MODE	TX channel 340500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,400.000	-48.12	-13.00	35.12	24.71	H	0.9	2
5	7,883.318	-41.55	-13.00	28.55	32.29	H	84.4	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 340500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,400.500	-48.14	-13.00	35.14	24.60	V	1	1
5	7,918.606	-41.93	-13.00	28.93	32.49	V	359.1	2






BUREAU
VERITAS

Test Report No.: W7L-P23070010RF09

CH341500:

MODE	TX channel 341500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,411.000	-46.84	-13.00	33.84	24.89	H	0.9	2
4	6,186.500	-41.90	-13.00	28.90	30.35	H	0.9	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 341500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,411.000	-48.66	-13.00	35.66	24.73	V	359.1	2
4	6,278.000	-42.11	-13.00	29.11	30.23	V	359.1	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 340500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,396.000	-47.78	-13.00	34.78	24.65	H	1	2
4	6,165.000	-41.86	-13.00	28.86	30.26	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 340500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,396.000	-48.47	-13.00	35.47	24.56	V	1	2
5	7,835.409	-42.52	-13.00	29.52	32.28	V	1	1






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 340500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,391.500	-48.34	-13.00	35.34	24.59	H	170.5	2
4	6,155.500	-41.93	-13.00	28.93	30.15	H	1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 340500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,391.500	-47.50	-13.00	34.50	24.51	V	171.8	1
5	7,929.167	-41.73	-13.00	28.73	32.50	V	0.9	1





**BUREAU
VERITAS**


Test Report No.: W7L-P23070010RF09

N71

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-32.22	-13.00	19.22	17.71	H	1	1
2	2,035.500	-33.03	-13.00	20.03	21.25	H	0.9	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-32.96	-13.00	19.96	17.78	V	64.1	1
2	2,035.500	-37.36	-13.00	24.36	21.78	V	359	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 10MHz / QPSK

CH133600:

MODE	TX channel 133600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,326.500	-38.82	-13.00	25.82	15.01	H	296	2
2	1,990.000	-35.99	-13.00	22.99	19.41	H	64	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 133600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,326.500	-40.77	-13.00	27.77	15.07	V	0.9	2
2	1,990.000	-38.98	-13.00	25.98	19.37	V	359	2



CH136100:

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,351.500	-32.13	-13.00	19.13	17.49	H	294.7	2
2	2,027.500	-32.86	-13.00	19.86	21.29	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-34.10	-13.00	21.10	17.58	V	359.1	1
2	2,028.000	-36.22	-13.00	23.22	21.88	V	359	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH138600:

MODE	TX channel 138600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,376.500	-38.56	-13.00	25.56	17.76	H	1	1
2	2,065.000	-43.50	-13.00	30.50	20.25	H	359	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 138600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,377.000	-38.88	-13.00	25.88	17.86	V	359	2
2	2,065.500	-47.65	-13.00	34.65	20.47	V	295.9	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,346.500	-34.56	-13.00	21.56	17.27	H	294.3	2
2	2,020.500	-33.94	-13.00	20.94	20.90	H	0.9	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.000	-33.57	-13.00	20.57	17.36	V	65.2	1
2	2,020.500	-36.94	-13.00	23.94	21.34	V	359	2






BUREAU VERITAS

Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,342.000	-35.34	-13.00	22.34	17.15	H	359.1	1
2	2,013.500	-34.30	-13.00	21.30	20.58	H	0.9	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,342.000	-39.14	-13.00	26.14	17.21	V	359	2
2	2,013.500	-43.91	-13.00	30.91	20.91	V	359.1	1





BUREAU VERITAS


Test Report No.: W7L-P23070010RF09

N77 (Part 27Q)-HPUE

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,991.848	-46.57	-13.00	33.57	31.72	H	1	2
5	7,984.288	-42.03	-13.00	29.03	32.57	H	1	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,992.106	-46.37	-13.00	33.37	31.80	V	300	2
5	7,968.576	-42.19	-13.00	29.19	32.57	V	90.1	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 15MHz / QPSK

CH630500:

MODE	TX channel 630500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,900.152	-46.44	-13.00	33.44	31.30	H	1	1
5	7,955.439	-42.40	-13.00	29.40	32.49	H	1.4	2






Test Report No.: W7L-P23070010RF09

MODE	TX channel 630500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,901.955	-47.00	-13.00	34.00	31.42	V	1	2
5	7,876.364	-42.42	-13.00	29.42	32.41	V	80.8	2






**BUREAU
VERITAS**

Test Report No.: W7L-P23070010RF09

CH633334:

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,987.470	-44.58	-13.00	31.58	31.70	H	84.4	2
5	7,954.667	-42.29	-13.00	29.29	32.49	H	275.6	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,987.212	-46.18	-13.00	33.18	31.78	V	89.9	2
5	7,979.652	-41.81	-13.00	28.81	32.59	V	300	2






Test Report No.: W7L-P23070010RF09

CH636166:

MODE	TX channel 636166	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,072.212	-44.65	-13.00	31.65	32.03	H	281.7	1
5	7,988.152	-42.62	-13.00	29.62	32.58	H	359	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 636166	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,071.182	-44.71	-13.00	31.71	32.11	V	70.1	2
5	7,974.500	-42.22	-13.00	29.22	32.58	V	359	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,981.030	-43.74	-13.00	30.74	31.67	H	359.1	1
5	7,998.970	-42.62	-13.00	29.62	32.61	H	359.1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,982.318	-46.12	-13.00	33.12	31.76	V	0.9	2
5	7,910.364	-42.44	-13.00	29.44	32.47	V	83.2	2






Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,972.273	-45.92	-13.00	32.92	31.63	H	1	2
5	7,881.515	-43.07	-13.00	30.07	32.29	H	1	1






Test Report No.: W7L-P23070010RF09

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.045	-45.98	-13.00	32.98	31.72	V	78.4	1
5	7,948.742	-42.83	-13.00	29.83	32.54	V	359	2





Test Report No.: W7L-P23070010RF09

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,963.773	-45.49	-13.00	32.49	31.59	H	1	2
5	7,887.955	-42.50	-13.00	29.50	32.30	H	1	2

