




Appendix A3: Min emission bandwidth Test Result


Test Mode	Antenna	Channel	6db EBW [MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.360	0.5	PASS
	Ant1	5785	16.000	0.5	PASS
	Ant1	5825	16.000	0.5	PASS
11N20MIMO	Ant1	5745	16.040	0.5	PASS
	Ant1	5785	16.360	0.5	PASS
	Ant1	5825	15.960	0.5	PASS
11N40MIMO	Ant1	5755	35.840	0.5	PASS
	Ant1	5795	35.840	0.5	PASS
11AC20MIMO	Ant1	5745	17.720	0.5	PASS
	Ant1	5785	17.000	0.5	PASS
	Ant1	5825	17.640	0.5	PASS
11AC40MIMO	Ant1	5755	35.840	0.5	PASS
	Ant1	5795	35.840	0.5	PASS
11AC80MIMO	Ant1	5775	75.520	0.5	PASS



Test Graphs











Appendix B: Maximum conducted output power Test Result

Test Mode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	13.13	≤23.98	PASS
	Ant2	5180	13.45	≤23.98	PASS
	Ant1	5200	13.03	≤23.98	PASS
	Ant2	5200	13.43	≤23.98	PASS
	Ant1	5240	13.00	≤23.98	PASS
	Ant2	5240	13.79	≤23.98	PASS
	Ant1	5260	13.06	≤23.98	PASS
	Ant2	5260	13.70	≤23.98	PASS
	Ant1	5280	12.99	≤23.98	PASS
	Ant2	5280	13.59	≤23.98	PASS
	Ant1	5320	12.84	≤23.98	PASS
	Ant2	5320	13.81	≤23.98	PASS
	Ant1	5500	12.89	≤23.98	PASS
	Ant2	5500	14.03	≤23.98	PASS
	Ant1	5600	12.86	≤23.98	PASS
	Ant2	5600	13.81	≤23.98	PASS
	Ant1	5720 UNII-2C	10.89	≤23.06	PASS
	Ant2	5720 UNII-2C	11.52	≤23.06	PASS
	Ant1	5720 UNII-3	4.33	≤30	PASS
	Ant2	5720 UNII-3	4.52	≤30	PASS
	Ant1	5745	12.08	≤30	PASS
	Ant2	5745	13.22	≤30	PASS
	Ant1	5785	11.87	≤30	PASS
	Ant2	5785	13.12	≤30	PASS
	Ant1	5825	11.84	≤30	PASS
	Ant2	5825	12.80	≤30	PASS

11N20MIMO	Ant1	5180	13.12	≤23.98	PASS
	Ant2	5180	13.26	≤23.98	PASS
	total	5180	16.2	≤23.98	PASS
	Ant1	5200	13.04	≤23.98	PASS
	Ant2	5200	13.29	≤23.98	PASS
	total	5200	16.2	≤23.98	PASS
	Ant1	5240	13.14	≤23.98	PASS
	Ant2	5240	13.46	≤23.98	PASS
	total	5240	16.3	≤23.98	PASS
	Ant1	5260	12.83	≤23.98	PASS
	Ant2	5260	13.57	≤23.98	PASS
	total	5260	16.2	≤23.98	PASS
	Ant1	5280	12.74	≤23.98	PASS
	Ant2	5280	13.58	≤23.98	PASS
	total	5280	16.2	≤23.98	PASS
	Ant1	5320	12.97	≤23.98	PASS
	Ant2	5320	13.60	≤23.98	PASS
	total	5320	16.3	≤23.98	PASS
	Ant1	5500	12.72	≤23.98	PASS
	Ant2	5500	13.79	≤23.98	PASS
	total	5500	16.3	≤23.98	PASS
	Ant1	5600	12.71	≤23.98	PASS
	Ant2	5600	13.56	≤23.98	PASS
	total	5600	16.2	≤23.98	PASS
	Ant1	5720 UNII-2C	10.65	≤23.14	PASS
	Ant2	5720 UNII-2C	11.21	≤23.14	PASS
	total	5720 UNII-2C	13.9	≤23.14	PASS
	Ant1	5720 UNII-3	4.47	≤30	PASS
	Ant2	5720 UNII-3	4.74	≤30	PASS
	total	5720 UNII-3	7.6	≤30	PASS
	Ant1	5745	11.79	≤30	PASS
	Ant2	5745	12.97	≤30	PASS
	total	5745	15.4	≤30	PASS
Ant1	5785	11.58	≤30	PASS	
Ant2	5785	12.96	≤30	PASS	
total	5785	15.3	≤30	PASS	
Ant1	5825	11.70	≤30	PASS	
Ant2	5825	12.44	≤30	PASS	
total	5825	15.1	≤30	PASS	

11N40MIMO	Ant1	5190	13.53	≤23.98	PASS
	Ant2	5190	13.85	≤23.98	PASS
	total	5190	16.7	≤23.98	PASS
	Ant1	5230	13.42	≤23.98	PASS
	Ant2	5230	13.89	≤23.98	PASS
	total	5230	16.7	≤23.98	PASS
	Ant1	5270	13.38	≤23.98	PASS
	Ant2	5270	13.95	≤23.98	PASS
	total	5270	16.7	≤23.98	PASS
	Ant1	5310	13.47	≤23.98	PASS
	Ant2	5310	14.00	≤23.98	PASS
	total	5310	16.8	≤23.98	PASS
	Ant1	5510	13.33	≤23.98	PASS
	Ant2	5510	14.29	≤23.98	PASS
	total	5510	16.8	≤23.98	PASS
	Ant1	5550	13.28	≤23.98	PASS
	Ant2	5550	14.08	≤23.98	PASS
	total	5550	16.7	≤23.98	PASS
	Ant1	5710 UNII-2C	11.69	≤23.98	PASS
	Ant2	5710 UNII-2C	12.38	≤23.98	PASS
	total	5710 UNII-2C	15.1	≤23.98	PASS
	Ant1	5710 UNII-3	1.54	≤30	PASS
	Ant2	5710 UNII-3	1.36	≤30	PASS
	total	5710 UNII-3	4.5	≤30	PASS
	Ant1	5755	12.22	≤30	PASS
	Ant2	5755	13.56	≤30	PASS
	total	5755	16.0	≤30	PASS
	Ant1	5795	12.26	≤30	PASS
	Ant2	5795	13.42	≤30	PASS
	total	5795	15.9	≤30	PASS

11AC20MIMO	Ant1	5180	13.07	≤23.98	PASS
	Ant2	5180	13.38	≤23.98	PASS
	total	5180	16.2	≤23.98	PASS
	Ant1	5200	12.72	≤23.98	PASS
	Ant2	5200	13.38	≤23.98	PASS
	total	5200	16.1	≤23.98	PASS
	Ant1	5240	13.09	≤23.98	PASS
	Ant2	5240	13.43	≤23.98	PASS
	total	5240	16.3	≤23.98	PASS
	Ant1	5260	12.97	≤23.98	PASS
	Ant2	5260	13.45	≤23.98	PASS
	total	5260	16.2	≤23.98	PASS
	Ant1	5280	13.02	≤23.98	PASS
	Ant2	5280	13.55	≤23.98	PASS
	total	5280	16.3	≤23.98	PASS
	Ant1	5320	12.81	≤23.98	PASS
	Ant2	5320	13.56	≤23.98	PASS
	total	5320	16.2	≤23.98	PASS
	Ant1	5500	12.89	≤23.98	PASS
	Ant2	5500	13.72	≤23.98	PASS
	total	5500	16.3	≤23.98	PASS
	Ant1	5600	12.63	≤23.98	PASS
	Ant2	5600	13.67	≤23.98	PASS
	total	5600	16.2	≤23.98	PASS
	Ant1	5720 UNII-2C	10.54	≤23.06	PASS
	Ant2	5720 UNII-2C	11.37	≤23.06	PASS
	total	5720 UNII-2C	14.0	≤23.06	PASS
	Ant1	5720 UNII-3	4.72	≤30	PASS
	Ant2	5720 UNII-3	5.13	≤30	PASS
	total	5720 UNII-3	7.9	≤30	PASS
	Ant1	5745	11.90	≤30	PASS
	Ant2	5745	13.00	≤30	PASS
total	5745	15.5	≤30	PASS	
Ant1	5785	11.76	≤30	PASS	
Ant2	5785	12.76	≤30	PASS	
total	5785	15.3	≤30	PASS	
Ant1	5825	11.51	≤30	PASS	
Ant2	5825	12.79	≤30	PASS	
total	5825	15.2	≤30	PASS	

11AC40MIMO	Ant1	5190	12.36	≤23.98	PASS
	Ant2	5190	12.79	≤23.98	PASS
	total	5190	15.6	≤23.98	PASS
	Ant1	5230	12.42	≤23.98	PASS
	Ant2	5230	12.99	≤23.98	PASS
	total	5230	15.7	≤23.98	PASS
	Ant1	5270	12.31	≤23.98	PASS
	Ant2	5270	13.04	≤23.98	PASS
	total	5270	15.7	≤23.98	PASS
	Ant1	5310	12.31	≤23.98	PASS
	Ant2	5310	13.04	≤23.98	PASS
	total	5310	15.7	≤23.98	PASS
	Ant1	5510	12.27	≤23.98	PASS
	Ant2	5510	13.25	≤23.98	PASS
	total	5510	15.8	≤23.98	PASS
	Ant1	5550	12.24	≤23.98	PASS
	Ant2	5550	13.20	≤23.98	PASS
	total	5550	15.8	≤23.98	PASS
	Ant1	5710 UNII-2C	10.76	≤23.98	PASS
	Ant2	5710 UNII-2C	11.39	≤23.98	PASS
	total	5710 UNII-2C	14.1	≤23.98	PASS
	Ant1	5710 UNII-3	0.52	≤30	PASS
	Ant2	5710 UNII-3	0.77	≤30	PASS
	total	5710 UNII-3	3.7	≤30	PASS
	Ant1	5755	11.30	≤30	PASS
	Ant2	5755	12.43	≤30	PASS
	total	5755	14.9	≤30	PASS
	Ant1	5795	11.15	≤30	PASS
Ant2	5795	12.41	≤30	PASS	
total	5795	14.8	≤30	PASS	
11AC80MIMO	Ant1	5210	10.81	≤23.98	PASS
	Ant2	5210	11.22	≤23.98	PASS
	total	5210	14.0	≤23.98	PASS
	Ant1	5290	10.72	≤23.98	PASS
	Ant2	5290	11.26	≤23.98	PASS
	total	5290	14.0	≤23.98	PASS
	Ant1	5530	10.71	≤23.98	PASS
	Ant2	5530	11.69	≤23.98	PASS
	total	5530	14.2	≤23.98	PASS
	Ant1	5610	10.40	≤23.98	PASS
	Ant2	5610	11.57	≤23.98	PASS
	total	5610	14.0	≤23.98	PASS
	Ant1	5690 UNII-2C	12.06	≤23.98	PASS
	Ant2	5690 UNII-2C	12.58	≤23.98	PASS
	total	5690 UNII-2C	15.3	≤23.98	PASS
	Ant1	5690 UNII-3	-1.13	≤30	PASS
	Ant2	5690 UNII-3	-1.02	≤30	PASS
	total	5690 UNII-3	1.9	≤30	PASS
	Ant1	5775	9.59	≤30	PASS
	Ant2	5775	10.89	≤30	PASS
total	5775	13.3	≤30	PASS	


Note 1: This product is used for client device.


Note 2: The maximum antenna gain is 3.0 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:


Array Gain = 0dB (i.e., no array gain) For $N_{ANT} \leq 4$;


So: Directional gain=3.0dBi <6dBi


Test Graphs




















Appendix C: Maximum power spectral density Test Result

Test Mode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	1.95	≤11	PASS
	Ant2	5180	1.99	≤11	PASS
	Ant1	5200	1.58	≤11	PASS
	Ant2	5200	1.73	≤11	PASS
	Ant1	5240	1.84	≤11	PASS
	Ant2	5240	2.23	≤11	PASS
	Ant1	5260	1.67	≤11	PASS
	Ant2	5260	2.11	≤11	PASS
	Ant1	5280	1.86	≤11	PASS
	Ant2	5280	2.27	≤11	PASS
	Ant1	5320	1.67	≤11	PASS
	Ant2	5320	2.06	≤11	PASS
	Ant1	5500	1.92	≤11	PASS
	Ant2	5500	2.52	≤11	PASS
	Ant1	5600	1.43	≤11	PASS
	Ant2	5600	1.9	≤11	PASS
	Ant1	5720 UNII-2C	1.15	≤11	PASS
	Ant2	5720 UNII-2C	1.81	≤11	PASS
	Ant1	5720 UNII-3	-3.08	≤30	PASS
	Ant2	5720 UNII-3	-2.62	≤30	PASS
	Ant1	5745	-2.68	≤30	PASS
	Ant2	5745	-1.67	≤30	PASS
	Ant1	5785	-2.79	≤30	PASS
	Ant2	5785	-1.66	≤30	PASS
	Ant1	5825	-2.27	≤30	PASS
	Ant2	5825	-2.64	≤30	PASS

11N20MIMO	Ant1	5180	1.67	≤11	PASS
	Ant2	5180	1.54	≤11	PASS
	total	5180	4.62	≤11	PASS
	Ant1	5200	1.78	≤11	PASS
	Ant2	5200	1.3	≤11	PASS
	total	5200	4.56	≤11	PASS
	Ant1	5240	1.77	≤11	PASS
	Ant2	5240	1.74	≤11	PASS
	total	5240	4.77	≤11	PASS
	Ant1	5260	1.14	≤11	PASS
	Ant2	5260	1.59	≤11	PASS
	total	5260	4.38	≤11	PASS
	Ant1	5280	1.17	≤11	PASS
	Ant2	5280	1.66	≤11	PASS
	total	5280	4.43	≤11	PASS
	Ant1	5320	1.39	≤11	PASS
	Ant2	5320	1.82	≤11	PASS
	total	5320	4.62	≤11	PASS
	Ant1	5500	1.13	≤11	PASS
	Ant2	5500	1.98	≤11	PASS
	total	5500	4.59	≤11	PASS
	Ant1	5600	1.18	≤11	PASS
	Ant2	5600	1.51	≤11	PASS
	total	5600	4.36	≤11	PASS
	Ant1	5720 UNII-2C	0.79	≤11	PASS
	Ant2	5720 UNII-2C	1.2	≤11	PASS
	total	5720 UNII-2C	4.01	≤11	PASS
	Ant1	5720 UNII-3	-3.61	≤30	PASS
	Ant2	5720 UNII-3	-3.16	≤30	PASS
	total	5720 UNII-3	-0.37	≤30	PASS
Ant1	5745	-3.11	≤30	PASS	
Ant2	5745	-2.09	≤30	PASS	
total	5745	0.44	≤30	PASS	
Ant1	5785	-3.46	≤30	PASS	
Ant2	5785	-1.81	≤30	PASS	
total	5785	0.45	≤30	PASS	
Ant1	5825	-2.42	≤30	PASS	
Ant2	5825	-2.67	≤30	PASS	
total	5825	0.47	≤30	PASS	

11N40MIMO	Ant1	5190	-0.85	≤11	PASS
	Ant2	5190	-1.15	≤11	PASS
	total	5190	2.01	≤11	PASS
	Ant1	5230	-1.18	≤11	PASS
	Ant2	5230	-0.98	≤11	PASS
	total	5230	1.93	≤11	PASS
	Ant1	5270	-1.32	≤11	PASS
	Ant2	5270	-0.8	≤11	PASS
	total	5270	1.96	≤11	PASS
	Ant1	5310	-1.12	≤11	PASS
	Ant2	5310	-0.88	≤11	PASS
	total	5310	2.01	≤11	PASS
	Ant1	5510	-1.22	≤11	PASS
	Ant2	5510	-0.33	≤11	PASS
	total	5510	2.26	≤11	PASS
	Ant1	5550	-1.13	≤11	PASS
	Ant2	5550	-0.75	≤11	PASS
	total	5550	2.07	≤11	PASS
	Ant1	5710_UNII-2C	-1.91	≤11	PASS
	Ant2	5710_UNII-2C	-1.16	≤11	PASS
	total	5710_UNII-2C	1.49	≤11	PASS
	Ant1	5710_UNII-3	-6.01	≤30	PASS
	Ant2	5710_UNII-3	-6.04	≤30	PASS
	total	5710_UNII-3	-3.01	≤30	PASS
	Ant1	5755	-5.88	≤30	PASS
	Ant2	5755	-4.49	≤30	PASS
	total	5755	-2.12	≤30	PASS
	Ant1	5795	-5.67	≤30	PASS
	Ant2	5795	-4.72	≤30	PASS
	total	5795	-2.16	≤30	PASS

11AC20MIMO	Ant1	5180	1.84	≤11	PASS
	Ant2	5180	1.55	≤11	PASS
	total	5180	4.71	≤11	PASS
	Ant1	5200	0.93	≤11	PASS
	Ant2	5200	1.37	≤11	PASS
	total	5200	4.17	≤11	PASS
	Ant1	5240	1.76	≤11	PASS
	Ant2	5240	1.54	≤11	PASS
	total	5240	4.66	≤11	PASS
	Ant1	5260	1.53	≤11	PASS
	Ant2	5260	1.73	≤11	PASS
	total	5260	4.64	≤11	PASS
	Ant1	5280	1.81	≤11	PASS
	Ant2	5280	1.9	≤11	PASS
	total	5280	4.87	≤11	PASS
	Ant1	5320	1.32	≤11	PASS
	Ant2	5320	1.76	≤11	PASS
	total	5320	4.56	≤11	PASS
	Ant1	5500	1.5	≤11	PASS
	Ant2	5500	1.95	≤11	PASS
	total	5500	4.74	≤11	PASS
	Ant1	5600	1.03	≤11	PASS
	Ant2	5600	1.36	≤11	PASS
	total	5600	4.21	≤11	PASS
	Ant1	5720 UNII-2C	0.72	≤11	PASS
	Ant2	5720 UNII-2C	1.57	≤11	PASS
	total	5720 UNII-2C	4.18	≤11	PASS
	Ant1	5720 UNII-3	-3.27	≤30	PASS
	Ant2	5720 UNII-3	-2.88	≤30	PASS
	total	5720 UNII-3	-0.06	≤30	PASS
	Ant1	5745	-2.81	≤30	PASS
	Ant2	5745	-2.34	≤30	PASS
total	5745	0.44	≤30	PASS	
Ant1	5785	-2.82	≤30	PASS	
Ant2	5785	-2.46	≤30	PASS	
total	5785	0.37	≤30	PASS	
Ant1	5825	-3.36	≤30	PASS	
Ant2	5825	-2.21	≤30	PASS	
total	5825	0.26	≤30	PASS	

11AC40MIMO	Ant1	5190	-2.41	≤11	PASS
	Ant2	5190	-2.19	≤11	PASS
	total	5190	0.71	≤11	PASS
	Ant1	5230	-2.05	≤11	PASS
	Ant2	5230	-1.88	≤11	PASS
	total	5230	1.05	≤11	PASS
	Ant1	5270	-1.74	≤11	PASS
	Ant2	5270	-1.57	≤11	PASS
	total	5270	1.36	≤11	PASS
	Ant1	5310	-2.2	≤11	PASS
	Ant2	5310	-1.93	≤11	PASS
	total	5310	0.95	≤11	PASS
	Ant1	5510	-2.07	≤11	PASS
	Ant2	5510	-1.48	≤11	PASS
	total	5510	1.25	≤11	PASS
	Ant1	5550	-2.03	≤11	PASS
	Ant2	5550	-1.6	≤11	PASS
	total	5550	1.20	≤11	PASS
	Ant1	5710_UNII-2C	-2.56	≤11	PASS
	Ant2	5710_UNII-2C	-1.86	≤11	PASS
	total	5710_UNII-2C	0.81	≤11	PASS
	Ant1	5710_UNII-3	-6.97	≤30	PASS
	Ant2	5710_UNII-3	-6.59	≤30	PASS
	total	5710_UNII-3	-3.77	≤30	PASS
	Ant1	5755	-6.54	≤30	PASS
	Ant2	5755	-5.74	≤30	PASS
	total	5755	-3.11	≤30	PASS
	Ant1	5795	-6.8	≤30	PASS
	Ant2	5795	-5.73	≤30	PASS
	total	5795	-3.22	≤30	PASS

11AC80MIMO	Ant1	5210	-6.84	≤11	PASS
	Ant2	5210	-6.53	≤11	PASS
	total	5210	-3.67	≤11	PASS
	Ant1	5290	-6.79	≤11	PASS
	Ant2	5290	-6.64	≤11	PASS
	total	5290	-3.70	≤11	PASS
	Ant1	5530	-6.99	≤11	PASS
	Ant2	5530	-6.24	≤11	PASS
	total	5530	-3.59	≤11	PASS
	Ant1	5610	-7.16	≤11	PASS
	Ant2	5610	-6.36	≤11	PASS
	total	5610	-3.73	≤11	PASS
	Ant1	5690_UNII-2C	-10.59	≤11	PASS
	Ant2	5690_UNII-2C	-9.8	≤11	PASS
	total	5690_UNII-2C	-7.17	≤11	PASS
	Ant1	5690_UNII-3	-14.51	≤30	PASS
	Ant2	5690_UNII-3	-14.41	≤30	PASS
	total	5690_UNII-3	-11.45	≤30	PASS
Ant1	5775	-11.24	≤30	PASS	
Ant2	5775	-10.4	≤30	PASS	
total	5775	-7.79	≤30	PASS	

Note 1: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor is compensated in the graph.


Note 2: The maximum antenna gain is 3.0 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:


Array Gain = $10 \log(N_{ANT}/N_{SS})$ dB


Directional gain = $G_{ANT} + \text{Array Gain} = 3.0 + 10 * \log(2/1) = 6.0$ dBi.


Test Graphs









































11N20MIMO_Ant2_5720_UNII-3



Date: 18-NOV-2023 23:23:29

11N20MIMO_Ant1_5745





Date: 18-NOV-2023 23:24:53


11N20MIMO_Ant2_5745





Date: 18-NOV-2023 23:28:04




















11AC20MIMO_Ant1_5180



Date: 19.NOV.2021 01:03:47

11AC20MIMO_Ant2_5180





Date: 19.NOV.2021 01:03:49


11AC20MIMO_Ant1_5200





Date: 19.NOV.2021 01:04:56















































11AC80MIMO Ant1_5690_UNII-2C




11AC80MIMO Ant2_5690_UNII-2C



11AC80MIMO Ant1_5690_UNII-3








Appendix D: Duty Cycle Test Result


Test Mode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5200	30.00	30.00	100.00
	Ant1	5280	30.00	30.00	100.00
	Ant1	5500	30.00	30.00	100.00
	Ant1	5785	30.00	30.00	100.00
11N20MIMO	Ant1	5200	30.00	30.00	100.00
	Ant1	5280	30.00	30.00	100.00
	Ant1	5500	30.00	30.00	100.00
	Ant1	5785	30.00	30.00	100.00
11N40MIMO	Ant1	5190	30.00	30.00	100.00
	Ant1	5310	30.00	30.00	100.00
	Ant1	5510	30.00	30.00	100.00
	Ant1	5755	30.00	30.00	100.00
11AC20MIMO	Ant1	5200	30.00	30.00	100.00
	Ant1	5280	30.00	30.00	100.00
	Ant1	5500	30.00	30.00	100.00
	Ant1	5785	30.00	30.00	100.00
11AC40MIMO	Ant1	5190	30.00	30.00	100.00
	Ant1	5270	30.00	30.00	100.00
	Ant1	5510	30.00	30.00	100.00
	Ant1	5755	30.00	30.00	100.00
11AC80MIMO	Ant1	5210	30.00	30.00	100.00
	Ant1	5290	30.00	30.00	100.00
	Ant1	5530	30.00	30.00	100.00
	Ant1	5775	30.00	30.00	100.00


Test Graphs Test Graphs
















11AC40MIMO_Ant1_5510




Date: 19.NOV.2021 02:47:40

11AC40MIMO_Ant1_5755




Date: 19.NOV.2021 02:50:26

11AC80MIMO_Ant1_5210



Date: 19.NOV.2021 03:04:59



***** END OF REPORT *****