



70mai Wireless Car Charger Mount User Manual

70mai

Please read the manual carefully before using the product, and keep it in a safe place.

Product Overview

Wireless car charger mount



Installation

Scan the QR code below to obtain the installation guideline.



LED Indicator

Status	LED indicator
Mount is not connected to the power supply	Off
Mount is connected to the power supply	Steady green
Wireless charging in progress	Flashing green
Wireless charging abnormal	Off

Instructions

Wireless Charging

1. Insert the provided standard Micro USB cable in the Micro USB connector of the mount, and connect the unit to the car charger adapter. Then insert the car charger adapter into the cigarette lighter socket for power supply.
2. To use the wireless charging function, place the cellphone in the mount. Then adjust the settings. Make sure the center of the back of the cellphone and the center of the built-in wireless coils of the mount are aligned.

Settings Adjustment

This product has three settings to accommodate different types of cellphones. Scan the QR code below to obtain information on cellphone type and settings adjustment.



Adapter Requirements

- 5V \equiv 2A car charger adapter. Support 5W normal charge.
- QC2.0 / QC3.0 car charger adapter. Support 10W quick charge.
- Do not support 5V \equiv 1A car charger adapters.

Precautions

1. The wireless charging function of this product should only be used with cellphones with a wireless charging function.
2. Please install this product correctly. Wireless charging will raise the temperature of the mount. Therefore, make sure the device has good ventilation. We shall not be responsible for any losses caused by incorrect installation of this product.
3. When the cellphone is connected to the charger via a cellphone data cable, the wireless charging function will be disabled.
4. To avoid problems associated with specification mismatch, please use the provided standard Micro USB cable. We shall not be responsible for any losses caused by using a cable which is not the provided standard Micro USB cable.
5. To ensure a better result, please use this product within the temperature range of 0°C ~ 40°C.
6. Keep it away from any strong magnetic fields, which may damage this product.
7. Do not disassemble this product on your own.
8. Do not expose this product to strong impact or vibration, which may damage this product and cause malfunction or stop it from working.
9. Do not clean this product with a chemical solvent or cleaner.
10. Please only use this product within the scope permitted by law.
11. Keep the product at least 20cm away from the driver and passengers.

FCC Note:

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and(2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator & your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Specifications

Model: Midrive PB01

Dimensions: 96.8 x 105.8 x 58.8mm

Input connector: Micro USB

Input: 5.0V \approx 2A / 9.0V \approx 1.6A

Output: 5.0V \approx 5W MAX / 9.0V \approx 10W MAX

Transmission distance: \leq 4mm

Operating temperature range: 0°C ~ 40°C

Package Contents

70mai wireless car charger mount \times 1

Micro USB cable \times 1

User manual \times 1

Service: help@70mai.com

For further information, please go to www.70mai.com

Manufactured by: 70mai Co., Ltd.

Address: Room 2220, Building 2, No. 588 Zixing road, Minhang
District, Shanghai, CHINA