



Test Graphs of Conducted Output Power Spectral Density

Test_Graph_LE1M_ANT1_2440_1Mbps_PSD


Bedicated Festing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by th Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written and horization of AGE The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after nce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Test_Graph_LE1M_ANT1_2480_1Mbps_PSD



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Prestro/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Report No.: AGC01110211010FE02 Page 39 of 67





Test_Graph_LE2M_ANT1_2478_2Mbps_PSD

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter exchorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



11. RADIATED EMISSION

11.1. MEASUREMENT PROCEDURE


- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8.If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC01110211010FE02 Page 41 of 67

11.2. TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter aphorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Spectrum Analyzer / Receive

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com

System Simulator

11.3. LIMITS AND MEASUREMENT RESULT

15.209 Limit in the below table has to be followed

Frequencies (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)		
0.009~0.490	2400/F(kHz)	300		
0.490~1.705	24000/F(kHz)	30		
1.705~30.0	30	30		
30~88	100	3		
88~216	150	3		
216~960	200	3		
Above 960	500	3		

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

11.4. TEST RESULT

Radiated emission below 30MHz

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter approvance of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



A3116 (EUT 1)

Radiated emission from 30MHz to 1000MHz

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	60%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	40.67	24.49	10.79	40.00	15.51	100	273	Horizontal
2	171.62	35.26	13.80	43.50	8.24	200	358	Horizontal
3	218.18	31.32	13.17	46.00	14.68	100	165	Horizontal
4	279.29	35.20	16.23	46.00	10.80	100	48	Horizontal
5	430.61	30.69	17.81	46.00	15.31	100	360	Horizontal
6	479.11	30.04	18.56	46.00	15.96	200	185	Horizontal

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturg/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC01110211010FE02 Page 44 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	60%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical



NO	Freq.	Level	Factor	Limit	Margin	Height	Angle	Delecity
NO. [MHz]	10. [MHz] [<u>dBμV</u>	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	Polarity
1	38.73	31.15	10.73	40.00	8.85	100	214	Vertical
2	52.31	26.88	11.49	40.00	13.12	100	360	Vertical
3	66.86	26.12	9.76	40.00	13.88	100	274	Vertical
4	136.7	30.64	14.64	43.50	12.86	100	141	Vertical
5	174.53	36.62	13.52	43.50	6.88	100	144	Vertical
6	454.86	28.53	18.14	46.00	17.47	100	198	Vertical

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. All test modes had been tested. The mode 3 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the submitted restriction of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




A3116 (EUT 2)

Radiated emission from 30MHz to 1000MHz

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal





		MHZ	dBuv	dB	dBuv/m	dBuv/m	dВ	Detector
	1	75.1822	11.19	9.95	21.14	40.00	-18.86	peak
5	2	145.8611	22.77	12.21	34.98	43.50	-8.52	peak
3	3	209.3129	21.20	8.21	29.41	43.50	-14.09	peak
	4	282.9852	20.46	10.09	30.55	46.00	-15.45	peak
	5 *	480.5276	28.96	13.99	42.95	46.00	-3.05	QP
	6	750.1083	15.84	18.78	34.62	46.00	-11.38	peak


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC01110211010FE02 Page 46 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical



RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Over=Measurement-Limit.

2. All test modes had been tested. The mode 3 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



A3116 (EUT 1)

Radiated emission above 1GHz							
EUT	Soundcore Motion +	Model Name	A3116				
Temperature	25°C	Relative Humidity	60%				
Pressure	960hPa	Test Voltage	Normal Voltage				
Test Mode	Mode 1	Antenna	Horizontal				

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Type
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	dBμV/m) (dB)	
4804.000	49.65	0.08	49.73	74	-24.27	peak
4804.000	37.56	0.08	37.64	54	-16.36	AVG
7206.000	46.57	2.21	48.78	74 🔍	-25.22	peak
7206.000	32.76	2.21	34.97	54	-19.03	AVG
	0	G .			<u> </u>	20
emark:						

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	60%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4804.000	48.72	0.08	48.8	74	-25.2	peak
4804.000	37.65	0.08	37.73	54	-16.27	AVG
7206.000	45.37	2.21	47.58	74	-26.42	💿 peak 🖌
7206.000	33.84	2.21	36.05	54	-17.95	AVG
emark:		N	-C	0		

Factor = Antenna Factor + Cable Loss – Pre-amplifier

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturg/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC01110211010FE02 Page 48 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	60%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 2	Antenna	Horizontal

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4880.000	49.57	0.14	49.71	74	-24.29	peak
4880.000	37.79	0.14	37.93	54	-16.07	AVG
7320.000	46.27	2.36	48.63	74	-25.37	peak
7320.000	34.87	2.36	37.23	54	-16.77	AVG
()				(9)	0	
emark:	- 61	3		~6	- 6	8
ctor = Anter	na Factor + Cable	loss – Pre-	amplifier.			- 6

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	60%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 2	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Tree
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4880.000	49.23	0.14	49.37	74	-24.63	peak
4880.000	37.48	0.14	37.62	54	-16.38	AVG
7320.000	46.77	2.36	49.13	74	-24.87	peak
7320.000	34.19	2.36	36.55	54	-17.45	AVG
3	8					0

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC01110211010FE02 Page 49 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	60%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal

Meter Reading	Factor	Emission Level	Limits	Margin	
(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
50.34	0.22	50.56	74	-23.44	peak
38.49	0.22	38.71	54	-15.29	AVG
46.75	2.64	49.39	74	-24.61	peak
35.14	2.64	37.78	54	-16.22	AVG
			8		
- 6	8		10		<u> </u>
	50.34 38.49 46.75 35.14	50.34 0.22 38.49 0.22 46.75 2.64 35.14 2.64	50.34 0.22 50.56 38.49 0.22 38.71 46.75 2.64 49.39	50.34 0.22 50.56 74 38.49 0.22 38.71 54 46.75 2.64 49.39 74 35.14 2.64 37.78 54	50.34 0.22 50.56 74 -23.44 38.49 0.22 38.71 54 -15.29 46.75 2.64 49.39 74 -24.61 35.14 2.64 37.78 54 -16.22

EUT	EUT Soundcore Motion + Model Name		Soundcore Motion + Model Name		A3116
Temperature	25°C	Relative Humidity	60%		
Pressure	960hPa	Test Voltage	Normal Voltage		
Test Mode	Mode 3	Antenna	Vertical		

Frequency	Meter Reading	Factor	Emission Level	Limits 💿	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4960.000	48.97	0.22	49.19	74	-24.81	peak
4960.000	37.89	0.22	38.11	54	-15.89	AVG
7440.000	44.55	2.64	47.19	74	-26.81	peak
7440.000	34.72	2.64	37.36	54	-16.64	AVG
		8			-,0	
emark:		e.C	©			0

Factor = Antenna Factor + Cable Loss – Pre-amplifier

RESULT: PASS

Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin=Emission Level-Limit. The "Factor" value can be calculated automatically by software of measurement system.

Compliance Dedicated Fe Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written of the report is not permitten /Inspection he test results apthorization of AG presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d 🐙 he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



A3116 (EUT 2)

Radiated emission above 1GHz					
EUT	Soundcore Motion +	Model Name	A3116		
Temperature	21.8°C	Relative Humidity	58%		
Pressure	960hPa	Test Voltage	Normal Voltage		
Test Mode	Mode 1	Antenna	Horizontal		

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4804.000	49.67	0.08	49.75	74	-24.25	peak
4804.000	38.79	0.08	38.87	54	-15.13	AVG
7206.000	44.57	2.21	46.78	74 🔍	-27.22	peak
7206.000	34.07	2.21	36.28	54	-17.72	AVG
	G ^U	0			CCC-	<i>c.</i> C
emark:				(R)		
actor = Anter	nna Factor + Cable	Loss – Pre-	amplifier.			

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4804.000	48.76	0.08	48.84	74	-25.16	peak
4804.000	37.53	0.08	37.61	54	-16.39	AVG
7206.000	44.21	2.21	46.42	74	-27.58	💿 peak 🖉
7206.000	33.61	2.21	35.82	54	-18.18	AVG
emark:		No.	C I	0		

Factor = Antenna Factor + Cable Loss – Pre-amplifier

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC01110211010FE02 Page 51 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 2	Antenna	Horizontal

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Tree
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4880.000	50.34	0.14	50.48	74	-23.52	peak
4880.000	38.42	0.14	38.56	54	-15.44	AVG
7320.000	45.16	2.36	47.52	74	-26.48	peak
7320.000	35.48	2.36	37.84	54	-16.16	AVG
6)	6			0	®	
emark:	- 6	8		- 62	- 6	8
ctor = Anter	na Factor + Cable	Loss – Pre-	-amplifier.			

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 2	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Malus Turs
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4880.000	50.16	0.14	50.3	74	-23.7	peak
4880.000	37.82	0.14	37.96	54	-16.04	AVG
7320.000	45.32	2.36	47.68	74	-26.32	peak
7320.000	33.72	2.36	36.08	54	-17.92	AVG
<u> </u>					- 6	

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

Compliances Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction of the stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exclosion of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com. g/Inspection The test results the test report.



Report No.: AGC01110211010FE02 Page 52 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal

Meter Reading	Factor	Emission Level	Limits	Margin	
(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
51.64	0.22	51.86	74	-22.14	peak
39.24	0.22	39.46	54	-14.54	AVG
45.74	2.64	48.38	74	-25.62	peak
35.64	2.64	38.28	54	-15.72	AVG
			0	©	
	8		-0-	- 6	8
	51.64 39.24 45.74 35.64	51.64 0.22 39.24 0.22 45.74 2.64 35.64 2.64	51.64 0.22 51.86 39.24 0.22 39.46 45.74 2.64 48.38	51.64 0.22 51.86 74 39.24 0.22 39.46 54 45.74 2.64 48.38 74 35.64 2.64 38.28 54	51.64 0.22 51.86 74 -22.14 39.24 0.22 39.46 54 -14.54 45.74 2.64 48.38 74 -25.62 35.64 2.64 38.28 54 -15.72

EUT	Soundcore Motion +	Model Name	A3116
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4960.000	50.37	0.22	50.59	74	-23.41	peak
4960.000	38.87	0.22	39.09	54	-14.91	AVG
7440.000	46.21	2.64	48.85	74	-25.15	peak
7440.000	35.05	2.64	37.69	54	-16.31	AVG
	6					

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

RESULT: PASS

Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin=Emission Level-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Compliance Dedicated Fe Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the /Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Bf he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 53 of 67

GFSK 1Mbps


Test result for band edge emission at restricted bands

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated frame/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15da/Castra the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Report No.: AGC01110211010FE02 Page 54 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical
	T (0) (D	als Management	

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the test results of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 55 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal
	T C L C D L M		

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the test of the definition of the report is not permitted without the written approver apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 56 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical
	T (O L (D L		

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS

Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pertog/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15da/Cafter the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 57 of 67

GFSK 2Mbps


Test result for band edge emission at restricted bands

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE in the test estimates and the test estimates and the test estimates are presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 58 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical
	T (0) (D		

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the test of the definition of the report is not permitted without the written approver apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 59 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal
	T C L C D L M		

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the test results of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 60 of 67

EUT	Soundcore Motion +	Model Name	A3116
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical
	T C L C D L M		

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS

Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand in spectral definition of the stand in the report is not permitted without the written authorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

12. LINE CONDUCTED EMISSION TEST


12.1. LIMITS OF LINE CONDUCTED EMISSION TEST

Frequency	Maximum RF	Line Voltage			
Frequency	Q.P.(dBuV)	Average(dBuV)			
150kHz~500kHz	66-56	56-46			
500kHz~5MHz	56	46			
5MHz~30MHz	60	50			

Note: 1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand in spectral definition of the stand in the report is not permitted without the written authorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com



12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.

AGC


- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 5V power from adapter which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST


- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less – 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the topompliance strug/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST A3116 (EUT 1)



Margin Detector Line

dB

PE

MEASUREMENT RESULT: "agc fin"

2021/11/8 19:57 Frequency Level Transd Limit MHz dBµV dB dBµV

0.414000	39.40	5.6	58	18.2	QP	L1	GND
0.506000	41.60	5.4	56	14.4	QP	L1	GND
0.606000	46.60	5.4	56	9.4	QP	L1	GND
0.662000	45.30	5.4	56	10.7	QP	L1	GND
0.746000	37.40	5.4	56	18.6	QP	L1	GND
15.322000	35.40	8.4	60	24.6	QP	L1	GND


MEASUREMENT RESULT: "agc fin2"

	2021/11/8 19:	57						
	Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
	MHz	dBµV	dB	dBµV	dB			
	0.406000	25.20	5.7	48	22.5	AV	L1	GND
	0.502000	27.70	5.4	46	18.3	AV	L1	GND
	0.582000	27.90	5.4	46	18.1	AV	L1	GND
	0.622000	29.00	5.4	46	17.0	AV	L1	GND
	0.662000	29.60	5.4	46	16.4	AV	L1	GND
	0.774000	23.50	5.4	46	22.5	AV	L1	GND
RES	ULT: PASS							

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LINE CONDUCTED EMISSION TEST-N



MEASUREMENT RESULT: "agc fin"

2021/11/8 19:59 Frequency Level Transd Limit Margin Detector Line PE dBµV MHz dBµV dB dB 40.90 0.482000 5.4 56 15.4 QP GND Ν 0.586000 44.20 5.4 56 11.8 QP GND Ν 0.658000 45.20 5.4 56 10.8 QP Ν GND 38.90 1.254000 5.8 56 17.1 QP Ν GND 16.406000 39.80 8.5 60 20.2 QP GND Ν 16.714000 39.20 8.5 60 20.8 GND QP Ν

MEASUREMENT RESULT: "agc_fin2"

1	2021/11/8 19:	59						
	Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
	MHz	dBµV	dB	dBµV	dB			
	0.570000	32.60	5.4	46	13.4	AV	N	GND
	0.610000	32.00	5.4	46	14.0	AV	N	GND
	0.650000	35.00	5.4	46	11.0	AV	N	GND
	0.738000	29.90	5.4	46	16.1	AV	N	GND
	0.778000	28.30	5.4	46	17.7	AV	N	GND
	0.966000	27.60	5.4	46	18.4	AV	N	GND

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated fracting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of or eport issued by AGC should be submitted to AGC within 15day affective is in the report apply only to the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC01110211010FE02 Page 65 of 67

A3116 (EUT 2)

2

Line Conducted Emission Test Line 1-L



MEASUREMENT RESULT: "agc_fin"

2021/10/21 14	:11						
Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
MHz	dBµV	dB	dBµV	dB			
0.150000	54.50	6.9	66	11.5	QP	L1	GND
0.170000	50.20	6.8	65	14.8	QP	L1	GND
0.390000	29.00	5.7	58	29.1	QP	L1	GND
0.466000	39.10	5.5	57	17.5	QP	L1	GND
0.806000	26.40	5.4	56	29.6	QP	L1	GND
2.174000	25.30	6.5	56	30.7	QP	L1	GND


MEASUREMENT RESULT: "agc fin2"

	2021/10/21 14	:11						
	Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
	MHz	dBµV	dB	dBµV	dB			
	0.150000	38.80	6.9	56	17.2	AV	L1	GND
	0.174000	32.50	6.7	55	22.3	AV	L1	GND
	0.186000	27.50	6.6	54	26.7	AV	L1	GND
	0.206000	27.60	6.5	53	25.8	AV	L1	GND
	0.230000	23.00	6.4	52	29.4	AV	L1	GND
	0.466000	31.50	5.5	47	15.1	AV	L1	GND
RES	ULT: PASS							

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Safter the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Line Conducted Emission Test Line 2-N



MEASUREMENT RESULT: "agc fin"

2021/10/21 14:	:14						
Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
MHz	dBµV	dB	dBµV	dB			
0.154000	52.00	C 0		10.0	0.5		C110
0.154000	53.80	6.9	66	12.0	QP	N	GND
0.190000	45.50	6.6	64	18.5	QP	N	GND
0.254000	37.00	6.2	62	24.6	QP	N	GND
0.306000	33.40	6.0	60	26.7	QP	N	GND
0.462000	39.90	5.5	57	16.8	QP	N	GND
0.782000	28.20	5.4	56	27.8	QP	N	GND

MEASUREMENT RESULT: "agc fin2"

2021/10/21	14:14						
Frequency		Transd	Limit	Margin	Detector	Line	PE
MHz	dBµV	dB	dBµV	dB			
0.154000	36.60	6.9	56	19.2	AV	N	GND
0.166000	29.30	6.8	55	25.9	AV	N	GND
0.190000	26.40	6.6	54	27.6	AV	N	GND
0.226000	23.80	6.4	53	28.8	AV	N	GND
0.338000	26.80	5.9	49	22.5	AV	N	GND
0.462000	32.40	5.5	47	14.3	AV	N	GND

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com



Report No.: AGC01110211010FE02 Page 67 of 67

APPENDIX A: PHOTOGRAPHS OF TEST SETUP

Refer to the Report No.: AGC01110211010AP01

APPENDIX B: PHOTOGRAPHS OF EUT Refer to the Report No.: AGC01110211010AP01

----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand restriction of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the solution of a stamp of the test results for the test results and the test of the test of the test results of the test results of the test report is not permitted without the writter apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.