



Middle Channel:




Date: 23.MAY.2024 05:44:59




Date: 23.MAY.2024 05:46:08

High Channel:



Date: 23.MAY.2024 05:48:14



Date: 23.MAY.2024 05:52:46

Appendix B.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
71.262308	15.15	40.00	24.85	100.0	H	81.0	-22.5
179.193462	16.20	43.50	27.30	100.0	H	221.0	-20.9
230.379615	19.95	46.00	26.05	100.0	H	211.0	-18.4
281.603077	18.91	46.00	27.09	100.0	H	339.0	-17.0
332.826539	17.90	46.00	28.10	100.0	H	163.0	-15.6
976.981154	26.55	54.00	27.45	100.0	H	155.0	-4.5

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
40.931154	21.24	40.00	18.76	100.0	V	0.0	-20.2
51.713077	23.74	40.00	16.26	100.0	V	265.0	-18.6
59.062692	22.75	40.00	17.25	100.0	V	195.0	-19.2
192.624231	11.22	43.50	32.28	100.0	V	299.0	-19.7
327.976539	16.07	46.00	29.93	100.0	V	83.0	-15.8
952.246154	26.19	46.00	19.81	100.0	V	332.0	-4.8

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4824.000000	52.74	---	74.00	21.26	150.0	H	116.0	11.8
4824.000000	---	48.25	54.00	5.75	150.0	H	116.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch1
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4823.500000	51.33	---	74.00	22.67	150.0	V	9.0	11.8
4824.000000	---	45.59	54.00	8.41	150.0	V	172.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch1
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7234.466667	45.50	---	74.00	28.50	150.0	H	210.0	8.6
7234.466667	---	39.30	54.00	14.70	150.0	H	210.0	8.6
12102.458333	49.73	---	74.00	24.27	150.0	H	139.0	14.2
12141.791667	---	40.10	54.00	13.90	150.0	H	297.0	14.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch1
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7234.466667	43.73	---	74.00	30.27	150.0	V	345.0	8.6
7236.925000	---	37.30	54.00	16.70	150.0	V	321.0	8.6
12129.008333	---	40.10	54.00	13.90	150.0	V	284.0	14.3
12144.250000	50.29	---	74.00	23.71	150.0	V	153.0	14.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	55.14	---	74.00	18.86	150.0	H	130.0	11.8

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.944444	50.97	54.00	3.03	149.0	H	125.0	11.8

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	54.07	---	74.00	19.93	150.0	V	293.0	11.8
4874.000000	---	50.45	54.00	3.55	150.0	V	293.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.233333	45.04	---	74.00	28.96	150.0	H	81.0	8.3
7310.183333	---	36.24	54.00	17.76	150.0	H	21.0	8.2
12658.533333	---	40.75	54.00	13.25	150.0	H	94.0	15.0
12699.833333	49.80	---	74.00	24.20	150.0	H	301.0	15.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.216667	44.71	---	74.00	29.29	150.0	V	338.0	8.2
7309.200000	---	35.57	54.00	18.43	150.0	V	6.0	8.2
12110.325000	---	41.06	54.00	12.94	150.0	V	338.0	14.2
12177.683333	49.81	---	74.00	24.19	150.0	V	157.0	14.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4924.000000	53.83	---	74.00	20.17	150.0	H	119.0	11.8
4924.000000	---	49.66	54.00	4.34	150.0	H	119.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4924.000000	52.88	---	74.00	21.12	150.0	V	10.0	11.8
4924.000000	---	45.92	54.00	8.08	150.0	V	10.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7386.391667	---	36.48	54.00	17.52	150.0	H	0.0	8.2
7388.358333	43.99	---	74.00	30.01	150.0	H	213.0	8.2
12168.341667	49.62	---	74.00	24.38	150.0	H	0.0	14.5
12212.100000	---	40.09	54.00	13.91	150.0	H	0.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7403.600000	---	35.28	54.00	18.72	150.0	V	276.0	8.3
7408.516667	42.74	---	74.00	31.26	150.0	V	95.0	8.3
12656.075000	---	41.04	54.00	12.96	150.0	V	95.0	15.0
12735.233333	50.00	---	74.00	24.00	150.0	V	263.0	15.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4872.500000	54.30	---	74.00	19.70	150.0	H	115.0	11.8
4875.500000	---	42.31	54.00	11.69	150.0	H	115.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4876.000000	---	41.08	54.00	12.92	150.0	V	3.0	11.8
4877.500000	51.02	---	74.00	22.98	150.0	V	15.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7313.133333	---	37.15	54.00	16.85	150.0	H	34.0	8.2
7316.575000	45.08	---	74.00	28.92	150.0	H	0.0	8.2
12670.825000	50.04	---	74.00	23.96	150.0	H	6.0	15.1
12742.608333	---	40.77	54.00	13.24	150.0	H	260.0	15.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.150000	45.52	---	74.00	28.48	150.0	V	9.0	8.2
7317.558333	---	35.43	54.00	18.57	150.0	V	102.0	8.2
12648.208333	49.87	---	74.00	24.13	150.0	V	22.0	15.0
12728.841667	---	40.99	54.00	13.01	150.0	V	68.0	15.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4875.500000	53.56	---	74.00	20.44	150.0	H	229.0	11.8
4876.500000	---	42.56	54.00	11.44	150.0	H	135.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	51.36	---	74.00	22.64	150.0	V	24.0	11.8
4871.500000	---	41.40	54.00	12.60	150.0	V	0.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.150000	45.73	---	74.00	28.27	150.0	H	57.0	8.2
7315.100000	---	36.08	54.00	17.92	150.0	H	240.0	8.2
11792.216667	48.47	---	74.00	25.53	150.0	H	95.0	13.4
11804.508333	---	39.53	54.00	14.47	150.0	H	21.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.216667	---	35.28	54.00	18.72	150.0	V	0.0	8.2
7316.083333	44.78	---	74.00	29.22	150.0	V	290.0	8.2
12623.625000	---	40.97	54.00	13.03	150.0	V	266.0	14.9
12658.533333	50.31	---	74.00	23.69	150.0	V	49.0	15.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4861.500000	51.21	---	74.00	22.79	150.0	H	131.0	11.8
4862.500000	---	41.24	54.00	12.76	150.0	H	144.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.000000	---	40.20	54.00	13.80	150.0	V	138.0	11.8
4877.000000	53.21	---	74.00	20.79	150.0	V	26.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.725000	43.42	---	74.00	30.58	150.0	H	221.0	8.3
7310.183333	---	34.47	54.00	19.53	150.0	H	0.0	8.2
12656.075000	---	40.74	54.00	13.26	150.0	H	137.0	15.0
12674.758333	50.38	---	74.00	23.62	150.0	H	269.0	15.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7316.575000	44.81	---	74.00	29.19	150.0	V	339.0	8.2
7316.575000	---	35.02	54.00	18.98	150.0	V	339.0	8.2
12650.175000	50.63	---	74.00	23.37	150.0	V	0.0	15.0
12669.841667	---	40.63	54.00	13.37	150.0	V	45.0	15.1

Final_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

Wi-Fi 802.11 b mode

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2382.352941	---	45.63	54.00	8.37	150.0	H	84.0	7.0
2382.352941	55.05	---	74.00	18.95	150.0	H	84.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2365.000000	54.03	---	74.00	19.97	150.0	V	170.0	6.9
2389.411765	---	43.93	54.00	10.07	150.0	V	2.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	---	46.94	54.00	7.06	150.0	H	132.0	7.4
2484.411765	56.34	---	74.00	17.66	150.0	H	132.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.705882	---	44.28	54.00	9.72	150.0	V	356.0	7.4
2485.294118	53.55	---	74.00	20.45	150.0	V	356.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 g mode

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.000000	66.56	---	74.00	7.44	150.0	H	81.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.000000	49.50	54.00	4.50	145.0	H	80.0	7.0

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch1
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.117647	63.10	---	74.00	10.90	150.0	V	357.0	7.0
2389.117647	---	48.30	54.00	5.70	150.0	V	357.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	68.83	---	74.00	5.17	150.0	H	63.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.294118	50.82	54.00	3.18	148.0	H	123.0	7.4

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11g_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	68.47	---	74.00	5.53	150.0	V	348.0	7.4
2485.882353	---	50.15	54.00	3.85	150.0	V	348.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 n(HT20) mode

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.000000	69.79	---	74.00	4.21	150.0	H	112.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.411765	50.55	54.00	3.45	148.0	H	147.0	7.0

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch1
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.000000	62.73	---	74.00	11.27	150.0	V	17.0	7.0
2390.000000	---	48.76	54.00	5.24	150.0	V	17.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.882353	69.67	---	74.00	4.33	150.0	H	142.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.705882	50.84	54.00	3.16	148.0	H	152.0	7.4

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n20_Ch11
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.117647	---	48.71	54.00	5.29	150.0	V	230.0	7.4
2484.705882	64.63	---	74.00	9.37	150.0	V	215.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 n(HT40) mode

EUT Information

EUT Name:	Robot Vacuum
Model:	T2070
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168474184/A003706240-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.588235	65.56	---	74.00	8.44	150.0	H	155.0	7.0
2389.117647	---	50.87	54.00	3.13	150.0	H	100.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch3
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.294118	62.84	---	74.00	11.16	150.0	V	20.0	7.0
2389.705882	---	47.56	54.00	6.44	150.0	V	20.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch9
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.176471	69.68	---	74.00	4.32	150.0	H	144.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.176471	50.68	54.00	3.32	148.0	H	142.0	7.4

EUT Information

EUT Name: Robot Vacuum
Model: T2070
Test Mode: WIFI 2.4G_11n40_Ch9
Order No/Sample No: 168474184/A003706240-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.411765	63.72	---	74.00	10.28	150.0	V	222.0	7.4
2484.705882	---	47.47	54.00	6.53	150.0	V	133.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.7: Test Results of Conducted Emission on AC Mains

Common Information

Test Item:	Robot Vacuum
Identification:	T2070
Test Standard:	FCC Part 15C
Test Detail:	Conducted Emission
Operation Mode:	Charging and Wireless link
Climate Condition:	20.9°C/51%/101.1kPa
Test Voltage/Freq.:	AC 120V, 60Hz
Port/Line:	
Order No.:	168474184
Result:	Pass
Hardware setup:	LISN ESH3-Z5 to ESCI 3
Level Unit:	dBuV
Frequency range:	9kHz - 30 MHz



Limit and Margin QP

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	CAverage (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Line	PE	Corr. (dB)
0.158000	46.2	37.4	---	1000.0	9.000	LOCAL	GND	9.9
0.178000	45.0	37.3	---	1000.0	9.000	LOCAL	GND	9.8
0.198000	41.5	32.5	---	1000.0	9.000	LOCAL	GND	9.9
0.314000	32.6	22.6	---	1000.0	9.000	LOCAL	GND	9.9
0.474000	27.8	16.4	---	1000.0	9.000	LOCAL	GND	9.9
2.318000	29.0	20.1	---	1000.0	9.000	LOCAL	GND	9.9

(continuation of the "Limit and Margin QP" table from column 14 ...)

Frequency (MHz)	Margin - QPK (dB)	Limit - QPK (dBμV)	Comment
0.158000	19.4	65.6	
0.178000	19.5	64.6	
0.198000	22.2	63.7	
0.314000	27.3	59.9	
0.474000	28.6	56.4	
2.318000	27.0	56.0	

Limit and Margin AV


Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	CAverage (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Line	PE	Corr. (dB)
0.158000	46.2	37.4	---	1000.0	9.000	LOCAL	GND	9.9
0.178000	45.0	37.3	---	1000.0	9.000	LOCAL	GND	9.8
0.198000	41.5	32.5	---	1000.0	9.000	LOCAL	GND	9.9
0.314000	32.6	22.6	---	1000.0	9.000	LOCAL	GND	9.9
0.474000	27.8	16.4	---	1000.0	9.000	LOCAL	GND	9.9
2.318000	29.0	20.1	---	1000.0	9.000	LOCAL	GND	9.9

(continuation of the "Limit and Margin AV" table from column 14 ...)

Frequency (MHz)	Margin - AVG (dB)	Limit - AVG (dBμV)	Comment
0.158000	18.2	55.6	
0.178000	17.3	54.6	
0.198000	21.2	53.7	
0.314000	27.2	49.9	
0.474000	30.0	46.4	
2.318000	25.9	46.0	

Common Information

Test Item:	Robot Vacuum
Identification:	T2070
Test Standard:	FCC Part 15B
Test Detail:	Conducted Emission
Operation Mode:	Charging and Wireless link
Climate Condition:	20.9°C/51%/101.1kPa
Test Voltage/Freq.:	AC 120V, 60Hz
Port/Line:	
Order No.:	168474184
Result:	Pass
Hardware setup:	LISN ESH3-Z5 to ESCI 3
Level Unit:	dBuV
Frequency range:	9kHz - 30 MHz



Limit and Margin QP

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	CAverage (dBµV)	Meas. Time (ms)	Bandwidth (kHz)	Line	PE	Corr. (dB)
0.170000	44.4	36.8	---	1000.0	9.000	LOCAL	GND	9.8
0.210000	40.8	33.0	---	1000.0	9.000	LOCAL	GND	9.9
0.330000	34.1	25.1	---	1000.0	9.000	LOCAL	GND	9.9
0.478000	29.3	18.1	---	1000.0	9.000	LOCAL	GND	9.9
0.694000	26.8	15.9	---	1000.0	9.000	LOCAL	GND	9.9
2.858000	30.1	21.0	---	1000.0	9.000	LOCAL	GND	10.0

(continuation of the "Limit and Margin QP" table from column 14 ...)

Frequency (MHz)	Margin - QPK (dB)	Limit - QPK (dBµV)	Comment
0.170000	20.6	65.0	
0.210000	22.4	63.2	
0.330000	25.4	59.5	
0.478000	27.0	56.4	
0.694000	29.3	56.0	
2.858000	25.9	56.0	

Limit and Margin AV

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	CAverage (dBµV)	Meas. Time (ms)	Bandwidth (kHz)	Line	PE	Corr. (dB)
0.170000	44.4	36.8	---	1000.0	9.000	LOCAL	GND	9.8
0.210000	40.8	33.0	---	1000.0	9.000	LOCAL	GND	9.9
0.330000	34.1	25.1	---	1000.0	9.000	LOCAL	GND	9.9
0.478000	29.3	18.1	---	1000.0	9.000	LOCAL	GND	9.9
0.694000	26.8	15.9	---	1000.0	9.000	LOCAL	GND	9.9
2.858000	30.1	21.0	---	1000.0	9.000	LOCAL	GND	10.0

(continuation of the "Limit and Margin AV" table from column 14 ...)

Frequency (MHz)	Margin - AVG (dB)	Limit - AVG (dBµV)	Comment
0.170000	18.2	55.0	
0.210000	20.2	53.2	
0.330000	24.3	49.5	
0.478000	28.3	46.4	
0.694000	30.1	46.0	
2.858000	25.0	46.0	