




802.11n (HT20) Test mode


A. Test Verdict:

Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dBuV)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dBμV/m)	Limit (dBμV/m)	Verdict
		PK/ AV						
36	5150.00	PK	42.09	-26.92	32.20	47.37	74	PASS
36	5150.00	AV	54.62	-26.92	32.20	59.9	54	PASS
48	5371.32	PK	44.78	-26.92	32.20	50.06	74	PASS
48	5350.00	AV	34.44	-26.92	32.20	39.72	54	PASS
149	5723.24	PK	60.83	-26.23	32.20	66.8	118.22	PASS
149	5725.00	AV	44.77	-26.23	32.20	50.74	54	PASS
165	5855.00	PK	46.67	-26.23	32.20	52.64	110.83	PASS
165	5850.00	AV	36.46	-26.23	32.20	42.43	54	PASS


B. Test Plots:




(Channel 36, PEAK, 802.11n (HT20))




(Channel 36, AVG, 802.11 n (HT20))



(Channel 48, PEAK, 802.11 n (HT20))




(Channel 48, AVG, 802.11n (HT20))



(Channel 149, PEAK, 802.11 n (HT20))



(Channel 149, AVG, 802.11n (HT20))



(Channel 165, PEAK, 802.11 n (HT20))



(Channel 165, AVG, 802.11n (HT20))


802.11n (HT40) Test mode

A. Test Verdict:


Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dBμV)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dBμV/m)	Limit (dBμV/m)	Verdict
		PK/ AV						
38	5150.00	PK	59.58	-26.92	32.20	64.86	74	PASS
38	5150.00	AV	46.24	-26.92	32.20	51.52	54	PASS
46	5365.84	PK	45.79	-26.92	32.20	51.07	74	PASS
46	5350.00	AV	34.50	-26.92	32.20	39.78	54	PASS
151	5724.71	PK	61.74	-26.23	32.20	67.71	121.57	PASS
151	5725.00	AV	48.32	-26.23	32.20	54.29	54	PASS
159	5953.88	PK	46.78	-26.23	32.20	52.75	68.23	PASS
159	5850.00	AV	35.94	-26.23	32.20	41.91	54	PASS




B. Test Plots:



(Channel 38, PEAK, 802.11n (HT40))



(Channel 38, AVG, 802.11n (HT40))



(Channel 46, PEAK, 802.11n (HT40))




(Channel 46, AVG, 802.11n (HT40))



(Channel 151, PEAK, 802.11n (HT40))



(Channel 151, AVG, 802.11n (HT40))



(Channel 159, PEAK, 802.11n (HT40))



(Channel 159, AVG, 802.11n (HT40))




802.11ac (VHT20) Test mode


A. Test Verdict:

Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dBuV)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dBμV/m)	Limit (dBμV/m)	Verdict
		PK/ AV						
36	5150.00	PK	54.88	-26.92	32.20	60.16	74	PASS
36	5150.00	AV	42.87	-26.92	32.20	48.15	54	PASS
48	5383.64	PK	45.46	-26.92	32.20	50.74	74	PASS
48	5350.00	AV	34.43	-26.92	32.20	39.71	54	PASS
149	5725.00	PK	57.76	-26.23	32.20	63.73	122.23	PASS
149	5725.00	AV	44.61	-26.23	32.20	50.58	54	PASS
165	5850.00	PK	47.03	-26.23	32.20	53.00	122.23	PASS
165	5850.00	AV	36.44	-26.23	32.20	42.41	54	PASS


B. Test Plots:




(Channel 36, PEAK, 802.11 ac (VHT20))




(Channel 36, AVG, 802.11 ac (VHT20))



(Channel 48, PEAK, 802.11 ac (VHT20))




(Channel 48, AVG, 802.11 ac (VHT20))



(Channel 149, PEAK, 802.11 ac (VHT20))



(Channel 149, AVG, 802.11 ac (VHT20))



(Channel 165, PEAK, 802.11 ac (VHT20))



(Channel 165, AVG, 802.11 ac (VHT20))


802.11ac (VHT40) Test mode

A. Test Verdict:


Channel	Frequency (MHz)	Detector	Receiver Reading U _R (dBμV)	A _T (dB)	A _{Factor} (dB@3m)	Max. Emission E (dBμV/m)	Limit (dBμV/m)	Verdict
		PK/ AV						
38	5150.00	PK	58.61	-26.92	32.20	63.89	74	PASS
38	5150.00	AV	46.05	-26.92	32.20	51.33	54	PASS
46	5365.84	PK	45.03	-26.92	32.20	50.31	74	PASS
46	5350.00	AV	34.55	-26.92	32.20	39.83	54	PASS
151	5723.82	PK	61.46	-26.23	32.20	67.43	119.54	PASS
151	5725.00	AV	48.46	-26.23	32.20	54.43	54	PASS
159	5853.84	PK	47.95	-26.23	32.20	53.92	113.47	PASS
159	5850.00	AV	36.46	-26.23	32.20	42.43	54	PASS




B. Test Plots:



(Channel 38, PEAK, 802.11ac (VHT40))




(Channel 38, AVG, 802.11ac (VHT40))



(Channel 46, PEAK, 802.11ac (VHT40))



(Channel 46, AVG, 802.11ac (VHT40))




(Channel 151, PEAK, 802.11ac (VHT40))



(Channel 151, AVG, 802.11ac (VHT40))



(Channel 159, PEAK, 802.11ac (VHT40))



(Channel 159, AVG, 802.11ac (VHT40))




802.11ac (VHT80) Test mode


A. Test Verdict:

Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dBuV)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dBμV/m)	Limit (dBμV/m)	Verdict
		PK/ AV						
42	5148.40	PK	59.22	-26.92	32.20	64.50	68.23	PASS
42	5150.00	AV	45.92	-26.92	32.20	51.20	54	PASS
42	5395.40	PK	46.88	-26.92	32.20	52.16	74	PASS
42	5350.00	AV	34.93	-26.92	32.20	40.21	54	PASS
155	5725.00	PK	60.87	-26.23	32.20	66.84	122.23	PASS
155	5725.00	AV	47.85	-26.23	32.20	53.82	54	PASS
155	5853.00	PK	53.84	-26.23	32.20	59.81	115.39	PASS
155	5850.00	AV	41.40	-26.23	32.20	47.37	54	PASS


B. Test Plots:




(Channel 42, PEAK, 802.11ac (VHT80))



(Channel 42, AVG, 802.11ac (VHT80))



(Channel 155, PEAK, 802.11ac (VHT80))



(Channel 155, AVG, 802.11ac (VHT80))

2.9. Radiated Emission

2.9.1. Requirement

The peak emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- (1) For transmitters operating in the 5.15–5.25 GHz band: all emissions outside of the 5.15–5.35 GHz band shall not exceed an EIRP of -27dBm/MHz.
- (2) For transmitters operating in the 5.25–5.35 GHz band: all emissions outside of the 5.15–5.35 GHz band shall not exceed an EIRP of -27dBm/MHz.
- (3) For transmitters operating in the 5.47–5.725 GHz band: all emissions outside of the 5.47–5.725 GHz band shall not exceed an EIRP of -27dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band: All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

The following formula is used to convert the equipment isotropic radiated power(eirp) to field strength (dBμV/m);

$$E = 1000000 \times \sqrt{30P} / 3 \mu\text{V/m}$$

where P is the EIRP in Watts

Therefore: -27 dBm/MHz = 68.23 dBuV/m

Unwanted emissions below 1 GHz must comply with the general field strength limits set forth in § 15.209. According to FCC section 15.209 (a), except as provided elsewhere in this subpart, the emissions from an intentional radiator shall not exceed the field strength levels specified in the following table:


Frequency (MHz)	Field Strength (μV/m)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note:


For Above 1000MHz, the emission limit in this paragraph is based on measurement instrumentation employing an average detector, measurement using instrumentation with a peak detector function, corresponding to 20dB above the maximum permitted average limit. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), also should comply with the radiated emission limits specified in Section 15.209(a)(above table)

2.9.2. Test Description
Test Setup:


- 1) For radiated emissions from 9kHz to 30MHz



2) For radiated emissions from 30MHz to1GHz



3) For radiated emissions above 1GHz



The EUT is placed on a non-conducting table 80 cm above the ground plane for measurement below 1GHz; 1.5 m above the ground plane for measurement above 1GHz. The antenna to EUT distance is 3 meters. The EUT is configured in accordance with ANSI C63.10. The EUT is set to transmit in a continuous mode.

For measurements below 30MHz, the emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9kHz-90



kHz, 110kHz-490 kHz. Radiated emission limits in these two bands are based on measurements employing an average detector.

For measurements below 1GHz the resolution bandwidth is set to 100kHz for peak detection measurements or 120kHz for quasi-peak detection measurements. Peak detection is used unless otherwise noted as quasi-peak.

For measurements above 1GHz the resolution bandwidth is set to 1MHz, the video band width is set to 3MHz for peak measurements and as applicable for average measurements.

The frequency range of interest is monitored at a fixed antenna height and EUT azimuth. The EUT is rotated through 360 degrees to maximize emissions received. The antenna is scanned from 1 to 4 meters above the ground plane to further maximize the emission. Measurements are made with the antenna polarized in both the vertical and the horizontal positions.

2.9.3. Test Result

According to ANSI C63.4 selection 4.2.2, because of peak detection will yield amplitudes equal to or greater than amplitudes measured with the quasi-peak (or average) detector, the measurement data from a spectrum analyzer peak detector will represent the worst-case results, if the peak measured value complies with the quasi-peak limit, it is unnecessary to perform an quasi-peak measurement.

The measurement results are obtained as below:

$$E [\text{dB}\mu\text{V/m}] = U_R + A_T + A_{\text{Factor}} [\text{dB}]; A_T = L_{\text{Cable loss}} [\text{dB}] - G_{\text{preamp}} [\text{dB}]$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain

A_{Factor} : Antenna Factor at 3m

During the test, the total correction Factor A_T and A_{Factor} were built in test software.

Note 1: All radiated emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.


Note 2: For the frequency, which started from 9kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note 3: For the frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.




802.11a Test mode

Plots for Channel = 36



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
48.448	28.40	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
432.953	26.75	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.285	50.42	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3647.409	45.37	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5184.637	46.70	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12873.855	49.18	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
59.129	28.33	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
440.721	34.12	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	49.76	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	46.18	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5181.556	47.35	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12522.665	47.73	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plots for Channel = 44



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
165.936	35.59	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
686.376	40.67	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1368.123	51.24	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2402.067	52.68	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
2969.000	53.74	N/A	35.51	68.23	N/A	54.00	Horizontal	PASS
5196.959	47.55	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
54.274	33.40	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
1367.589	49.62	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
2401.534	51.67	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
2969.000	53.70	N/A	40.56	74.00	N/A	54.00	Vertical	PASS
5375.635	46.46	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
10982.356	47.42	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 48



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
55.245	28.30	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
96.997	25.51	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.819	50.93	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3647.409	45.74	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5785.357	47.08	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12072.895	47.58	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
53.303	28.73	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
440.721	32.53	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	50.25	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	46.02	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5643.649	47.04	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
8456.251	47.87	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plots for Channel = 149



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
1006.402	46.40	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1856.285	46.57	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3829.166	46.68	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5748.390	46.69	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
8437.768	47.78	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
17984.597	51.73	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
908.729	30.83	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	49.52	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2450.083	47.36	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5745.309	49.42	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
11234.967	47.19	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
17938.388	51.39	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 157



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
96.997	24.41	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1012.804	46.76	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
2460.220	47.20	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3856.891	46.87	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5788.438	48.67	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
10412.442	47.35	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
96.997	25.46	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
591.221	33.63	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	48.71	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2517.306	47.18	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5782.600	53.75	N/A	42.47	68.23	N/A	54.00	Vertical	PASS
12522.665	48.03	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel = 165



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
370.811	25.53	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.285	46.91	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2409.537	48.39	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
4288.178	45.94	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5705.261	47.31	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12236.167	47.61	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
596.076	31.94	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	48.81	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2410.604	49.23	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	46.07	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
7085.377	45.85	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12131.426	47.55	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)


**802.11n (HT20) Test mode**

Plots for Channel = 36



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
48.448	28.12	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
104.765	26.22	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.819	48.60	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3659.732	45.21	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5178.476	46.96	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12162.232	47.89	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
43.594	28.49	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
440.721	33.04	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	49.01	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2490.097	48.14	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5178.476	47.31	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
9004.601	46.98	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plots for Channel = 44



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
103.794	26.91	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
500.921	26.00	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
2007.269	45.93	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5541.988	46.15	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
8437.768	47.81	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
17969.194	49.60	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
91.171	31.43	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
323.233	32.39	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
2490.630	46.85	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5782.276	51.73	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12541.148	47.48	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
16419.644	45.74	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 48



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
50.390	27.78	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
438.779	26.57	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.819	48.08	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3317.784	46.00	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5372.555	47.14	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
13184.997	48.10	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
59.129	27.90	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
436.837	32.75	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	47.99	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	45.67	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5711.422	46.56	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
9127.826	47.69	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plots for Channel = 149



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
90.200	25.79	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1006.402	46.74	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1855.752	48.05	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3829.166	45.51	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5628.246	48.40	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12612.002	47.84	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
460.140	33.65	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	48.73	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2457.019	47.81	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5625.165	48.80	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8477.816	47.35	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
12149.910	48.04	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel = 157



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
331.972	25.42	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1004.802	47.28	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1855.752	47.42	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3856.891	46.41	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5779.196	49.38	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
10409.362	48.07	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
462.082	33.33	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1004.802	45.85	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
1856.819	47.86	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2415.939	49.64	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5785.357	49.67	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12156.071	47.83	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel = 165



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
461.111	32.80	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.819	49.16	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2407.936	47.29	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3884.617	48.27	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5637.487	46.99	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
9053.891	48.47	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
458.198	33.66	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1026.142	46.97	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
1856.285	48.41	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3884.617	47.03	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5723.745	47.38	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8915.263	47.29	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)


**802.11n (HT40) Test mode**

Plots for Channel = 38



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
104.765	24.75	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.285	46.74	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2388.196	47.61	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4534.627	46.19	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5622.084	47.34	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12162.232	48.46	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
597.047	31.86	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1855.752	49.02	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	46.74	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5640.568	47.24	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8443.929	47.11	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
17963.033	51.50	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 46



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
1003.201	46.88	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1856.285	47.48	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2409.537	47.57	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
4725.625	46.30	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
9097.019	47.94	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
17981.516	51.07	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
1855.752	48.46	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3601.200	46.73	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5181.556	46.83	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8986.117	47.42	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
10816.003	47.87	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
17987.678	51.86	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel = 151



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
909.700	32.07	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.819	47.24	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2492.231	48.84	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
3838.408	47.69	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5763.793	46.94	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12513.423	48.01	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
451.401	33.24	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1010.137	46.90	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
1856.819	46.48	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3200.720	45.90	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5640.568	47.31	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12257.732	47.90	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plots for Channel = 159



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
182.442	22.21	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1206.469	45.66	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1856.819	46.80	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3388.638	45.34	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5791.518	47.73	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
11068.614	47.73	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
456.256	34.58	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1596.465	47.03	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
1856.819	49.01	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3863.053	46.67	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5788.438	48.86	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
10276.895	47.89	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




802.11ac (VHT20) Test mode

Plots for Channel = 36



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
48.448	29.38	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
104.765	26.86	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.819	49.80	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5625.165	47.11	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
8440.848	47.97	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
12242.328	48.05	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
49.419	28.30	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
440.721	33.82	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	50.97	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5178.476	47.30	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8385.397	47.16	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
12895.419	47.63	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plots for Channel = 44



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
96.997	24.20	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
246.527	22.07	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
331.001	23.86	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
2085.162	46.04	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5720.664	46.48	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
10862.212	46.39	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
84.374	27.98	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
320.320	25.63	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
594.134	27.52	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1711.170	48.71	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2414.872	48.29	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12143.749	48.40	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 48



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
41.652	27.43	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
103.794	25.90	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.819	49.70	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3647.409	45.48	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5643.649	46.72	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12630.486	47.63	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
38.739	28.90	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
440.721	32.89	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	50.68	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	45.89	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
7926.385	46.83	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12630.486	47.35	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plots for Channel = 149




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
202.833	22.19	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.285	47.16	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2409.003	47.57	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3481.056	45.75	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5739.148	48.07	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12907.742	48.16	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
591.221	32.61	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1855.752	48.22	N/A	N/A	68.23	46.00	54.00	Vertical	PASS
2454.351	47.96	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5748.390	49.17	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8385.397	47.34	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
12162.232	48.26	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel = 157

Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
104.765	25.90	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2410.070	49.46	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3856.891	45.95	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5782.276	48.14	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
8440.848	47.01	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
12156.071	47.94	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
597.047	30.94	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	49.07	N/A	N/A	68.23	43.50	54.00	Vertical	PASS
3856.891	46.51	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5780.400	51.76	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8320.704	47.68	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
12239.248	47.63	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 165



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
214.484	22.05	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.285	49.08	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3884.617	47.07	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5822.324	47.15	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
10809.842	48.30	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
12519.584	47.27	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
463.053	33.14	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	49.05	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3308.542	45.56	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	47.51	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5714.503	46.89	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12624.325	48.29	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




802.11ac (VHT40) Test mode

Plots for Channel = 38



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
1036.279	46.61	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1855.752	47.30	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2460.754	47.93	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
5619.004	47.40	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
8724.265	47.47	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
17941.468	51.05	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
579.570	31.67	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	48.79	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3647.409	46.33	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5723.745	47.95	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12621.244	48.90	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
17959.952	51.23	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 46



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
103.794	25.12	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2364.722	47.65	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4550.030	46.45	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5625.165	47.61	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
12146.829	48.15	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
17922.985	51.14	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
593.163	31.15	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.285	48.95	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2455.952	48.48	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5723.745	47.21	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
9103.181	47.65	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
12920.064	48.08	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 151



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
331.001	26.84	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.285	46.59	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2414.872	47.79	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3610.442	46.59	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5717.584	47.41	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
11872.655	47.24	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
468.879	32.96	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1004.268	46.36	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
1856.819	49.37	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2455.418	48.23	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5757.632	51.44	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12162.232	48.00	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plots for Channel = 159



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
328.088	26.12	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1006.402	46.18	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
1856.819	46.78	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3863.053	45.91	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5782.276	47.33	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
10819.084	48.36	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
450.430	33.66	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	49.53	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
2735.547	46.93	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
3863.053	46.98	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5788.438	50.10	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12149.910	47.71	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




802.11ac (VHT80) Test mode

Plots for Channel = 42



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
49.419	27.77	N/A	N/A	N/A	40.00	N/A	Horizontal	PASS
103.794	26.59	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
1856.819	48.22	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
3906.181	46.06	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
8933.747	47.57	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
13995.199	46.46	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
54.274	28.44	N/A	N/A	N/A	40.00	N/A	Vertical	PASS
440.721	34.44	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	47.54	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3166.833	46.18	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
5877.776	47.51	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
12276.215	47.18	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel = 155



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
331.001	26.49	N/A	N/A	N/A	46.00	N/A	Horizontal	PASS
1856.819	46.71	N/A	N/A	68.23	N/A	54.00	Horizontal	PASS
2496.499	47.90	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
3850.730	46.42	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
8474.735	47.27	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
12528.826	47.90	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	Pk (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
440.721	32.72	N/A	N/A	N/A	46.00	N/A	Vertical	PASS
1856.819	49.41	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3117.544	45.95	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
3850.730	46.92	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5779.196	48.70	N/A	N/A	68.23	N/A	54.00	Vertical	PASS
8065.013	47.68	N/A	N/A	68.23	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 2.95\text{dB}$
Conducted Emission	$\pm 2.44\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Attenuator 1	(N/A)	10dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY53470836	N9010A	Agilent	2018.11.06	2019.11.05
USB Wideband Power Sensor	MY54210011	U2021XA	Agilent	2018.04.17	2019.04.16
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Coaxial cable	CB02	RF02	Morlab	N/A	N/A
SMA connector	CN01	RF03	HUBER-SUHNER	N/A	N/A
Temperature Chamber	(N/A)	HUT705P	CHONGQING HANBA EXPERIMENTAL EQUIPMENT CO.,LTD	2018.04.17	2019.04.16
Computer	T430i	Think Pad	Lenovo	N/A	N/A

4.2 Conducted Emission Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Receiver	MY56400093	N9038A	KEYSIGHT	2018.05.08	2019.05.07
LISN	812744	NSLK 8127	Schwarzbeck	2018.05.08	2019.05.07
Pulse Limiter (20dB)	9391	VTSD 9561-D	Schwarzbeck	2018.05.08	2019.05.07
Coaxial cable(BNC)	CB01	EMC01	Morlab	N/A	N/A

4.3 List of Software Used

Description	Manufacturer	Software Version
Test system	Tonscend	V2.6
Power Panel	Agilent	V3.8
MORLAB EMCR V1.2	MORLAB	V 1.0

**4.4 Radiated Test Equipments**

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Receiver	MY54130016	N9038A	Agilent	2018.08.04	2019.08.03
Test Antenna - Bi-Log	9163-519	VULB 9163	Schwarzbeck	2018.05.18	2019.05.17
Test Antenna - Horn	9170C-531	BBHA9170	Schwarzbeck	2018.03.03	2019.03.02
Test Antenna - Loop	1519-022	FMZB1519	Schwarzbeck	2018.08.06	2019.08.05
Test Antenna - Horn	01774	BBHA 9120D	Schwarzbeck	2018.08.02	2019.08.01
Coaxial cable (N male) (9KHz-30MHz)	CB04	EMC04	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-26GHz)	CB02	EMC02	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-26GHz)	CB03	EMC03	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-40GHz)	CB05	EMC05	Morlab	N/A	N/A
1-18GHz pre-Amplifier	MA02	TS-PR18	Rohde& Schwarz	2018.05.08	2019.05.07
18-26.5GHz pre-Amplifier	MA03	TS-PR18	Rohde& Schwarz	2018.05.08	2019.05.07
26GHz -40GHz pre-Amplifier	MA05	BBV9721	Rohde& Schwarz	2018.05.08	2019.05.07
Notch Filter	N/A	WRCG-5150-5350	Wainwright	2018.12.01	2019.11.30
Notch Filter	N/A	WRCG-5725-5850	Wainwright	2018.12.01	2019.11.30
Anechoic Chamber	N/A	9m*6m*6m	CRT	2017.11.19	2020.11.18

END OF REPORT
