





BLE 1M Ant1 2480



GFSK(BLE) Mode, 2Mbps



Appendix C.2: Test Results of 6dB Bandwidth

GFSK(BLE) Mode, 1Mbps

| TestMode | Channel | DTS BW [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|--------------|----------|----------|------------|---------|
| BLE_1M | 2402 | 0.704 | 2401.620 | 2402.324 | 0.5 | PASS |
| | 2440 | 0.688 | 2439.640 | 2440.328 | 0.5 | PASS |
| | 2480 | 0.684 | 2479.648 | 2480.332 | 0.5 | PASS |
| BLE_2M | 2402 | 1.148 | 2401.412 | 2402.560 | 0.5 | PASS |
| | 2440 | 1.136 | 2439.444 | 2440.580 | 0.5 | PASS |
| | 2480 | 1.136 | 2479.428 | 2480.564 | 0.5 | PASS |

BLE 1M Ant1 2402




BLE 1M Ant1 2440



BLE 1M Ant1 2480



GFSK(BLE) Mode, 2Mbps




Appendix C.3: Test Results of 99% Bandwidth


GFSK(BLE) Mode, 1Mbps

| TestMode | Channel | OCB [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|-----------|----------|----------|------------|---------|
| BLE_1M | 2402 | 1.0333 | 2401.483 | 2402.516 | --- | --- |
| | 2440 | 1.0463 | 2439.478 | 2440.525 | --- | --- |
| | 2480 | 1.0455 | 2479.481 | 2480.526 | --- | --- |
| BLE_2M | 2402 | 1.0333 | 2401.483 | 2402.516 | --- | --- |
| | 2440 | 1.0463 | 2439.478 | 2440.525 | --- | --- |
| | 2480 | 1.0455 | 2479.481 | 2480.526 | --- | --- |


BLE 1M Ant1 2402



BLE 1M Ant1 2440



BLE 1M Ant1 2480



GFSK(BLE) Mode, 2Mbps



Appendix C.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

GFSK(BLE) Mode, 1Mbps

| TestMode | Channel | FreqRange [MHz] | RefLevel [dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|---------|-----------------|----------------|-------------|------------|---------|
| BLE_1M | 2402 | Reference | 3.07 | 3.07 | --- | PASS |
| | | 30~1000 | 3.07 | -61.86 | ≤-16.93 | PASS |
| | | 1000~26500 | 3.07 | -53.05 | ≤-16.93 | PASS |
| | 2440 | Reference | 4.21 | 4.21 | --- | PASS |
| | | 30~1000 | 4.21 | -62.44 | ≤-15.79 | PASS |
| | | 1000~26500 | 4.21 | -53.11 | ≤-15.79 | PASS |
| | 2480 | Reference | 3.90 | 3.90 | --- | PASS |
| | | 30~1000 | 3.90 | -62.38 | ≤-16.1 | PASS |
| | | 1000~26500 | 3.90 | -53.11 | ≤-16.1 | PASS |


Band edge

| TestMode | ChName | Channel | RefLevel[dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|--------|---------|---------------|-------------|------------|---------|
| BLE_1M | Low | 2402 | 4.18 | -49.46 | ≤-15.82 | PASS |
| | High | 2480 | 5.09 | -50.33 | ≤-14.91 | PASS |


BLE 1M Ant1 2402 0~Reference



BLE 1M Ant1 2402 30~1000




BLE 1M Ant1 2402 1000~26500




BLE 1M Ant1 2440 0~Reference



BLE 1M Ant1 2440 30~1000




BLE 1M Ant1 2440 1000~26500




BLE 1M Ant1 2480 0~Reference




BLE 1M Ant1 2480 30~1000




BLE 1M Ant1 2480 1000~26500



BLE 1M Ant1 Low 2402



BLE 1M Ant1 High 2480



GFSK(BLE) Mode, 2Mbps

| TestMode | Channel | FreqRange [MHz] | RefLevel [dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|---------|-----------------|----------------|-------------|------------|---------|
| BLE_2M | 2402 | Reference | 1.29 | 1.29 | --- | PASS |
| | | 30~1000 | 1.29 | -62.54 | ≤-18.71 | PASS |
| | | 1000~26500 | 1.29 | -53.09 | ≤-18.71 | PASS |
| | 2440 | Reference | 0.96 | 0.96 | --- | PASS |
| | | 30~1000 | 0.96 | -62.44 | ≤-19.04 | PASS |
| | | 1000~26500 | 0.96 | -53.11 | ≤-19.04 | PASS |
| | 2480 | Reference | 3.03 | 3.03 | --- | PASS |
| | | 30~1000 | 3.03 | -62.42 | ≤-16.97 | PASS |
| | | 1000~26500 | 3.03 | -52.79 | ≤-16.97 | PASS |


Band edge:

| TestMode | ChName | Channel | RefLevel[dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|--------|---------|---------------|-------------|------------|---------|
| BLE_2M | Low | 2402 | 3.82 | -27.41 | ≤-16.19 | PASS |
| | High | 2480 | 4.71 | -50.1 | ≤-15.29 | PASS |


BLE 2M Ant1 2402 0~Reference



BLE 2M Ant1 2402 30~1000




BLE 2M Ant1 2402 1000~26500




BLE 2M Ant1 2440 0~Reference




BLE 2M Ant1 2440 30~1000




BLE 2M Ant1 2440 1000~26500




BLE 2M Ant1 2480 0~Reference




BLE 2M Ant1 2480 30~1000




BLE 2M Ant1 2480 1000~26500



BLE 2M Ant1 Low 2402



BLE 2M Ant1 High 2480




Appendix C.5: Test Results of Radiated Spurious Emissions

Note:

- 1) This testing was carried out on both 1Mbps and 2Mbps modes, but only the worst case was presented in this report.
 - 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.
- 30 MHz to 1GHz

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_Mid channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 50.593846 | 13.47 | 40.00 | 26.53 | 100.0 | H | 336.0 | -18.6 |
| 205.719231 | 38.37 | 43.50 | 5.13 | 100.0 | H | 92.0 | -19.2 |
| 235.751923 | 38.84 | 46.00 | 7.16 | 100.0 | H | 225.0 | -18.2 |
| 420.723462 | 28.87 | 46.00 | 17.13 | 100.0 | H | 210.0 | -13.7 |
| 725.340769 | 31.67 | 46.00 | 14.33 | 100.0 | H | 186.0 | -8.0 |

Final Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: Wi-Fi Module
 Model: WF-M63B-UWP1
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168361390/A003220167-006
 Test Voltage:: DC 5V From USB
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 50.806500 | 28.80 | 40.00 | 11.20 | 100.0 | V | 62.0 | -18.3 |
| 205.279000 | 31.38 | 43.50 | 12.12 | 100.0 | V | 170.0 | -18.9 |
| 236.852500 | 31.44 | 46.00 | 14.56 | 100.0 | V | 354.0 | -17.8 |
| 827.388500 | 33.96 | 46.00 | 12.04 | 100.0 | V | 243.0 | -5.9 |


Final Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

Above 1GHz
 Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_Low channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 4801.000000 | --- | 39.22 | 54.00 | 14.78 | 100.0 | H | 0.0 | 11.8 |
| 4804.000000 | 50.11 | --- | 74.00 | 23.89 | 100.0 | H | 152.0 | 11.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: Wi-Fi Module
 Model: WF-M63B-UWP1
 Test Mode: BLE 1M_Low channel
 Order No/Sample No: 168361390/A003220167-006
 Test Voltage:: DC 5V From USB
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7204.475000 | --- | 34.15 | 54.00 | 19.85 | 100.0 | V | 0.0 | 8.8 |
| 7228.566667 | 42.46 | --- | 74.00 | 31.54 | 100.0 | V | 6.0 | 8.6 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: Wi-Fi Module
 Model: WF-M63B-UWP1
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168361390/A003220167-006
 Test Voltage:: DC 5V From USB
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 4874.500000 | 50.45 | --- | 74.00 | 23.55 | 100.0 | H | 93.0 | 11.8 |
| 4907.000000 | --- | 39.67 | 54.00 | 14.33 | 100.0 | H | 113.0 | 11.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_Mid channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 4877.000000 | --- | 39.00 | 54.00 | 15.00 | 100.0 | V | 17.0 | 11.8 |
| 4883.500000 | 49.85 | --- | 74.00 | 24.15 | 100.0 | V | 169.0 | 11.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: Wi-Fi Module
 Model: WF-M63B-UWP1
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168361390/A003220167-006
 Test Voltage:: DC 5V From USB
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7305.758333 | 43.19 | --- | 74.00 | 30.81 | 100.0 | H | 97.0 | 8.3 |
| 7313.625000 | --- | 33.21 | 54.00 | 20.79 | 100.0 | H | 36.0 | 8.2 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: Wi-Fi Module
 Model: WF-M63B-UWP1
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168361390/A003220167-006
 Test Voltage:: DC 5V From USB
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7279.208333 | 42.18 | --- | 74.00 | 31.82 | 100.0 | V | 200.0 | 8.4 |
| 7289.533333 | --- | 33.72 | 54.00 | 20.28 | 100.0 | V | 334.0 | 8.4 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_High channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 4953.500000 | 50.15 | --- | 74.00 | 23.85 | 100.0 | H | 122.0 | 11.8 |
| 4959.500000 | --- | 39.55 | 54.00 | 14.45 | 100.0 | H | 11.0 | 11.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_High channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 4954.000000 | 51.17 | --- | 74.00 | 22.83 | 100.0 | V | 119.0 | 11.8 |
| 4960.500000 | --- | 39.24 | 54.00 | 14.76 | 100.0 | V | 109.0 | 11.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: Wi-Fi Module
 Model: WF-M63B-UWP1
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168361390/A003220167-006
 Test Voltage:: DC 5V From USB
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7436.541667 | --- | 33.80 | 54.00 | 20.20 | 100.0 | V | 226.0 | 8.4 |
| 7449.816667 | 42.36 | --- | 74.00 | 31.64 | 100.0 | V | 358.0 | 8.5 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_Low channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2387.505000 | --- | 41.26 | 54.00 | 12.74 | 100.0 | H | 94.0 | 7.0 |
| 2389.705000 | 53.21 | --- | 74.00 | 20.79 | 100.0 | H | 129.0 | 7.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | Wi-Fi Module |
| Model: | WF-M63B-UWP1 |
| Test Mode: | BLE 1M_Low channel |
| Order No/Sample No: | 168361390/A003220167-006 |
| Test Voltage:: | DC 5V From USB |
| Remark: | Temp 23 Humi:56% |
| Test Standard: | FCC 15.247 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2334.210000 | --- | 41.03 | 54.00 | 12.97 | 100.0 | V | 294.0 | 6.7 |
| 2346.045000 | 50.46 | --- | 74.00 | 23.54 | 100.0 | V | 262.0 | 6.9 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

