



# ANTENNA SPECIFICATION


Company:Remote Tech LLC						
Address: 310 ALDER RD, DOVER DE 19904 USA						
SUMMARY						
Model Name	440HA		308MHz			
Center Frequency		Horizontal			Vertical	
	307.02 MHz	308.00MHz	308.08MHz	307.02MHz	308.00MHz	308.08MHz
	-15.20	-10.25	-16.23	-15.32	-11.02	-16.01
MAX Gain	-5					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	118.34mm					
Manufacture	key innovation					
Manufacture Address	633 Hickory Hill Dr Vernon Hills, IL 60061 640-224-0031 info@keyinnovations.com					
Antenna Photo						



Horizontal: 307.02 MHz 308.00 MHz 308.08MHz
Power (dBm)
Max: -11.26Min: -16.05Scale: 5/div
Vertical: 307.02 MHz 308.00 MHz 308.08MHz
Power (dBm)
Max: -11.26 Min:-16.05 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
307.02	-13.35	-18.66	-15.59
308.00	-11.24	-16.07	-13.54
308.08	-12.97	-19.32	-17.85



(MHz)	Max	Min	Avg
307.02	-13.28	-18.66	-15.58
308.00	-11.24	-16.05	-13.52
308.08	-12.95	-19.20	-17.84