



Appendix A: DTS Bandwidth


Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE	Ant1	2402	0.712	2401.644	2402.356	---	PASS
		2440	0.712	2439.644	2440.356	---	PASS
		2480	0.716	2479.640	2480.356	---	PASS

Test Graphs



BLE_Ant1_2480




Date: 19 JUN 2018 10:39:43

Appendix B: Occupied Channel Bandwidth


Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE	Ant1	2402	1.027	0.000	0.000	---	PASS
		2440	1.035	0.000	0.000	---	PASS
		2480	1.035	0.000	0.000	---	PASS

Test Graphs



BLE_Ant1_2480



Date: 19 JUN 2018 10:39:54

Appendix C: Maximum conducted output power

Test Result


TestMode	Antenna	Channel (MHz)	Result (dBm)	Limit (dBm)	Verdict
BLE	Ant1	2402	8.06	30	PASS
		2440	9.54	30	PASS
		2480	10.37	30	PASS

Appendix D: Maximum power spectral density


Test Result

TestMode	Antenna	Channel (MHz)	Result (dBm)	Limit (dBm)	Verdict
BLE	Ant1	2402	-8.29	8	PASS
		2440	-7.46	8	PASS
		2480	-6.86	8	PASS

Test Graphs



BLE_Ant1_2480




Date: 19 JUN 2018 10:40:08

Appendix E: Band edge measurements

Test Result

TestMode	Antenna	ChName	Channel (MHz)	Result (dBm)	Limit (dBm)	Verdict
BLE	Ant1	Low	2402	-50.28	-13.38	PASS
		High	2480	-56.9	-11.88	PASS

Test Graphs




Appendix F: Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel (MHz)	FreqRange (MHz)	Result (dBm)	Limit (dBm)	Verdict
BLE	Ant1	2402	Reference	6.69	---	PASS
		2402	30~1000	-68.79	-13.31	PASS
		2402	1000~26500	-53.04	-13.31	PASS
		2440	Reference	7.50	---	PASS
		2440	30~1000	-68.46	-12.5	PASS
		2440	1000~26500	-52.73	-12.5	PASS
		2480	Reference	8.11	---	PASS
		2480	30~1000	-68.82	-11.89	PASS
		2480	1000~26500	-51.98	-11.89	PASS

Test Graphs






BLE_Ant1_2402_1000~26500




Date: 19 JUN 2018 10:35:34

BLE_Ant1_2440_30~1000




Date: 19 JUN 2018 10:38:50

BLE_Ant1_2440_1000~26500




Date: 19 JUN 2018 10:39:02

BLE_Ant1_2480_30~1000




Date: 19 JUN 2018 10:40:32




Appendix G: Conducted emission AC power port

Model: Moby/M120
 Test mode: Charging+TX
 Test Voltage: AC 120V/60Hz
 Remark: Power Line, L



Frequency	MaxPeak	Average	Limit	Margin	Line	Corr.
0.190500	57.00	---	64.21	7.21	L1	10.2
0.250000	51.46	---	61.76	10.30	L1	10.2
0.310000	45.94	---	59.97	14.03	L1	10.2
0.374000	44.04	---	58.41	14.37	L1	10.9
0.566000	39.97	---	56.00	16.03	L1	10.2
0.694000	37.36	---	56.00	18.64	L1	10.2

Model: Moby/M120
 Test mode: Charging+TX
 Test Voltage: AC 120V/60Hz
 Remark: Power Line, N



Frequency	MaxPeak	Average	Limit	Margin	Line	Corr.
0.190000	55.37	---	64.04	8.67	N	10.3
0.250000	48.93	---	61.76	12.82	N	10.3
0.314000	44.60	---	59.86	15.26	N	10.3
0.506000	40.13	---	56.00	15.87	N	10.4
0.506000	---	37.87	46.00	8.13	N	10.4
0.630000	37.45	---	56.00	18.55	N	10.4