



### CFR 47 FCC PART 15 SUBPART C

### **TEST REPORT**

For

### Masterbuilt Autolgnite Series 545 Digital Charcoal Grill and Smoker

### MODEL NUMBER: MB20041124

#### REPORT NUMBER: 4790891811.1-1-RF-3

ISSUE DATE: August 21, 2023

Prepared for

Premier specialty brands LLC 5367 New Peachtree Road, Suite 150 Chamblee, Georgia, 30341 United States

Prepared by

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch

Building 10, Innovation Technology Park, No. 1, Li Bin Road, Song Shan Lake Hi-Tech Development Zone Dongguan, 523808, People's Republic of China

> Tel: +86 769 22038881 Fax: +86 769 33244054 Website: www.ul.com

The results reported herein have been performed in accordance with the laboratory's terms of accreditation. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report apply to the test sample(s) mentioned above at the time of the testing period only and are not to be used to indicate applicability to other similar products.



### **Revision History**

Rev. Issue Date		Revisions	Revised By	
V0	August 21, 2023	Initial Issue		



# **TABLE OF CONTENTS**

1.	ATTESTATION OF TEST RESULTS	4
2.	TEST METHODOLOGY	5
3.	FACILITIES AND ACCREDITATION	5
4.	REQUIREMENT	6



# **1. ATTESTATION OF TEST RESULTS**

Applicant Information Company Name: Address:	Premier specialty brands LLC 5367 New Peachtree Road, Suite 150 Chamblee, Georgia, 30341 United States	
Manufacturer Information	Dromiar aposialty brando LLC	
Company Name: Address:	Premier specialty brands LLC 5367 New Peachtree Road, Suite 150 Chamblee, Georgia, 3034 United States	
EUT Information		
EUT Name:	Masterbuilt Autolgnite Series 545 Digital Charcoal Grill and Smoker	
Model:	MB20041124	
Brand:	Masterbuilt	
Sample Received Date:	August 9, 2023	
Sample Status:	Normal	
Sample ID:	6347540	
Date of Tested:	August 14, 2023 to August 21, 2023	

APPLICABLE STANDARDS			
STANDARD	TEST RESULTS		
FCC 47CFR§2.1091	PASS		
KDB-447498 D01 V06	PASS		

Prepared By:

Kebo.2

Kebo Zhang Senior Project Engineer

Approved By:

Stephentino

Stephen Guo Operations Manager

Checked By:

Sume Den

Denny Huang Senior Project Engineer



# 2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 and KDB 447498 D01 General RF Exposure Guidance v06.

# 3. FACILITIES AND ACCREDITATION

	A2LA (Certificate No.: 4102.01)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been assessed and proved to be in compliance with A2LA.
	FCC (FCC Designation No.: CN1187)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	Has been recognized to perform compliance testing on equipment subject to the Commission's Delcaration of Conformity (DoC) and Certification rules
	ISED (Company No.: 21320)
Accreditation	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
Certificate	has been registered and fully described in a report filed with ISED.
	The Company Number is 21320 and the test lab Conformity Assessment Body Identifier (CABID) is CN0046.
	VCCI (Registration No.: G-20019, R-20004, C-20012 and T-20011)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	has been assessed and proved to be in compliance with VCCI, the
	Membership No. is 3793.
	Facility Name:
	Chamber D, the VCCI registration No. is G-20019 and R-20004
	Shielding Room B, the VCCI registration No. is C-20012 and T-20011

Note 1: All tests measurement facilities use to collect the measurement data are located at Building 10, Innovation Technology Park, Song Shan Lake Hi tech Development Zone, Dongguan, 523808, China

Note 2: The test anechoic chamber in UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch had been calibrated and compared to the open field sites and the test anechoic chamber is shown to be equivalent to or worst case from the open field site.

Note 3: For below 30MHz, lab had performed measurements at test anechoic chamber and comparing to measurements obtained on an open field site. And these measurements below 30MHz had been correlated to measurements performed on an OFS.



## 4. REQUIREMENT

#### LIMIT AND CALCULATION METHOD

Systems operating under the provisions of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as mobile device whereby a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit shall comply with. Limits for General Population/Uncontrolled Exposure

RF EXPOSURE LIMIT

Frequency Range (MHz)	E-field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (Minutes)
0.3 1.34	614	1.63	(100)*	30
1.34 30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30 300	27.5	0.073	0.2	30
300 1500			f/1500	30
1500 100,000			1.0	30

#### **CALCULATION METHOD**

S=PG/4πR<sup>2</sup> Where: S=power density P=power input to antenna G=power gain of the antenna in the direction of interest relative to an isotropic radiator R=distance to the center of radiation of the antenna



### **CALCULATED RESULTS**

		(Worst case)			
	Operating	Max. Tune up Power	e up Power Max. Antenna Gain Power density		Limit
	Mode	(dBm)	(dBi)	(mW/ cm <sup>2</sup> )	Linin
	BT	10	5.51	0.00708	1
	WIFI2.4G	17	5.51	0.03546	1

Radio Frequency Radiation Exposure Evaluation

1. The calculated distance is 20 cm.

2. The EUT cannot support transmit simultaneously.

## END OF REPORT