


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.51	-13	Pass	401
0.15	30	0.01	Peak	0.23	-54.43	-13	Pass	2985
30	500	0.1	Peak	496.899	-43.99	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.28	-13	N/A	5000
1000	10000	1	Peak	6971.729	-23.09	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.43	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.18	-13	Pass	2985
30	500	0.1	Peak	476.895	-43.84	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.37	-13	N/A	5000
1000	10000	1	Peak	7395.781	-22.88	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.26	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.23	-13	Pass	2985
30	500	0.1	Peak	347.968	-43.83	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.42	-13	N/A	5000
1000	10000	1	Peak	7423.784	-23.4	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-57.84	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.75	-13	Pass	2985
30	1000	0.1	Peak	842.299	-43.58	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.75	-13	N/A	2000
3000	20000	1	Peak	14215.369	-21.24	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.78	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.36	-13	Pass	2985
30	1000	0.1	Peak	848.7	-43	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.62	-13	N/A	2000
3000	20000	1	Peak	14199.367	-21.35	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.68	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.54	-13	Pass	2985
30	1000	0.1	Peak	533.261	-42.97	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.86	-13	N/A	2000
3000	20000	1	Peak	14207.368	-21.16	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.95	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.19	-13	Pass	2985
30	500	0.1	Peak	386.476	-43.93	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.4	-13	N/A	5000
1000	10000	1	Peak	6946.726	-23.14	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.94	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.73	-13	Pass	2985
30	500	0.1	Peak	361.771	-44.17	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.59	-13	N/A	5000
1000	10000	1	Peak	7429.785	-23.53	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.01	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.66	-13	Pass	2985
30	500	0.1	Peak	332.564	-43.92	-13	Pass	4700
500	1000	0.1	Peak	848.77	28.63	-13	N/A	5000
1000	10000	1	Peak	6959.728	-22.64	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.2	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.51	-13	Pass	2985
30	1000	0.1	Peak	738.887	-43.47	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.49	-13	N/A	2000
3000	20000	1	Peak	13685.304	-21.23	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.18	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.49	-13	Pass	2985
30	1000	0.1	Peak	821.697	-42.99	-13	Pass	9699
1000	3000	1	Peak	1880.44	27.19	-13	N/A	2000
3000	20000	1	Peak	14206.368	-21.12	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.15	-13	Pass	401
0.15	30	0.01	Peak	0.89	-54.38	-13	Pass	2985
30	1000	0.1	Peak	850.702	-42.59	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.68	-13	N/A	2000
3000	20000	1	Peak	14207.368	-21.48	-13	Pass	17000



5. CDMA BC0


5.1. CDMA BC0_Low Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.4	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.45	-13	Pass	2985
30	500	0.1	Peak	481.296	-43.48	-13	Pass	4700
500	1000	0.1	Peak	824.665	23.24	-13	N/A	5000
1000	10000	1	Peak	6946.726	-22.4	-13	Pass	9000




5.2. CDMA BC0_Middle Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.35	-13	Pass	401
0.15	30	0.01	Peak	0.38	-53.9	-13	Pass	2985
30	500	0.1	Peak	377.974	-43.67	-13	Pass	4700
500	1000	0.1	Peak	835.967	23.35	-13	N/A	5000
1000	10000	1	Peak	3345.286	-21.58	-13	Pass	9000



5.3. CDMA BC0_High Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.92	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.46	-13	Pass	2985
30	500	0.1	Peak	473.694	-43.67	-13	Pass	4700
500	1000	0.1	Peak	848.37	23.5	-13	N/A	5000
1000	10000	1	Peak	3394.292	-19.93	-13	Pass	9000



6. EVDO BC0


6.1. EVDO BC0_Low Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.78	-13	Pass	2985
30	500	0.1	Peak	376.474	-43.52	-13	Pass	4700
500	1000	0.1	Peak	825.065	24.86	-13	N/A	5000
1000	10000	1	Peak	7438.786	-23.05	-13	Pass	9000




6.2. EVDO BC0_Middle Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.38	-13	Pass	2985
30	500	0.1	Peak	486.397	-43.18	-13	Pass	4700
500	1000	0.1	Peak	836.867	24.29	-13	N/A	5000
1000	10000	1	Peak	3346.286	-20.6	-13	Pass	9000



6.3. EVDO BC0_High Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.41	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.66	-13	Pass	2985
30	500	0.1	Peak	423.484	-43.94	-13	Pass	4700
500	1000	0.1	Peak	848.57	23.86	-13	N/A	5000
1000	10000	1	Peak	3393.292	-18.92	-13	Pass	9000



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.81	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.12	-13	Pass	2985
30	1000	0.1	Peak	800.294	-53.4	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.46	-13	N/A	2000
3000	20000	1	Peak	14697.428	-24.9	-13	Pass	17000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.62	-64.55	-13	Pass	2985
30	1000	0.1	Peak	831.798	-52.66	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.54	-13	N/A	2000
3000	20000	1	Peak	19658.446	-24.6	-13	Pass	17000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.98	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.31	-13	Pass	2985
30	1000	0.1	Peak	839.599	-53.38	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.19	-13	N/A	2000
3000	20000	1	Peak	19444.098	-24.23	-13	Pass	17000



8. WCDMA_Band5


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.45	-64.95	-13	Pass	2985
30	500	0.1	Peak	295.156	-53.83	-13	Pass	4700
500	1000	0.1	Peak	826.965	18.86	-13	N/A	5000
1000	10000	1	Peak	3310.282	-29.38	-13	Pass	9000




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.88	-13	Pass	2985
30	500	0.1	Peak	441.788	-53.81	-13	Pass	4700
500	1000	0.1	Peak	836.967	18.55	-13	N/A	5000
1000	10000	1	Peak	3341.286	-28.64	-13	Pass	9000



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.66	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.64	-13	Pass	2985
30	500	0.1	Peak	383.675	-54.06	-13	Pass	4700
500	1000	0.1	Peak	845.669	18.72	-13	N/A	5000
1000	10000	1	Peak	3383.291	-27.41	-13	Pass	9000



9 DC-HSUPA_Band2


9.1. DC-HSUPA Band2_Low Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.06	-13	Pass	401
0.15	30	0.01	Peak	0.87	-63.86	-13	Pass	2985
30	1000	0.1	Peak	806.895	-52.57	-13	Pass	9699
1000	3000	1	Peak	1856.428	21.81	-13	N/A	2000
3000	20000	1	Peak	19794.667	-22.97	-13	Pass	17000




9.2. DC-HSUPA Band2_Middle Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.93	-13	Pass	401
0.15	30	0.01	Peak	1.911	-64.7	-13	Pass	2985
30	1000	0.1	Peak	599.77	-52.65	-13	Pass	9699
1000	3000	1	Peak	1884.442	21.98	-13	N/A	2000
3000	20000	1	Peak	19798.673	-22.62	-13	Pass	17000



9.3. DC-HSUPA Band2_High Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.55	-13	Pass	401
0.15	30	0.01	Peak	1.25	-62.72	-13	Pass	2985
30	1000	0.1	Peak	857.912	-52.55	-13	Pass	9699
1000	3000	1	Peak	1903.452	21.68	-13	N/A	2000
3000	20000	1	Peak	19801.678	-22.84	-13	Pass	17000



10. DC-HSUPA_Band5


10.1. DC-HSUPA Band5_Low Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.03	-13	Pass	401
0.15	30	0.01	Peak	1.49	-63.42	-13	Pass	2985
30	500	0.1	Peak	464.192	-52.96	-13	Pass	4700
500	1000	0.1	Peak	830.366	16.52	-13	N/A	5000
1000	10000	1	Peak	9614.523	-32.52	-13	Pass	9000




10.2. DC-HSUPA Band5_ Middle Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.92	-13	Pass	401
0.15	30	0.01	Peak	0.6	-64.1	-13	Pass	2985
30	500	0.1	Peak	442.488	-51.6	-13	Pass	4700
500	1000	0.1	Peak	840.468	15.94	-13	N/A	5000
1000	10000	1	Peak	7983.853	-32.51	-13	Pass	9000



10.2. DC-HSUPA Band5_High Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.41	-13	Pass	401
0.15	30	0.01	Peak	0.36	-63.65	-13	Pass	2985
30	500	0.1	Peak	454.59	-52.71	-13	Pass	4700
500	1000	0.1	Peak	840.868	16.12	-13	N/A	5000
1000	10000	1	Peak	7802.83	-32.42	-13	Pass	9000



11. LTE_Band2


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.59	-13	Pass	401
0.15	30	0.01	Peak	0.38	-63.34	-13	Pass	2985
30	1000	0.1	Peak	409.346	-51.17	-13	Pass	9699
1000	1840	1	Peak	1773.921	-41.17	-13	Pass	840
1840	1920	1	Peak	1850.2	25.67	60	Pass	401
1920	3000	1	Peak	2757.776	-37.17	-13	Pass	1080
3000	12000	1	Peak	7711.575	-31.01	-13	Pass	9000
12000	20000	1	Peak	19968.996	-23.39	-13	Pass	8000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.99	-13	Pass	401
0.15	30	0.01	Peak	0.54	-63.94	-13	Pass	2985
30	1000	0.1	Peak	706.783	-52.07	-13	Pass	9699
1000	1840	1	Peak	1837.998	-40.63	-13	Pass	840
1840	1920	1	Peak	1850.2	25.66	60	Pass	401
1920	3000	1	Peak	2948.953	-37.13	-13	Pass	1080
3000	12000	1	Peak	11843.807	-30.33	-13	Pass	9000
12000	20000	1	Peak	19799.975	-22.75	-13	Pass	8000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.99	-13	Pass	401
0.15	30	0.01	Peak	10.734	-63.22	-13	Pass	2985
30	1000	0.1	Peak	391.844	-52.67	-13	Pass	9699
1000	1840	1	Peak	1589.702	-40.88	-13	Pass	840
1840	1920	1	Peak	1879.6	27.04	60	Pass	401
1920	3000	1	Peak	2811.826	-37.45	-13	Pass	1080
3000	12000	1	Peak	11087.987	-31.18	-13	Pass	9000
12000	20000	1	Peak	19823.978	-23.54	-13	Pass	8000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.24	-13	Pass	401
0.15	30	0.01	Peak	0.64	-63.81	-13	Pass	2985
30	1000	0.1	Peak	804.395	-52.01	-13	Pass	9699
1000	1840	1	Peak	1443.528	-40.82	-13	Pass	840
1840	1920	1	Peak	1879.6	26.98	60	Pass	401
1920	3000	1	Peak	2858.869	-37.4	-13	Pass	1080
3000	12000	1	Peak	11305.14	-31.02	-13	Pass	9000
12000	20000	1	Peak	19775.972	-23.11	-13	Pass	8000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.9	-13	Pass	401
0.15	30	0.01	Peak	0.45	-64.8	-13	Pass	2985
30	1000	0.1	Peak	977.971	-52.6	-13	Pass	9699
1000	1840	1	Peak	1785.936	-41.11	-13	Pass	840
1840	1920	1	Peak	1908.8	26.48	60	Pass	401
1920	3000	1	Peak	2867.878	-37.25	-13	Pass	1080
3000	12000	1	Peak	10455.91	-31.42	-13	Pass	9000
12000	20000	1	Peak	19797.975	-22.9	-13	Pass	8000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.66	-13	Pass	2985
30	1000	0.1	Peak	952.537	-52.31	-13	Pass	9699
1000	1840	1	Peak	1801.955	-40.79	-13	Pass	840
1840	1920	1	Peak	1908.8	26.18	60	Pass	401
1920	3000	1	Peak	2822.836	-37.65	-13	Pass	1080
3000	12000	1	Peak	11486.364	-31.6	-13	Pass	9000
12000	20000	1	Peak	19808.976	-23.3	-13	Pass	8000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.66	-13	Pass	2985
30	1000	0.1	Peak	909.68	-52.14	-13	Pass	9699
1000	1840	1	Peak	1757.902	-40.67	-13	Pass	840
1840	1920	1	Peak	1850.2	25.63	60	Pass	401
1920	3000	1	Peak	2776.793	-36.41	-13	Pass	1080
3000	12000	1	Peak	11891.866	-31.36	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.37	-13	Pass	8000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.02	-13	Pass	401
0.15	30	0.01	Peak	0.32	-65.12	-13	Pass	2985
30	1000	0.1	Peak	876.336	-52.75	-13	Pass	9699
1000	1840	1	Peak	1526.627	-40.76	-13	Pass	840
1840	1920	1	Peak	1850.2	25.64	60	Pass	401
1920	3000	1	Peak	2855.867	-36.7	-13	Pass	1080
3000	12000	1	Peak	11374.226	-31.59	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.91	-13	Pass	8000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.3	-13	Pass	2985
30	1000	0.1	Peak	542.863	-52.55	-13	Pass	9699
1000	1840	1	Peak	1193.23	-40.36	-13	Pass	840
1840	1920	1	Peak	1878.8	27.17	60	Pass	401
1920	3000	1	Peak	2887.896	-37.37	-13	Pass	1080
3000	12000	1	Peak	5636.322	-31.63	-13	Pass	9000
12000	20000	1	Peak	19817.977	-21.74	-13	Pass	8000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.15	-13	Pass	2985
30	1000	0.1	Peak	745.287	-51.75	-13	Pass	9699
1000	1840	1	Peak	1540.644	-40.83	-13	Pass	840
1840	1920	1	Peak	1878.8	27.29	60	Pass	401
1920	3000	1	Peak	2819.833	-37.17	-13	Pass	1080
3000	12000	1	Peak	11622.533	-30.93	-13	Pass	9000
12000	20000	1	Peak	19801.975	-22.59	-13	Pass	8000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.58	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.75	-13	Pass	2985
30	1000	0.1	Peak	812.996	-52.09	-13	Pass	9699
1000	1840	1	Peak	1293.349	-40.8	-13	Pass	840
1840	1920	1	Peak	1907.2	26.71	60	Pass	401
1920	3000	1	Peak	2868.879	-37.27	-13	Pass	1080
3000	12000	1	Peak	11428.292	-31.28	-13	Pass	9000
12000	20000	1	Peak	19804.976	-23.87	-13	Pass	8000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.56	-62.62	-13	Pass	2985
30	1000	0.1	Peak	838.199	-52.61	-13	Pass	9699
1000	1840	1	Peak	1785.936	-40.66	-13	Pass	840
1840	1920	1	Peak	1907.2	26.66	60	Pass	401
1920	3000	1	Peak	2930.936	-37.46	-13	Pass	1080
3000	12000	1	Peak	11769.715	-31.29	-13	Pass	9000
12000	20000	1	Peak	19921.99	-23.57	-13	Pass	8000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.93	-13	Pass	401
0.15	30	0.01	Peak	11.954	-63.38	-13	Pass	2985
30	1000	0.1	Peak	579.667	-52.02	-13	Pass	9699
1000	1840	1	Peak	1784.934	-40.8	-13	Pass	840
1840	1920	1	Peak	1850.4	25.52	60	Pass	401
1920	3000	1	Peak	2791.807	-37.51	-13	Pass	1080
3000	12000	1	Peak	11016.979	-31.33	-13	Pass	9000
12000	20000	1	Peak	19830.979	-23.47	-13	Pass	8000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.48	-13	Pass	401
0.15	30	0.01	Peak	0.53	-63.73	-13	Pass	2985
30	1000	0.1	Peak	971.262	-52.87	-13	Pass	9699
1000	1840	1	Peak	1840	-40.53	-13	Pass	840
1840	1920	1	Peak	1850.4	25.56	60	Pass	401
1920	3000	1	Peak	2929.935	-36.66	-13	Pass	1080
3000	12000	1	Peak	11748.689	-31.59	-13	Pass	9000
12000	20000	1	Peak	19806.976	-23.85	-13	Pass	8000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.16	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.28	-13	Pass	2985
30	1000	0.1	Peak	969.56	-52.99	-13	Pass	9699
1000	1840	1	Peak	1730.87	-39.92	-13	Pass	840
1840	1920	1	Peak	1877.8	27.16	60	Pass	401
1920	3000	1	Peak	2797.813	-37.15	-13	Pass	1080
3000	12000	1	Peak	8830.712	-31.31	-13	Pass	9000
12000	20000	1	Peak	19803.975	-23.31	-13	Pass	8000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-67.48	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63	-13	Pass	2985
30	1000	0.1	Peak	960.848	-53.3	-13	Pass	9699
1000	1840	1	Peak	1384.458	-41.11	-13	Pass	840
1840	1920	1	Peak	1877.8	27.08	60	Pass	401
1920	3000	1	Peak	2855.867	-37.24	-13	Pass	1080
3000	12000	1	Peak	11786.736	-31.45	-13	Pass	9000
12000	20000	1	Peak	19795.974	-23.39	-13	Pass	8000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.99	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.89	-13	Pass	2985
30	1000	0.1	Peak	901.569	-52.77	-13	Pass	9699
1000	1840	1	Peak	1813.969	-41.06	-13	Pass	840
1840	1920	1	Peak	1905.4	27.16	60	Pass	401
1920	3000	1	Peak	2848.86	-36.81	-13	Pass	1080
3000	12000	1	Peak	11073.986	-31.79	-13	Pass	9000
12000	20000	1	Peak	19794.974	-23.22	-13	Pass	8000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.64	-13	Pass	401
0.15	30	0.01	Peak	0.65	-64.89	-13	Pass	2985
30	1000	0.1	Peak	993.992	-52.85	-13	Pass	9699
1000	1840	1	Peak	1820.977	-41.06	-13	Pass	840
1840	1920	1	Peak	1905.4	26.72	60	Pass	401
1920	3000	1	Peak	2758.777	-36.49	-13	Pass	1080
3000	12000	1	Peak	11756.699	-31.56	-13	Pass	9000
12000	20000	1	Peak	19834.979	-22.81	-13	Pass	8000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.94	-13	Pass	401
0.15	30	0.01	Peak	0.46	-64.2	-13	Pass	2985
30	1000	0.1	Peak	607.37	-52.86	-13	Pass	9699
1000	1840	1	Peak	1832.992	-35	-13	Pass	840
1840	1920	1	Peak	1850.6	25.42	60	Pass	401
1920	3000	1	Peak	2886.895	-36.84	-13	Pass	1080
3000	12000	1	Peak	11105.99	-30.93	-13	Pass	9000
12000	20000	1	Peak	19802.975	-23.56	-13	Pass	8000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.39	-13	Pass	2985
30	1000	0.1	Peak	978.872	-53.06	-13	Pass	9699
1000	1840	1	Peak	1832.992	-35.28	-13	Pass	840
1840	1920	1	Peak	1850.6	25.44	60	Pass	401
1920	3000	1	Peak	2835.848	-36.62	-13	Pass	1080
3000	12000	1	Peak	11527.415	-31.29	-13	Pass	9000
12000	20000	1	Peak	19805.976	-21.74	-13	Pass	8000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.45	-13	Pass	2985
30	1000	0.1	Peak	767.39	-52.69	-13	Pass	9699
1000	1840	1	Peak	1386.46	-39.78	-13	Pass	840
1840	1920	1	Peak	1875.6	27.22	60	Pass	401
1920	3000	1	Peak	2936.942	-37.97	-13	Pass	1080
3000	12000	1	Peak	10966.973	-30.91	-13	Pass	9000
12000	20000	1	Peak	19808.976	-23.51	-13	Pass	8000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.24	-13	Pass	401
0.15	30	0.01	Peak	1.23	-65.19	-13	Pass	2985
30	1000	0.1	Peak	892.357	-53.16	-13	Pass	9699
1000	1840	1	Peak	1807.962	-41.01	-13	Pass	840
1840	1920	1	Peak	1875.6	27.6	60	Pass	401
1920	3000	1	Peak	2857.868	-37.66	-13	Pass	1080
3000	12000	1	Peak	11686.612	-31.09	-13	Pass	9000
12000	20000	1	Peak	19784.973	-22.08	-13	Pass	8000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.57	-13	Pass	2985
30	1000	0.1	Peak	980.474	-52.5	-13	Pass	9699
1000	1840	1	Peak	1691.824	-40.71	-13	Pass	840
1840	1920	1	Peak	1900.6	27.05	60	Pass	401
1920	3000	1	Peak	2857.868	-37.47	-13	Pass	1080
3000	12000	1	Peak	11515.4	-31.35	-13	Pass	9000
12000	20000	1	Peak	19816.977	-23.12	-13	Pass	8000




**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.62	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.54	-13	Pass	2985
30	1000	0.1	Peak	769.79	-52.92	-13	Pass	9699
1000	1840	1	Peak	1698.832	-41.15	-13	Pass	840
1840	1920	1	Peak	1900.6	27.11	60	Pass	401
1920	3000	1	Peak	2969.972	-37.14	-13	Pass	1080
3000	12000	1	Peak	10189.878	-31.55	-13	Pass	9000
12000	20000	1	Peak	19773.972	-23.72	-13	Pass	8000




11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.15	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.67	-13	Pass	2985
30	1000	0.1	Peak	838.399	-52.83	-13	Pass	9699
1000	1840	1	Peak	1837.998	-23.44	-13	Pass	840
1840	1920	1	Peak	1850.8	25.33	60	Pass	401
1920	3000	1	Peak	2859.87	-37.29	-13	Pass	1080
3000	12000	1	Peak	11431.296	-31.14	-13	Pass	9000
12000	20000	1	Peak	19785.973	-23.65	-13	Pass	8000




**11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-67.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.37	-13	Pass	2985
30	1000	0.1	Peak	714.284	-53.31	-13	Pass	9699
1000	1840	1	Peak	1837.998	-23.18	-13	Pass	840
1840	1920	1	Peak	1850.8	25.35	60	Pass	401
1920	3000	1	Peak	2933.939	-36.85	-13	Pass	1080
3000	12000	1	Peak	10487.914	-31.72	-13	Pass	9000
12000	20000	1	Peak	19787.973	-23.4	-13	Pass	8000




**11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.82	-13	Pass	401
0.15	30	0.01	Peak	10.363	-62.69	-13	Pass	2985
30	1000	0.1	Peak	972.463	-52.66	-13	Pass	9699
1000	1840	1	Peak	1814.97	-40.57	-13	Pass	840
1840	1920	1	Peak	1873.4	27.7	60	Pass	401
1920	3000	1	Peak	2927.933	-36.89	-13	Pass	1080
3000	12000	1	Peak	11627.539	-31.13	-13	Pass	9000
12000	20000	1	Peak	19786.973	-22.85	-13	Pass	8000




**11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.46	-13	Pass	401
0.15	30	0.01	Peak	5.792	-64.79	-13	Pass	2985
30	1000	0.1	Peak	865.622	-51.79	-13	Pass	9699
1000	1840	1	Peak	1801.955	-39.54	-13	Pass	840
1840	1920	1	Peak	1873.4	27.75	60	Pass	401
1920	3000	1	Peak	2957.961	-36.89	-13	Pass	1080
3000	12000	1	Peak	10349.897	-31.24	-13	Pass	9000
12000	20000	1	Peak	19792.974	-23.15	-13	Pass	8000




**11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.68	-13	Pass	2985
30	1000	0.1	Peak	901.67	-52.46	-13	Pass	9699
1000	1840	1	Peak	1559.666	-40.84	-13	Pass	840
1840	1920	1	Peak	1895.8	26.59	60	Pass	401
1920	3000	1	Peak	1922.002	-31.67	-13	Pass	1080
3000	12000	1	Peak	11874.845	-30.11	-13	Pass	9000
12000	20000	1	Peak	19829.979	-22.95	-13	Pass	8000




**11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.27	-13	Pass	401
0.15	30	0.01	Peak	0.45	-63.62	-13	Pass	2985
30	1000	0.1	Peak	876.136	-52.69	-13	Pass	9699
1000	1840	1	Peak	1679.809	-40.5	-13	Pass	840
1840	1920	1	Peak	1895.8	26.63	60	Pass	401
1920	3000	1	Peak	1922.002	-31.77	-13	Pass	1080
3000	12000	1	Peak	11902.88	-30.93	-13	Pass	9000
12000	20000	1	Peak	19803.975	-23.46	-13	Pass	8000




11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.43	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.01	-13	Pass	2985
30	1000	0.1	Peak	658.477	-52.5	-13	Pass	9699
1000	1840	1	Peak	1832.992	-25.48	-13	Pass	840
1840	1920	1	Peak	1851	25.63	60	Pass	401
1920	3000	1	Peak	2941.946	-36.89	-13	Pass	1080
3000	12000	1	Peak	11400.258	-31.17	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.07	-13	Pass	8000




**11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.03	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.86	-13	Pass	2985
30	1000	0.1	Peak	622.572	-52.62	-13	Pass	9699
1000	1840	1	Peak	1832.992	-25.19	-13	Pass	840
1840	1920	1	Peak	1851	25.62	60	Pass	401
1920	3000	1	Peak	2926.932	-37.27	-13	Pass	1080
3000	12000	1	Peak	11469.343	-30.86	-13	Pass	9000
12000	20000	1	Peak	19803.975	-22.98	-13	Pass	8000




**11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.67	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.91	-13	Pass	2985
30	1000	0.1	Peak	977.17	-51.66	-13	Pass	9699
1000	1840	1	Peak	1834.994	-38.26	-13	Pass	840
1840	1920	1	Peak	1871	27.58	60	Pass	401
1920	3000	1	Peak	2904.912	-35.38	-13	Pass	1080
3000	12000	1	Peak	11596.501	-31.38	-13	Pass	9000
12000	20000	1	Peak	19803.975	-23.46	-13	Pass	8000




**11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.22	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.03	-13	Pass	2985
30	1000	0.1	Peak	840.699	-52.75	-13	Pass	9699
1000	1840	1	Peak	1835.995	-38.44	-13	Pass	840
1840	1920	1	Peak	1871.2	27.6	60	Pass	401
1920	3000	1	Peak	2830.843	-36.57	-13	Pass	1080
3000	12000	1	Peak	11327.167	-31.22	-13	Pass	9000
12000	20000	1	Peak	19616.952	-22.74	-13	Pass	8000




**11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.76	-13	Pass	401
0.15	30	0.01	Peak	0.49	-64.64	-13	Pass	2985
30	1000	0.1	Peak	498.557	-52.22	-13	Pass	9699
1000	1840	1	Peak	1541.645	-40.64	-13	Pass	840
1840	1920	1	Peak	1891.2	26.31	60	Pass	401
1920	3000	1	Peak	2860.871	-36.42	-13	Pass	1080
3000	12000	1	Peak	11383.237	-30.88	-13	Pass	9000
12000	20000	1	Peak	19870.984	-23.39	-13	Pass	8000



**11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.27	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.69	-13	Pass	2985
30	1000	0.1	Peak	922.397	-52.03	-13	Pass	9699
1000	1840	1	Peak	1523.623	-40.21	-13	Pass	840
1840	1920	1	Peak	1891.2	26.33	60	Pass	401
1920	3000	1	Peak	2838.851	-37.25	-13	Pass	1080
3000	12000	1	Peak	11912.892	-31.47	-13	Pass	9000
12000	20000	1	Peak	19781.973	-23.02	-13	Pass	8000



12. LTE_Band4


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	Pass	2985
30	1000	0.1	RMS	879.841	-63.32	-13	Pass	9699
1000	1700	1	RMS	1700	-52.38	-13	Pass	700
1700	1765	1	RMS	1710.238	22.29	60	Pass	401
1765	3000	1	RMS	2846.876	-48.79	-13	Pass	1235
3000	12000	1	RMS	3420.051	-40.01	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.12	-13	Pass	8000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.52	-13	Pass	2985
30	1000	0.1	RMS	882.144	-63.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.5	-13	Pass	700
1700	1765	1	RMS	1710.238	21.59	60	Pass	401
1765	3000	1	RMS	2842.873	-48.73	-13	Pass	1235
3000	12000	1	RMS	3420.051	-40.69	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.04	-13	Pass	8000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.86	-13	Pass	2985
30	1000	0.1	RMS	881.843	-63.24	-13	Pass	9699
1000	1700	1	RMS	1672.961	-52.8	-13	Pass	700
1700	1765	1	RMS	1732.013	22.32	60	Pass	401
1765	3000	1	RMS	2844.874	-48.78	-13	Pass	1235
3000	12000	1	RMS	3464.057	-34.83	-13	Pass	9000
12000	20000	1	RMS	19800.975	-33.99	-13	Pass	8000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.97	-13	Pass	401
0.15	30	0.01	RMS	0.82	-71.41	-13	Pass	2985
30	1000	0.1	RMS	838.599	-63.23	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.79	-13	Pass	700
1700	1765	1	RMS	1732.013	21.46	60	Pass	401
1765	3000	1	RMS	2838.87	-48.85	-13	Pass	1235
3000	12000	1	RMS	3464.057	-35.51	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.03	-13	Pass	8000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	Pass	2985
30	1000	0.1	RMS	844.399	-63.31	-13	Pass	9699
1000	1700	1	RMS	1686.981	-52.78	-13	Pass	700
1700	1765	1	RMS	1753.95	22.41	60	Pass	401
1765	3000	1	RMS	2850.879	-48.86	-13	Pass	1235
3000	12000	1	RMS	3508.062	-43.21	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.13	-13	Pass	8000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-13	Pass	2985
30	1000	0.1	RMS	900.668	-63.1	-13	Pass	9699
1000	1700	1	RMS	1678.97	-52.88	-13	Pass	700
1700	1765	1	RMS	1753.788	21.38	60	Pass	401
1765	3000	1	RMS	2847.877	-48.86	-13	Pass	1235
3000	12000	1	RMS	11754.696	-43.38	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.1	-13	Pass	8000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.03	-13	Pass	2985
30	1000	0.1	RMS	869.126	-63.54	-13	Pass	9699
1000	1700	1	RMS	1700	-52.52	-13	Pass	700
1700	1765	1	RMS	1710.238	22.59	60	Pass	401
1765	3000	1	RMS	2850.879	-48.77	-13	Pass	1235
3000	12000	1	RMS	3420.051	-39.77	-13	Pass	9000
12000	20000	1	RMS	19803.975	-34.12	-13	Pass	8000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.1	-13	Pass	2985
30	1000	0.1	RMS	874.934	-63.32	-13	Pass	9699
1000	1700	1	RMS	1700	-52.67	-13	Pass	700
1700	1765	1	RMS	1710.238	21.16	60	Pass	401
1765	3000	1	RMS	2848.878	-48.84	-13	Pass	1235
3000	12000	1	RMS	3420.051	-41.06	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.18	-13	Pass	8000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.14	-13	Pass	2985
30	1000	0.1	RMS	869.427	-63.46	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.79	-13	Pass	700
1700	1765	1	RMS	1731.2	22.48	60	Pass	401
1765	3000	1	RMS	2849.878	-48.85	-13	Pass	1235
3000	12000	1	RMS	3462.056	-35.9	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.17	-13	Pass	8000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.15	-13	Pass	2985
30	1000	0.1	RMS	908.679	-63.33	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1765	1	RMS	1731.2	21.99	60	Pass	401
1765	3000	1	RMS	2855.883	-48.83	-13	Pass	1235
3000	12000	1	RMS	3462.056	-36.67	-13	Pass	9000
12000	20000	1	RMS	19795.974	-34.09	-13	Pass	8000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.57	-13	Pass	2985
30	1000	0.1	RMS	856.41	-63.19	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.82	-13	Pass	700
1700	1765	1	RMS	1752.163	22.38	60	Pass	401
1765	3000	1	RMS	2850.879	-48.73	-13	Pass	1235
3000	12000	1	RMS	11762.706	-43.37	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.16	-13	Pass	8000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.48	-13	Pass	2985
30	1000	0.1	RMS	866.423	-63.47	-13	Pass	9699
1000	1700	1	RMS	1661.946	-52.88	-13	Pass	700
1700	1765	1	RMS	1752.163	20.83	60	Pass	401
1765	3000	1	RMS	2851.88	-48.84	-13	Pass	1235
3000	12000	1	RMS	11753.695	-43.37	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.1	-13	Pass	8000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	Pass	2985
30	1000	0.1	RMS	995.494	-63.23	-13	Pass	9699
1000	1700	1	RMS	1700	-52.48	-13	Pass	700
1700	1765	1	RMS	1710.4	22.52	60	Pass	401
1765	3000	1	RMS	2845.875	-48.83	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.58	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.08	-13	Pass	8000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-13	Pass	2985
30	1000	0.1	RMS	899.767	-63.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.55	-13	Pass	700
1700	1765	1	RMS	1710.238	21.84	60	Pass	401
1765	3000	1	RMS	2852.881	-48.81	-13	Pass	1235
3000	12000	1	RMS	3421.051	-40.26	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.12	-13	Pass	8000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.38	-71.15	-13	Pass	2985
30	1000	0.1	RMS	908.078	-63.3	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.85	-13	Pass	700
1700	1765	1	RMS	1730.388	22.32	60	Pass	401
1765	3000	1	RMS	2838.87	-48.91	-13	Pass	1235
3000	12000	1	RMS	3461.056	-36.14	-13	Pass	9000
12000	20000	1	RMS	19796.975	-34.18	-13	Pass	8000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	Pass	2985
30	1000	0.1	RMS	862.317	-63.33	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.95	-13	Pass	700
1700	1765	1	RMS	1730.388	21.4	60	Pass	401
1765	3000	1	RMS	2847.877	-48.93	-13	Pass	1235
3000	12000	1	RMS	3461.056	-37.75	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.13	-13	Pass	8000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.66	-13	Pass	2985
30	1000	0.1	RMS	866.022	-63.43	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.84	-13	Pass	700
1700	1765	1	RMS	1750.375	22.12	60	Pass	401
1765	3000	1	RMS	2848.878	-48.76	-13	Pass	1235
3000	12000	1	RMS	3501.061	-42.43	-13	Pass	9000
12000	20000	1	RMS	19804.976	-34.17	-13	Pass	8000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.73	-13	Pass	2985
30	1000	0.1	RMS	868.826	-63.15	-13	Pass	9699
1000	1700	1	RMS	1671.96	-52.82	-13	Pass	700
1700	1765	1	RMS	1750.375	20.71	60	Pass	401
1765	3000	1	RMS	2853.882	-48.8	-13	Pass	1235
3000	12000	1	RMS	3501.061	-43.19	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.12	-13	Pass	8000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-13	Pass	2985
30	1000	0.1	RMS	849.2	-63.3	-13	Pass	9699
1000	1700	1	RMS	1700	-52.24	-13	Pass	700
1700	1765	1	RMS	1710.563	22.43	60	Pass	401
1765	3000	1	RMS	2847.877	-48.76	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.18	-13	Pass	9000
12000	20000	1	RMS	19808.976	-34.24	-13	Pass	8000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.46	-13	Pass	2985
30	1000	0.1	RMS	859.614	-63.22	-13	Pass	9699
1000	1700	1	RMS	1700	-52.49	-13	Pass	700
1700	1765	1	RMS	1710.725	21.22	60	Pass	401
1765	3000	1	RMS	2846.876	-48.65	-13	Pass	1235
3000	12000	1	RMS	3421.051	-40.46	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.13	-13	Pass	8000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.51	-13	Pass	2985
30	1000	0.1	RMS	876.937	-63.31	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.92	-13	Pass	700
1700	1765	1	RMS	1728.113	22.36	60	Pass	401
1765	3000	1	RMS	2851.88	-48.81	-13	Pass	1235
3000	12000	1	RMS	3456.056	-35.24	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.24	-13	Pass	8000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.61	-71.64	-13	Pass	2985
30	1000	0.1	RMS	995.494	-63.29	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.8	-13	Pass	700
1700	1765	1	RMS	1728.113	21.67	60	Pass	401
1765	3000	1	RMS	2849.878	-48.76	-13	Pass	1235
3000	12000	1	RMS	3456.056	-36.11	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.14	-13	Pass	8000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	Pass	2985
30	1000	0.1	RMS	898.866	-63.11	-13	Pass	9699
1000	1700	1	RMS	1679.971	-52.78	-13	Pass	700
1700	1765	1	RMS	1745.663	22.36	60	Pass	401
1765	3000	1	RMS	2845.875	-48.86	-13	Pass	1235
3000	12000	1	RMS	3491.06	-38.59	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.14	-13	Pass	8000




**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.01	-13	Pass	2985
30	1000	0.1	RMS	872.931	-63.23	-13	Pass	9699
1000	1700	1	RMS	1680.973	-52.86	-13	Pass	700
1700	1765	1	RMS	1745.663	21.42	60	Pass	401
1765	3000	1	RMS	2920.936	-48.87	-13	Pass	1235
3000	12000	1	RMS	3491.06	-39.55	-13	Pass	9000
12000	20000	1	RMS	19801.975	-33.97	-13	Pass	8000




12.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.38	-13	Pass	2985
30	1000	0.1	RMS	870.328	-63.41	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.35	-13	Pass	700
1700	1765	1	RMS	1710.888	22.27	60	Pass	401
1765	3000	1	RMS	2833.865	-48.83	-13	Pass	1235
3000	12000	1	RMS	3422.052	-40.1	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.08	-13	Pass	8000




**12.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2985
30	1000	0.1	RMS	875.935	-63.2	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.44	-13	Pass	700
1700	1765	1	RMS	1710.888	21.24	60	Pass	401
1765	3000	1	RMS	2851.88	-48.72	-13	Pass	1235
3000	12000	1	RMS	3422.052	-41.03	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.09	-13	Pass	8000




**12.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.56	-13	Pass	2985
30	1000	0.1	RMS	863.819	-63.43	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.99	-13	Pass	700
1700	1765	1	RMS	1725.838	22.58	60	Pass	401
1765	3000	1	RMS	2848.878	-48.76	-13	Pass	1235
3000	12000	1	RMS	3452.055	-36.43	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.14	-13	Pass	8000




**12.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.23	-13	Pass	2985
30	1000	0.1	RMS	907.978	-63.3	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.6	-13	Pass	700
1700	1765	1	RMS	1725.838	21.15	60	Pass	401
1765	3000	1	RMS	2843.874	-48.85	-13	Pass	1235
3000	12000	1	RMS	3452.055	-38.21	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.04	-13	Pass	8000




**12.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.98	-13	Pass	2985
30	1000	0.1	RMS	865.522	-63.25	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.88	-13	Pass	700
1700	1765	1	RMS	1740.788	22.55	60	Pass	401
1765	3000	1	RMS	1767.002	-43.13	-13	Pass	1235
3000	12000	1	RMS	3482.059	-37.22	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.15	-13	Pass	8000




**12.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.26	-13	Pass	2985
30	1000	0.1	RMS	901.269	-63.34	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.79	-13	Pass	700
1700	1765	1	RMS	1740.788	22.07	60	Pass	401
1765	3000	1	RMS	1767.002	-43.7	-13	Pass	1235
3000	12000	1	RMS	3482.059	-37.67	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.12	-13	Pass	8000




12.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.24	-13	Pass	2985
30	1000	0.1	RMS	897.364	-63.22	-13	Pass	9699
1000	1700	1	RMS	1692.99	-51.12	-13	Pass	700
1700	1765	1	RMS	1711.05	22.31	60	Pass	401
1765	3000	1	RMS	2849.878	-48.86	-13	Pass	1235
3000	12000	1	RMS	3422.052	-39.71	-13	Pass	9000
12000	20000	1	RMS	19805.976	-34.2	-13	Pass	8000




12.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.32	-13	Pass	2985
30	1000	0.1	RMS	952.737	-63.28	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.81	-13	Pass	700
1700	1765	1	RMS	1711.05	21.74	60	Pass	401
1765	3000	1	RMS	2849.878	-48.83	-13	Pass	1235
3000	12000	1	RMS	3422.052	-40.13	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.17	-13	Pass	8000




12.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	Pass	2985
30	1000	0.1	RMS	900.768	-63.29	-13	Pass	9699
1000	1700	1	RMS	1700	-52.73	-13	Pass	700
1700	1765	1	RMS	1723.563	22.65	60	Pass	401
1765	3000	1	RMS	2845.875	-48.83	-13	Pass	1235
3000	12000	1	RMS	3447.055	-35.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.06	-13	Pass	8000




**12.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2985
30	1000	0.1	RMS	893.959	-63.29	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.85	-13	Pass	700
1700	1765	1	RMS	1723.563	21.17	60	Pass	401
1765	3000	1	RMS	2846.876	-48.73	-13	Pass	1235
3000	12000	1	RMS	3447.055	-37.46	-13	Pass	9000
12000	20000	1	RMS	19797.975	-34.07	-13	Pass	8000




12.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.22	-13	Pass	2985
30	1000	0.1	RMS	991.188	-63.39	-13	Pass	9699
1000	1700	1	RMS	1700	-52.18	-13	Pass	700
1700	1765	1	RMS	1736.075	22.5	60	Pass	401
1765	3000	1	RMS	1772.006	-38.8	-13	Pass	1235
3000	12000	1	RMS	3472.058	-35.07	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.1	-13	Pass	8000



**12.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.98	-13	Pass	2985
30	1000	0.1	RMS	897.564	-63.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.75	-13	Pass	700
1700	1765	1	RMS	1736.075	22.11	60	Pass	401
1765	3000	1	RMS	1772.006	-38.94	-13	Pass	1235
3000	12000	1	RMS	3472.058	-35.65	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.06	-13	Pass	8000



13. LTE_Band5


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.01	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.99	-13	Pass	2985
30	814	0.1	Peak	448.553	-53.13	-13	Pass	7840
814	860	0.1	Peak	824.222	24.84	60	Pass	460
860	1000	0.1	Peak	926.447	-53.52	-13	Pass	1400
1000	3000	1	Peak	2855.928	-36.93	-13	Pass	2000
3000	10000	1	Peak	3297.042	-27.66	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.1	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.02	-13	Pass	2985
30	814	0.1	Peak	478.757	-52.71	-13	Pass	7840
814	860	0.1	Peak	824.322	25.42	60	Pass	460
860	1000	0.1	Peak	902.33	-53.2	-13	Pass	1400
1000	3000	1	Peak	2874.937	-37.12	-13	Pass	2000
3000	10000	1	Peak	3297.042	-27.97	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.4	-13	Pass	2985
30	814	0.1	Peak	752.092	-53	-13	Pass	7840
814	860	0.1	Peak	835.948	24.73	60	Pass	460
860	1000	0.1	Peak	947.362	-52.76	-13	Pass	1400
1000	3000	1	Peak	2921.961	-37.42	-13	Pass	2000
3000	10000	1	Peak	3344.049	-25.1	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.05	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.97	-13	Pass	2985
30	814	0.1	Peak	709.687	-53.45	-13	Pass	7840
814	860	0.1	Peak	836.048	25.44	60	Pass	460
860	1000	0.1	Peak	865.404	-52.99	-13	Pass	1400
1000	3000	1	Peak	2858.929	-36.51	-13	Pass	2000
3000	10000	1	Peak	3344.049	-25.52	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.44	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.78	-13	Pass	2985
30	814	0.1	Peak	797.598	-53.3	-13	Pass	7840
814	860	0.1	Peak	847.874	25.22	60	Pass	460
860	1000	0.1	Peak	867.906	-52.85	-13	Pass	1400
1000	3000	1	Peak	2982.991	-37.75	-13	Pass	2000
3000	10000	1	Peak	3391.056	-24.12	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.51	-13	Pass	401
0.15	30	0.01	Peak	0.35	-65.21	-13	Pass	2985
30	814	0.1	Peak	535.965	-52.44	-13	Pass	7840
814	860	0.1	Peak	847.874	24.86	60	Pass	460
860	1000	0.1	Peak	869.107	-53.81	-13	Pass	1400
1000	3000	1	Peak	2841.921	-37.16	-13	Pass	2000
3000	10000	1	Peak	3391.056	-24.62	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.87	-13	Pass	401
0.15	30	0.01	Peak	3.581	-64.64	-13	Pass	2985
30	814	0.1	Peak	675.482	-53.21	-13	Pass	7840
814	860	0.1	Peak	824.222	24.87	60	Pass	460
860	1000	0.1	Peak	998.099	-53.51	-13	Pass	1400
1000	3000	1	Peak	2472.736	-37.68	-13	Pass	2000
3000	10000	1	Peak	3297.042	-28.28	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.25	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.87	-13	Pass	2985
30	814	0.1	Peak	718.688	-52.69	-13	Pass	7840
814	860	0.1	Peak	824.222	24.99	60	Pass	460
860	1000	0.1	Peak	866.305	-53.3	-13	Pass	1400
1000	3000	1	Peak	2871.936	-38.03	-13	Pass	2000
3000	10000	1	Peak	3297.042	-28.77	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.89	-13	Pass	401
0.15	30	0.01	Peak	0.49	-65.25	-13	Pass	2985
30	814	0.1	Peak	463.455	-52.75	-13	Pass	7840
814	860	0.1	Peak	835.246	25.29	60	Pass	460
860	1000	0.1	Peak	865.704	-53.26	-13	Pass	1400
1000	3000	1	Peak	2947.974	-36.94	-13	Pass	2000
3000	10000	1	Peak	3341.049	-25.65	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.51	-13	Pass	2985
30	814	0.1	Peak	765.594	-52.92	-13	Pass	7840
814	860	0.1	Peak	835.246	25.63	60	Pass	460
860	1000	0.1	Peak	884.618	-52.53	-13	Pass	1400
1000	3000	1	Peak	2794.897	-37.89	-13	Pass	2000
3000	10000	1	Peak	3341.049	-25.52	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.65	-13	Pass	401
0.15	30	0.01	Peak	0.88	-64.77	-13	Pass	2985
30	814	0.1	Peak	464.055	-52.61	-13	Pass	7840
814	860	0.1	Peak	846.17	24.62	60	Pass	460
860	1000	0.1	Peak	967.477	-52.51	-13	Pass	1400
1000	3000	1	Peak	2815.908	-36.21	-13	Pass	2000
3000	10000	1	Peak	3385.055	-24.33	-13	Pass	7000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.11	-13	Pass	401
0.15	30	0.01	Peak	0.46	-64.81	-13	Pass	2985
30	814	0.1	Peak	496.96	-53.02	-13	Pass	7840
814	860	0.1	Peak	846.17	24.99	60	Pass	460
860	1000	0.1	Peak	911.637	-53.58	-13	Pass	1400
1000	3000	1	Peak	2835.918	-36.77	-13	Pass	2000
3000	10000	1	Peak	3385.055	-24.87	-13	Pass	7000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.66	-13	Pass	2985
30	814	0.1	Peak	738.39	-52.37	-13	Pass	7840
814	860	0.1	Peak	824.322	24.51	60	Pass	460
860	1000	0.1	Peak	908.735	-52.51	-13	Pass	1400
1000	3000	1	Peak	2861.931	-37.58	-13	Pass	2000
3000	10000	1	Peak	3297.042	-28.9	-13	Pass	7000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.05	-13	Pass	401
0.15	30	0.01	Peak	0.86	-64.96	-13	Pass	2985
30	814	0.1	Peak	603.573	-52.51	-13	Pass	7840
814	860	0.1	Peak	824.322	24.41	60	Pass	460
860	1000	0.1	Peak	883.917	-52.62	-13	Pass	1400
1000	3000	1	Peak	2815.908	-37.18	-13	Pass	2000
3000	10000	1	Peak	3297.042	-28.99	-13	Pass	7000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.07	-13	Pass	401
0.15	30	0.01	Peak	1.821	-64.55	-13	Pass	2985
30	814	0.1	Peak	271.831	-52.84	-13	Pass	7840
814	860	0.1	Peak	834.444	25.04	60	Pass	460
860	1000	0.1	Peak	894.024	-53.42	-13	Pass	1400
1000	3000	1	Peak	2843.922	-37.55	-13	Pass	2000
3000	10000	1	Peak	3337.048	-25.9	-13	Pass	7000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.11	-13	Pass	401
0.15	30	0.01	Peak	0.28	-63.36	-13	Pass	2985
30	814	0.1	Peak	648.279	-52.77	-13	Pass	7840
814	860	0.1	Peak	834.244	25.04	60	Pass	460
860	1000	0.1	Peak	945.861	-53.14	-13	Pass	1400
1000	3000	1	Peak	2916.958	-37.55	-13	Pass	2000
3000	10000	1	Peak	3337.048	-26.08	-13	Pass	7000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.63	-13	Pass	2985
30	814	0.1	Peak	724.989	-53.17	-13	Pass	7840
814	860	0.1	Peak	844.266	24.64	60	Pass	460
860	1000	0.1	Peak	914.039	-52.88	-13	Pass	1400
1000	3000	1	Peak	2805.903	-37.42	-13	Pass	2000
3000	10000	1	Peak	3377.054	-24.96	-13	Pass	7000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.57	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.26	-13	Pass	2985
30	814	0.1	Peak	771.295	-52.77	-13	Pass	7840
814	860	0.1	Peak	844.366	24.4	60	Pass	460
860	1000	0.1	Peak	989.693	-53.41	-13	Pass	1400
1000	3000	1	Peak	2830.915	-37.79	-13	Pass	2000
3000	10000	1	Peak	3377.054	-26.01	-13	Pass	7000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.98	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.38	-13	Pass	2985
30	814	0.1	Peak	470.456	-53.2	-13	Pass	7840
814	860	0.1	Peak	824.623	24.95	60	Pass	460
860	1000	0.1	Peak	995.197	-52.55	-13	Pass	1400
1000	3000	1	Peak	2892.946	-37.83	-13	Pass	2000
3000	10000	1	Peak	3298.043	-28.77	-13	Pass	7000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-66.87	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.96	-13	Pass	2985
30	814	0.1	Peak	488.058	-53.14	-13	Pass	7840
814	860	0.1	Peak	824.623	24.98	60	Pass	460
860	1000	0.1	Peak	874.61	-53.06	-13	Pass	1400
1000	3000	1	Peak	2841.921	-37.54	-13	Pass	2000
3000	10000	1	Peak	3299.043	-29.04	-13	Pass	7000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.5	-13	Pass	401
0.15	30	0.01	Peak	0.56	-64.75	-13	Pass	2985
30	814	0.1	Peak	477.957	-52.8	-13	Pass	7840
814	860	0.1	Peak	832.039	25	60	Pass	460
860	1000	0.1	Peak	885.218	-52.89	-13	Pass	1400
1000	3000	1	Peak	2847.924	-36.86	-13	Pass	2000
3000	10000	1	Peak	3328.047	-26.06	-13	Pass	7000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.23	-13	Pass	401
0.15	30	0.01	Peak	1.3	-64.2	-13	Pass	2985
30	814	0.1	Peak	498.76	-52.69	-13	Pass	7840
814	860	0.1	Peak	832.139	25.72	60	Pass	460
860	1000	0.1	Peak	908.034	-53.31	-13	Pass	1400
1000	3000	1	Peak	2838.919	-37.55	-13	Pass	2000
3000	10000	1	Peak	3328.047	-24.95	-13	Pass	7000




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.41	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.4	-13	Pass	2985
30	814	0.1	Peak	778.695	-52.5	-13	Pass	7840
814	860	0.1	Peak	839.556	25.07	60	Pass	460
860	1000	0.1	Peak	913.038	-52.85	-13	Pass	1400
1000	3000	1	Peak	2923.962	-36.72	-13	Pass	2000
3000	10000	1	Peak	3358.051	-25.72	-13	Pass	7000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.74	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.19	-13	Pass	2985
30	814	0.1	Peak	450.754	-52.62	-13	Pass	7840
814	860	0.1	Peak	839.656	25.04	60	Pass	460
860	1000	0.1	Peak	866.905	-53.29	-13	Pass	1400
1000	3000	1	Peak	2837.919	-37.26	-13	Pass	2000
3000	10000	1	Peak	3358.051	-25.84	-13	Pass	7000



14. LTE_Band7


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.61	-25	Pass	2985
30	1000	0.1	RMS	863.419	-63.33	-25	Pass	9699
1000	2490	1	RMS	2490	-50.38	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.62	60	Pass	401
2580	3000	1	RMS	2852.649	-48.92	-25	Pass	420
3000	12000	1	RMS	7912.6	-42.17	-25	Pass	9000
12000	26500	1	RMS	25902.905	-28.86	-25	Pass	14500




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.55	-25	Pass	2985
30	1000	0.1	RMS	883.646	-63.39	-25	Pass	9699
1000	2490	1	RMS	2490	-50.21	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.91	60	Pass	401
2580	3000	1	RMS	2851.647	-48.85	-25	Pass	420
3000	12000	1	RMS	11760.704	-43.39	-25	Pass	9000
12000	26500	1	RMS	25896.904	-28.92	-25	Pass	14500




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-25	Pass	2985
30	1000	0.1	RMS	874.233	-63.01	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.17	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.62	60	Pass	401
2580	3000	1	RMS	2848.64	-48.86	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.38	-25	Pass	9000
12000	26500	1	RMS	25892.904	-28.86	-25	Pass	14500




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-25	Pass	2985
30	1000	0.1	RMS	901.469	-63.18	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.12	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.81	60	Pass	401
2580	3000	1	RMS	2843.628	-48.89	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.38	-25	Pass	9000
12000	26500	1	RMS	25891.904	-28.86	-25	Pass	14500




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.99	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.52	-25	Pass	2985
30	1000	0.1	RMS	889.053	-63.21	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.18	-25	Pass	1490
2490	2580	1	RMS	2565.375	22.46	60	Pass	401
2580	3000	1	RMS	2844.63	-48.81	-25	Pass	420
3000	12000	1	RMS	11743.683	-43.27	-25	Pass	9000
12000	26500	1	RMS	25876.901	-28.93	-25	Pass	14500




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71	-25	Pass	2985
30	1000	0.1	RMS	477.955	-63.42	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.06	-25	Pass	1490
2490	2580	1	RMS	2565.375	21.4	60	Pass	401
2580	3000	1	RMS	2849.642	-48.94	-25	Pass	420
3000	12000	1	RMS	11763.708	-43.23	-25	Pass	9000
12000	26500	1	RMS	25864.899	-28.91	-25	Pass	14500




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.64	-25	Pass	2985
30	1000	0.1	RMS	905.575	-63.37	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.36	-25	Pass	1490
2490	2580	1	RMS	2500.575	23.09	60	Pass	401
2580	3000	1	RMS	2843.628	-48.84	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.39	-25	Pass	9000
12000	26500	1	RMS	25887.903	-28.89	-25	Pass	14500




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.42	-25	Pass	2985
30	1000	0.1	RMS	871.129	-63.21	-25	Pass	9699
1000	2490	1	RMS	2482.995	-49.4	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.83	60	Pass	401
2580	3000	1	RMS	2854.654	-48.83	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.43	-25	Pass	9000
12000	26500	1	RMS	25886.903	-28.89	-25	Pass	14500




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.91	-25	Pass	2985
30	1000	0.1	RMS	920.995	-63.46	-25	Pass	9699
1000	2490	1	RMS	2480.994	-51.12	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.81	60	Pass	401
2580	3000	1	RMS	2843.628	-48.85	-25	Pass	420
3000	12000	1	RMS	11759.703	-43.28	-25	Pass	9000
12000	26500	1	RMS	25897.905	-28.83	-25	Pass	14500




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.63	-25	Pass	2985
30	1000	0.1	RMS	846.3	-63.1	-25	Pass	9699
1000	2490	1	RMS	2490	-50.98	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.44	60	Pass	401
2580	3000	1	RMS	2848.64	-48.82	-25	Pass	420
3000	12000	1	RMS	11744.684	-43.44	-25	Pass	9000
12000	26500	1	RMS	25902.905	-28.87	-25	Pass	14500




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.44	-25	Pass	2985
30	1000	0.1	RMS	844.999	-63.29	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.09	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.76	60	Pass	401
2580	3000	1	RMS	2834.606	-48.91	-25	Pass	420
3000	12000	1	RMS	11757.7	-43.38	-25	Pass	9000
12000	26500	1	RMS	25870.9	-28.88	-25	Pass	14500




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-25	Pass	2985
30	1000	0.1	RMS	872.331	-63.31	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.1	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.75	60	Pass	401
2580	3000	1	RMS	2848.64	-48.88	-25	Pass	420
3000	12000	1	RMS	11768.714	-43.37	-25	Pass	9000
12000	26500	1	RMS	25895.904	-28.85	-25	Pass	14500




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-25	Pass	2985
30	1000	0.1	RMS	998.398	-63.26	-25	Pass	9699
1000	2490	1	RMS	2486.998	-34.51	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.8	60	Pass	401
2580	3000	1	RMS	2841.623	-48.8	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.4	-25	Pass	9000
12000	26500	1	RMS	25878.902	-28.79	-25	Pass	14500




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.73	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.09	-25	Pass	2985
30	1000	0.1	RMS	865.021	-63.34	-25	Pass	9699
1000	2490	1	RMS	2486.998	-38.18	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.95	60	Pass	401
2580	3000	1	RMS	2849.642	-48.88	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.29	-25	Pass	9000
12000	26500	1	RMS	25893.904	-28.82	-25	Pass	14500




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-25	Pass	2985
30	1000	0.1	RMS	911.182	-63.18	-25	Pass	9699
1000	2490	1	RMS	2490	-50.88	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.66	60	Pass	401
2580	3000	1	RMS	2852.649	-48.85	-25	Pass	420
3000	12000	1	RMS	11757.7	-43.32	-25	Pass	9000
12000	26500	1	RMS	25900.905	-28.77	-25	Pass	14500




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.75	-71.79	-25	Pass	2985
30	1000	0.1	RMS	467.753	-63.34	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.06	-25	Pass	1490
2490	2580	1	RMS	2528.475	22.16	60	Pass	401
2580	3000	1	RMS	2847.637	-48.87	-25	Pass	420
3000	12000	1	RMS	11747.688	-43.32	-25	Pass	9000
12000	26500	1	RMS	25898.905	-28.88	-25	Pass	14500




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2985
30	1000	0.1	RMS	900.768	-63.42	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.11	-25	Pass	1490
2490	2580	1	RMS	2555.925	22.51	60	Pass	401
2580	3000	1	RMS	2582.005	-33.94	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.4	-25	Pass	9000
12000	26500	1	RMS	25900.905	-28.71	-25	Pass	14500




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.76	-25	Pass	2985
30	1000	0.1	RMS	876.737	-63.28	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.07	-25	Pass	1490
2490	2580	1	RMS	2555.925	21.43	60	Pass	401
2580	3000	1	RMS	2582.005	-35.99	-25	Pass	420
3000	12000	1	RMS	7812.587	-42.03	-25	Pass	9000
12000	26500	1	RMS	25889.903	-28.86	-25	Pass	14500




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-25	Pass	2985
30	1000	0.1	RMS	876.837	-63.19	-25	Pass	9699
1000	2490	1	RMS	2482.995	-38.42	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.42	60	Pass	401
2580	3000	1	RMS	2854.654	-48.86	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.3	-25	Pass	9000
12000	26500	1	RMS	25868.9	-28.79	-25	Pass	14500




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.11	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-25	Pass	2985
30	1000	0.1	RMS	907.978	-63.38	-25	Pass	9699
1000	2490	1	RMS	2482.995	-39.14	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.77	60	Pass	401
2580	3000	1	RMS	2850.644	-48.87	-25	Pass	420
3000	12000	1	RMS	11865.834	-43.4	-25	Pass	9000
12000	26500	1	RMS	25884.902	-28.88	-25	Pass	14500




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.38	-71.7	-25	Pass	2985
30	1000	0.1	RMS	970.761	-63.27	-25	Pass	9699
1000	2490	1	RMS	2490	-50.33	-25	Pass	1490
2490	2580	1	RMS	2526	23.08	60	Pass	401
2580	3000	1	RMS	2848.64	-48.78	-25	Pass	420
3000	12000	1	RMS	11759.703	-43.36	-25	Pass	9000
12000	26500	1	RMS	25904.906	-28.83	-25	Pass	14500




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.96	-25	Pass	2985
30	1000	0.1	RMS	916.289	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-50.92	-25	Pass	1490
2490	2580	1	RMS	2526	21.57	60	Pass	401
2580	3000	1	RMS	2849.642	-48.89	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.37	-25	Pass	9000
12000	26500	1	RMS	25882.902	-28.87	-25	Pass	14500




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-25	Pass	2985
30	1000	0.1	RMS	866.423	-63.27	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.09	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.56	60	Pass	401
2580	3000	1	RMS	2587.017	-40.08	-25	Pass	420
3000	12000	1	RMS	11739.678	-43.31	-25	Pass	9000
12000	26500	1	RMS	25896.904	-28.92	-25	Pass	14500



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.07	-25	Pass	2985
30	1000	0.1	RMS	997.697	-63.18	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.15	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.06	60	Pass	401
2580	3000	1	RMS	2587.017	-40.84	-25	Pass	420
3000	12000	1	RMS	11744.684	-43.37	-25	Pass	9000
12000	26500	1	RMS	25899.905	-28.74	-25	Pass	14500



15. LTE_Band12


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2985
30	689	0.1	RMS	495.471	-63.76	-13	Pass	6590
689	725	0.1	RMS	699.26	21.3	60	Pass	401
725	1000	0.1	RMS	845.144	-62.54	-13	Pass	2750
1000	3000	1	RMS	2796.898	-44.12	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.03	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.03	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.69	-13	Pass	6590
689	725	0.1	RMS	699.26	19.97	60	Pass	401
725	1000	0.1	RMS	885.758	-62.67	-13	Pass	2750
1000	3000	1	RMS	2796.898	-45.14	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.03	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.29	-13	Pass	2985
30	689	0.1	RMS	600.887	-63.61	-13	Pass	6590
689	725	0.1	RMS	707.09	20.43	60	Pass	401
725	1000	0.1	RMS	876.755	-62.67	-13	Pass	2750
1000	3000	1	RMS	2827.914	-42	-13	Pass	2000
3000	10000	1	RMS	3535.076	-42.1	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.33	-13	Pass	2985
30	689	0.1	RMS	488.77	-63.67	-13	Pass	6590
689	725	0.1	RMS	707.09	19.66	60	Pass	401
725	1000	0.1	RMS	975.791	-62.49	-13	Pass	2750
1000	3000	1	RMS	2827.914	-42.89	-13	Pass	2000
3000	10000	1	RMS	3535.076	-42.93	-13	Pass	7000




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.49	-13	Pass	2985
30	689	0.1	RMS	510.773	-63.55	-13	Pass	6590
689	725	0.1	RMS	714.83	20.53	60	Pass	401
725	1000	0.1	RMS	874.854	-62.74	-13	Pass	2750
1000	3000	1	RMS	2858.929	-41.27	-13	Pass	2000
3000	10000	1	RMS	3574.082	-41.22	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.64	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.2	-13	Pass	2985
30	689	0.1	RMS	479.768	-63.53	-13	Pass	6590
689	725	0.1	RMS	714.83	19.92	60	Pass	401
725	1000	0.1	RMS	997.499	-62.52	-13	Pass	2750
1000	3000	1	RMS	2858.929	-42.3	-13	Pass	2000
3000	10000	1	RMS	3574.082	-42.37	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.3	-70.81	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.7	-13	Pass	6590
689	725	0.1	RMS	699.26	20.88	60	Pass	401
725	1000	0.1	RMS	983.494	-62.85	-13	Pass	2750
1000	3000	1	RMS	2796.898	-44.56	-13	Pass	2000
3000	10000	1	RMS	7995.714	-44.01	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.49	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.7	-13	Pass	6590
689	725	0.1	RMS	699.26	19.46	60	Pass	401
725	1000	0.1	RMS	857.548	-62.7	-13	Pass	2750
1000	3000	1	RMS	2796.898	-45.49	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.07	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.1	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.1	-13	Pass	2985
30	689	0.1	RMS	494.17	-63.55	-13	Pass	6590
689	725	0.1	RMS	706.28	20.53	60	Pass	401
725	1000	0.1	RMS	857.548	-62.45	-13	Pass	2750
1000	3000	1	RMS	2824.912	-41.18	-13	Pass	2000
3000	10000	1	RMS	8018.717	-41.5	-13	Pass	7000




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.55	-13	Pass	401
0.15	30	0.01	RMS	1.03	-71.72	-13	Pass	2985
30	689	0.1	RMS	490.17	-63.42	-13	Pass	6590
689	725	0.1	RMS	706.28	20.02	60	Pass	401
725	1000	0.1	RMS	867.652	-62.16	-13	Pass	2750
1000	3000	1	RMS	2824.912	-41.37	-13	Pass	2000
3000	10000	1	RMS	3531.076	-42.03	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2985
30	689	0.1	RMS	490.27	-63.75	-13	Pass	6590
689	725	0.1	RMS	713.21	20.81	60	Pass	401
725	1000	0.1	RMS	975.391	-62.45	-13	Pass	2750
1000	3000	1	RMS	2852.926	-41.46	-13	Pass	2000
3000	10000	1	RMS	3566.081	-42.75	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	689	0.1	RMS	487.369	-63.4	-13	Pass	6590
689	725	0.1	RMS	713.21	19.85	60	Pass	401
725	1000	0.1	RMS	983.794	-62.41	-13	Pass	2750
1000	3000	1	RMS	2852.926	-42.8	-13	Pass	2000
3000	10000	1	RMS	3566.081	-43.72	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.51	-13	Pass	6590
689	725	0.1	RMS	699.35	20.4	60	Pass	401
725	1000	0.1	RMS	869.052	-62.71	-13	Pass	2750
1000	3000	1	RMS	2796.898	-45.17	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	689	0.1	RMS	484.069	-63.71	-13	Pass	6590
689	725	0.1	RMS	699.35	19.47	60	Pass	401
725	1000	0.1	RMS	873.154	-62.48	-13	Pass	2750
1000	3000	1	RMS	2797.899	-46.52	-13	Pass	2000
3000	10000	1	RMS	8801.829	-44.14	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-13	Pass	2985
30	689	0.1	RMS	474.267	-63.69	-13	Pass	6590
689	725	0.1	RMS	705.38	20.13	60	Pass	401
725	1000	0.1	RMS	846.444	-62.55	-13	Pass	2750
1000	3000	1	RMS	2820.91	-42.55	-13	Pass	2000
3000	10000	1	RMS	3527.075	-42.66	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.78	-13	Pass	401
0.15	30	0.01	RMS	1.42	-71.14	-13	Pass	2985
30	689	0.1	RMS	359.35	-63.42	-13	Pass	6590
689	725	0.1	RMS	705.38	19.5	60	Pass	401
725	1000	0.1	RMS	876.655	-62.76	-13	Pass	2750
1000	3000	1	RMS	2820.91	-44.39	-13	Pass	2000
3000	10000	1	RMS	3527.075	-43.62	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.77	-13	Pass	2985
30	689	0.1	RMS	506.772	-63.73	-13	Pass	6590
689	725	0.1	RMS	711.32	21.08	60	Pass	401
725	1000	0.1	RMS	886.659	-62.57	-13	Pass	2750
1000	3000	1	RMS	2844.922	-43.48	-13	Pass	2000
3000	10000	1	RMS	3557.08	-43.82	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	Pass	2985
30	689	0.1	RMS	477.368	-63.54	-13	Pass	6590
689	725	0.1	RMS	711.32	20.06	60	Pass	401
725	1000	0.1	RMS	901.364	-62.55	-13	Pass	2750
1000	3000	1	RMS	2844.922	-44.19	-13	Pass	2000
3000	10000	1	RMS	7993.713	-44.12	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2985
30	689	0.1	RMS	629.491	-63.79	-13	Pass	6590
689	725	0.1	RMS	699.62	20.52	60	Pass	401
725	1000	0.1	RMS	888.159	-62.67	-13	Pass	2750
1000	3000	1	RMS	2797.899	-45.43	-13	Pass	2000
3000	10000	1	RMS	7994.714	-44.08	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	Pass	2985
30	689	0.1	RMS	492.87	-63.73	-13	Pass	6590
689	725	0.1	RMS	699.62	19.95	60	Pass	401
725	1000	0.1	RMS	903.965	-62.82	-13	Pass	2750
1000	3000	1	RMS	2797.899	-46.29	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.11	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.59	-13	Pass	2985
30	689	0.1	RMS	478.468	-63.46	-13	Pass	6590
689	725	0.1	RMS	703.13	20.54	60	Pass	401
725	1000	0.1	RMS	891.06	-62.45	-13	Pass	2750
1000	3000	1	RMS	2811.906	-44.01	-13	Pass	2000
3000	10000	1	RMS	3515.074	-43.86	-13	Pass	7000




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.78	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.53	-13	Pass	2985
30	689	0.1	RMS	480.468	-63.4	-13	Pass	6590
689	725	0.1	RMS	703.13	19.93	60	Pass	401
725	1000	0.1	RMS	869.753	-62.37	-13	Pass	2750
1000	3000	1	RMS	2811.906	-44.35	-13	Pass	2000
3000	10000	1	RMS	8026.718	-41.5	-13	Pass	7000




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	689	0.1	RMS	482.069	-63.34	-13	Pass	6590
689	725	0.1	RMS	706.55	20.44	60	Pass	401
725	1000	0.1	RMS	875.655	-62.55	-13	Pass	2750
1000	3000	1	RMS	2825.913	-42.19	-13	Pass	2000
3000	10000	1	RMS	3533.076	-41.57	-13	Pass	7000



**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.33	-13	Pass	2985
30	689	0.1	RMS	469.867	-63.44	-13	Pass	6590
689	725	0.1	RMS	706.55	19.47	60	Pass	401
725	1000	0.1	RMS	888.76	-62.49	-13	Pass	2750
1000	3000	1	RMS	2825.913	-43.18	-13	Pass	2000
3000	10000	1	RMS	3533.076	-42.35	-13	Pass	7000



16. LTE_Band13


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	Pass	2985
30	767	0.1	RMS	766.6	-63.23	-13	Pass	7370
767	797	0.1	RMS	777.35	20.45	60	Pass	401
797	1000	0.1	RMS	913.758	-63.4	-13	Pass	2030
1000	3000	1	RMS	2843.922	-48.54	-13	Pass	2000
3000	10000	1	RMS	8815.831	-44.14	-13	Pass	7000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	Pass	2985
30	767	0.1	RMS	742.697	-63.57	-13	Pass	7370
767	797	0.1	RMS	777.35	19.43	60	Pass	401
797	1000	0.1	RMS	874.138	-63.36	-13	Pass	2030
1000	3000	1	RMS	2846.923	-48.73	-13	Pass	2000
3000	10000	1	RMS	8792.828	-44.1	-13	Pass	7000




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.83	-13	Pass	2985
30	767	0.1	RMS	472.46	-63.6	-13	Pass	7370
767	797	0.1	RMS	779.825	20.91	60	Pass	401
797	1000	0.1	RMS	868.235	-63.36	-13	Pass	2030
1000	3000	1	RMS	2941.971	-48.65	-13	Pass	2000
3000	10000	1	RMS	8793.828	-44.15	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.06	-13	Pass	2985
30	767	0.1	RMS	471.56	-63.63	-13	Pass	7370
767	797	0.1	RMS	779.825	20.04	60	Pass	401
797	1000	0.1	RMS	962.682	-63.41	-13	Pass	2030
1000	3000	1	RMS	2846.923	-48.68	-13	Pass	2000
3000	10000	1	RMS	8801.829	-44.1	-13	Pass	7000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.8	-13	Pass	2985
30	767	0.1	RMS	719.094	-63.46	-13	Pass	7370
767	797	0.1	RMS	782.3	20.68	60	Pass	401
797	1000	0.1	RMS	868.635	-63.43	-13	Pass	2030
1000	3000	1	RMS	2848.924	-48.83	-13	Pass	2000
3000	10000	1	RMS	8801.829	-44.06	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2985
30	767	0.1	RMS	723.694	-63.42	-13	Pass	7370
767	797	0.1	RMS	782.3	19.82	60	Pass	401
797	1000	0.1	RMS	890.546	-63.51	-13	Pass	2030
1000	3000	1	RMS	2844.922	-48.81	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.12	-13	Pass	7000




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.75	-13	Pass	2985
30	767	0.1	RMS	766.9	-62.86	-13	Pass	7370
767	797	0.1	RMS	777.575	20.87	60	Pass	401
797	1000	0.1	RMS	864.233	-63.51	-13	Pass	2030
1000	3000	1	RMS	2846.923	-48.72	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.01	-13	Pass	7000



**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.37	-71.66	-13	Pass	2985
30	767	0.1	RMS	766.9	-63.33	-13	Pass	7370
767	797	0.1	RMS	777.575	19.38	60	Pass	401
797	1000	0.1	RMS	869.336	-63.49	-13	Pass	2030
1000	3000	1	RMS	2846.923	-48.58	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.12	-13	Pass	7000



17. LTE_Band17


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	Pass	2985
30	695	0.1	RMS	488.469	-63.42	-13	Pass	6650
695	725	0.1	RMS	704.3	19.97	60	Pass	401
725	1000	0.1	RMS	899.864	-63.05	-13	Pass	2750
1000	3000	1	RMS	2816.908	-43.89	-13	Pass	2000
3000	10000	1	RMS	3522.075	-43.63	-13	Pass	7000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.36	-13	Pass	2985
30	695	0.1	RMS	693.6	-63.43	-13	Pass	6650
695	725	0.1	RMS	704.375	19.33	60	Pass	401
725	1000	0.1	RMS	892.261	-63.3	-13	Pass	2750
1000	3000	1	RMS	2816.908	-44.64	-13	Pass	2000
3000	10000	1	RMS	3522.075	-43.81	-13	Pass	7000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-13	Pass	2985
30	695	0.1	RMS	468.266	-63.66	-13	Pass	6650
695	725	0.1	RMS	707.825	20.73	60	Pass	401
725	1000	0.1	RMS	855.748	-63.28	-13	Pass	2750
1000	3000	1	RMS	2830.915	-42.8	-13	Pass	2000
3000	10000	1	RMS	7966.71	-41.54	-13	Pass	7000




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.6	-13	Pass	401
0.15	30	0.01	RMS	1.07	-71.42	-13	Pass	2985
30	695	0.1	RMS	495.37	-63.43	-13	Pass	6650
695	725	0.1	RMS	707.825	20.1	60	Pass	401
725	1000	0.1	RMS	871.153	-63.38	-13	Pass	2750
1000	3000	1	RMS	2830.915	-43.67	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.31	-13	Pass	7000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.34	-70.97	-13	Pass	2985
30	695	0.1	RMS	479.368	-63.43	-13	Pass	6650
695	725	0.1	RMS	711.35	20.69	60	Pass	401
725	1000	0.1	RMS	866.652	-63.22	-13	Pass	2750
1000	3000	1	RMS	2844.922	-43.75	-13	Pass	2000
3000	10000	1	RMS	3557.08	-44.03	-13	Pass	7000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.47	-13	Pass	2985
30	695	0.1	RMS	472.867	-63.59	-13	Pass	6650
695	725	0.1	RMS	711.35	19.79	60	Pass	401
725	1000	0.1	RMS	879.756	-63.22	-13	Pass	2750
1000	3000	1	RMS	2844.922	-45.31	-13	Pass	2000
3000	10000	1	RMS	8807.83	-44.13	-13	Pass	7000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.76	-13	Pass	2985
30	695	0.1	RMS	485.669	-63.47	-13	Pass	6650
695	725	0.1	RMS	704.6	20.39	60	Pass	401
725	1000	0.1	RMS	871.553	-63.31	-13	Pass	2750
1000	3000	1	RMS	2817.909	-43.6	-13	Pass	2000
3000	10000	1	RMS	3523.075	-42.89	-13	Pass	7000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	695	0.1	RMS	693.9	-63.23	-13	Pass	6650
695	725	0.1	RMS	704.6	19.51	60	Pass	401
725	1000	0.1	RMS	894.462	-63.45	-13	Pass	2750
1000	3000	1	RMS	2817.909	-43.92	-13	Pass	2000
3000	10000	1	RMS	3523.075	-43.43	-13	Pass	7000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.33	-13	Pass	401
0.15	30	0.01	RMS	2.131	-71.21	-13	Pass	2985
30	695	0.1	RMS	494.77	-63.74	-13	Pass	6650
695	725	0.1	RMS	705.575	20.11	60	Pass	401
725	1000	0.1	RMS	987.495	-63.38	-13	Pass	2750
1000	3000	1	RMS	2821.911	-43.3	-13	Pass	2000
3000	10000	1	RMS	3528.075	-42.31	-13	Pass	7000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-13	Pass	2985
30	695	0.1	RMS	597.385	-63.63	-13	Pass	6650
695	725	0.1	RMS	705.575	19.55	60	Pass	401
725	1000	0.1	RMS	876.755	-63.15	-13	Pass	2750
1000	3000	1	RMS	2821.911	-43.86	-13	Pass	2000
3000	10000	1	RMS	3528.075	-43.25	-13	Pass	7000




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-13	Pass	2985
30	695	0.1	RMS	466.966	-63.56	-13	Pass	6650
695	725	0.1	RMS	706.625	20.2	60	Pass	401
725	1000	0.1	RMS	882.257	-63.39	-13	Pass	2750
1000	3000	1	RMS	2825.913	-42.91	-13	Pass	2000
3000	10000	1	RMS	3533.076	-42.43	-13	Pass	7000



**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.01	-13	Pass	2985
30	695	0.1	RMS	469.366	-63.81	-13	Pass	6650
695	725	0.1	RMS	706.55	19.24	60	Pass	401
725	1000	0.1	RMS	876.855	-63.33	-13	Pass	2750
1000	3000	1	RMS	2825.913	-43.65	-13	Pass	2000
3000	10000	1	RMS	3533.076	-43.29	-13	Pass	7000



18. LTE_Band25


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.77	-13	Pass	401
0.15	30	0.01	Peak	0.58	-64.3	-13	Pass	2985
30	1000	0.1	Peak	881.543	-51.98	-13	Pass	9699
1000	1840	1	Peak	1568.677	-40.37	-13	Pass	840
1840	1925	1	Peak	1850.2	26.11	60	Pass	401
1925	3000	1	Peak	2827.84	-36.94	-13	Pass	1075
3000	12000	1	Peak	11436.302	-31.32	-13	Pass	9000
12000	20000	1	Peak	19785.973	-22.7	-13	Pass	8000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.84	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.22	-13	Pass	2985
30	1000	0.1	Peak	959.646	-52.38	-13	Pass	9699
1000	1840	1	Peak	1622.741	-41.14	-13	Pass	840
1840	1925	1	Peak	1850.2	26.13	60	Pass	401
1925	3000	1	Peak	2937.942	-36.61	-13	Pass	1075
3000	12000	1	Peak	11857.824	-31.22	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.07	-13	Pass	8000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.95	-13	Pass	401
0.15	30	0.01	Peak	0.51	-64.45	-13	Pass	2985
30	1000	0.1	Peak	971.162	-52.73	-13	Pass	9699
1000	1840	1	Peak	1823.981	-40.74	-13	Pass	840
1840	1925	1	Peak	1882.075	27.02	60	Pass	401
1925	3000	1	Peak	2848.859	-36.86	-13	Pass	1075
3000	12000	1	Peak	10403.904	-31.8	-13	Pass	9000
12000	20000	1	Peak	19798.975	-22.53	-13	Pass	8000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.1	-13	Pass	2985
30	1000	0.1	Peak	876.336	-53.23	-13	Pass	9699
1000	1840	1	Peak	1295.352	-40.98	-13	Pass	840
1840	1925	1	Peak	1882.075	26.71	60	Pass	401
1925	3000	1	Peak	2925.931	-36.61	-13	Pass	1075
3000	12000	1	Peak	10888.963	-31.26	-13	Pass	9000
12000	20000	1	Peak	19793.974	-23.55	-13	Pass	8000




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.63	-13	Pass	401
0.15	30	0.01	Peak	0.37	-63.45	-13	Pass	2985
30	1000	0.1	Peak	979.773	-51.31	-13	Pass	9699
1000	1840	1	Peak	1385.459	-40.74	-13	Pass	840
1840	1925	1	Peak	1913.95	26.71	60	Pass	401
1925	3000	1	Peak	2992.993	-36.65	-13	Pass	1075
3000	12000	1	Peak	11579.48	-31.19	-13	Pass	9000
12000	20000	1	Peak	19789.974	-22.03	-13	Pass	8000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.68	-13	Pass	401
0.15	30	0.01	Peak	0.37	-63.97	-13	Pass	2985
30	1000	0.1	Peak	796.794	-52.85	-13	Pass	9699
1000	1840	1	Peak	1679.809	-41.07	-13	Pass	840
1840	1925	1	Peak	1913.95	26.31	60	Pass	401
1925	3000	1	Peak	2839.851	-36.96	-13	Pass	1075
3000	12000	1	Peak	11062.984	-31.8	-13	Pass	9000
12000	20000	1	Peak	19855.982	-23.49	-13	Pass	8000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.22	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.71	-13	Pass	2985
30	1000	0.1	Peak	735.186	-53.3	-13	Pass	9699
1000	1840	1	Peak	1706.841	-40.25	-13	Pass	840
1840	1925	1	Peak	1850.2	26.13	60	Pass	401
1925	3000	1	Peak	2757.775	-36.91	-13	Pass	1075
3000	12000	1	Peak	11616.525	-31.16	-13	Pass	9000
12000	20000	1	Peak	19791.974	-23.56	-13	Pass	8000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.56	-13	Pass	401
0.15	30	0.01	Peak	4.611	-64.33	-13	Pass	2985
30	1000	0.1	Peak	377.042	-52.39	-13	Pass	9699
1000	1840	1	Peak	1734.875	-40.9	-13	Pass	840
1840	1925	1	Peak	1850.2	25.96	60	Pass	401
1925	3000	1	Peak	2871.881	-36.61	-13	Pass	1075
3000	12000	1	Peak	11151.995	-31.33	-13	Pass	9000
12000	20000	1	Peak	19798.975	-23.32	-13	Pass	8000




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.93	-13	Pass	401
0.15	30	0.01	Peak	0.67	-63.43	-13	Pass	2985
30	1000	0.1	Peak	890.154	-52.57	-13	Pass	9699
1000	1840	1	Peak	1491.585	-40.89	-13	Pass	840
1840	1925	1	Peak	1881.225	27.17	60	Pass	401
1925	3000	1	Peak	2798.813	-37.2	-13	Pass	1075
3000	12000	1	Peak	11297.13	-31.22	-13	Pass	9000
12000	20000	1	Peak	19940.993	-23.24	-13	Pass	8000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.42	-13	Pass	2985
30	1000	0.1	Peak	850.902	-52.66	-13	Pass	9699
1000	1840	1	Peak	1795.948	-40.12	-13	Pass	840
1840	1925	1	Peak	1881.225	27.38	60	Pass	401
1925	3000	1	Peak	2954.958	-36.23	-13	Pass	1075
3000	12000	1	Peak	11843.807	-31.69	-13	Pass	9000
12000	20000	1	Peak	19791.974	-22.86	-13	Pass	8000




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.07	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.76	-13	Pass	2985
30	1000	0.1	Peak	784.392	-52.46	-13	Pass	9699
1000	1840	1	Peak	1205.244	-40.08	-13	Pass	840
1840	1925	1	Peak	1912.25	26.29	60	Pass	401
1925	3000	1	Peak	2843.855	-36.86	-13	Pass	1075
3000	12000	1	Peak	10113.868	-30.56	-13	Pass	9000
12000	20000	1	Peak	19825.978	-22.17	-13	Pass	8000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.42	-13	Pass	401
0.15	30	0.01	Peak	0.44	-65.5	-13	Pass	2985
30	1000	0.1	Peak	799.494	-52.42	-13	Pass	9699
1000	1840	1	Peak	1806.961	-40.87	-13	Pass	840
1840	1925	1	Peak	1912.25	26.09	60	Pass	401
1925	3000	1	Peak	2949.953	-37.01	-13	Pass	1075
3000	12000	1	Peak	11750.691	-31.66	-13	Pass	9000
12000	20000	1	Peak	19813.977	-23.3	-13	Pass	8000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.54	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.66	-13	Pass	2985
30	1000	0.1	Peak	946.529	-52.85	-13	Pass	9699
1000	1840	1	Peak	1387.461	-40.67	-13	Pass	840
1840	1925	1	Peak	1850.413	26.09	60	Pass	401
1925	3000	1	Peak	2827.84	-37.01	-13	Pass	1075
3000	12000	1	Peak	11858.825	-31.39	-13	Pass	9000
12000	20000	1	Peak	19804.976	-23.44	-13	Pass	8000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66	-13	Pass	401
0.15	30	0.01	Peak	1.33	-63.82	-13	Pass	2985
30	1000	0.1	Peak	901.069	-53.11	-13	Pass	9699
1000	1840	1	Peak	1796.949	-40.22	-13	Pass	840
1840	1925	1	Peak	1850.2	25.85	60	Pass	401
1925	3000	1	Peak	2838.85	-36.9	-13	Pass	1075
3000	12000	1	Peak	11738.677	-31.16	-13	Pass	9000
12000	20000	1	Peak	19716.965	-23.49	-13	Pass	8000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.27	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.73	-13	Pass	2985
30	1000	0.1	Peak	751.288	-51.75	-13	Pass	9699
1000	1840	1	Peak	1482.574	-39.67	-13	Pass	840
1840	1925	1	Peak	1880.375	27.09	60	Pass	401
1925	3000	1	Peak	2822.835	-36.35	-13	Pass	1075
3000	12000	1	Peak	11572.471	-31.69	-13	Pass	9000
12000	20000	1	Peak	19775.972	-23.53	-13	Pass	8000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.3	-13	Pass	2985
30	1000	0.1	Peak	931.109	-52.49	-13	Pass	9699
1000	1840	1	Peak	1557.664	-40.62	-13	Pass	840
1840	1925	1	Peak	1880.375	27	60	Pass	401
1925	3000	1	Peak	2851.862	-36.62	-13	Pass	1075
3000	12000	1	Peak	11968.962	-31.68	-13	Pass	9000
12000	20000	1	Peak	19804.976	-23.29	-13	Pass	8000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.66	-13	Pass	2985
30	1000	0.1	Peak	556.164	-52.81	-13	Pass	9699
1000	1840	1	Peak	1820.977	-40.55	-13	Pass	840
1840	1925	1	Peak	1910.338	26.32	60	Pass	401
1925	3000	1	Peak	2951.955	-36.75	-13	Pass	1075
3000	12000	1	Peak	11749.69	-31.87	-13	Pass	9000
12000	20000	1	Peak	19804.976	-22.87	-13	Pass	8000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.62	-63.91	-13	Pass	2985
30	1000	0.1	Peak	346.739	-52.99	-13	Pass	9699
1000	1840	1	Peak	1798.951	-41.22	-13	Pass	840
1840	1925	1	Peak	1910.338	26.03	60	Pass	401
1925	3000	1	Peak	2909.916	-36.89	-13	Pass	1075
3000	12000	1	Peak	11291.123	-31.46	-13	Pass	9000
12000	20000	1	Peak	19797.975	-23.16	-13	Pass	8000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.95	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65	-13	Pass	2985
30	1000	0.1	Peak	865.321	-52.51	-13	Pass	9699
1000	1840	1	Peak	1832.992	-33.78	-13	Pass	840
1840	1925	1	Peak	1850.625	26.12	60	Pass	401
1925	3000	1	Peak	2850.861	-36.04	-13	Pass	1075
3000	12000	1	Peak	11795.747	-31.4	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.29	-13	Pass	8000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.94	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64.24	-13	Pass	2985
30	1000	0.1	Peak	385.043	-52.89	-13	Pass	9699
1000	1840	1	Peak	1832.992	-32.32	-13	Pass	840
1840	1925	1	Peak	1850.625	25.97	60	Pass	401
1925	3000	1	Peak	2850.861	-36.47	-13	Pass	1075
3000	12000	1	Peak	11522.409	-31.54	-13	Pass	9000
12000	20000	1	Peak	19746.968	-23.09	-13	Pass	8000




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.18	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.34	-13	Pass	2985
30	1000	0.1	Peak	924.6	-53.01	-13	Pass	9699
1000	1840	1	Peak	1836.996	-39.95	-13	Pass	840
1840	1925	1	Peak	1878.038	27.37	60	Pass	401
1925	3000	1	Peak	2919.926	-35.15	-13	Pass	1075
3000	12000	1	Peak	11809.765	-31.45	-13	Pass	9000
12000	20000	1	Peak	19803.975	-22.79	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.19	-13	Pass	401
0.15	30	0.01	Peak	0.46	-63.52	-13	Pass	2985
30	1000	0.1	Peak	797.894	-52.46	-13	Pass	9699
1000	1840	1	Peak	1537.64	-41.33	-13	Pass	840
1840	1925	1	Peak	1878.038	27.6	60	Pass	401
1925	3000	1	Peak	2851.862	-36.44	-13	Pass	1075
3000	12000	1	Peak	11783.732	-30.44	-13	Pass	9000
12000	20000	1	Peak	19794.974	-23.17	-13	Pass	8000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.024	-67.67	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.95	-13	Pass	2985
30	1000	0.1	Peak	438.35	-52.68	-13	Pass	9699
1000	1840	1	Peak	1769.917	-40.53	-13	Pass	840
1840	1925	1	Peak	1905.663	27.32	60	Pass	401
1925	3000	1	Peak	2922.928	-36.73	-13	Pass	1075
3000	12000	1	Peak	11764.709	-30.89	-13	Pass	9000
12000	20000	1	Peak	19806.976	-23.03	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.88	-13	Pass	401
0.15	30	0.01	Peak	15.265	-63.63	-13	Pass	2985
30	1000	0.1	Peak	942.324	-52.83	-13	Pass	9699
1000	1840	1	Peak	1552.658	-40.89	-13	Pass	840
1840	1925	1	Peak	1905.663	26.98	60	Pass	401
1925	3000	1	Peak	2841.853	-35.63	-13	Pass	1075
3000	12000	1	Peak	11595.499	-30.98	-13	Pass	9000
12000	20000	1	Peak	19773.972	-23.65	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.28	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.13	-13	Pass	2985
30	1000	0.1	Peak	977.07	-52.33	-13	Pass	9699
1000	1840	1	Peak	1836.996	-19.92	-13	Pass	840
1840	1925	1	Peak	1850.838	26.1	60	Pass	401
1925	3000	1	Peak	2797.812	-36.9	-13	Pass	1075
3000	12000	1	Peak	11882.855	-31.28	-13	Pass	9000
12000	20000	1	Peak	19809.976	-23.01	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.78	-13	Pass	401
0.15	30	0.01	Peak	0.28	-63.23	-13	Pass	2985
30	1000	0.1	Peak	834.798	-52.48	-13	Pass	9699
1000	1840	1	Peak	1837.998	-20.41	-13	Pass	840
1840	1925	1	Peak	1850.838	25.98	60	Pass	401
1925	3000	1	Peak	2907.914	-37.19	-13	Pass	1075
3000	12000	1	Peak	11889.864	-31.21	-13	Pass	9000
12000	20000	1	Peak	19780.973	-23.25	-13	Pass	8000




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.92	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.33	-13	Pass	2985
30	1000	0.1	Peak	808.295	-52.72	-13	Pass	9699
1000	1840	1	Peak	1773.921	-39.51	-13	Pass	840
1840	1925	1	Peak	1875.913	27.48	60	Pass	401
1925	3000	1	Peak	2838.85	-36.93	-13	Pass	1075
3000	12000	1	Peak	11012.978	-30.89	-13	Pass	9000
12000	20000	1	Peak	19810.976	-23.11	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.82	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.54	-13	Pass	2985
30	1000	0.1	Peak	519.96	-53.09	-13	Pass	9699
1000	1840	1	Peak	1819.976	-41.12	-13	Pass	840
1840	1925	1	Peak	1875.913	27.68	60	Pass	401
1925	3000	1	Peak	2960.964	-37.37	-13	Pass	1075
3000	12000	1	Peak	11000.977	-31.51	-13	Pass	9000
12000	20000	1	Peak	19794.974	-22.83	-13	Pass	8000




18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-67.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.49	-13	Pass	2985
30	1000	0.1	Peak	481.255	-53.03	-13	Pass	9699
1000	1840	1	Peak	1811.967	-40.47	-13	Pass	840
1840	1925	1	Peak	1900.775	27.51	60	Pass	401
1925	3000	1	Peak	2733.752	-37.28	-13	Pass	1075
3000	12000	1	Peak	11036.981	-31.05	-13	Pass	9000
12000	20000	1	Peak	19786.973	-23.18	-13	Pass	8000




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.88	-13	Pass	401
0.15	30	0.01	Peak	0.16	-61.42	-13	Pass	2985
30	1000	0.1	Peak	957.444	-52.54	-13	Pass	9699
1000	1840	1	Peak	1621.74	-40.99	-13	Pass	840
1840	1925	1	Peak	1900.775	26.49	60	Pass	401
1925	3000	1	Peak	2952.956	-37.11	-13	Pass	1075
3000	12000	1	Peak	7099.5	-31.54	-13	Pass	9000
12000	20000	1	Peak	19818.977	-22.8	-13	Pass	8000




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.52	-13	Pass	401
0.15	30	0.01	Peak	24.528	-65.15	-13	Pass	2985
30	1000	0.1	Peak	913.385	-51.28	-13	Pass	9699
1000	1840	1	Peak	1833.993	-22.34	-13	Pass	840
1840	1925	1	Peak	1851.05	26.03	60	Pass	401
1925	3000	1	Peak	2854.865	-36.72	-13	Pass	1075
3000	12000	1	Peak	10166.875	-31	-13	Pass	9000
12000	20000	1	Peak	19835.979	-23.39	-13	Pass	8000




**18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.72	-13	Pass	401
0.15	30	0.01	Peak	16.255	-64.98	-13	Pass	2985
30	1000	0.1	Peak	723.385	-52.3	-13	Pass	9699
1000	1840	1	Peak	1832.992	-21.71	-13	Pass	840
1840	1925	1	Peak	1851.05	26.07	60	Pass	401
1925	3000	1	Peak	2930.936	-36.37	-13	Pass	1075
3000	12000	1	Peak	8034.615	-31.88	-13	Pass	9000
12000	20000	1	Peak	19812.977	-23.4	-13	Pass	8000




**18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.52	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.03	-13	Pass	2985
30	1000	0.1	Peak	909.18	-51.52	-13	Pass	9699
1000	1840	1	Peak	1837.998	-36.8	-13	Pass	840
1840	1925	1	Peak	1873.575	27.57	60	Pass	401
1925	3000	1	Peak	2921.927	-36.93	-13	Pass	1075
3000	12000	1	Peak	11617.527	-31.17	-13	Pass	9000
12000	20000	1	Peak	19801.975	-23.52	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.96	-13	Pass	401
0.15	30	0.01	Peak	2.251	-65.49	-13	Pass	2985
30	1000	0.1	Peak	842.899	-53.2	-13	Pass	9699
1000	1840	1	Peak	1837.998	-38.17	-13	Pass	840
1840	1925	1	Peak	1873.575	27.49	60	Pass	401
1925	3000	1	Peak	2910.917	-36.82	-13	Pass	1075
3000	12000	1	Peak	11655.574	-31.06	-13	Pass	9000
12000	20000	1	Peak	19829.979	-23.4	-13	Pass	8000




**18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.09	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.91	-13	Pass	2985
30	1000	0.1	Peak	290.532	-52.93	-13	Pass	9699
1000	1840	1	Peak	1795.948	-40.45	-13	Pass	840
1840	1925	1	Peak	1896.1	27.16	60	Pass	401
1925	3000	1	Peak	2946.951	-36.98	-13	Pass	1075
3000	12000	1	Peak	11906.885	-31.67	-13	Pass	9000
12000	20000	1	Peak	19781.973	-22.54	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.63	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.31	-13	Pass	2985
30	1000	0.1	Peak	894.56	-51.47	-13	Pass	9699
1000	1840	1	Peak	1819.976	-40.35	-13	Pass	840
1840	1925	1	Peak	1896.1	27.11	60	Pass	401
1925	3000	1	Peak	2863.873	-36.35	-13	Pass	1075
3000	12000	1	Peak	11778.726	-30.9	-13	Pass	9000
12000	20000	1	Peak	19802.975	-23.01	-13	Pass	8000



19. LTE_Band41 100M


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.4	-25	Pass	691
0.15	30	0.01	RMS	29.19	-70.96	-25	Pass	2985
30	1000	0.1	RMS	946.094	-60.3	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.61	-25	Pass	1485
2485	2700	1	RMS	2555.109	19	60	Pass	691
2700	3000	1	RMS	2854.783	-47.35	-25	Pass	691
3000	12000	1	RMS	11752.973	-38.91	-25	Pass	9000
12000	28000	1	RMS	27816.989	-29.8	-25	Pass	16000




**19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.15	-25	Pass	691
0.15	30	0.01	RMS	28.61	-72.08	-25	Pass	2985
30	1000	0.1	RMS	947.295	-60.02	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.67	-25	Pass	1485
2485	2700	1	RMS	2555.42	18.54	60	Pass	691
2700	3000	1	RMS	2851.304	-47.44	-25	Pass	691
3000	12000	1	RMS	11772.975	-39	-25	Pass	9000
12000	28000	1	RMS	27806.988	-29.89	-25	Pass	16000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	691
0.15	30	0.01	RMS	25.418	-71.6	-25	Pass	2985
30	1000	0.1	RMS	893.689	-60.44	-25	Pass	9700
1000	2485	1	RMS	2476.995	-49.71	-25	Pass	1485
2485	2700	1	RMS	2602.783	18.47	60	Pass	691
2700	3000	1	RMS	2859.13	-47.52	-25	Pass	691
3000	12000	1	RMS	11769.974	-39.09	-25	Pass	9000
12000	28000	1	RMS	27799.987	-29.9	-25	Pass	16000




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.2	-25	Pass	691
0.15	30	0.01	RMS	28.83	-71.36	-25	Pass	2985
30	1000	0.1	RMS	999.3	-60.55	-25	Pass	9700
1000	2485	1	RMS	2472.992	-49.76	-25	Pass	1485
2485	2700	1	RMS	2602.783	17.55	60	Pass	691
2700	3000	1	RMS	2856.957	-47.54	-25	Pass	691
3000	12000	1	RMS	11752.973	-39.09	-25	Pass	9000
12000	28000	1	RMS	27815.988	-29.96	-25	Pass	16000




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	691
0.15	30	0.01	RMS	22.538	-71.43	-25	Pass	2985
30	1000	0.1	RMS	944.994	-60.5	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.8	-25	Pass	1485
2485	2700	1	RMS	2650.457	18.21	60	Pass	691
2700	3000	1	RMS	2855.652	-47.54	-25	Pass	691
3000	12000	1	RMS	11758.973	-39.1	-25	Pass	9000
12000	28000	1	RMS	27810.988	-29.98	-25	Pass	16000




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.18	-25	Pass	691
0.15	30	0.01	RMS	0.15	-70.28	-25	Pass	2985
30	1000	0.1	RMS	949.595	-60.33	-25	Pass	9700
1000	2485	1	RMS	2476.995	-49.82	-25	Pass	1485
2485	2700	1	RMS	2650.457	16.61	60	Pass	691
2700	3000	1	RMS	2848.696	-47.59	-25	Pass	691
3000	12000	1	RMS	11759.973	-39.07	-25	Pass	9000
12000	28000	1	RMS	27796.987	-30.02	-25	Pass	16000




19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.48	-25	Pass	691
0.15	30	0.01	RMS	22.658	-71.29	-25	Pass	2985
30	1000	0.1	RMS	910.691	-60.62	-25	Pass	9700
1000	2485	1	RMS	2471.991	-49.82	-25	Pass	1485
2485	2700	1	RMS	2555.42	18.72	60	Pass	691
2700	3000	1	RMS	2849.565	-47.58	-25	Pass	691
3000	12000	1	RMS	11759.973	-39.15	-25	Pass	9000
12000	28000	1	RMS	27796.987	-30.02	-25	Pass	16000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	691
0.15	30	0.01	RMS	0.21	-71.44	-25	Pass	2985
30	1000	0.1	RMS	917.992	-60.58	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.81	-25	Pass	1485
2485	2700	1	RMS	2555.42	17.88	60	Pass	691
2700	3000	1	RMS	2854.348	-47.6	-25	Pass	691
3000	12000	1	RMS	11782.976	-39.17	-25	Pass	9000
12000	28000	1	RMS	27831.989	-30.02	-25	Pass	16000




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.23	-25	Pass	691
0.15	30	0.01	RMS	27.769	-70.94	-25	Pass	2985
30	1000	0.1	RMS	893.789	-60.43	-25	Pass	9700
1000	2485	1	RMS	2483.999	-49.85	-25	Pass	1485
2485	2700	1	RMS	2600.601	18.77	60	Pass	691
2700	3000	1	RMS	2858.261	-47.61	-25	Pass	691
3000	12000	1	RMS	11765.974	-39.12	-25	Pass	9000
12000	28000	1	RMS	27823.989	-30.03	-25	Pass	16000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	691
0.15	30	0.01	RMS	22.558	-71.16	-25	Pass	2985
30	1000	0.1	RMS	893.989	-60.43	-25	Pass	9700
1000	2485	1	RMS	2470.991	-49.83	-25	Pass	1485
2485	2700	1	RMS	2600.601	18.2	60	Pass	691
2700	3000	1	RMS	2850.435	-47.56	-25	Pass	691
3000	12000	1	RMS	11754.973	-39.16	-25	Pass	9000
12000	28000	1	RMS	27802.988	-30.02	-25	Pass	16000




19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	0.18	-71.48	-25	Pass	2985
30	1000	0.1	RMS	937.494	-60.33	-25	Pass	9700
1000	2485	1	RMS	2483.999	-49.86	-25	Pass	1485
2485	2700	1	RMS	2645.783	18.13	60	Pass	691
2700	3000	1	RMS	2954.783	-47.58	-25	Pass	691
3000	12000	1	RMS	11760.973	-39.14	-25	Pass	9000
12000	28000	1	RMS	27821.989	-30.02	-25	Pass	16000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.34	-25	Pass	691
0.15	30	0.01	RMS	29.05	-71.57	-25	Pass	2985
30	1000	0.1	RMS	945.894	-60.06	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.81	-25	Pass	1485
2485	2700	1	RMS	2645.783	17.63	60	Pass	691
2700	3000	1	RMS	2850	-47.59	-25	Pass	691
3000	12000	1	RMS	11751.972	-39.13	-25	Pass	9000
12000	28000	1	RMS	27817.989	-30.02	-25	Pass	16000




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.52	-25	Pass	691
0.15	30	0.01	RMS	0.22	-71.71	-25	Pass	2985
30	1000	0.1	RMS	903.69	-60.51	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.83	-25	Pass	1485
2485	2700	1	RMS	2555.732	18.85	60	Pass	691
2700	3000	1	RMS	2851.739	-47.58	-25	Pass	691
3000	12000	1	RMS	11774.975	-39.15	-25	Pass	9000
12000	28000	1	RMS	27804.988	-30.02	-25	Pass	16000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	691
0.15	30	0.01	RMS	28.51	-71.44	-25	Pass	2985
30	1000	0.1	RMS	943.694	-60.42	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.83	-25	Pass	1485
2485	2700	1	RMS	2555.732	18.09	60	Pass	691
2700	3000	1	RMS	2852.609	-47.58	-25	Pass	691
3000	12000	1	RMS	11772.975	-39.14	-25	Pass	9000
12000	28000	1	RMS	27808.988	-30.02	-25	Pass	16000




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.38	-25	Pass	691
0.15	30	0.01	RMS	0.18	-71.01	-25	Pass	2985
30	1000	0.1	RMS	929.393	-60.58	-25	Pass	9700
1000	2485	1	RMS	2485	-49.87	-25	Pass	1485
2485	2700	1	RMS	2598.42	18.69	60	Pass	691
2700	3000	1	RMS	2853.913	-47.59	-25	Pass	691
3000	12000	1	RMS	11750.972	-39.14	-25	Pass	9000
12000	28000	1	RMS	27806.988	-30.04	-25	Pass	16000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.2	-25	Pass	691
0.15	30	0.01	RMS	23.128	-71	-25	Pass	2985
30	1000	0.1	RMS	992.199	-60.56	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.83	-25	Pass	1485
2485	2700	1	RMS	2598.42	18.4	60	Pass	691
2700	3000	1	RMS	2850.435	-47.59	-25	Pass	691
3000	12000	1	RMS	11771.975	-39.13	-25	Pass	9000
12000	28000	1	RMS	27848.991	-30.02	-25	Pass	16000




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.29	-25	Pass	691
0.15	30	0.01	RMS	28.94	-71.13	-25	Pass	2985
30	1000	0.1	RMS	927.693	-60.54	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.83	-25	Pass	1485
2485	2700	1	RMS	2640.797	18.43	60	Pass	691
2700	3000	1	RMS	2858.261	-47.61	-25	Pass	691
3000	12000	1	RMS	11752.973	-39.12	-25	Pass	9000
12000	28000	1	RMS	27799.987	-30	-25	Pass	16000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	26.149	-71.38	-25	Pass	2985
30	1000	0.1	RMS	933.893	-60.33	-25	Pass	9700
1000	2485	1	RMS	2469.99	-49.85	-25	Pass	1485
2485	2700	1	RMS	2640.797	17.37	60	Pass	691
2700	3000	1	RMS	2852.174	-47.63	-25	Pass	691
3000	12000	1	RMS	11766.974	-39.09	-25	Pass	9000
12000	28000	1	RMS	27806.988	-29.99	-25	Pass	16000




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.56	-25	Pass	691
0.15	30	0.01	RMS	28.459	-71.73	-25	Pass	2985
30	1000	0.1	RMS	895.589	-60.45	-25	Pass	9700
1000	2485	1	RMS	2485	-49.85	-25	Pass	1485
2485	2700	1	RMS	2556.043	18.85	60	Pass	691
2700	3000	1	RMS	2851.304	-47.62	-25	Pass	691
3000	12000	1	RMS	11759.973	-39.13	-25	Pass	9000
12000	28000	1	RMS	27804.988	-30.03	-25	Pass	16000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.3	-25	Pass	691
0.15	30	0.01	RMS	0.18	-71.42	-25	Pass	2985
30	1000	0.1	RMS	973.997	-60.65	-25	Pass	9700
1000	2485	1	RMS	2472.992	-49.87	-25	Pass	1485
2485	2700	1	RMS	2556.043	18.19	60	Pass	691
2700	3000	1	RMS	2860	-47.6	-25	Pass	691
3000	12000	1	RMS	11758.973	-39.11	-25	Pass	9000
12000	28000	1	RMS	27823.989	-30.03	-25	Pass	16000




19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.3	-25	Pass	691
0.15	30	0.01	RMS	25.839	-71.77	-25	Pass	2985
30	1000	0.1	RMS	937.194	-60.52	-25	Pass	9700
1000	2485	1	RMS	2483.999	-49.86	-25	Pass	1485
2485	2700	1	RMS	2596.239	18.63	60	Pass	691
2700	3000	1	RMS	2853.478	-47.58	-25	Pass	691
3000	12000	1	RMS	11759.973	-39.15	-25	Pass	9000
12000	28000	1	RMS	27799.987	-29.99	-25	Pass	16000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.29	-25	Pass	691
0.15	30	0.01	RMS	29.12	-71.37	-25	Pass	2985
30	1000	0.1	RMS	921.592	-60.47	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.79	-25	Pass	1485
2485	2700	1	RMS	2596.239	17.25	60	Pass	691
2700	3000	1	RMS	2857.826	-47.6	-25	Pass	691
3000	12000	1	RMS	11762.974	-39.1	-25	Pass	9000
12000	28000	1	RMS	27850.991	-30.02	-25	Pass	16000



19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.5	-25	Pass	691
0.15	30	0.01	RMS	25.398	-71.87	-25	Pass	2985
30	1000	0.1	RMS	915.391	-60.27	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.82	-25	Pass	1485
2485	2700	1	RMS	2636.123	18.94	60	Pass	691
2700	3000	1	RMS	2853.478	-47.6	-25	Pass	691
3000	12000	1	RMS	11769.974	-39.15	-25	Pass	9000
12000	28000	1	RMS	27831.989	-30.07	-25	Pass	16000



**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.44	-25	Pass	691
0.15	30	0.01	RMS	0.22	-71.46	-25	Pass	2985
30	1000	0.1	RMS	984.998	-60.61	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.83	-25	Pass	1485
2485	2700	1	RMS	2636.123	17.89	60	Pass	691
2700	3000	1	RMS	2854.348	-47.59	-25	Pass	691
3000	12000	1	RMS	11758.973	-39.12	-25	Pass	9000
12000	28000	1	RMS	27808.988	-30.03	-25	Pass	16000

