


# RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →  
 LTE-B17-5-LCH-H-TX

## Test result

Project Number: Certification  
 Test Time: 2020-02-22\_15.00.37  
 EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: FCC  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.435	-69.95	-9.07	-13.0	-56.95	267.90	Horizontal	Vertical	Pass
223.224	-70.28	-10.08	-13.0	-57.28	273.50	Horizontal	Vertical	Pass
708.345	-22.32	-1.73	-13.0	-9.32	212.90	Horizontal	Vertical	Pass
738.408	-62.64	-1.14	-13.0	-49.64	109.70	Horizontal	Vertical	Pass
1190.952	-58.60	-3.99	-13.0	-45.60	297.20	Horizontal	Vertical	Pass
3013.997	-56.42	-1.00	-13.0	-43.42	326.60	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.02.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-72.05	-10.94	-13.0	-59.05	301.40	Horizontal	Vertical	Pass
200.677	-69.42	-9.20	-13.0	-56.42	233.30	Horizontal	Vertical	Pass
708.588	-22.87	-1.73	-13.0	-9.87	203.20	Horizontal	Vertical	Pass
741.560	-61.98	-1.09	-13.0	-48.98	124.30	Horizontal	Vertical	Pass
1195.951	-58.49	-3.77	-13.0	-45.49	249.50	Horizontal	Vertical	Pass
4786.553	-52.75	1.91	-13.0	-39.75	100.00	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_14.58.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-73.65	-10.60	-13.0	-60.65	220.80	Horizontal	Vertical	Pass
200.677	-70.18	-9.20	-13.0	-57.18	242.70	Horizontal	Vertical	Pass
711.740	-22.65	-1.65	-13.0	-9.65	223.40	Horizontal	Vertical	Pass
741.560	-62.59	-1.09	-13.0	-49.59	122.20	Horizontal	Vertical	Pass
1194.451	-58.59	-3.84	-13.0	-45.59	287.90	Horizontal	Vertical	Pass
2993.002	-56.59	-1.05	-13.0	-43.59	89.10	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_14.51.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE FCC\_PRT22&24&27\_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.669	-70.89	-18.98	-13.0	-57.89	42.10	Vertical	Vertical	Pass
258.135	-71.38	-7.20	-13.0	-58.38	17.50	Vertical	Vertical	Pass
708.103	-33.05	-1.74	-13.0	-20.05	314.10	Vertical	Vertical	Pass
736.953	-66.02	-1.14	-13.0	-53.02	0.60	Vertical	Vertical	Pass
3003.999	-56.21	-0.74	-13.0	-43.21	0.00	Vertical	Vertical	Pass
4972.507	-53.00	2.59	-13.0	-40.00	1.50	Vertical	Vertical	Pass

LTE-B17-5-MCH-V-TX

# Test result

Project Number: Certification

Test Time: 2020-02-22\_14.49.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.364	-66.16	-11.42	-13.0	-53.16	93.50	Vertical	Vertical	Pass
183.464	-57.78	-16.75	-13.0	-44.78	109.80	Vertical	Vertical	Pass
709.800	-31.00	-1.69	-13.0	-18.00	167.50	Vertical	Vertical	Pass
739.378	-66.94	-1.13	-13.0	-53.94	2.60	Vertical	Vertical	Pass
2293.177	-56.90	-2.66	-13.0	-43.90	333.20	Vertical	Vertical	Pass
3729.818	-54.67	-1.22	-13.0	-41.67	38.90	Vertical	Vertical	Pass

LTE-B17-5-HCH-V-TX

# Test result

Project Number: Certification

Test Time: 2020-02-22\_14.54.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.121	-65.74	-11.47	-13.0	-52.74	152.00	Vertical	Vertical	Pass
72.669	-70.63	-18.98	-13.0	-57.63	89.10	Vertical	Vertical	Pass
712.709	-36.27	-1.64	-13.0	-23.27	163.20	Vertical	Vertical	Pass
744.469	-65.86	-1.00	-13.0	-52.86	0.00	Vertical	Vertical	Pass
1206.948	-58.61	-4.00	-13.0	-45.61	134.60	Vertical	Vertical	Pass
4976.506	-52.92	2.65	-13.0	-39.92	360.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.07.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.365	-72.56	-14.25	-13.0	-59.56	287.20	Horizontal	Vertical	Pass
240.437	-70.50	-3.43	-13.0	-57.50	279.00	Horizontal	Vertical	Pass
709.558	-24.10	-1.69	-13.0	-11.10	216.90	Horizontal	Vertical	Pass
742.044	-62.29	-1.07	-13.0	-49.29	124.30	Horizontal	Vertical	Pass
1199.450	-58.52	-3.61	-13.0	-45.52	6.50	Horizontal	Vertical	Pass
5021.495	-52.92	2.90	-13.0	-39.92	0.50	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.05.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-64.80	-10.90	-13.0	-51.80	106.50	Horizontal	Vertical	Pass
199.950	-68.83	-8.89	-13.0	-55.83	248.70	Horizontal	Vertical	Pass
708.345	-24.70	-1.73	-13.0	-11.70	207.30	Horizontal	Vertical	Pass
741.560	-61.73	-1.09	-13.0	-48.73	116.90	Horizontal	Vertical	Pass
1179.955	-58.75	-4.53	-13.0	-45.75	282.70	Horizontal	Vertical	Pass
4808.548	-52.78	1.93	-13.0	-39.78	350.40	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.09.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-73.26	-10.83	-13.0	-60.26	208.50	Horizontal	Vertical	Pass
199.950	-70.33	-8.89	-13.0	-57.33	244.20	Horizontal	Vertical	Pass
710.285	-22.80	-1.68	-13.0	-9.80	219.30	Horizontal	Vertical	Pass
743.742	-62.44	-1.03	-13.0	-49.44	126.20	Horizontal	Vertical	Pass
2287.678	-56.72	-2.66	-13.0	-43.72	296.80	Horizontal	Vertical	Pass
4935.516	-52.77	2.05	-13.0	-39.77	356.90	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.17.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B17




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-65.54	-11.57	-13.0	-52.54	103.70	Vertical	Vertical	Pass
71.942	-71.24	-18.70	-13.0	-58.24	73.90	Vertical	Vertical	Pass
710.285	-36.47	-1.68	-13.0	-23.47	313.50	Vertical	Vertical	Pass
736.711	-65.18	-1.14	-13.0	-52.18	0.10	Vertical	Vertical	Pass
1212.447	-58.94	-4.33	-13.0	-45.94	199.30	Vertical	Vertical	Pass
3021.995	-55.96	-1.21	-13.0	-42.96	48.30	Vertical	Vertical	Pass

LTE-B17-10-MCH-V-TX

# Test result

Project Number: Certification  
 Test Time: 2020-02-22\_15.14.43  
 EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: FCC  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Temp.(oC):  
 Hum:  
 Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.638	-68.46	-14.00	-13.0	-55.46	257.20	Vertical	Vertical	Pass
80.427	-71.62	-19.85	-13.0	-58.62	27.50	Vertical	Vertical	Pass
709.315	-38.73	-1.70	-13.0	-25.73	158.20	Vertical	Vertical	Pass
737.681	-64.35	-1.14	-13.0	-51.35	0.20	Vertical	Vertical	Pass
1197.951	-58.61	-3.68	-13.0	-45.61	182.60	Vertical	Vertical	Pass
5046.488	-52.24	2.80	-13.0	-39.24	360.50	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.12.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.909	-64.98	-11.72	-13.0	-51.98	130.60	Vertical	Vertical	Pass
72.184	-70.81	-18.79	-13.0	-57.81	106.50	Vertical	Vertical	Pass
709.558	-38.29	-1.69	-13.0	-25.29	169.00	Vertical	Vertical	Pass
736.711	-66.00	-1.14	-13.0	-53.00	0.50	Vertical	Vertical	Pass
1205.949	-57.62	-3.94	-13.0	-44.62	221.60	Vertical	Vertical	Pass
4792.552	-52.49	1.94	-13.0	-39.49	0.40	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.25.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-73.29	-11.16	-13.0	-60.29	196.00	Horizontal	Vertical	Pass
239.953	-70.78	-3.57	-13.0	-57.78	255.70	Horizontal	Vertical	Pass
1197.451	-58.54	-3.69	-13.0	-45.54	11.50	Horizontal	Vertical	Pass
1850.287	-55.42	-7.96	-13.0	-42.42	281.20	Horizontal	Vertical	Pass
1930.267	-37.30	-8.28	-13.0	-24.30	250.60	Horizontal	Vertical	Pass
4736.566	-42.54	1.69	-13.0	-29.54	193.00	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.24.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.74	10.22	-13.0	-51.74	38.00	Horizontal	Vertical	Pass
9391.902	-59.93	15.20	-13.0	-46.93	284.30	Horizontal	Vertical	Pass
10502.624	-57.19	16.50	-13.0	-44.19	255.70	Horizontal	Vertical	Pass
11203.699	-56.73	15.98	-13.0	-43.73	327.50	Horizontal	Vertical	Pass
13625.844	-53.07	18.13	-13.0	-40.07	233.00	Horizontal	Vertical	Pass
14541.365	-45.85	24.24	-13.0	-32.85	176.40	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.28.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.728	-71.93	-10.97	-13.0	-58.93	336.10	Horizontal	Vertical	Pass
201.162	-70.42	-9.71	-13.0	-57.42	248.60	Horizontal	Vertical	Pass
1881.780	-53.56	-8.20	-13.0	-40.56	278.90	Horizontal	Vertical	Pass
1962.259	-37.08	-8.24	-13.0	-24.08	270.40	Horizontal	Vertical	Pass
4101.725	-44.70	1.00	-13.0	-31.70	115.30	Horizontal	Vertical	Pass
5405.399	-41.04	2.48	-13.0	-28.04	45.30	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.25.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.524	-64.21	9.68	-13.0	-51.21	0.60	Horizontal	Vertical	Pass
9408.398	-59.28	15.14	-13.0	-46.28	209.80	Horizontal	Vertical	Pass
10480.630	-57.19	16.44	-13.0	-44.19	87.40	Horizontal	Vertical	Pass
11167.958	-55.98	15.76	-13.0	-42.98	67.00	Horizontal	Vertical	Pass
14568.858	-46.64	24.36	-13.0	-33.64	287.60	Horizontal	Vertical	Pass
14799.800	-46.96	25.72	-13.0	-33.96	184.20	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.30.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.758	-72.98	-11.12	-13.0	-59.98	352.50	Horizontal	Vertical	Pass
241.165	-70.55	-3.86	-13.0	-57.55	259.40	Horizontal	Vertical	Pass
1184.954	-58.14	-4.27	-13.0	-45.14	36.40	Horizontal	Vertical	Pass
1914.271	-50.83	-8.31	-13.0	-37.83	61.30	Horizontal	Vertical	Pass
1993.752	-39.66	-7.74	-13.0	-26.66	0.50	Horizontal	Vertical	Pass
5617.346	-41.92	2.68	-13.0	-28.92	351.10	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.23.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.63	10.22	-13.0	-51.63	353.60	Horizontal	Vertical	Pass
9380.905	-59.36	15.04	-13.0	-46.36	336.50	Horizontal	Vertical	Pass
10840.790	-56.57	16.84	-13.0	-43.57	148.20	Horizontal	Vertical	Pass
12751.562	-56.63	14.76	-13.0	-43.63	312.60	Horizontal	Vertical	Pass
14516.621	-47.25	24.24	-13.0	-34.25	64.80	Horizontal	Vertical	Pass
14791.552	-47.10	25.62	-13.0	-34.10	200.30	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.37.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.121	-65.83	-11.73	-13.0	-52.83	165.70	Vertical	Vertical	Pass
80.185	-71.85	-20.19	-13.0	-58.85	78.20	Vertical	Vertical	Pass
1199.450	-58.68	-3.60	-13.0	-45.68	249.90	Vertical	Vertical	Pass
1849.788	-59.43	-7.96	-13.0	-46.43	358.20	Vertical	Vertical	Pass
1930.267	-38.69	-8.28	-13.0	-25.69	206.70	Vertical	Vertical	Pass
4791.552	-42.07	1.93	-13.0	-29.07	328.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.22.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8149.213	-64.04	9.55	-13.0	-51.04	54.90	Vertical	Vertical	Pass
9386.403	-59.40	15.12	-13.0	-46.40	169.50	Vertical	Vertical	Pass
11181.705	-55.13	15.87	-13.0	-42.13	99.50	Vertical	Vertical	Pass
13581.855	-54.71	18.20	-13.0	-41.71	223.10	Vertical	Vertical	Pass
14489.128	-47.68	23.90	-13.0	-34.68	200.40	Vertical	Vertical	Pass
14788.803	-47.51	25.58	-13.0	-34.51	324.70	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.40.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.184	-71.34	-19.10	-13.0	-58.34	84.40	Vertical	Vertical	Pass
241.892	-72.61	-4.05	-13.0	-59.61	0.00	Vertical	Vertical	Pass
1196.951	-58.74	-3.71	-13.0	-45.74	38.00	Vertical	Vertical	Pass
1882.279	-59.40	-8.20	-13.0	-46.40	128.20	Vertical	Vertical	Pass
1961.760	-35.04	-8.25	-13.0	-22.04	218.80	Vertical	Vertical	Pass
4763.559	-42.33	1.81	-13.0	-29.33	0.80	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.23.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9424.894	-60.26	14.80	-13.0	-47.26	0.90	Vertical	Vertical	Pass
9757.561	-59.78	13.53	-13.0	-46.78	87.90	Vertical	Vertical	Pass
10508.123	-57.50	16.46	-13.0	-44.50	70.00	Vertical	Vertical	Pass
11162.459	-56.50	15.72	-13.0	-43.50	49.10	Vertical	Vertical	Pass
14497.376	-47.71	24.16	-13.0	-34.71	0.20	Vertical	Vertical	Pass
14830.042	-47.16	25.71	-13.0	-34.16	15.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.34.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.667	-65.51	-12.03	-13.0	-52.51	43.80	Vertical	Vertical	Pass
72.427	-71.71	-19.19	-13.0	-58.71	68.70	Vertical	Vertical	Pass
1206.448	-58.65	-3.94	-13.0	-45.65	270.00	Vertical	Vertical	Pass
1913.772	-54.01	-8.31	-13.0	-41.01	208.60	Vertical	Vertical	Pass
1994.751	-34.17	-7.72	-13.0	-21.17	211.20	Vertical	Vertical	Pass
5402.399	-42.26	2.50	-13.0	-29.26	0.20	Vertical	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.21.07

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.42	10.04	-13.0	-51.42	204.00	Vertical	Vertical	Pass
9391.902	-59.37	15.20	-13.0	-46.37	351.30	Vertical	Vertical	Pass
10736.316	-56.56	16.48	-13.0	-43.56	166.40	Vertical	Vertical	Pass
11178.955	-56.48	15.85	-13.0	-43.48	42.10	Vertical	Vertical	Pass
14489.128	-46.93	23.90	-13.0	-33.93	285.50	Vertical	Vertical	Pass
14868.533	-47.55	25.06	-13.0	-34.55	77.50	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.54.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.708	-69.43	-9.34	-13.0	-56.43	243.50	Horizontal	Vertical	Pass
241.650	-69.98	-3.98	-13.0	-56.98	260.20	Horizontal	Vertical	Pass
1842.789	-55.35	-7.90	-13.0	-42.35	171.80	Horizontal	Vertical	Pass
1931.267	-35.90	-8.29	-13.0	-22.90	248.50	Horizontal	Vertical	Pass
3194.951	-49.04	-1.24	-13.0	-36.04	359.40	Horizontal	Vertical	Pass
5410.397	-40.47	2.46	-13.0	-27.47	336.20	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.24	9.74	-13.0	-52.24	134.80	Horizontal	Vertical	Pass
8809.048	-62.97	11.12	-13.0	-49.97	131.80	Horizontal	Vertical	Pass
9229.693	-59.81	13.54	-13.0	-46.81	23.90	Horizontal	Vertical	Pass
11200.950	-56.45	16.01	-13.0	-43.45	166.40	Horizontal	Vertical	Pass
14505.624	-47.61	24.24	-13.0	-34.61	211.80	Horizontal	Vertical	Pass
14824.544	-47.62	25.71	-13.0	-34.62	160.80	Horizontal	Vertical	Pass

# Test result


Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: CE  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Addition:

RSE Test case\_CE FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.24	9.74	-13.0	-52.24	134.80	Horizontal	Vertical	Pass
8809.048	-62.97	11.12	-13.0	-49.97	131.80	Horizontal	Vertical	Pass
9229.693	-59.81	13.54	-13.0	-46.81	23.90	Horizontal	Vertical	Pass
11200.950	-56.45	16.01	-13.0	-43.45	166.40	Horizontal	Vertical	Pass
14505.624	-47.61	24.24	-13.0	-34.61	211.80	Horizontal	Vertical	Pass
14824.544	-47.62	25.71	-13.0	-34.62	160.80	Horizontal	Vertical	Pass


# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-05#02
Model:	7165H	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	CE	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Addition:	

RSE Test case\_CE FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.24	9.74	-13.0	-52.24	134.80	Horizontal	Vertical	Pass
8809.048	-62.97	11.12	-13.0	-49.97	131.80	Horizontal	Vertical	Pass
9229.693	-59.81	13.54	-13.0	-46.81	23.90	Horizontal	Vertical	Pass
11200.950	-56.45	16.01	-13.0	-43.45	166.40	Horizontal	Vertical	Pass
14505.624	-47.61	24.24	-13.0	-34.61	211.80	Horizontal	Vertical	Pass
14824.544	-47.62	25.71	-13.0	-34.62	160.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.24	9.74	-13.0	-52.24	134.80	Horizontal	Vertical	Pass
8809.048	-62.97	11.12	-13.0	-49.97	131.80	Horizontal	Vertical	Pass
9229.693	-59.81	13.54	-13.0	-46.81	23.90	Horizontal	Vertical	Pass
11200.950	-56.45	16.01	-13.0	-43.45	166.40	Horizontal	Vertical	Pass
14505.624	-47.61	24.24	-13.0	-34.61	211.80	Horizontal	Vertical	Pass
14824.544	-47.62	25.71	-13.0	-34.62	160.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.57.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-71.90	-11.20	-13.0	-58.90	257.50	Horizontal	Vertical	Pass
240.437	-70.34	-3.67	-13.0	-57.34	289.90	Horizontal	Vertical	Pass
1199.950	-58.48	-3.58	-13.0	-45.48	90.60	Horizontal	Vertical	Pass
1881.280	-53.00	-8.19	-13.0	-40.00	287.90	Horizontal	Vertical	Pass
1963.259	-35.26	-8.20	-13.0	-22.26	173.30	Horizontal	Vertical	Pass
4112.722	-44.30	0.84	-13.0	-31.30	24.10	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.29.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8050.237	-64.35	9.19	-13.0	-51.35	39.70	Horizontal	Vertical	Pass
8842.039	-62.21	11.50	-13.0	-49.21	340.60	Horizontal	Vertical	Pass
9380.905	-59.33	15.04	-13.0	-46.33	152.10	Horizontal	Vertical	Pass
10829.793	-56.85	16.68	-13.0	-43.85	15.90	Horizontal	Vertical	Pass
14544.114	-46.69	24.24	-13.0	-33.69	57.20	Horizontal	Vertical	Pass
16875.531	-45.22	26.20	-13.0	-32.22	269.50	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.29.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8050.237	-64.35	9.19	-13.0	-51.35	39.70	Horizontal	Vertical	Pass
8842.039	-62.21	11.50	-13.0	-49.21	340.60	Horizontal	Vertical	Pass
9380.905	-59.33	15.04	-13.0	-46.33	152.10	Horizontal	Vertical	Pass
10829.793	-56.85	16.68	-13.0	-43.85	15.90	Horizontal	Vertical	Pass
14544.114	-46.69	24.24	-13.0	-33.69	57.20	Horizontal	Vertical	Pass
16875.531	-45.22	26.20	-13.0	-32.22	269.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.52.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.708	-70.20	-9.34	-13.0	-57.20	263.90	Horizontal	Vertical	Pass
851.385	-68.15	4.57	-13.0	-55.15	189.10	Horizontal	Vertical	Pass
1200.450	-57.99	-3.61	-13.0	-44.99	337.70	Horizontal	Vertical	Pass
1913.772	-49.35	-8.31	-13.0	-36.35	251.00	Horizontal	Vertical	Pass
1992.752	-34.89	-7.77	-13.0	-21.89	238.00	Horizontal	Vertical	Pass
4816.546	-42.89	1.90	-13.0	-29.89	0.70	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7984.254	-64.81	8.91	-13.0	-51.81	189.40	Horizontal	Vertical	Pass
9356.161	-59.64	14.69	-13.0	-46.64	48.30	Horizontal	Vertical	Pass
10554.861	-56.60	16.14	-13.0	-43.60	160.70	Horizontal	Vertical	Pass
14524.869	-47.12	24.24	-13.0	-34.12	306.70	Horizontal	Vertical	Pass
14846.538	-47.01	25.70	-13.0	-34.01	354.80	Horizontal	Vertical	Pass
16839.790	-44.93	25.98	-13.0	-31.93	356.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7984.254	-64.81	8.91	-13.0	-51.81	189.40	Horizontal	Vertical	Pass
9356.161	-59.64	14.69	-13.0	-46.64	48.30	Horizontal	Vertical	Pass
10554.861	-56.60	16.14	-13.0	-43.60	160.70	Horizontal	Vertical	Pass
14524.869	-47.12	24.24	-13.0	-34.12	306.70	Horizontal	Vertical	Pass
14846.538	-47.01	25.70	-13.0	-34.01	354.80	Horizontal	Vertical	Pass
16839.790	-44.93	25.98	-13.0	-31.93	356.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.46.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.152	-64.28	-11.93	-13.0	-51.28	125.80	Vertical	Vertical	Pass
72.912	-71.83	-19.38	-13.0	-58.83	71.40	Vertical	Vertical	Pass
251.832	-70.77	-6.49	-13.0	-57.77	336.70	Vertical	Vertical	Pass
1842.289	-57.29	-7.90	-13.0	-44.29	354.20	Vertical	Vertical	Pass
1931.267	-37.68	-8.29	-13.0	-24.68	210.50	Vertical	Vertical	Pass
4706.573	-42.99	1.56	-13.0	-29.99	82.50	Vertical	Vertical	Pass

# Test result


Project Number: Certification

Test Time: 2020-02-25\_13.26.33

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: CE  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Addition:

RSE Test case\_CE FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-64.93	9.50	-13.0	-51.93	113.30	Vertical	Vertical	Pass
9353.412	-59.91	14.65	-13.0	-46.91	93.50	Vertical	Vertical	Pass
10835.291	-56.81	16.76	-13.0	-43.81	10.10	Vertical	Vertical	Pass
11206.448	-56.25	15.96	-13.0	-43.25	75.70	Vertical	Vertical	Pass
14502.874	-46.93	24.24	-13.0	-33.93	162.80	Vertical	Vertical	Pass
14788.803	-47.19	25.58	-13.0	-34.19	200.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.26.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-64.93	9.50	-13.0	-51.93	113.30	Vertical	Vertical	Pass
9353.412	-59.91	14.65	-13.0	-46.91	93.50	Vertical	Vertical	Pass
10835.291	-56.81	16.76	-13.0	-43.81	10.10	Vertical	Vertical	Pass
11206.448	-56.25	15.96	-13.0	-43.25	75.70	Vertical	Vertical	Pass
14502.874	-46.93	24.24	-13.0	-33.93	162.80	Vertical	Vertical	Pass
14788.803	-47.19	25.58	-13.0	-34.19	200.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.43.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22824&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-72.43	-19.47	-13.0	-59.43	64.00	Vertical	Vertical	Pass
79.700	-72.53	-20.25	-13.0	-59.53	58.50	Vertical	Vertical	Pass
266.378	-72.11	-7.61	-13.0	-59.11	359.40	Vertical	Vertical	Pass
1197.951	-57.75	-3.67	-13.0	-44.75	246.60	Vertical	Vertical	Pass
1881.780	-58.93	-8.20	-13.0	-45.93	124.90	Vertical	Vertical	Pass
1961.760	-32.52	-8.25	-13.0	-19.52	216.40	Vertical	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.27.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.56	10.17	-13.0	-51.56	353.20	Vertical	Vertical	Pass
9402.899	-59.68	15.25	-13.0	-46.68	274.30	Vertical	Vertical	Pass
10554.861	-56.44	16.14	-13.0	-43.44	345.00	Vertical	Vertical	Pass
11244.939	-56.97	15.59	-13.0	-43.97	217.00	Vertical	Vertical	Pass
13194.201	-56.71	15.95	-13.0	-43.71	310.80	Vertical	Vertical	Pass
14546.863	-47.45	24.24	-13.0	-34.45	231.20	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_15.49.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART228&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-68.41	-10.90	-13.0	-55.41	220.30	Vertical	Vertical	Pass
79.943	-72.04	-20.26	-13.0	-59.04	78.20	Vertical	Vertical	Pass
1196.451	-58.79	-3.73	-13.0	-45.79	39.00	Vertical	Vertical	Pass
1913.772	-54.35	-8.31	-13.0	-41.35	207.50	Vertical	Vertical	Pass
1994.251	-32.32	-7.73	-13.0	-19.32	207.50	Vertical	Vertical	Pass
4654.586	-43.02	0.95	-13.0	-30.02	192.60	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.24.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.97	9.76	-13.0	-51.97	359.40	Vertical	Vertical	Pass
9356.161	-58.86	14.69	-13.0	-45.86	49.70	Vertical	Vertical	Pass
10722.569	-56.50	16.28	-13.0	-43.50	76.20	Vertical	Vertical	Pass
12586.603	-57.69	13.88	-13.0	-44.69	249.90	Vertical	Vertical	Pass
14695.326	-46.82	25.24	-13.0	-33.82	90.30	Vertical	Vertical	Pass
16878.280	-45.16	26.20	-13.0	-32.16	2.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.03.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-72.69	-11.20	-13.0	-59.69	278.70	Horizontal	Vertical	Pass
202.374	-70.74	-10.38	-13.0	-57.74	243.30	Horizontal	Vertical	Pass
240.680	-69.98	-3.73	-13.0	-56.98	259.70	Horizontal	Vertical	Pass
1196.951	-57.91	-3.71	-13.0	-44.91	360.20	Horizontal	Vertical	Pass
1841.290	-42.25	-7.89	-13.0	-29.25	277.10	Horizontal	Vertical	Pass
1931.767	-34.89	-8.29	-13.0	-21.89	246.20	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.31.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9265.434	-58.92	13.36	-13.0	-45.92	9.50	Horizontal	Vertical	Pass
10516.371	-56.71	16.40	-13.0	-43.71	89.90	Horizontal	Vertical	Pass
11038.740	-55.76	16.35	-13.0	-42.76	360.70	Horizontal	Vertical	Pass
14486.378	-47.61	23.81	-13.0	-34.61	35.90	Horizontal	Vertical	Pass
14835.541	-47.23	25.71	-13.0	-34.23	344.80	Horizontal	Vertical	Pass
16908.523	-44.32	26.26	-13.0	-31.32	244.60	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.00.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-72.05	-11.20	-13.0	-59.05	325.30	Horizontal	Vertical	Pass
200.677	-71.15	-9.44	-13.0	-58.15	240.10	Horizontal	Vertical	Pass
455.239	-66.10	-3.63	-13.0	-53.10	72.90	Horizontal	Vertical	Pass
1201.450	-58.15	-3.66	-13.0	-45.15	138.00	Horizontal	Vertical	Pass
1880.280	-54.12	-8.19	-13.0	-41.12	293.10	Horizontal	Vertical	Pass
1963.759	-35.36	-8.19	-13.0	-22.36	240.20	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.32.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-64.82	8.85	-13.0	-51.82	0.60	Horizontal	Vertical	Pass
9023.494	-62.41	11.84	-13.0	-49.41	283.30	Horizontal	Vertical	Pass
9402.899	-59.37	15.25	-13.0	-46.37	221.90	Horizontal	Vertical	Pass
10554.861	-56.79	16.14	-13.0	-43.79	283.30	Horizontal	Vertical	Pass
14513.872	-47.45	24.24	-13.0	-34.45	262.80	Horizontal	Vertical	Pass
14843.789	-47.63	25.70	-13.0	-34.63	130.40	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.06.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-73.29	-11.20	-13.0	-60.29	122.70	Horizontal	Vertical	Pass
199.708	-70.97	-9.34	-13.0	-57.97	92.60	Horizontal	Vertical	Pass
239.953	-69.89	-3.57	-13.0	-56.89	268.30	Horizontal	Vertical	Pass
1913.272	-50.67	-8.31	-13.0	-37.67	285.60	Horizontal	Vertical	Pass
1992.752	-34.05	-7.77	-13.0	-21.05	266.30	Horizontal	Vertical	Pass
5017.496	-41.57	2.92	-13.0	-28.57	187.00	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.30.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.49	9.76	-13.0	-51.49	120.20	Horizontal	Vertical	Pass
8850.287	-62.56	11.59	-13.0	-49.56	0.30	Horizontal	Vertical	Pass
9380.905	-59.85	15.04	-13.0	-46.85	148.50	Horizontal	Vertical	Pass
10519.120	-56.75	16.38	-13.0	-43.75	205.80	Horizontal	Vertical	Pass
14802.549	-46.38	25.72	-13.0	-33.38	128.80	Horizontal	Vertical	Pass
16859.035	-44.96	26.20	-13.0	-31.96	251.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.15.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.457	-72.17	-18.82	-13.0	-59.17	100.90	Vertical	Vertical	Pass
257.166	-71.95	-7.38	-13.0	-58.95	21.20	Vertical	Vertical	Pass
1201.450	-58.54	-3.66	-13.0	-45.54	287.20	Vertical	Vertical	Pass
1841.290	-45.60	-7.89	-13.0	-32.60	0.00	Vertical	Vertical	Pass
1931.267	-34.99	-8.29	-13.0	-21.99	221.30	Vertical	Vertical	Pass
5920.270	-39.39	3.18	-13.0	-26.39	135.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.29.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-65.91	8.85	-13.0	-52.91	359.60	Vertical	Vertical	Pass
9394.651	-59.12	15.23	-13.0	-46.12	360.00	Vertical	Vertical	Pass
10697.826	-57.88	15.94	-13.0	-44.88	360.00	Vertical	Vertical	Pass
11200.950	-56.68	16.01	-13.0	-43.68	359.30	Vertical	Vertical	Pass
13757.811	-54.48	17.83	-13.0	-41.48	360.00	Vertical	Vertical	Pass
14810.797	-47.22	25.72	-13.0	-34.22	351.50	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.18.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.697	-65.60	-12.23	-13.0	-52.60	111.60	Vertical	Vertical	Pass
72.184	-72.58	-19.10	-13.0	-59.58	62.50	Vertical	Vertical	Pass
258.620	-72.49	-7.62	-13.0	-59.49	19.40	Vertical	Vertical	Pass
1198.950	-58.49	-3.63	-13.0	-45.49	0.00	Vertical	Vertical	Pass
1880.280	-58.70	-8.19	-13.0	-45.70	124.50	Vertical	Vertical	Pass
1962.759	-32.94	-8.22	-13.0	-19.94	223.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.30.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8036.491	-64.79	9.14	-13.0	-51.79	250.40	Vertical	Vertical	Pass
8825.544	-61.75	11.31	-13.0	-48.75	196.90	Vertical	Vertical	Pass
9389.153	-59.44	15.16	-13.0	-46.44	49.10	Vertical	Vertical	Pass
10535.616	-56.16	16.25	-13.0	-43.16	40.20	Vertical	Vertical	Pass
11451.137	-56.88	15.97	-13.0	-43.88	208.00	Vertical	Vertical	Pass
14714.571	-46.51	25.21	-13.0	-33.51	236.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.11.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.909	-64.81	-11.98	-13.0	-51.81	56.60	Vertical	Vertical	Pass
153.887	-57.81	-16.05	-13.0	-44.81	103.50	Vertical	Vertical	Pass
244.316	-52.98	-4.69	-13.0	-39.98	116.90	Vertical	Vertical	Pass
1913.772	-56.35	-8.31	-13.0	-43.35	210.10	Vertical	Vertical	Pass
1991.752	-31.35	-7.79	-13.0	-18.35	207.10	Vertical	Vertical	Pass
4783.554	-42.01	1.90	-13.0	-29.01	68.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.28.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8077.731	-64.52	9.77	-13.0	-51.52	69.10	Vertical	Vertical	Pass
9196.701	-60.36	13.71	-13.0	-47.36	69.10	Vertical	Vertical	Pass
10541.115	-57.35	16.21	-13.0	-44.35	14.10	Vertical	Vertical	Pass
11200.950	-56.34	16.01	-13.0	-43.34	0.00	Vertical	Vertical	Pass
13543.364	-55.61	17.82	-13.0	-42.61	43.40	Vertical	Vertical	Pass
14519.370	-48.03	24.24	-13.0	-35.03	60.20	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.34.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-72.61	-11.16	-13.0	-59.61	115.90	Horizontal	Vertical	Pass
202.859	-70.43	-10.65	-13.0	-57.43	242.50	Horizontal	Vertical	Pass
1206.948	-58.39	-3.97	-13.0	-45.39	129.40	Horizontal	Vertical	Pass
1841.290	-35.86	-7.89	-13.0	-22.86	284.20	Horizontal	Vertical	Pass
1931.767	-35.66	-8.29	-13.0	-22.66	242.90	Horizontal	Vertical	Pass
5449.388	-40.21	2.27	-13.0	-27.21	198.20	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.35.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.477	-63.68	10.05	-13.0	-50.68	268.50	Horizontal	Vertical	Pass
9372.657	-59.58	14.92	-13.0	-46.58	214.10	Horizontal	Vertical	Pass
10623.594	-57.22	16.05	-13.0	-44.22	331.50	Horizontal	Vertical	Pass
11192.702	-56.80	15.96	-13.0	-43.80	34.60	Horizontal	Vertical	Pass
14502.874	-46.99	24.24	-13.0	-33.99	100.50	Horizontal	Vertical	Pass
14835.541	-46.33	25.71	-13.0	-33.33	105.70	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.37.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-72.56	-11.16	-13.0	-59.56	311.50	Horizontal	Vertical	Pass
202.859	-69.37	-10.65	-13.0	-56.37	97.50	Horizontal	Vertical	Pass
1211.447	-58.21	-4.24	-13.0	-45.21	329.20	Horizontal	Vertical	Pass
1879.280	-49.07	-8.18	-13.0	-36.07	292.30	Horizontal	Vertical	Pass
1959.260	-34.05	-8.31	-13.0	-21.05	245.40	Horizontal	Vertical	Pass
4767.558	-42.05	1.83	-13.0	-29.05	355.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.35.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-65.27	10.17	-13.0	-52.27	308.10	Horizontal	Vertical	Pass
9372.657	-59.81	14.92	-13.0	-46.81	360.00	Horizontal	Vertical	Pass
10587.853	-57.18	16.13	-13.0	-44.18	210.60	Horizontal	Vertical	Pass
11189.953	-56.41	15.94	-13.0	-43.41	294.00	Horizontal	Vertical	Pass
14483.629	-47.29	23.73	-13.0	-34.29	236.60	Horizontal	Vertical	Pass
14821.795	-45.43	25.71	-13.0	-32.43	204.60	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.31.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-73.05	-11.16	-13.0	-60.05	229.60	Horizontal	Vertical	Pass
199.950	-70.58	-9.11	-13.0	-57.58	101.30	Horizontal	Vertical	Pass
1920.770	-43.46	-8.30	-13.0	-30.46	283.80	Horizontal	Vertical	Pass
1988.253	-34.25	-7.88	-13.0	-21.25	242.10	Horizontal	Vertical	Pass
4092.727	-44.87	0.85	-13.0	-31.87	54.60	Horizontal	Vertical	Pass
5500.375	-40.72	2.02	-13.0	-27.72	243.90	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.33.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8847.538	-62.00	11.57	-13.0	-49.00	107.60	Horizontal	Vertical	Pass
9375.406	-60.34	14.96	-13.0	-47.34	263.60	Horizontal	Vertical	Pass
10560.360	-57.32	16.14	-13.0	-44.32	357.80	Horizontal	Vertical	Pass
11165.209	-56.52	15.74	-13.0	-43.52	61.90	Horizontal	Vertical	Pass
14563.359	-46.93	24.32	-13.0	-33.93	188.70	Horizontal	Vertical	Pass
16903.024	-45.22	26.21	-13.0	-32.22	303.70	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.25.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.942	-71.43	-19.00	-13.0	-58.43	92.00	Vertical	Vertical	Pass
257.893	-72.02	-7.50	-13.0	-59.02	43.20	Vertical	Vertical	Pass
1215.946	-58.63	-4.52	-13.0	-45.63	173.60	Vertical	Vertical	Pass
1841.290	-38.54	-7.89	-13.0	-25.54	358.60	Vertical	Vertical	Pass
1938.765	-35.97	-8.33	-13.0	-22.97	211.90	Vertical	Vertical	Pass
4757.561	-42.60	1.78	-13.0	-29.60	114.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.32.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-65.28	10.00	-13.0	-52.28	132.00	Vertical	Vertical	Pass
9361.660	-60.14	14.77	-13.0	-47.14	1.50	Vertical	Vertical	Pass
10851.787	-57.21	16.94	-13.0	-44.21	99.90	Vertical	Vertical	Pass
11159.710	-56.82	15.69	-13.0	-43.82	114.50	Vertical	Vertical	Pass
14552.362	-47.09	24.25	-13.0	-34.09	82.80	Vertical	Vertical	Pass
14813.547	-46.63	25.71	-13.0	-33.63	82.80	Vertical	Vertical	Pass

# Test result


Project Number: Certification

Test Time: 2020-02-22\_16.21.49

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: FCC  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Additon:

RSE Test case\_CE FCC\_PART22824827\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.458	-72.20	-20.25	-13.0	-59.20	71.50	Vertical	Vertical	Pass
257.651	-71.74	-7.46	-13.0	-58.74	47.00	Vertical	Vertical	Pass
1199.450	-58.41	-3.60	-13.0	-45.41	135.00	Vertical	Vertical	Pass
1878.780	-57.49	-8.17	-13.0	-44.49	297.90	Vertical	Vertical	Pass
1960.260	-33.05	-8.30	-13.0	-20.05	214.60	Vertical	Vertical	Pass
5412.397	-39.55	2.45	-13.0	-26.55	344.80	Vertical	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.34.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7888.028	-65.06	9.54	-13.0	-52.06	356.30	Vertical	Vertical	Pass
8847.538	-63.07	11.57	-13.0	-50.07	358.30	Vertical	Vertical	Pass
9380.905	-59.88	15.04	-13.0	-46.88	155.50	Vertical	Vertical	Pass
10750.062	-56.78	16.68	-13.0	-43.78	257.50	Vertical	Vertical	Pass
11181.705	-56.74	15.87	-13.0	-43.74	246.00	Vertical	Vertical	Pass
14489.128	-47.46	23.90	-13.0	-34.46	226.20	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.27.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.427	-71.94	-19.19	-13.0	-58.94	92.30	Vertical	Vertical	Pass
258.378	-72.92	-7.58	-13.0	-59.92	57.30	Vertical	Vertical	Pass
1205.949	-57.98	-3.92	-13.0	-44.98	233.90	Vertical	Vertical	Pass
1920.770	-50.24	-8.30	-13.0	-37.24	206.00	Vertical	Vertical	Pass
1990.752	-30.74	-7.82	-13.0	-17.74	217.20	Vertical	Vertical	Pass
5405.399	-40.84	2.48	-13.0	-27.84	117.40	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.31.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.527	-64.74	9.65	-13.0	-51.74	359.70	Vertical	Vertical	Pass
9391.902	-59.20	15.20	-13.0	-46.20	250.60	Vertical	Vertical	Pass
10524.619	-56.55	16.34	-13.0	-43.55	132.20	Vertical	Vertical	Pass
11613.347	-57.36	16.20	-13.0	-44.36	294.80	Vertical	Vertical	Pass
13276.681	-56.37	15.82	-13.0	-43.37	135.20	Vertical	Vertical	Pass
14846.538	-47.51	25.70	-13.0	-34.51	152.70	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.43.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-72.99	-11.16	-13.0	-59.99	254.90	Horizontal	Vertical	Pass
200.435	-70.26	-9.30	-13.0	-57.26	238.50	Horizontal	Vertical	Pass
238.740	-69.89	-4.05	-13.0	-56.89	252.30	Horizontal	Vertical	Pass
1196.451	-58.74	-3.73	-13.0	-45.74	2.20	Horizontal	Vertical	Pass
1838.290	-32.12	-8.03	-13.0	-19.12	276.30	Horizontal	Vertical	Pass
1935.266	-35.65	-8.31	-13.0	-22.65	281.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.38.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8066.733	-64.69	9.54	-13.0	-51.69	357.10	Horizontal	Vertical	Pass
9383.654	-59.10	15.08	-13.0	-46.10	167.70	Horizontal	Vertical	Pass
10497.126	-56.75	16.51	-13.0	-43.75	358.10	Horizontal	Vertical	Pass
13139.215	-56.67	14.93	-13.0	-43.67	190.40	Horizontal	Vertical	Pass
14505.624	-47.85	24.24	-13.0	-34.85	167.70	Horizontal	Vertical	Pass
14824.544	-47.07	25.71	-13.0	-34.07	198.90	Horizontal	Vertical	Pass


# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.40.49

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: FCC  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-72.38	-11.20	-13.0	-59.38	27.20	Horizontal	Vertical	Pass
147.341	-67.31	-16.27	-13.0	-54.31	352.50	Horizontal	Vertical	Pass
238.983	-69.24	-3.95	-13.0	-56.24	259.70	Horizontal	Vertical	Pass
1878.780	-51.09	-8.17	-13.0	-38.09	289.30	Horizontal	Vertical	Pass
1967.258	-34.98	-8.08	-13.0	-21.98	272.90	Horizontal	Vertical	Pass
5372.407	-41.16	1.97	-13.0	-28.16	347.40	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.39.07

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9235.191	-59.49	13.50	-13.0	-46.49	182.60	Horizontal	Vertical	Pass
10312.922	-57.71	15.98	-13.0	-44.71	108.50	Horizontal	Vertical	Pass
11192.702	-55.77	15.96	-13.0	-42.77	18.30	Horizontal	Vertical	Pass
12149.463	-57.91	14.69	-13.0	-44.91	143.10	Horizontal	Vertical	Pass
14714.571	-46.63	25.21	-13.0	-33.63	21.30	Horizontal	Vertical	Pass
16812.297	-45.35	25.38	-13.0	-32.35	360.00	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.46.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-72.50	-11.20	-13.0	-59.50	105.90	Horizontal	Vertical	Pass
200.677	-69.98	-9.44	-13.0	-56.98	253.00	Horizontal	Vertical	Pass
240.437	-69.94	-3.67	-13.0	-56.94	261.20	Horizontal	Vertical	Pass
1209.948	-58.46	-4.14	-13.0	-45.46	173.30	Horizontal	Vertical	Pass
1921.270	-45.10	-8.29	-13.0	-32.10	289.00	Horizontal	Vertical	Pass
1992.252	-34.21	-7.78	-13.0	-21.21	170.70	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.36.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8778.805	-62.82	10.83	-13.0	-49.82	33.20	Horizontal	Vertical	Pass
9270.932	-60.04	13.35	-13.0	-47.04	16.80	Horizontal	Vertical	Pass
10530.117	-57.07	16.29	-13.0	-44.07	52.50	Horizontal	Vertical	Pass
11613.347	-57.90	16.20	-13.0	-44.90	4.20	Horizontal	Vertical	Pass
14153.712	-53.18	20.65	-13.0	-40.18	0.20	Horizontal	Vertical	Pass
14843.789	-47.58	25.70	-13.0	-34.58	52.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.52.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-65.94	-11.83	-13.0	-52.94	24.30	Vertical	Vertical	Pass
123.582	-69.07	-15.10	-13.0	-56.07	188.40	Vertical	Vertical	Pass
1189.953	-58.81	-4.02	-13.0	-45.81	360.00	Vertical	Vertical	Pass
1837.291	-35.61	-8.12	-13.0	-22.61	359.80	Vertical	Vertical	Pass
1938.765	-35.45	-8.33	-13.0	-22.45	213.90	Vertical	Vertical	Pass
4119.720	-44.03	0.73	-13.0	-31.03	303.90	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.36.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8077.731	-63.49	9.77	-13.0	-50.49	359.40	Vertical	Vertical	Pass
9364.409	-60.01	14.81	-13.0	-47.01	273.50	Vertical	Vertical	Pass
10494.376	-57.26	16.50	-13.0	-44.26	136.80	Vertical	Vertical	Pass
11176.206	-54.87	15.83	-13.0	-41.87	290.30	Vertical	Vertical	Pass
14513.872	-48.00	24.24	-13.0	-35.00	187.50	Vertical	Vertical	Pass
14860.285	-47.10	25.34	-13.0	-34.10	359.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.58.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.424	-65.46	-12.08	-13.0	-52.46	107.80	Vertical	Vertical	Pass
72.427	-72.05	-19.19	-13.0	-59.05	99.70	Vertical	Vertical	Pass
257.651	-72.31	-7.46	-13.0	-59.31	0.00	Vertical	Vertical	Pass
1208.948	-58.87	-4.08	-13.0	-45.87	75.40	Vertical	Vertical	Pass
1962.759	-31.97	-8.22	-13.0	-18.97	219.40	Vertical	Vertical	Pass
4704.574	-42.57	1.55	-13.0	-29.57	46.40	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.37.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7940.265	-65.00	8.91	-13.0	-52.00	62.30	Vertical	Vertical	Pass
9342.414	-59.36	14.41	-13.0	-46.36	4.40	Vertical	Vertical	Pass
10510.872	-57.44	16.44	-13.0	-44.44	82.10	Vertical	Vertical	Pass
11165.209	-56.95	15.74	-13.0	-43.95	0.00	Vertical	Vertical	Pass
13771.557	-55.03	17.78	-13.0	-42.03	127.10	Vertical	Vertical	Pass
14799.800	-47.09	25.72	-13.0	-34.09	70.50	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_16.50.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE\_FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.184	-72.43	-19.10	-13.0	-59.43	108.30	Vertical	Vertical	Pass
256.923	-71.86	-7.34	-13.0	-58.86	0.40	Vertical	Vertical	Pass
1218.945	-58.40	-4.71	-13.0	-45.40	278.50	Vertical	Vertical	Pass
1921.270	-51.09	-8.29	-13.0	-38.09	121.10	Vertical	Vertical	Pass
1981.255	-32.46	-8.06	-13.0	-19.46	217.90	Vertical	Vertical	Pass
4087.728	-44.30	0.72	-13.0	-31.30	52.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.35.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8831.042	-62.32	11.37	-13.0	-49.32	86.20	Vertical	Vertical	Pass
9254.436	-59.97	13.37	-13.0	-46.97	56.80	Vertical	Vertical	Pass
10752.812	-57.47	16.66	-13.0	-44.47	25.60	Vertical	Vertical	Pass
11178.955	-55.70	15.85	-13.0	-42.70	25.60	Vertical	Vertical	Pass
13466.383	-55.47	17.50	-13.0	-42.47	14.00	Vertical	Vertical	Pass
14684.329	-47.05	25.22	-13.0	-34.05	95.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_17.17.38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-71.84	-11.16	-13.0	-58.84	356.60	Horizontal	Vertical	Pass
200.920	-70.75	-9.57	-13.0	-57.75	260.80	Horizontal	Vertical	Pass
238.498	-70.06	-4.14	-13.0	-57.06	269.00	Horizontal	Vertical	Pass
1838.290	-34.27	-8.03	-13.0	-21.27	280.10	Horizontal	Vertical	Pass
1947.763	-34.95	-8.31	-13.0	-21.95	244.10	Horizontal	Vertical	Pass
5382.404	-41.03	2.16	-13.0	-28.03	254.70	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.42.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9386.403	-58.42	15.12	-13.0	-45.42	153.30	Horizontal	Vertical	Pass
10464.134	-57.14	16.37	-13.0	-44.14	327.80	Horizontal	Vertical	Pass
11211.947	-57.07	15.91	-13.0	-44.07	165.60	Horizontal	Vertical	Pass
14497.376	-47.14	24.16	-13.0	-34.14	330.80	Horizontal	Vertical	Pass
16487.878	-47.18	24.54	-13.0	-34.18	156.70	Horizontal	Vertical	Pass
17483.129	-40.48	31.23	-13.0	-27.48	298.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_17.19.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.041	-69.81	-11.86	-13.0	-56.81	249.30	Horizontal	Vertical	Pass
240.437	-69.90	-3.67	-13.0	-56.90	268.70	Horizontal	Vertical	Pass
1194.951	-58.58	-3.80	-13.0	-45.58	48.60	Horizontal	Vertical	Pass
1839.790	-44.37	-7.90	-13.0	-31.37	278.60	Horizontal	Vertical	Pass
1959.260	-34.28	-8.31	-13.0	-21.28	264.80	Horizontal	Vertical	Pass
5222.444	-41.58	2.43	-13.0	-28.58	15.90	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.43.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-63.89	10.08	-13.0	-50.89	195.00	Horizontal	Vertical	Pass
9389.153	-59.99	15.16	-13.0	-46.99	274.30	Horizontal	Vertical	Pass
10554.861	-56.94	16.14	-13.0	-43.94	41.00	Horizontal	Vertical	Pass
11187.203	-56.12	15.92	-13.0	-43.12	52.50	Horizontal	Vertical	Pass
14502.874	-47.89	24.24	-13.0	-34.89	84.20	Horizontal	Vertical	Pass
14830.042	-47.04	25.71	-13.0	-34.04	125.10	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_17.15.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-71.26	-11.20	-13.0	-58.26	244.50	Horizontal	Vertical	Pass
200.435	-70.42	-9.30	-13.0	-57.42	266.40	Horizontal	Vertical	Pass
852.112	-67.96	4.55	-13.0	-54.96	307.80	Horizontal	Vertical	Pass
1921.770	-44.10	-8.29	-13.0	-31.10	285.60	Horizontal	Vertical	Pass
1992.252	-33.33	-7.78	-13.0	-20.33	244.30	Horizontal	Vertical	Pass
5115.471	-42.18	2.64	-13.0	-29.18	2.40	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.40.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.53	10.22	-13.0	-51.53	6.70	Horizontal	Vertical	Pass
9031.742	-62.38	11.73	-13.0	-49.38	111.30	Horizontal	Vertical	Pass
10807.798	-56.84	16.37	-13.0	-43.84	190.50	Horizontal	Vertical	Pass
12523.369	-58.05	13.49	-13.0	-45.05	65.10	Horizontal	Vertical	Pass
14560.610	-48.12	24.31	-13.0	-35.12	142.50	Horizontal	Vertical	Pass
16933.267	-44.47	26.46	-13.0	-31.47	12.30	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_17.09.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.427	-71.70	-19.19	-13.0	-58.70	77.80	Vertical	Vertical	Pass
257.651	-72.19	-7.46	-13.0	-59.19	50.30	Vertical	Vertical	Pass
1201.950	-57.81	-3.69	-13.0	-44.81	174.00	Vertical	Vertical	Pass
1837.791	-39.13	-8.07	-13.0	-26.13	359.70	Vertical	Vertical	Pass
1945.764	-33.33	-8.32	-13.0	-20.33	215.70	Vertical	Vertical	Pass
5208.448	-41.86	2.77	-13.0	-28.86	0.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.39.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.80	9.74	-13.0	-51.80	0.60	Vertical	Vertical	Pass
9361.660	-58.99	14.77	-13.0	-45.99	3.50	Vertical	Vertical	Pass
10571.357	-56.91	16.14	-13.0	-43.91	1.00	Vertical	Vertical	Pass
11162.459	-56.15	15.72	-13.0	-43.15	35.80	Vertical	Vertical	Pass
13235.441	-56.39	15.86	-13.0	-43.39	47.30	Vertical	Vertical	Pass
14802.549	-47.47	25.72	-13.0	-34.47	43.90	Vertical	Vertical	Pass

# Test result

Project Number: 1744444

Test Time: 2020-02-22\_17.07.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE\_FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.061	-52.00	-11.68	-13.0	-39.00	332.80	Vertical	Vertical	Pass
73.154	-71.83	-19.47	-13.0	-58.83	56.90	Vertical	Vertical	Pass
257.408	-72.71	-7.42	-13.0	-59.71	0.00	Vertical	Vertical	Pass
1839.790	-50.22	-7.90	-13.0	-37.22	360.00	Vertical	Vertical	Pass
1960.760	-32.46	-8.28	-13.0	-19.46	219.40	Vertical	Vertical	Pass
4707.573	-42.57	1.56	-13.0	-29.57	357.60	Vertical	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.40.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8853.037	-61.81	11.52	-13.0	-48.81	101.00	Vertical	Vertical	Pass
9339.665	-59.97	14.34	-13.0	-46.97	344.40	Vertical	Vertical	Pass
10519.120	-57.21	16.38	-13.0	-44.21	226.40	Vertical	Vertical	Pass
11187.203	-56.49	15.92	-13.0	-43.49	360.60	Vertical	Vertical	Pass
12828.543	-57.41	14.78	-13.0	-44.41	309.40	Vertical	Vertical	Pass
14497.376	-47.45	24.16	-13.0	-34.45	312.40	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-22\_17.12.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.152	-66.58	-11.93	-13.0	-53.58	166.30	Vertical	Vertical	Pass
71.942	-72.18	-19.00	-13.0	-59.18	43.50	Vertical	Vertical	Pass
265.409	-72.29	-7.65	-13.0	-59.29	357.10	Vertical	Vertical	Pass
862.052	-67.82	4.09	-13.0	-54.82	35.30	Vertical	Vertical	Pass
1921.270	-48.79	-8.29	-13.0	-35.79	123.50	Vertical	Vertical	Pass
1984.754	-31.75	-7.97	-13.0	-18.75	211.20	Vertical	Vertical	Pass
5403.399	-41.89	2.49	-13.0	-28.89	359.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.38.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-64.69	10.08	-13.0	-51.69	281.50	Vertical	Vertical	Pass
8839.290	-62.70	11.47	-13.0	-49.70	131.60	Vertical	Vertical	Pass
9364.409	-60.09	14.81	-13.0	-47.09	51.60	Vertical	Vertical	Pass
10475.131	-56.43	16.42	-13.0	-43.43	89.20	Vertical	Vertical	Pass
12803.799	-57.35	14.86	-13.0	-44.35	111.50	Vertical	Vertical	Pass
14841.040	-47.44	25.70	-13.0	-34.44	358.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.41.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-66.97	-9.96	-25.0	-41.97	56.60	Horizontal	Vertical	Pass
154.371	-68.43	-14.83	-25.0	-43.43	87.10	Horizontal	Vertical	Pass
239.953	-51.69	-2.05	-25.0	-26.69	205.40	Horizontal	Vertical	Pass
456.936	-56.78	-1.99	-25.0	-31.78	304.00	Horizontal	Vertical	Pass
591.490	-55.26	-2.97	-25.0	-30.26	343.90	Horizontal	Vertical	Pass
1195.951	-56.72	-1.94	-25.0	-31.72	117.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.45.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8836.541	-62.41	11.44	-13.0	-49.41	347.30	Horizontal	Vertical	Pass
9397.401	-60.05	15.27	-13.0	-47.05	241.20	Horizontal	Vertical	Pass
10664.834	-56.93	15.95	-13.0	-43.93	44.40	Horizontal	Vertical	Pass
11206.448	-56.82	15.96	-13.0	-43.82	1.70	Horizontal	Vertical	Pass
11858.035	-58.27	13.76	-13.0	-45.27	204.40	Horizontal	Vertical	Pass
14788.803	-47.28	25.58	-13.0	-34.28	41.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_14.25.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-69.01	-12.67	-25.0	-44.01	13.80	Horizontal	Vertical	Pass
241.165	-70.70	-2.31	-25.0	-45.70	279.10	Horizontal	Vertical	Pass
1000.500	-58.01	-2.49	-25.0	-33.01	269.60	Horizontal	Vertical	Pass
2504.624	-51.44	2.93	-25.0	-26.44	125.20	Horizontal	Vertical	Pass
5004.499	-50.84	2.97	-25.0	-25.84	45.50	Horizontal	Vertical	Pass
6984.004	-43.54	10.68	-25.0	-18.54	206.60	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.46.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7923.769	-64.32	9.27	-13.0	-51.32	90.40	Horizontal	Vertical	Pass
9193.952	-59.79	13.64	-13.0	-46.79	17.90	Horizontal	Vertical	Pass
10527.368	-56.77	16.31	-13.0	-43.77	70.00	Horizontal	Vertical	Pass
11198.200	-55.93	16.01	-13.0	-42.93	148.50	Horizontal	Vertical	Pass
14519.370	-47.48	24.24	-13.0	-34.48	9.40	Horizontal	Vertical	Pass
14819.045	-47.52	25.71	-13.0	-34.52	226.20	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.49.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.970	-66.73	-9.99	-25.0	-41.73	27.50	Horizontal	Vertical	Pass
157.281	-66.62	-14.87	-25.0	-41.62	77.00	Horizontal	Vertical	Pass
238.255	-50.97	-2.69	-25.0	-25.97	359.40	Horizontal	Vertical	Pass
456.936	-56.54	-1.99	-25.0	-31.54	295.80	Horizontal	Vertical	Pass
1196.451	-56.33	-1.92	-25.0	-31.33	124.20	Horizontal	Vertical	Pass
2504.624	-51.83	2.93	-25.0	-26.83	302.50	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.44.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.48	10.04	-13.0	-51.48	165.60	Horizontal	Vertical	Pass
9367.158	-59.78	14.85	-13.0	-46.78	3.50	Horizontal	Vertical	Pass
10513.622	-56.79	16.42	-13.0	-43.79	88.90	Horizontal	Vertical	Pass
12152.212	-57.78	14.65	-13.0	-44.78	0.20	Horizontal	Vertical	Pass
13194.201	-55.88	15.95	-13.0	-42.88	286.50	Horizontal	Vertical	Pass
14491.877	-47.26	23.98	-13.0	-34.26	10.10	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.30.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
54.486	-65.72	-12.31	-25.0	-40.72	358.70	Vertical	Vertical	Pass
158.978	-66.75	-14.93	-25.0	-41.75	90.90	Vertical	Vertical	Pass
241.407	-59.65	-2.37	-25.0	-34.65	72.30	Vertical	Vertical	Pass
453.784	-62.56	-1.74	-25.0	-37.56	119.60	Vertical	Vertical	Pass
1196.951	-56.89	-1.90	-25.0	-31.89	258.20	Vertical	Vertical	Pass
2506.623	-50.99	2.89	-25.0	-25.99	195.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.19.02

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H

Load: full load  
 Remark: DR-RSE01-E19020010-05#02

Temp.(oC): 20.1  
 Hum.: 54

Name:  
 Project Template:

Test Engineer: LYT  
 Test Standard: FCC

Manufacture:  
 Model Name:

Work Addition: Normal

Templ.(oC):  
 Hum:  
 Work Additon:

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9372.657	-60.02	14.92	-13.0	-47.02	0.70	Vertical	Vertical	Pass
10516.371	-57.25	16.40	-13.0	-44.25	280.80	Vertical	Vertical	Pass
11214.696	-56.43	15.88	-13.0	-43.43	181.80	Vertical	Vertical	Pass
14500.125	-47.34	24.24	-13.0	-34.34	217.50	Vertical	Vertical	Pass
14786.053	-47.00	25.55	-13.0	-34.00	172.90	Vertical	Vertical	Pass
16867.283	-44.99	26.20	-13.0	-31.99	88.80	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_15.11.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-71.36	-14.36	-25.0	-46.36	346.90	Vertical	Vertical	Pass
239.710	-69.10	-2.14	-25.0	-44.10	202.00	Vertical	Vertical	Pass
1000.000	-71.55	4.13	-25.0	-46.55	122.00	Vertical	Vertical	Pass
2501.125	-51.98	3.00	-25.0	-26.98	187.80	Vertical	Vertical	Pass
5181.455	-49.26	2.91	-25.0	-24.26	290.50	Vertical	Vertical	Pass
6992.002	-43.49	10.96	-25.0	-18.49	165.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.19.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7981.505	-64.30	8.90	-13.0	-51.30	255.60	Vertical	Vertical	Pass
9202.199	-60.16	13.77	-13.0	-47.16	267.60	Vertical	Vertical	Pass
10747.313	-56.44	16.64	-13.0	-43.44	333.10	Vertical	Vertical	Pass
11181.705	-55.87	15.87	-13.0	-42.87	154.00	Vertical	Vertical	Pass
14541.365	-47.44	24.24	-13.0	-34.44	310.40	Vertical	Vertical	Pass
14843.789	-47.09	25.70	-13.0	-34.09	157.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.34.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.456	-66.84	-12.63	-25.0	-41.84	65.60	Vertical	Vertical	Pass
155.826	-67.14	-14.82	-25.0	-42.14	97.90	Vertical	Vertical	Pass
238.498	-59.64	-2.60	-25.0	-34.64	57.40	Vertical	Vertical	Pass
456.936	-62.43	-1.99	-25.0	-37.43	119.10	Vertical	Vertical	Pass
1202.449	-57.15	-1.90	-25.0	-32.15	62.30	Vertical	Vertical	Pass
2504.624	-51.89	2.93	-25.0	-26.89	126.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.17.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8132.717	-65.31	9.78	-13.0	-52.31	303.00	Vertical	Vertical	Pass
9394.651	-60.26	15.23	-13.0	-47.26	257.60	Vertical	Vertical	Pass
10508.123	-56.75	16.46	-13.0	-43.75	356.30	Vertical	Vertical	Pass
11621.595	-57.04	15.98	-13.0	-44.04	306.00	Vertical	Vertical	Pass
14516.621	-47.18	24.24	-13.0	-34.18	272.10	Vertical	Vertical	Pass
14797.051	-47.24	25.68	-13.0	-34.24	211.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.52.54

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-66.74	-9.93	-25.0	-41.74	66.30	Horizontal	Vertical	Pass
158.735	-67.68	-14.92	-25.0	-42.68	103.10	Horizontal	Vertical	Pass
239.710	-50.44	-2.14	-25.0	-25.44	2.90	Horizontal	Vertical	Pass
453.542	-57.17	-1.72	-25.0	-32.17	295.50	Horizontal	Vertical	Pass
664.464	-58.16	1.71	-25.0	-33.16	300.70	Horizontal	Vertical	Pass
1199.950	-55.68	-1.76	-25.0	-30.68	99.90	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_12.57.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7890.777	-64.22	9.59	-13.0	-51.22	52.60	Horizontal	Vertical	Pass
8853.037	-61.12	11.52	-13.0	-48.12	35.40	Horizontal	Vertical	Pass
9386.403	-59.88	15.12	-13.0	-46.88	7.20	Horizontal	Vertical	Pass
10860.035	-57.30	16.83	-13.0	-44.30	63.70	Horizontal	Vertical	Pass
11209.198	-56.73	15.93	-13.0	-43.73	133.30	Horizontal	Vertical	Pass
14846.538	-46.81	25.70	-13.0	-33.81	218.90	Horizontal	Vertical	Pass

LTE-B41-10-MCH-H-TX

# Test result

Project Number: Certification

Test Time: 2020-02-19\_15.46.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.57	-14.36	-25.0	-48.57	0.00	Horizontal	Vertical	Pass
240.680	-68.39	-2.20	-25.0	-43.39	266.20	Horizontal	Vertical	Pass
1023.994	-57.00	-3.43	-25.0	-32.00	212.40	Horizontal	Vertical	Pass
2440.140	-30.88	-2.01	-25.0	-5.88	190.80	Horizontal	Vertical	Pass
2592.602	-45.33	1.15	-25.0	-20.33	263.00	Horizontal	Vertical	Pass
6998.000	-42.88	11.17	-25.0	-17.88	325.40	Horizontal	Vertical	Pass

Document number : EXHIBIT E of SHE19020010-05IE

# Test result

Project Number: Certification

Test Time: 2020-02-25\_12.58.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case\_CE FCC\_FCC PART228&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8124.469	-64.80	9.89	-13.0	-51.80	228.40	Horizontal	Vertical	Pass
9375.406	-59.47	14.96	-13.0	-46.47	353.00	Horizontal	Vertical	Pass
10752.812	-56.69	16.66	-13.0	-43.69	159.20	Horizontal	Vertical	Pass
12176.956	-58.26	14.24	-13.0	-45.26	359.10	Horizontal	Vertical	Pass
13229.943	-55.65	15.90	-13.0	-42.65	107.40	Horizontal	Vertical	Pass
14808.048	-47.17	25.72	-13.0	-34.17	270.10	Horizontal	Vertical	Pass
16850.787	-45.31	26.20	-13.0	-32.31	292.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.55.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-66.43	-9.87	-25.0	-41.43	360.00	Horizontal	Vertical	Pass
155.826	-67.59	-14.82	-25.0	-42.59	296.60	Horizontal	Vertical	Pass
239.710	-51.14	-2.14	-25.0	-26.14	32.00	Horizontal	Vertical	Pass
591.005	-55.84	-2.94	-25.0	-30.84	338.70	Horizontal	Vertical	Pass
1187.953	-56.56	-2.32	-25.0	-31.56	156.90	Horizontal	Vertical	Pass
2413.147	-41.80	-1.97	-25.0	-16.80	0.40	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.48.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.91	10.04	-13.0	-51.91	360.00	Horizontal	Vertical	Pass
9413.897	-59.35	15.03	-13.0	-46.35	22.70	Horizontal	Vertical	Pass
10516.371	-56.93	16.40	-13.0	-43.93	113.50	Horizontal	Vertical	Pass
12680.080	-57.01	14.53	-13.0	-44.01	237.90	Horizontal	Vertical	Pass
14530.367	-47.57	24.24	-13.0	-34.57	133.90	Horizontal	Vertical	Pass
14835.541	-47.03	25.71	-13.0	-34.03	0.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_14.58.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CCE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
54.729	-68.01	-12.37	-25.0	-43.01	164.50	Vertical	Vertical	Pass
158.735	-67.20	-14.92	-25.0	-42.20	87.50	Vertical	Vertical	Pass
239.710	-59.56	-2.14	-25.0	-34.56	79.70	Vertical	Vertical	Pass
453.542	-62.21	-1.72	-25.0	-37.21	113.90	Vertical	Vertical	Pass
1013.497	-56.71	-3.15	-25.0	-31.71	342.90	Vertical	Vertical	Pass
2505.124	-52.80	2.92	-25.0	-27.80	234.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.15.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CCE\_FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9185.704	-60.08	13.45	-13.0	-47.08	335.40	Vertical	Vertical	Pass
10538.365	-56.76	16.23	-13.0	-43.76	266.10	Vertical	Vertical	Pass
11247.688	-56.54	15.56	-13.0	-43.54	321.20	Vertical	Vertical	Pass
13177.706	-56.57	15.59	-13.0	-43.57	338.40	Vertical	Vertical	Pass
14511.122	-47.96	24.24	-13.0	-34.96	357.50	Vertical	Vertical	Pass
14810.797	-47.64	25.72	-13.0	-34.64	315.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_15.40.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.914	-73.09	-10.67	-25.0	-48.09	62.50	Vertical	Vertical	Pass
244.801	-71.80	-3.20	-25.0	-46.80	136.90	Vertical	Vertical	Pass
662.282	-69.69	1.83	-25.0	-44.69	110.50	Vertical	Vertical	Pass
1199.450	-55.20	-1.78	-25.0	-30.20	31.10	Vertical	Vertical	Pass
2592.602	-50.79	1.15	-25.0	-25.79	211.60	Vertical	Vertical	Pass
5185.454	-48.36	2.92	-25.0	-23.36	71.00	Vertical	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.16.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-65.05	9.56	-13.0	-52.05	32.30	Vertical	Vertical	Pass
8828.293	-61.99	11.34	-13.0	-48.99	20.70	Vertical	Vertical	Pass
9369.908	-59.82	14.89	-13.0	-46.82	3.10	Vertical	Vertical	Pass
10568.608	-57.02	16.14	-13.0	-44.02	17.80	Vertical	Vertical	Pass
11176.206	-56.93	15.83	-13.0	-43.93	17.80	Vertical	Vertical	Pass
14533.117	-47.71	24.24	-13.0	-34.71	40.90	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.01.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.456	-68.16	-12.63	-25.0	-43.16	214.30	Vertical	Vertical	Pass
155.584	-67.55	-14.81	-25.0	-42.55	92.90	Vertical	Vertical	Pass
239.710	-59.47	-2.14	-25.0	-34.47	66.60	Vertical	Vertical	Pass
458.148	-61.67	-2.09	-25.0	-36.67	113.80	Vertical	Vertical	Pass
1029.493	-57.68	-3.57	-25.0	-32.68	248.50	Vertical	Vertical	Pass
2545.114	-52.34	2.11	-25.0	-27.34	4.60	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.14.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-64.76	9.62	-13.0	-51.76	75.70	Vertical	Vertical	Pass
9405.649	-59.57	15.20	-13.0	-46.57	109.90	Vertical	Vertical	Pass
10816.046	-56.94	16.49	-13.0	-43.94	4.70	Vertical	Vertical	Pass
11206.448	-56.51	15.96	-13.0	-43.51	63.80	Vertical	Vertical	Pass
14502.874	-47.46	24.24	-13.0	-34.46	179.50	Vertical	Vertical	Pass
14865.784	-47.47	25.15	-13.0	-34.47	237.10	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.22.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC PART2&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-66.27	-9.93	-25.0	-41.27	28.70	Horizontal	Vertical	Pass
200.192	-66.12	-7.79	-25.0	-41.12	63.70	Horizontal	Vertical	Pass
238.013	-50.72	-2.79	-25.0	-25.72	360.00	Horizontal	Vertical	Pass
454.754	-57.33	-1.82	-25.0	-32.33	299.30	Horizontal	Vertical	Pass
592.217	-55.18	-3.00	-25.0	-30.18	349.20	Horizontal	Vertical	Pass
2503.624	-51.56	2.95	-25.0	-26.56	15.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.02.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8063.984	-64.70	9.48	-13.0	-51.70	21.00	Horizontal	Vertical	Pass
8844.789	-62.08	11.53	-13.0	-49.08	302.40	Horizontal	Vertical	Pass
9224.194	-59.95	13.59	-13.0	-46.95	156.50	Horizontal	Vertical	Pass
10505.374	-56.16	16.48	-13.0	-43.16	227.90	Horizontal	Vertical	Pass
11198.200	-55.66	16.01	-13.0	-42.66	165.00	Horizontal	Vertical	Pass
14634.841	-47.30	24.99	-13.0	-34.30	165.00	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_15.50.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.911	-76.78	-13.18	-25.0	-51.78	178.60	Horizontal	Vertical	Pass
124.794	-74.74	-14.36	-25.0	-49.74	0.00	Horizontal	Vertical	Pass
239.468	-69.70	-2.23	-25.0	-44.70	318.50	Horizontal	Vertical	Pass
1187.953	-55.67	-2.32	-25.0	-30.67	119.30	Horizontal	Vertical	Pass
2587.103	-47.26	1.26	-25.0	-22.26	235.00	Horizontal	Vertical	Pass
6803.049	-44.98	9.07	-25.0	-19.98	245.50	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.03.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-64.59	9.15	-13.0	-51.59	129.70	Horizontal	Vertical	Pass
9422.144	-59.17	14.86	-13.0	-46.17	56.40	Horizontal	Vertical	Pass
10480.630	-56.98	16.44	-13.0	-43.98	129.70	Horizontal	Vertical	Pass
13716.571	-54.89	17.69	-13.0	-41.89	127.10	Horizontal	Vertical	Pass
14502.874	-47.79	24.24	-13.0	-34.79	172.50	Horizontal	Vertical	Pass
14827.293	-47.57	25.71	-13.0	-34.57	0.30	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.25.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-66.45	-9.96	-25.0	-41.45	48.40	Horizontal	Vertical	Pass
158.735	-66.40	-14.92	-25.0	-41.40	91.90	Horizontal	Vertical	Pass
238.013	-50.09	-2.79	-25.0	-25.09	23.80	Horizontal	Vertical	Pass
453.299	-57.15	-1.70	-25.0	-32.15	295.10	Horizontal	Vertical	Pass
590.520	-55.30	-2.92	-25.0	-30.30	340.20	Horizontal	Vertical	Pass
2566.108	-52.85	1.69	-25.0	-27.85	136.10	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.00.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9444.139	-59.46	14.41	-13.0	-46.46	57.60	Horizontal	Vertical	Pass
10521.870	-56.98	16.36	-13.0	-43.98	0.00	Horizontal	Vertical	Pass
11203.699	-56.14	15.98	-13.0	-43.14	181.50	Horizontal	Vertical	Pass
14538.615	-47.29	24.24	-13.0	-34.29	178.50	Horizontal	Vertical	Pass
14835.541	-46.58	25.71	-13.0	-33.58	55.00	Horizontal	Vertical	Pass
16845.289	-45.02	26.10	-13.0	-32.02	218.70	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.04.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-70.16	-9.96	-25.0	-45.16	358.90	Vertical	Vertical	Pass
55.214	-67.99	-12.53	-25.0	-42.99	204.80	Vertical	Vertical	Pass
239.710	-58.84	-2.14	-25.0	-33.84	82.80	Vertical	Vertical	Pass
459.603	-63.00	-2.21	-25.0	-38.00	114.40	Vertical	Vertical	Pass
1203.449	-56.84	-1.95	-25.0	-31.84	34.10	Vertical	Vertical	Pass
2506.123	-51.97	2.90	-25.0	-26.97	55.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.12.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.80	10.00	-13.0	-51.80	174.90	Vertical	Vertical	Pass
8836.541	-62.49	11.44	-13.0	-49.49	0.00	Vertical	Vertical	Pass
9325.919	-60.00	13.99	-13.0	-47.00	125.80	Vertical	Vertical	Pass
10543.864	-57.21	16.19	-13.0	-44.21	166.40	Vertical	Vertical	Pass
11143.214	-56.90	15.51	-13.0	-43.90	137.70	Vertical	Vertical	Pass
14805.299	-47.00	25.72	-13.0	-34.00	88.20	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_15.56.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC\_PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.91	-14.36	-25.0	-47.91	83.30	Vertical	Vertical	Pass
240.922	-71.23	-2.25	-25.0	-46.23	252.30	Vertical	Vertical	Pass
855.264	-65.87	6.70	-25.0	-40.87	102.20	Vertical	Vertical	Pass
1203.949	-56.60	-1.98	-25.0	-31.60	69.50	Vertical	Vertical	Pass
2503.124	-51.78	2.96	-25.0	-26.78	56.10	Vertical	Vertical	Pass
6984.004	-43.13	10.68	-25.0	-18.13	217.20	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.13.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-65.07	9.09	-13.0	-52.07	307.40	Vertical	Vertical	Pass
8853.037	-61.59	11.52	-13.0	-48.59	313.00	Vertical	Vertical	Pass
9369.908	-58.82	14.89	-13.0	-45.82	178.60	Vertical	Vertical	Pass
10598.850	-57.01	16.13	-13.0	-44.01	266.80	Vertical	Vertical	Pass
11605.099	-57.26	16.41	-13.0	-44.26	209.90	Vertical	Vertical	Pass
14533.117	-47.02	24.24	-13.0	-34.02	224.40	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.07.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.456	-67.96	-12.63	-25.0	-42.96	137.20	Vertical	Vertical	Pass
164.796	-67.41	-14.98	-25.0	-42.41	106.00	Vertical	Vertical	Pass
239.710	-58.60	-2.14	-25.0	-33.60	77.30	Vertical	Vertical	Pass
457.906	-61.36	-2.07	-25.0	-36.36	113.80	Vertical	Vertical	Pass
1028.993	-56.85	-3.55	-25.0	-31.85	171.10	Vertical	Vertical	Pass
2505.624	-50.92	2.91	-25.0	-25.92	112.70	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.11.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8025.494	-64.97	9.10	-13.0	-51.97	299.40	Vertical	Vertical	Pass
9262.684	-60.05	13.36	-13.0	-47.05	220.90	Vertical	Vertical	Pass
10516.371	-57.84	16.40	-13.0	-44.84	360.00	Vertical	Vertical	Pass
11635.341	-57.63	15.63	-13.0	-44.63	348.50	Vertical	Vertical	Pass
12578.355	-57.85	13.81	-13.0	-44.85	273.40	Vertical	Vertical	Pass
14827.293	-46.93	25.71	-13.0	-33.93	355.90	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.17.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.699	-67.64	-12.72	-25.0	-42.64	28.30	Horizontal	Vertical	Pass
155.584	-67.46	-14.81	-25.0	-42.46	78.60	Horizontal	Vertical	Pass
236.558	-51.42	-3.34	-25.0	-26.42	359.30	Horizontal	Vertical	Pass
457.906	-57.11	-2.07	-25.0	-32.11	294.10	Horizontal	Vertical	Pass
590.762	-54.72	-2.93	-25.0	-29.72	347.70	Horizontal	Vertical	Pass
2442.639	-40.80	-1.85	-25.0	-15.80	34.10	Horizontal	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.04.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9171.957	-60.02	13.11	-13.0	-47.02	70.00	Horizontal	Vertical	Pass
9397.401	-59.27	15.27	-13.0	-46.27	0.60	Horizontal	Vertical	Pass
10560.360	-57.27	16.14	-13.0	-44.27	20.90	Horizontal	Vertical	Pass
11484.129	-57.46	16.33	-13.0	-44.46	99.00	Horizontal	Vertical	Pass
14502.874	-47.79	24.24	-13.0	-34.79	55.50	Horizontal	Vertical	Pass
14813.547	-47.42	25.71	-13.0	-34.42	151.10	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_16.06.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC\_PCC PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.32	-14.36	-25.0	-51.32	1.60	Horizontal	Vertical	Pass
239.225	-69.58	-2.33	-25.0	-44.58	281.00	Horizontal	Vertical	Pass
857.931	-65.85	6.53	-25.0	-40.85	211.10	Horizontal	Vertical	Pass
2586.603	-47.24	1.27	-25.0	-22.24	299.20	Horizontal	Vertical	Pass
4981.505	-50.88	2.72	-25.0	-25.88	313.20	Horizontal	Vertical	Pass
6996.001	-43.36	11.10	-25.0	-18.36	19.60	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.05.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-65.03	10.12	-13.0	-52.03	319.30	Horizontal	Vertical	Pass
9416.646	-59.51	14.97	-13.0	-46.51	313.30	Horizontal	Vertical	Pass
10502.624	-57.18	16.50	-13.0	-44.18	284.70	Horizontal	Vertical	Pass
11085.479	-56.14	15.24	-13.0	-43.14	229.60	Horizontal	Vertical	Pass
13232.692	-56.23	15.88	-13.0	-43.23	295.80	Horizontal	Vertical	Pass
14530.367	-47.15	24.24	-13.0	-34.15	221.00	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.19.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC\_PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-66.64	-9.96	-25.0	-41.64	360.00	Horizontal	Vertical	Pass
155.584	-65.72	-14.81	-25.0	-40.72	81.90	Horizontal	Vertical	Pass
238.013	-50.43	-2.79	-25.0	-25.43	194.70	Horizontal	Vertical	Pass
454.754	-56.93	-1.82	-25.0	-31.93	290.70	Horizontal	Vertical	Pass
592.217	-54.46	-3.00	-25.0	-29.46	328.30	Horizontal	Vertical	Pass
2505.624	-52.26	2.91	-25.0	-27.26	9.20	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.04.07

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.64	9.93	-13.0	-51.64	169.30	Horizontal	Vertical	Pass
9358.910	-59.08	14.73	-13.0	-46.08	319.40	Horizontal	Vertical	Pass
10590.602	-56.69	16.13	-13.0	-43.69	215.50	Horizontal	Vertical	Pass
11181.705	-55.59	15.87	-13.0	-42.59	143.70	Horizontal	Vertical	Pass
13345.414	-56.34	16.77	-13.0	-43.34	137.70	Horizontal	Vertical	Pass
14563.359	-47.30	24.32	-13.0	-34.30	258.70	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.11.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.214	-67.40	-12.53	-25.0	-42.40	233.90	Vertical	Vertical	Pass
158.735	-66.57	-14.92	-25.0	-41.57	92.10	Vertical	Vertical	Pass
239.710	-58.57	-2.14	-25.0	-33.57	78.70	Vertical	Vertical	Pass
456.451	-62.04	-1.95	-25.0	-37.04	112.90	Vertical	Vertical	Pass
1206.448	-57.06	-2.12	-25.0	-32.06	14.70	Vertical	Vertical	Pass
2491.127	-52.37	3.15	-25.0	-27.37	153.90	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.09.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-64.79	9.62	-13.0	-51.79	29.80	Vertical	Vertical	Pass
9350.662	-59.70	14.61	-13.0	-46.70	87.40	Vertical	Vertical	Pass
10213.947	-58.41	14.13	-13.0	-45.41	67.00	Vertical	Vertical	Pass
11165.209	-56.48	15.74	-13.0	-43.48	305.90	Vertical	Vertical	Pass
13444.389	-56.31	17.55	-13.0	-43.31	93.40	Vertical	Vertical	Pass
14530.367	-47.10	24.24	-13.0	-34.10	332.30	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-19\_16.01.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.50	-14.36	-25.0	-48.50	139.60	Vertical	Vertical	Pass
240.922	-70.14	-2.25	-25.0	-45.14	126.20	Vertical	Vertical	Pass
657.433	-68.87	1.84	-25.0	-43.87	311.00	Vertical	Vertical	Pass
1183.954	-57.11	-2.54	-25.0	-32.11	299.40	Vertical	Vertical	Pass
2543.614	-51.78	2.14	-25.0	-26.78	245.40	Vertical	Vertical	Pass
6472.132	-46.06	6.63	-25.0	-21.06	292.80	Vertical	Vertical	Pass



# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.10.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8014.496	-65.44	9.06	-13.0	-52.44	7.90	Vertical	Vertical	Pass
9229.693	-59.63	13.54	-13.0	-46.63	19.40	Vertical	Vertical	Pass
10543.864	-57.36	16.19	-13.0	-44.36	13.50	Vertical	Vertical	Pass
11170.707	-56.59	15.78	-13.0	-43.59	42.50	Vertical	Vertical	Pass
13609.348	-55.25	18.29	-13.0	-42.25	16.40	Vertical	Vertical	Pass
14805.299	-47.13	25.72	-13.0	-34.13	28.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-05-15\_15.14.07

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 24.8

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-05#02

RSE Test case\_CE FCC\_PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
54.001	-68.10	-12.17	-25.0	-43.10	230.40	Vertical	Vertical	Pass
158.735	-66.44	-14.92	-25.0	-41.44	126.60	Vertical	Vertical	Pass
238.013	-59.32	-2.79	-25.0	-34.32	100.50	Vertical	Vertical	Pass
457.906	-61.39	-2.07	-25.0	-36.39	105.70	Vertical	Vertical	Pass
593.672	-62.43	-3.06	-25.0	-37.43	100.50	Vertical	Vertical	Pass
2505.624	-52.03	2.91	-25.0	-27.03	36.80	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.08.15

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: FCC  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Additon:

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7954.011	-65.21	8.72	-13.0	-52.21	7.20	Vertical	Vertical	Pass
9265.434	-59.84	13.36	-13.0	-46.84	136.80	Vertical	Vertical	Pass
10563.109	-57.44	16.14	-13.0	-44.44	131.20	Vertical	Vertical	Pass
11189.953	-56.26	15.94	-13.0	-43.26	93.50	Vertical	Vertical	Pass
14524.869	-46.43	24.24	-13.0	-33.43	235.10	Vertical	Vertical	Pass
14816.296	-47.14	25.71	-13.0	-34.14	168.40	Vertical	Vertical	Pass