


# Annex C. Conducted Spurious Emission

## 1. 802.11a\_20M\_Band1\_L

### 1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	517.95	-57.44	-27	Pass	9700
1000	5150	1	Peak	5119.993	-42.91	-27	Pass	4150
5150	5350	1	Peak	5181.333	9.66	24	Pass	601
5350	10300	1	Peak	10218.984	-45.7	-27	Pass	4950
10300	10700	1	Peak	10486.667	-46.56	-27	Pass	601
10700	25000	1	Peak	24790.985	-36.33	-27	Pass	14300



## 2. 802.11a\_20M\_Band1\_M

### 2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	588.858	-57.54	-27	Pass	9700
1000	5150	1	Peak	5149	-43.44	-27	Pass	4150
5150	5350	1	Peak	5221.333	10.21	24	Pass	601
5350	10300	1	Peak	5399.01	-45.76	-27	Pass	4950
10300	10700	1	Peak	10435.333	-45.7	-27	Pass	601
10700	25000	1	Peak	24737.982	-35.1	-27	Pass	14300



## 3. 802.11a\_20M\_Band1\_H

### 3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	451.843	-57.6	-27	Pass	9700
1000	5150	1	Peak	5095.987	-43.74	-27	Pass	4150
5150	5350	1	Peak	5241.333	10.19	24	Pass	601
5350	10300	1	Peak	5378.006	-45.43	-27	Pass	4950
10300	10700	1	Peak	10437.333	-46.79	-27	Pass	601
10700	25000	1	Peak	24766.984	-34.77	-27	Pass	14300



## 4. 802.11ac\_20M\_Band1\_L

### 4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	912.991	-58.11	-27	Pass	9700
1000	5150	1	Peak	5124.994	-42.7	-27	Pass	4150
5150	5350	1	Peak	5179	9.61	24	Pass	601
5350	10300	1	Peak	9508.84	-45.75	-27	Pass	4950
10300	10700	1	Peak	10612.667	-46.52	-27	Pass	601
10700	25000	1	Peak	24725.981	-36.04	-27	Pass	14300



## 5. 802.11ac\_20M\_Band1\_M

### 5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	734.373	-56.93	-27	Pass	9700
1000	5150	1	Peak	5104.989	-44.3	-27	Pass	4150
5150	5350	1	Peak	5218.333	10.05	24	Pass	601
5350	10300	1	Peak	5390.008	-45.68	-27	Pass	4950
10300	10700	1	Peak	10370.667	-45.87	-27	Pass	601
10700	25000	1	Peak	24735.982	-34.69	-27	Pass	14300



## 6. 802.11ac\_20M\_Band1\_H

### 6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	873.887	-56.67	-27	Pass	9700
1000	5150	1	Peak	5137.997	-43.96	-27	Pass	4150
5150	5350	1	Peak	5239	9.69	24	Pass	601
5350	10300	1	Peak	5377.005	-45.65	-27	Pass	4950
10300	10700	1	Peak	10480.667	-45.65	-27	Pass	601
10700	25000	1	Peak	24790.985	-35.48	-27	Pass	14300



## 7. 802.11ac\_40M\_Band1\_L

### 7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	907.49	-57.95	-27	Pass	9700
1000	5150	1	Peak	5100.988	-42.79	-27	Pass	4150
5150	5350	1	Peak	5185.667	6.88	24	Pass	601
5350	10300	1	Peak	9461.831	-45.51	-27	Pass	4950
10300	10700	1	Peak	10633.333	-46.69	-27	Pass	601
10700	25000	1	Peak	24738.982	-34.64	-27	Pass	14300



## 8. 802.11ac\_40M\_Band1\_H

### 8.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	850.585	-57.47	-27	Pass	9700
1000	5150	1	Peak	5149	-43.26	-27	Pass	4150
5150	5350	1	Peak	5232	7.24	24	Pass	601
5350	10300	1	Peak	5380.006	-45.89	-27	Pass	4950
10300	10700	1	Peak	10457.333	-46.1	-27	Pass	601
10700	25000	1	Peak	24754.983	-35.89	-27	Pass	14300






## 9. 802.11ac\_80M\_Band1\_M

### 9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	735.573	-58.23	-27	Pass	9700
1000	5150	1	Peak	5116.992	-38.93	-27	Pass	4150
5150	5350	1	Peak	5212	3.85	24	Pass	601
5350	10300	1	Peak	5377.005	-45.43	-27	Pass	4950
10300	10700	1	Peak	10506.667	-47.04	-27	Pass	601
10700	25000	1	Peak	24738.982	-35.99	-27	Pass	14300



## 10. 802.11n\_20M\_Band1\_L

### 10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	880.588	-58.12	-27	Pass	9700
1000	5150	1	Peak	5125.994	-42.73	-27	Pass	4150
5150	5350	1	Peak	5180.667	9.99	24	Pass	601
5350	10300	1	Peak	5360.002	-44.19	-27	Pass	4950
10300	10700	1	Peak	10357.333	-46.42	-27	Pass	601
10700	25000	1	Peak	24827.988	-35.75	-27	Pass	14300



## 11. 802.11n\_20M\_Band1\_M

### 11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	588.958	-57.49	-27	Pass	9700
1000	5150	1	Peak	5125.994	-43.21	-27	Pass	4150
5150	5350	1	Peak	5221	10.13	24	Pass	601
5350	10300	1	Peak	5384.007	-45.53	-27	Pass	4950
10300	10700	1	Peak	10438.667	-46.5	-27	Pass	601
10700	25000	1	Peak	24678.978	-35.31	-27	Pass	14300



## 12. 802.11n\_20M\_Band1\_H

### 12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	480.846	-57.41	-27	Pass	9700
1000	5150	1	Peak	5148	-43.45	-27	Pass	4150
5150	5350	1	Peak	5241.667	10.08	24	Pass	601
5350	10300	1	Peak	5351	-45.55	-27	Pass	4950
10300	10700	1	Peak	10480.667	-45.95	-27	Pass	601
10700	25000	1	Peak	24627.974	-35.39	-27	Pass	14300



## 13. 802.11n\_40M\_Band1\_L

### 13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	424.541	-57.8	-27	Pass	9700
1000	5150	1	Peak	5150	-41.71	-27	Pass	4150
5150	5350	1	Peak	5192.333	7.88	24	Pass	601
5350	10300	1	Peak	5359.002	-45.61	-27	Pass	4950
10300	10700	1	Peak	10308	-46.94	-27	Pass	601
10700	25000	1	Peak	24791.985	-35.23	-27	Pass	14300



## 14. 802.11n\_40M\_Band1\_H

### 14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	898.089	-57.77	-27	Pass	9700
1000	5150	1	Peak	5123.994	-43.77	-27	Pass	4150
5150	5350	1	Peak	5228	6.62	24	Pass	601
5350	10300	1	Peak	5387.007	-45.08	-27	Pass	4950
10300	10700	1	Peak	10634	-46.53	-27	Pass	601
10700	25000	1	Peak	24770.984	-35.63	-27	Pass	14300



## 15. 802.11a\_20M\_Band4\_L

### 15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	461.244	-56.93	-27	Pass	9700
1000	5650	1	Peak	3184.47	-43.96	-27	Pass	4650
5650	5700	1	Peak	5650.917	-44.82	-26.32	Pass	601
5700	5720	1	Peak	5717.733	-37.67	14.97	Pass	601
5720	5725	1	Peak	5721.05	-34.88	17.99	Pass	601
5725	5850	1	Peak	5743.75	9.75	30	Pass	601
5850	5855	1	Peak	5854.908	-45.12	15.81	Pass	601
5855	5875	1	Peak	5873.5	-45.16	10.42	Pass	601
5875	5925	1	Peak	5924.833	-45.9	-26.88	Pass	601
5925	25000	1	Peak	24721.985	-35.46	-27	Pass	19075



## 16. 802.11a\_20M\_Band4\_M

### 16.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	988.899	-58.17	-27	Pass	9700
1000	5650	1	Peak	2656.356	-45.38	-27	Pass	4650
5650	5700	1	Peak	5650.25	-45.37	-26.82	Pass	601
5700	5720	1	Peak	5700.267	-44.96	10.07	Pass	601
5720	5725	1	Peak	5720.008	-43.96	15.62	Pass	601
5725	5850	1	Peak	5781.25	9.7	30	Pass	601
5850	5855	1	Peak	5854.917	-43.53	15.79	Pass	601
5855	5875	1	Peak	5873.967	-43.6	10.29	Pass	601
5875	5925	1	Peak	5924.833	-44.79	-26.88	Pass	601
5925	25000	1	Peak	24733.986	-35.94	-27	Pass	19075






## 17. 802.11a\_20M\_Band4\_H

### 17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	988.699	-58.37	-27	Pass	9700
1000	5650	1	Peak	3191.471	-44.71	-27	Pass	4650
5650	5700	1	Peak	5650	-46.4	-27	Pass	601
5700	5720	1	Peak	5700.6	-45.91	10.17	Pass	601
5720	5725	1	Peak	5720.158	-45.28	15.96	Pass	601
5725	5850	1	Peak	5826.458	9.7	30	Pass	601
5850	5855	1	Peak	5854.467	-39.35	16.82	Pass	601
5855	5875	1	Peak	5870.9	-41.79	11.15	Pass	601
5875	5925	1	Peak	5925	-44.64	-27	Pass	601
5925	25000	1	Peak	17474.605	-33.82	-27	Pass	19075



## 18. 802.11n\_20M\_Band4\_L

### 18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	668.166	-58.32	-27	Pass	9700
1000	5650	1	Peak	5626.995	-45.12	-27	Pass	4650
5650	5700	1	Peak	5650.167	-45.56	-26.88	Pass	601
5700	5720	1	Peak	5700.833	-42.73	10.23	Pass	601
5720	5725	1	Peak	5720.058	-36.88	15.73	Pass	601
5725	5850	1	Peak	5744.375	10.11	30	Pass	601
5850	5855	1	Peak	5854.942	-45.53	15.73	Pass	601
5855	5875	1	Peak	5874.8	-44.76	10.06	Pass	601
5875	5925	1	Peak	5924.667	-46.07	-26.75	Pass	601
5925	25000	1	Peak	21078.794	-35.03	-27	Pass	19075



## 19. 802.11n\_20M\_Band4\_M

### 19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	749.074	-58.48	-27	Pass	9700
1000	5650	1	Peak	2819.391	-44.75	-27	Pass	4650
5650	5700	1	Peak	5650.25	-46.15	-26.82	Pass	601
5700	5720	1	Peak	5701.3	-44.73	10.36	Pass	601
5720	5725	1	Peak	5720.292	-43.36	16.27	Pass	601
5725	5850	1	Peak	5786.458	9.34	30	Pass	601
5850	5855	1	Peak	5854.95	-44.18	15.71	Pass	601
5855	5875	1	Peak	5874.733	-44	10.07	Pass	601
5875	5925	1	Peak	5924.667	-44.47	-26.75	Pass	601
5925	25000	1	Peak	24787.989	-35.21	-27	Pass	19075



## 20. 802.11n\_20M\_Band4\_H

### 20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	870.887	-57.72	-27	Pass	9700
1000	5650	1	Peak	3178.468	-44.86	-27	Pass	4650
5650	5700	1	Peak	5650.583	-45.54	-26.57	Pass	601
5700	5720	1	Peak	5700	-46.08	10	Pass	601
5720	5725	1	Peak	5720.1	-44.81	15.83	Pass	601
5725	5850	1	Peak	5822.917	10.79	30	Pass	601
5850	5855	1	Peak	5854.542	-39.3	16.64	Pass	601
5855	5875	1	Peak	5872	-41.96	10.84	Pass	601
5875	5925	1	Peak	5924.917	-44.45	-26.94	Pass	601
5925	25000	1	Peak	17476.606	-34.73	-27	Pass	19075



## 21. 802.11n\_40M\_Band4\_L

### 21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	902.49	-56.45	-27	Pass	9700
1000	5650	1	Peak	5605.991	-44.72	-27	Pass	4650
5650	5700	1	Peak	5650.667	-45.53	-26.51	Pass	601
5700	5720	1	Peak	5714.6	-36.05	14.09	Pass	601
5720	5725	1	Peak	5720.1	-33.69	15.83	Pass	601
5725	5850	1	Peak	5756.875	7.14	30	Pass	601
5850	5855	1	Peak	5854.917	-44.68	15.79	Pass	601
5855	5875	1	Peak	5874.5	-44.83	10.14	Pass	601
5875	5925	1	Peak	5925	-46.4	-27	Pass	601
5925	25000	1	Peak	24787.989	-35.23	-27	Pass	19075



## 22. 802.11n\_40M\_Band4\_H

### 22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	898.89	-57.63	-27	Pass	9700
1000	5650	1	Peak	3176.468	-44.66	-27	Pass	4650
5650	5700	1	Peak	5650.333	-45.99	-26.75	Pass	601
5700	5720	1	Peak	5702.3	-44.71	10.64	Pass	601
5720	5725	1	Peak	5720.15	-44.37	15.94	Pass	601
5725	5850	1	Peak	5793.542	6.2	30	Pass	601
5850	5855	1	Peak	5854.783	-41.43	16.09	Pass	601
5855	5875	1	Peak	5873.8	-43.37	10.34	Pass	601
5875	5925	1	Peak	5924.583	-44.96	-26.69	Pass	601
5925	25000	1	Peak	24715.985	-34.85	-27	Pass	19075



## 23. 802.11ac\_20M\_Band4\_L

### 23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	759.675	-58.21	-27	Pass	9700
1000	5650	1	Peak	5619.994	-43.48	-27	Pass	4650
5650	5700	1	Peak	5650.75	-44.85	-26.45	Pass	601
5700	5720	1	Peak	5700.067	-43.35	10.02	Pass	601
5720	5725	1	Peak	5720.242	-31.62	16.15	Pass	601
5725	5850	1	Peak	5743.333	9.72	30	Pass	601
5850	5855	1	Peak	5854.975	-45.14	15.66	Pass	601
5855	5875	1	Peak	5874.733	-45.2	10.07	Pass	601
5875	5925	1	Peak	5923.667	-45.54	-26.01	Pass	601
5925	25000	1	Peak	24774.988	-35.43	-27	Pass	19075



## 24. 802.11ac\_20M\_Band4\_M

### 24.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	870.187	-58.1	-27	Pass	9700
1000	5650	1	Peak	5434.954	-44.77	-27	Pass	4650
5650	5700	1	Peak	5650.333	-46.44	-26.75	Pass	601
5700	5720	1	Peak	5700.333	-44.89	10.09	Pass	601
5720	5725	1	Peak	5720.042	-42.97	15.7	Pass	601
5725	5850	1	Peak	5786.042	9.24	30	Pass	601
5850	5855	1	Peak	5854.925	-43.68	15.77	Pass	601
5855	5875	1	Peak	5871.8	-43.45	10.9	Pass	601
5875	5925	1	Peak	5924.917	-45.7	-26.94	Pass	601
5925	25000	1	Peak	24790.989	-35.12	-27	Pass	19075






## 25. 802.11ac\_20M\_Band4\_H

### 25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	399.838	-57.27	-27	Pass	9700
1000	5650	1	Peak	5601.99	-44.47	-27	Pass	4650
5650	5700	1	Peak	5650.25	-46.48	-26.82	Pass	601
5700	5720	1	Peak	5701	-45.4	10.28	Pass	601
5720	5725	1	Peak	5720.008	-45.38	15.62	Pass	601
5725	5850	1	Peak	5823.75	9.17	30	Pass	601
5850	5855	1	Peak	5854.725	-40.88	16.23	Pass	601
5855	5875	1	Peak	5874.633	-43.3	10.1	Pass	601
5875	5925	1	Peak	5924.833	-44.16	-26.88	Pass	601
5925	25000	1	Peak	24717.985	-35.78	-27	Pass	19075



## 26. 802.11ac\_40M\_Band4\_L

### 26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	515.05	-58.43	-27	Pass	9700
1000	5650	1	Peak	5637.997	-44.4	-27	Pass	4650
5650	5700	1	Peak	5650.333	-43.94	-26.75	Pass	601
5700	5720	1	Peak	5711.1	-36.46	13.11	Pass	601
5720	5725	1	Peak	5720.117	-34.41	15.87	Pass	601
5725	5850	1	Peak	5755.833	6.5	30	Pass	601
5850	5855	1	Peak	5854.867	-44.15	15.9	Pass	601
5855	5875	1	Peak	5872.933	-43.62	10.58	Pass	601
5875	5925	1	Peak	5924.917	-45.56	-26.94	Pass	601
5925	25000	1	Peak	24789.989	-35.27	-27	Pass	19075



## 27. 802.11ac\_40M\_Band4\_H

### 27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	750.574	-57.86	-27	Pass	9700
1000	5650	1	Peak	2703.366	-44.43	-27	Pass	4650
5650	5700	1	Peak	5650.417	-46.01	-26.69	Pass	601
5700	5720	1	Peak	5701.467	-44.76	10.41	Pass	601
5720	5725	1	Peak	5720.058	-43.51	15.73	Pass	601
5725	5850	1	Peak	5797.708	6.27	30	Pass	601
5850	5855	1	Peak	5854.933	-42.53	15.75	Pass	601
5855	5875	1	Peak	5873.933	-42.62	10.3	Pass	601
5875	5925	1	Peak	5924.667	-44.82	-26.75	Pass	601
5925	25000	1	Peak	24854.992	-35.89	-27	Pass	19075



## 28. 802.11ac\_80M\_Band4\_M

### 28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	487.747	-58.07	-27	Pass	9700
1000	5650	1	Peak	5632.996	-44.87	-27	Pass	4650
5650	5700	1	Peak	5650.667	-44.52	-26.51	Pass	601
5700	5720	1	Peak	5718.1	-28.77	15.07	Pass	601
5720	5725	1	Peak	5720.617	-28.95	17.01	Pass	601
5725	5850	1	Peak	5768.333	2.51	30	Pass	601
5850	5855	1	Peak	5854.142	-35.33	17.56	Pass	601
5855	5875	1	Peak	5873.6	-37.77	10.39	Pass	601
5875	5925	1	Peak	5921.917	-42.97	-24.72	Pass	601
5925	25000	1	Peak	24745.987	-34.84	-27	Pass	19075



END