

EXHIBIT E- Field Strength of Spurious Radiation

1. GSM 850

1.1 GSM 850 LCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.38.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.102	-71.78	-10.48	-13.0	-58.78	247.40	Horizontal	Horizontal	Pass
246.013	-66.79	-4.85	-13.0	-53.79	232.50	Horizontal	Horizontal	Pass
823.989	-40.04	2.25	-13.0	-27.04	0.70	Horizontal	Horizontal	Pass
857.688	-64.95	5.32	-13.0	-51.95	289.50	Horizontal	Horizontal	Pass
1647.838	-46.61	-9.52	-13.0	-33.61	287.10	Horizontal	Horizontal	Pass
2472.632	-16.00	-4.16	-13.0	-3.00	299.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_10.31.57

EUT Name: N.A

Test Engineer:

Xiang Cheng Jie

Manufacturer: N.A

Test Standard:

FCC

Model: 7171LG

Work Addition:

Normal

Temp.(oC): 24.5

Load:


Full load

Hum.: 56%

Remark:

DR-RSE01-E20040045-01

#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
74.366	-80.38	-19.64	-13.0	-67.38	199.40	Vertical	Vertical	Pass
150.977	-80.37	-16.05	-13.0	-67.37	67.60	Vertical	Vertical	Pass
243.347	-73.51	-4.17	-13.0	-60.51	214.30	Vertical	Vertical	Pass
869.083	-57.93	4.38	-13.0	-44.93	23.70	Vertical	Vertical	Pass
1204.449	-58.32	-3.85	-13.0	-45.32	25.80	Vertical	Vertical	Pass
3008.998	-48.35	-0.87	-13.0	-35.35	49.40	Vertical	Vertical	Pass

1.2 GSM 850 MCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.22.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.165	-67.53	-3.62	-13.0	-54.53	360.00	Horizontal	Horizontal	Pass
836.596	-52.96	4.39	-13.0	-39.96	333.40	Horizontal	Horizontal	Pass
860.355	-58.03	5.14	-13.0	-45.03	209.50	Horizontal	Horizontal	Pass
1672.832	-50.17	-10.07	-13.0	-37.17	188.90	Horizontal	Horizontal	Pass
2509.623	-24.25	-4.23	-13.0	-11.25	195.60	Horizontal	Horizontal	Pass
3007.998	-47.88	-0.84	-13.0	-34.88	272.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.06.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.007	-74.63	-16.13	-13.0	-61.63	313.00	Vertical	Vertical	Pass
836.353	-48.95	4.35	-13.0	-35.95	279.60	Vertical	Vertical	Pass
860.597	-57.74	5.12	-13.0	-44.74	128.50	Vertical	Vertical	Pass
1673.332	-52.68	-10.09	-13.0	-39.68	280.50	Vertical	Vertical	Pass
2509.623	-24.42	-4.23	-13.0	-11.42	252.60	Vertical	Vertical	Pass
3030.992	-48.23	-1.45	-13.0	-35.23	0.00	Vertical	Vertical	Pass


1.3 GSM 850 HCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.16.40

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	7171LG	Work Addition:	Normal
Temp.(oC):	24.5	Load:	Full load
Hum.:	56%	Remark:	DR-RSE01-E20040045-01 #01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.799	-70.81	-11.38	-13.0	-57.81	213.70	Horizontal	Horizontal	Pass
239.953	-67.54	-3.34	-13.0	-54.54	307.40	Horizontal	Horizontal	Pass
848.718	-41.69	5.72	-13.0	-28.69	0.30	Horizontal	Horizontal	Pass
872.719	-57.64	3.79	-13.0	-44.64	298.50	Horizontal	Horizontal	Pass
1697.326	-56.11	-10.99	-13.0	-43.11	312.90	Horizontal	Horizontal	Pass
2546.113	-27.15	-4.32	-13.0	-14.15	145.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.11.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.556	-70.86	-11.25	-13.0	-57.86	233.10	Vertical	Vertical	Pass
240.195	-67.31	-3.37	-13.0	-54.31	297.50	Vertical	Vertical	Pass
450.147	-75.02	-2.92	-13.0	-62.02	291.50	Vertical	Vertical	Pass
848.718	-33.88	5.72	-13.0	-20.88	291.50	Vertical	Vertical	Pass
872.719	-60.64	3.79	-13.0	-47.64	148.20	Vertical	Vertical	Pass
2546.113	-32.01	-4.32	-13.0	-19.01	339.60	Vertical	Vertical	Pass

2. GSM 1900

2.1 GSM 1900 LCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.01.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.765	-78.36	-16.19	-13.0	-65.36	319.50	Horizontal	Horizontal	Pass
239.953	-66.80	-3.57	-13.0	-53.80	16.40	Horizontal	Horizontal	Pass
1203.449	-58.29	-3.77	-13.0	-45.29	345.20	Horizontal	Horizontal	Pass
1824.794	-41.38	-8.84	-13.0	-28.38	162.20	Horizontal	Horizontal	Pass
1925.269	-50.75	-8.29	-13.0	-37.75	86.30	Horizontal	Horizontal	Pass
3699.825	-50.39	-0.87	-13.0	-37.39	213.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.56.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8836.541	-62.46	11.44	-13.0	-49.46	65.20	Horizontal	Horizontal	Pass
9215.946	-59.30	13.66	-13.0	-46.30	346.50	Horizontal	Horizontal	Pass
11228.443	-55.71	15.75	-13.0	-42.71	359.20	Horizontal	Horizontal	Pass
13183.204	-55.94	15.71	-13.0	-42.94	0.80	Horizontal	Horizontal	Pass
14527.618	-47.03	24.24	-13.0	-34.03	204.00	Horizontal	Horizontal	Pass
16872.782	-45.22	26.20	-13.0	-32.22	269.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.36.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-79.49	-15.68	-13.0	-66.49	279.90	Vertical	Vertical	Pass
241.650	-66.14	-3.98	-13.0	-53.14	26.00	Vertical	Vertical	Pass
453.299	-74.95	-3.52	-13.0	-61.95	66.20	Vertical	Vertical	Pass
1849.788	-41.55	-7.96	-13.0	-28.55	26.40	Vertical	Vertical	Pass
1975.256	-57.13	-8.05	-13.0	-44.13	62.50	Vertical	Vertical	Pass
3699.825	-51.74	-0.87	-13.0	-38.74	0.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.38.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7937.516	-64.57	8.97	-13.0	-51.57	4.70	Vertical	Vertical	Pass
9336.916	-59.51	14.27	-13.0	-46.51	138.20	Vertical	Vertical	Pass
9732.817	-59.93	13.83	-13.0	-46.93	345.10	Vertical	Vertical	Pass
11189.953	-55.54	15.94	-13.0	-42.54	111.00	Vertical	Vertical	Pass
13733.067	-54.22	17.77	-13.0	-41.22	169.10	Vertical	Vertical	Pass
16842.539	-44.64	26.04	-13.0	-31.64	0.70	Vertical	Vertical	Pass

2.2 GSM 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.06.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.336	-70.37	-17.24	-13.0	-57.37	224.90	Horizontal	Horizontal	Pass
160.917	-68.52	-16.28	-13.0	-55.52	79.00	Horizontal	Horizontal	Pass
239.953	-66.47	-3.57	-13.0	-53.47	48.90	Horizontal	Horizontal	Pass
1880.280	-46.89	-8.19	-13.0	-33.89	24.00	Horizontal	Horizontal	Pass
1955.261	-51.13	-8.31	-13.0	-38.13	250.70	Horizontal	Horizontal	Pass
3859.785	-56.77	-1.01	-13.0	-43.77	201.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.53.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8880.530	-62.93	10.82	-13.0	-49.93	5.80	Horizontal	Horizontal	Pass
9378.155	-58.95	15.00	-13.0	-45.95	128.70	Horizontal	Horizontal	Pass
10494.376	-56.50	16.50	-13.0	-43.50	1.70	Horizontal	Horizontal	Pass
13246.438	-55.63	15.80	-13.0	-42.63	206.20	Horizontal	Horizontal	Pass
14780.555	-47.18	25.48	-13.0	-34.18	0.20	Horizontal	Horizontal	Pass
16834.291	-44.97	25.86	-13.0	-31.97	184.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.29.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.913	-83.45	-16.51	-13.0	-70.45	183.20	Vertical	Vertical	Pass
240.195	-66.48	-3.60	-13.0	-53.48	13.40	Vertical	Vertical	Pass
451.117	-75.77	-3.39	-13.0	-62.77	100.90	Vertical	Vertical	Pass
1879.780	-41.90	-8.18	-13.0	-28.90	281.90	Vertical	Vertical	Pass
2004.749	-58.86	-7.55	-13.0	-45.86	257.70	Vertical	Vertical	Pass
3758.810	-53.29	-1.57	-13.0	-40.29	97.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.40.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.76	10.20	-13.0	-51.76	331.60	Vertical	Vertical	Pass
9364.409	-59.67	14.81	-13.0	-46.67	360.00	Vertical	Vertical	Pass
10505.374	-56.98	16.48	-13.0	-43.98	334.20	Vertical	Vertical	Pass
11596.851	-57.25	16.49	-13.0	-44.25	203.90	Vertical	Vertical	Pass
14513.872	-47.61	24.24	-13.0	-34.61	355.60	Vertical	Vertical	Pass
16498.875	-46.49	24.97	-13.0	-33.49	355.60	Vertical	Vertical	Pass

2.3 GSM 1900 HCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.10.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-71.93	-19.75	-13.0	-58.93	32.60	Horizontal	Horizontal	Pass
240.922	-66.76	-3.79	-13.0	-53.76	0.70	Horizontal	Horizontal	Pass
645.796	-72.07	-0.73	-13.0	-59.07	0.00	Horizontal	Horizontal	Pass
1909.273	-52.74	-8.32	-13.0	-39.74	88.10	Horizontal	Horizontal	Pass
1984.754	-55.94	-7.97	-13.0	-42.94	186.80	Horizontal	Horizontal	Pass
3818.795	-53.62	-1.73	-13.0	-40.62	122.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.50.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8850.287	-61.50	11.59	-13.0	-48.50	359.30	Horizontal	Horizontal	Pass
9276.431	-59.42	13.35	-13.0	-46.42	11.50	Horizontal	Horizontal	Pass
10587.853	-56.21	16.13	-13.0	-43.21	183.90	Horizontal	Horizontal	Pass
11189.953	-55.99	15.94	-13.0	-42.99	122.90	Horizontal	Horizontal	Pass
14544.114	-47.35	24.24	-13.0	-34.35	2.10	Horizontal	Horizontal	Pass
16938.765	-45.37	26.50	-13.0	-32.37	360.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.23.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-79.49	-15.68	-13.0	-66.49	318.20	Vertical	Vertical	Pass
200.677	-72.32	-9.44	-13.0	-59.32	199.50	Vertical	Vertical	Pass
239.710	-66.41	-3.66	-13.0	-53.41	27.40	Vertical	Vertical	Pass
1834.791	-45.32	-8.33	-13.0	-32.32	30.10	Vertical	Vertical	Pass
1984.254	-58.27	-7.98	-13.0	-45.27	311.00	Vertical	Vertical	Pass
3818.795	-53.73	-1.73	-13.0	-40.73	99.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_16.42.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8822.794	-61.70	11.28	-13.0	-48.70	309.20	Vertical	Vertical	Pass
9405.649	-59.56	15.20	-13.0	-46.56	4.00	Vertical	Vertical	Pass
10843.539	-57.34	16.87	-13.0	-44.34	28.00	Vertical	Vertical	Pass
12143.964	-58.01	14.72	-13.0	-45.01	309.20	Vertical	Vertical	Pass
13763.309	-53.92	17.81	-13.0	-40.92	0.00	Vertical	Vertical	Pass
16878.280	-44.09	26.20	-13.0	-31.09	346.40	Vertical	Vertical	Pass

3. EDGE 850

3.1 EDGE 850 LCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.53.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-80.60	-15.38	-13.0	-67.60	0.00	Horizontal	Horizontal	Pass
155.584	-77.40	-15.73	-13.0	-64.40	325.70	Horizontal	Horizontal	Pass
240.922	-65.27	-3.56	-13.0	-52.27	243.80	Horizontal	Horizontal	Pass
799.988	-59.82	-0.52	-13.0	-46.82	128.50	Horizontal	Horizontal	Pass
823.989	-52.74	2.25	-13.0	-39.74	35.80	Horizontal	Horizontal	Pass
2472.632	-17.42	-4.16	-13.0	-4.42	126.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_13.21.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.007	-77.37	-16.13	-13.0	-64.37	219.60	Vertical	Vertical	Pass
240.922	-66.06	-3.56	-13.0	-53.06	219.60	Vertical	Vertical	Pass
823.989	-33.66	2.25	-13.0	-20.66	300.80	Vertical	Vertical	Pass
855.991	-66.84	5.43	-13.0	-53.84	291.80	Vertical	Vertical	Pass
1648.338	-46.22	-9.53	-13.0	-33.22	354.20	Vertical	Vertical	Pass
2472.632	-22.30	-4.16	-13.0	-9.30	317.60	Vertical	Vertical	Pass

3.2 EDGE 850 MCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.46.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.795	-76.72	-16.14	-13.0	-63.72	298.90	Horizontal	Horizontal	Pass
203.102	-72.15	-10.48	-13.0	-59.15	220.00	Horizontal	Horizontal	Pass
244.801	-67.03	-4.54	-13.0	-54.03	235.60	Horizontal	Horizontal	Pass
836.596	-46.05	4.39	-13.0	-33.05	278.10	Horizontal	Horizontal	Pass
860.597	-51.31	5.12	-13.0	-38.31	119.50	Horizontal	Horizontal	Pass
2509.123	-22.82	-4.21	-13.0	-9.82	131.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_13.16.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-80.04	-11.17	-13.0	-67.04	357.90	Vertical	Vertical	Pass
200.435	-71.23	-9.07	-13.0	-58.23	214.00	Vertical	Vertical	Pass
240.195	-66.92	-3.37	-13.0	-53.92	0.00	Vertical	Vertical	Pass
836.353	-45.61	4.35	-13.0	-32.61	264.70	Vertical	Vertical	Pass
860.597	-49.19	5.12	-13.0	-36.19	116.80	Vertical	Vertical	Pass
2509.123	-24.14	-4.21	-13.0	-11.14	225.10	Vertical	Vertical	Pass

3.3 EDGE 850 HCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_11.58.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-78.09	-11.25	-13.0	-65.09	331.70	Horizontal	Horizontal	Pass
238.983	-66.31	-3.69	-13.0	-53.31	31.40	Horizontal	Horizontal	Pass
848.718	-40.60	5.72	-13.0	-27.60	9.40	Horizontal	Horizontal	Pass
872.719	-55.69	3.79	-13.0	-42.69	288.90	Horizontal	Horizontal	Pass
1696.826	-55.62	-10.97	-13.0	-42.62	344.20	Horizontal	Horizontal	Pass
2545.614	-27.00	-4.33	-13.0	-14.00	210.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_13.11.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-80.90	-11.25	-13.0	-67.90	346.20	Vertical	Vertical	Pass
156.796	-77.23	-15.73	-13.0	-64.23	243.10	Vertical	Vertical	Pass
200.192	-71.83	-8.94	-13.0	-58.83	231.20	Vertical	Vertical	Pass
848.718	-40.12	5.72	-13.0	-27.12	359.80	Vertical	Vertical	Pass
872.719	-57.19	3.79	-13.0	-44.19	184.70	Vertical	Vertical	Pass
2545.614	-29.80	-4.33	-13.0	-16.80	102.20	Vertical	Vertical	Pass

4. EDGE 1900

4.1 EDGE 1900 LCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_14.32.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.007	-78.26	-16.18	-13.0	-65.26	198.20	Horizontal	Horizontal	Pass
200.677	-72.13	-9.44	-13.0	-59.13	231.30	Horizontal	Horizontal	Pass
239.953	-66.92	-3.57	-13.0	-53.92	34.40	Horizontal	Horizontal	Pass
1849.788	-59.47	-7.96	-13.0	-46.47	64.70	Horizontal	Horizontal	Pass
1961.260	-62.70	-8.27	-13.0	-49.70	202.80	Horizontal	Horizontal	Pass
3025.994	-57.05	-1.31	-13.0	-44.05	354.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_15.06.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8820.045	-62.80	11.24	-13.0	-49.80	131.00	Horizontal	Horizontal	Pass
9449.638	-59.56	14.30	-13.0	-46.56	164.50	Horizontal	Horizontal	Pass
10502.624	-56.44	16.50	-13.0	-43.44	199.10	Horizontal	Horizontal	Pass
11624.344	-57.05	15.91	-13.0	-44.05	356.20	Horizontal	Horizontal	Pass
14164.709	-52.50	20.65	-13.0	-39.50	336.10	Horizontal	Horizontal	Pass
16707.823	-45.67	25.65	-13.0	-32.67	236.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_13.59.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.950	-70.93	-9.11	-13.0	-57.93	192.40	Vertical	Vertical	Pass
240.195	-66.54	-3.60	-13.0	-53.54	3.00	Vertical	Vertical	Pass
459.118	-75.37	-3.87	-13.0	-62.37	113.50	Vertical	Vertical	Pass
656.948	-72.64	-0.15	-13.0	-59.64	249.70	Vertical	Vertical	Pass
1849.788	-58.37	-7.96	-13.0	-45.37	283.90	Vertical	Vertical	Pass
1929.768	-60.66	-8.28	-13.0	-47.66	208.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_15.01.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-64.25	9.50	-13.0	-51.25	65.30	Vertical	Vertical	Pass
8853.037	-62.19	11.52	-13.0	-49.19	354.60	Vertical	Vertical	Pass
9697.076	-60.19	14.05	-13.0	-47.19	342.40	Vertical	Vertical	Pass
11151.462	-55.37	15.63	-13.0	-42.37	354.60	Vertical	Vertical	Pass
14480.880	-47.87	23.64	-13.0	-34.87	360.00	Vertical	Vertical	Pass
16859.035	-44.82	26.20	-13.0	-31.82	47.10	Vertical	Vertical	Pass

4.2 EDGE 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_15.55.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.245	-68.99	-20.23	-13.0	-55.99	70.60	Horizontal	Horizontal	Pass
98.368	-71.13	-12.83	-13.0	-58.13	182.30	Horizontal	Horizontal	Pass
240.437	-66.59	-3.67	-13.0	-53.59	15.90	Horizontal	Horizontal	Pass
1003.999	-60.25	-4.33	-13.0	-47.25	342.90	Horizontal	Horizontal	Pass
1879.780	-40.35	-8.18	-13.0	-27.35	258.10	Horizontal	Horizontal	Pass
2004.749	-55.16	-7.55	-13.0	-42.16	137.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_15.08.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8842.039	-62.16	11.50	-13.0	-49.16	243.50	Horizontal	Horizontal	Pass
9328.668	-59.52	14.06	-13.0	-46.52	354.30	Horizontal	Horizontal	Pass
10466.883	-56.88	16.38	-13.0	-43.88	243.50	Horizontal	Horizontal	Pass
11594.101	-56.71	16.45	-13.0	-43.71	89.00	Horizontal	Horizontal	Pass
13788.053	-54.75	17.72	-13.0	-41.75	234.50	Horizontal	Horizontal	Pass
14838.290	-46.44	25.70	-13.0	-33.44	194.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_14.07.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.765	-77.44	-16.19	-13.0	-64.44	291.90	Vertical	Vertical	Pass
240.437	-66.91	-3.67	-13.0	-53.91	0.70	Vertical	Vertical	Pass
860.112	-67.13	4.26	-13.0	-54.13	131.60	Vertical	Vertical	Pass
1880.280	-61.20	-8.19	-13.0	-48.20	187.50	Vertical	Vertical	Pass
1959.760	-61.29	-8.31	-13.0	-48.29	162.90	Vertical	Vertical	Pass
3005.999	-57.03	-0.79	-13.0	-44.03	217.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_14.59.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9246.188	-59.93	13.41	-13.0	-46.93	280.60	Vertical	Vertical	Pass
10714.321	-56.13	16.15	-13.0	-43.13	69.30	Vertical	Vertical	Pass
11181.705	-55.55	15.87	-13.0	-42.55	259.10	Vertical	Vertical	Pass
13207.948	-56.40	16.03	-13.0	-43.40	130.70	Vertical	Vertical	Pass
14533.117	-47.30	24.24	-13.0	-34.30	218.90	Vertical	Vertical	Pass
16696.826	-46.60	25.75	-13.0	-33.60	106.50	Vertical	Vertical	Pass

4.3 EDGE 1900 HCH

Test result

Project Number: 验证测试

Test Time: 2020-06-15_14.19.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.007	-77.37	-16.18	-13.0	-64.37	300.80	Horizontal	Horizontal	Pass
199.950	-71.09	-9.11	-13.0	-58.09	194.70	Horizontal	Horizontal	Pass
455.966	-75.26	-3.68	-13.0	-62.26	342.80	Horizontal	Horizontal	Pass
1909.273	-62.88	-8.32	-13.0	-49.88	267.50	Horizontal	Horizontal	Pass
2128.218	-59.71	-4.97	-13.0	-46.71	285.70	Horizontal	Horizontal	Pass
2819.545	-57.32	-2.04	-13.0	-44.32	182.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_15.10.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8847.538	-61.45	11.57	-13.0	-48.45	333.60	Horizontal	Horizontal	Pass
9397.401	-59.57	15.27	-13.0	-46.57	277.80	Horizontal	Horizontal	Pass
10741.815	-57.01	16.56	-13.0	-44.01	54.10	Horizontal	Horizontal	Pass
11206.448	-56.15	15.96	-13.0	-43.15	4.10	Horizontal	Horizontal	Pass
14194.951	-51.96	20.64	-13.0	-38.96	128.60	Horizontal	Horizontal	Pass
14852.037	-46.70	25.63	-13.0	-33.70	281.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_14.12.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.488	-84.36	-20.23	-13.0	-71.36	269.40	Vertical	Vertical	Pass
199.950	-71.50	-9.11	-13.0	-58.50	148.40	Vertical	Vertical	Pass
238.983	-67.51	-3.95	-13.0	-54.51	60.20	Vertical	Vertical	Pass
1898.775	-62.65	-8.32	-13.0	-49.65	283.80	Vertical	Vertical	Pass
1989.753	-60.94	-7.84	-13.0	-47.94	198.20	Vertical	Vertical	Pass
2998.500	-57.00	-0.98	-13.0	-44.00	29.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-15_14.54.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: 7171LG

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8842.039	-62.56	11.50	-13.0	-49.56	360.00	Vertical	Vertical	Pass
9424.894	-58.97	14.80	-13.0	-45.97	319.70	Vertical	Vertical	Pass
10582.354	-57.26	16.14	-13.0	-44.26	142.80	Vertical	Vertical	Pass
12157.711	-58.16	14.56	-13.0	-45.16	92.60	Vertical	Vertical	Pass
14153.712	-52.69	20.65	-13.0	-39.69	360.00	Vertical	Vertical	Pass
14788.803	-47.25	25.58	-13.0	-34.25	68.10	Vertical	Vertical	Pass

5. WCDMA Band II

5.1 WCDMA Band II LCH

Test result

Project Number: 验证测试

Test Time: 2020-07-03_18.26.31

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.881	-63.18	-14.47	-13.0	-50.18	159.80	Horizontal	Vertical	Pass
145.401	-71.69	-16.34	-13.0	-58.69	326.30	Horizontal	Vertical	Pass
239.468	-65.45	-3.76	-13.0	-52.45	131.90	Horizontal	Vertical	Pass
440.207	-65.20	-4.94	-13.0	-52.20	298.80	Horizontal	Vertical	Pass
1841.290	-35.90	-7.89	-13.0	-22.90	211.20	Horizontal	Vertical	Pass
1931.767	-52.33	-8.29	-13.0	-39.33	192.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.15.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8129.968	-64.16	9.81	-13.0	-51.16	41.00	Horizontal	Vertical	Pass
9367.158	-59.06	14.85	-13.0	-46.06	131.80	Horizontal	Vertical	Pass
10499.875	-56.87	16.52	-13.0	-43.87	52.20	Horizontal	Vertical	Pass
13733.067	-53.51	17.77	-13.0	-40.51	89.00	Horizontal	Vertical	Pass
14813.547	-46.90	25.71	-13.0	-33.90	0.20	Horizontal	Vertical	Pass
16834.291	-45.03	25.86	-13.0	-32.03	0.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.12.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.337	-50.35	-15.30	-13.0	-37.35	32.40	Horizontal	Vertical	Pass
235.831	-65.89	-5.20	-13.0	-52.89	136.20	Horizontal	Vertical	Pass
871.022	-48.53	3.23	-13.0	-35.53	269.80	Horizontal	Vertical	Pass
959.513	-35.05	2.79	-13.0	-22.05	147.00	Horizontal	Vertical	Pass
1838.790	-35.76	-7.99	-13.0	-22.76	34.50	Horizontal	Vertical	Pass
2447.638	-46.21	-4.53	-13.0	-33.21	12.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.23.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-64.26	9.15	-13.0	-51.26	197.40	Vertical	Vertical	Pass
9130.717	-61.54	11.90	-13.0	-48.54	70.00	Vertical	Vertical	Pass
10510.872	-57.40	16.44	-13.0	-44.40	228.30	Vertical	Vertical	Pass
12105.474	-57.45	14.90	-13.0	-44.45	44.40	Vertical	Vertical	Pass
14753.062	-46.73	25.14	-13.0	-33.73	268.50	Vertical	Vertical	Pass
16496.126	-46.97	24.86	-13.0	-33.97	121.40	Vertical	Vertical	Pass

5.2 WCDMA Band II MCH

Test result

Project Number: 验证测试

Test Time: 2020-07-03_18.34.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.638	-64.53	-14.38	-13.0	-51.53	197.40	Horizontal	Vertical	Pass
234.619	-65.99	-5.68	-13.0	-52.99	150.90	Horizontal	Vertical	Pass
495.484	-64.08	-7.76	-13.0	-51.08	360.00	Horizontal	Vertical	Pass
1205.449	-58.00	-3.89	-13.0	-45.00	202.00	Horizontal	Vertical	Pass
1839.290	-35.26	-7.94	-13.0	-22.26	34.50	Horizontal	Vertical	Pass
1921.270	-46.86	-8.29	-13.0	-33.86	31.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.17.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8146.463	-64.59	9.58	-13.0	-51.59	207.00	Horizontal	Vertical	Pass
9413.897	-59.48	15.03	-13.0	-46.48	346.20	Horizontal	Vertical	Pass
10766.558	-56.95	16.54	-13.0	-43.95	22.40	Horizontal	Vertical	Pass
12146.713	-58.31	14.71	-13.0	-45.31	340.60	Horizontal	Vertical	Pass
14524.869	-46.86	24.24	-13.0	-33.86	59.60	Horizontal	Vertical	Pass
16903.024	-44.19	26.21	-13.0	-31.19	141.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.08.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.032	-52.36	-15.48	-13.0	-39.36	45.60	Horizontal	Vertical	Pass
91.337	-50.42	-15.30	-13.0	-37.42	16.10	Horizontal	Vertical	Pass
495.241	-62.78	-7.77	-13.0	-49.78	29.60	Horizontal	Vertical	Pass
871.022	-48.87	3.23	-13.0	-35.87	356.50	Horizontal	Vertical	Pass
959.513	-35.22	2.79	-13.0	-22.22	183.80	Horizontal	Vertical	Pass
2143.214	-40.86	-4.86	-13.0	-27.86	153.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.25.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.99	9.74	-13.0	-51.99	2.70	Vertical	Vertical	Pass
9383.654	-59.73	15.08	-13.0	-46.73	43.20	Vertical	Vertical	Pass
10521.870	-57.34	16.36	-13.0	-44.34	323.50	Vertical	Vertical	Pass
13628.593	-55.10	18.11	-13.0	-42.10	4.20	Vertical	Vertical	Pass
14563.359	-47.33	24.32	-13.0	-34.33	221.90	Vertical	Vertical	Pass
16809.548	-45.43	25.32	-13.0	-32.43	17.90	Vertical	Vertical	Pass

5.3 WCDMA Band II HCH

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.01.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.275	-52.71	-15.53	-13.0	-39.71	46.60	Horizontal	Vertical	Pass
89.640	-50.77	-16.15	-13.0	-37.77	165.80	Horizontal	Vertical	Pass
239.953	-65.87	-3.57	-13.0	-52.87	147.10	Horizontal	Vertical	Pass
959.513	-34.35	2.79	-13.0	-21.35	17.50	Horizontal	Vertical	Pass
1840.290	-38.22	-7.89	-13.0	-25.22	359.90	Horizontal	Vertical	Pass
2447.638	-45.80	-4.53	-13.0	-32.80	354.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.19.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8011.747	-64.41	9.05	-13.0	-51.41	7.20	Vertical	Vertical	Pass
9320.420	-59.52	13.84	-13.0	-46.52	308.90	Vertical	Vertical	Pass
10598.850	-57.12	16.13	-13.0	-44.12	91.30	Vertical	Vertical	Pass
11618.845	-56.92	16.05	-13.0	-43.92	181.70	Vertical	Vertical	Pass
13746.813	-53.51	17.84	-13.0	-40.51	1.60	Vertical	Vertical	Pass
16496.126	-46.64	24.86	-13.0	-33.64	342.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.04.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.517	-52.17	-15.58	-13.0	-39.17	272.40	Horizontal	Vertical	Pass
91.337	-51.13	-15.30	-13.0	-38.13	176.40	Horizontal	Vertical	Pass
492.817	-62.23	-7.91	-13.0	-49.23	358.40	Horizontal	Vertical	Pass
959.755	-34.15	2.80	-13.0	-21.15	343.20	Horizontal	Vertical	Pass
1820.795	-40.54	-8.93	-13.0	-27.54	337.50	Horizontal	Vertical	Pass
2447.638	-46.32	-4.53	-13.0	-33.32	4.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_19.21.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.04	9.76	-13.0	-51.04	309.60	Vertical	Vertical	Pass
9400.150	-59.70	15.31	-13.0	-46.70	87.10	Vertical	Vertical	Pass
10510.872	-56.69	16.44	-13.0	-43.69	261.60	Vertical	Vertical	Pass
13216.196	-56.42	15.98	-13.0	-43.42	123.90	Vertical	Vertical	Pass
14805.299	-46.40	25.72	-13.0	-33.40	183.90	Vertical	Vertical	Pass
16498.875	-46.44	24.97	-13.0	-33.44	0.00	Vertical	Vertical	Pass

6. WCDMA Band V

6.1 WCDMA Band V LCH

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.39.16

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-72.91	-11.36	-13.0	-59.91	77.90	Horizontal	Vertical	Pass
143.462	-67.64	-16.02	-13.0	-54.64	238.00	Horizontal	Vertical	Pass
237.771	-62.18	-4.14	-13.0	-49.18	243.20	Horizontal	Vertical	Pass
883.387	-59.11	2.05	-13.0	-46.11	240.60	Horizontal	Vertical	Pass
2279.180	-56.88	-2.97	-13.0	-43.88	235.90	Horizontal	Vertical	Pass
4092.727	-44.44	0.85	-13.0	-31.44	332.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.32.59

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%

Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-65.23	10.04	-13.0	-52.23	93.20	Horizontal	Vertical	Pass
9215.946	-59.48	13.66	-13.0	-46.48	235.40	Horizontal	Vertical	Pass
10574.106	-56.88	16.14	-13.0	-43.88	353.70	Horizontal	Vertical	Pass
12105.474	-57.86	14.90	-13.0	-44.86	0.80	Horizontal	Vertical	Pass
14579.855	-47.50	24.44	-13.0	-34.50	203.30	Horizontal	Vertical	Pass
16889.278	-44.89	26.19	-13.0	-31.89	132.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.16.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
59.335	-66.29	-14.60	-13.0	-53.29	145.60	Vertical	Vertical	Pass
148.068	-72.21	-16.14	-13.0	-59.21	190.20	Vertical	Vertical	Pass
238.498	-67.15	-3.87	-13.0	-54.15	349.50	Vertical	Vertical	Pass
672.707	-64.73	-0.51	-13.0	-51.73	182.40	Vertical	Vertical	Pass
869.568	-59.02	4.34	-13.0	-46.02	116.90	Vertical	Vertical	Pass
4108.723	-45.13	0.90	-13.0	-32.13	177.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.26.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-64.59	9.15	-13.0	-51.59	103.60	Vertical	Vertical	Pass
9336.916	-59.10	14.27	-13.0	-46.10	239.80	Vertical	Vertical	Pass
10543.864	-56.89	16.19	-13.0	-43.89	323.90	Vertical	Vertical	Pass
12075.231	-57.57	14.61	-13.0	-44.57	50.70	Vertical	Vertical	Pass
14681.580	-47.37	25.22	-13.0	-34.37	112.10	Vertical	Vertical	Pass
16501.625	-46.22	24.96	-13.0	-33.22	5.70	Vertical	Vertical	Pass

6.2 WCDMA Band V MCH

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.36.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-73.28	-11.31	-13.0	-60.28	12.70	Horizontal	Vertical	Pass
141.280	-67.75	-15.81	-13.0	-54.75	53.00	Horizontal	Vertical	Pass
237.043	-62.86	-4.40	-13.0	-49.86	88.40	Horizontal	Vertical	Pass
880.720	-59.36	2.36	-13.0	-46.36	242.80	Horizontal	Vertical	Pass
2292.177	-55.90	-2.63	-13.0	-42.90	46.40	Horizontal	Vertical	Pass
5169.458	-41.22	2.86	-13.0	-28.22	0.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.34.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8149.213	-64.98	9.55	-13.0	-51.98	286.30	Horizontal	Vertical	Pass
9229.693	-58.51	13.54	-13.0	-45.51	320.10	Horizontal	Vertical	Pass
10816.046	-57.31	16.49	-13.0	-44.31	90.80	Horizontal	Vertical	Pass
13155.711	-56.15	15.11	-13.0	-43.15	272.10	Horizontal	Vertical	Pass
14827.293	-47.32	25.71	-13.0	-34.32	300.40	Horizontal	Vertical	Pass
16856.286	-45.41	26.20	-13.0	-32.41	325.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.21.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.395	-66.14	-11.81	-13.0	-53.14	190.60	Vertical	Vertical	Pass
148.068	-71.34	-16.14	-13.0	-58.34	190.60	Vertical	Vertical	Pass
238.983	-66.87	-3.69	-13.0	-53.87	339.10	Vertical	Vertical	Pass
670.525	-66.10	-0.31	-13.0	-53.10	182.80	Vertical	Vertical	Pass
1201.450	-57.38	-3.67	-13.0	-44.38	194.90	Vertical	Vertical	Pass
5024.494	-41.66	2.89	-13.0	-28.66	291.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.28.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7995.251	-64.78	8.98	-13.0	-51.78	201.30	Vertical	Vertical	Pass
9204.949	-59.44	13.75	-13.0	-46.44	25.90	Vertical	Vertical	Pass
10527.368	-57.39	16.31	-13.0	-44.39	59.80	Vertical	Vertical	Pass
12726.818	-57.02	14.63	-13.0	-44.02	309.60	Vertical	Vertical	Pass
14497.376	-47.26	24.16	-13.0	-34.26	82.10	Vertical	Vertical	Pass
16493.377	-46.71	24.75	-13.0	-33.71	287.30	Vertical	Vertical	Pass

6.3 WCDMA Band V HCH

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.42.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-71.61	-11.47	-13.0	-58.61	90.00	Horizontal	Vertical	Pass
142.249	-68.27	-15.90	-13.0	-55.27	267.50	Horizontal	Vertical	Pass
238.255	-62.69	-3.96	-13.0	-49.69	248.50	Horizontal	Vertical	Pass
670.767	-66.24	-0.33	-13.0	-53.24	216.20	Horizontal	Vertical	Pass
893.084	-61.15	1.51	-13.0	-48.15	272.70	Horizontal	Vertical	Pass
4129.718	-44.69	0.58	-13.0	-31.69	200.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.31.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-63.78	10.16	-13.0	-50.78	54.10	Horizontal	Vertical	Pass
9235.191	-59.79	13.50	-13.0	-46.79	128.10	Horizontal	Vertical	Pass
10516.371	-57.37	16.40	-13.0	-44.37	0.00	Horizontal	Vertical	Pass
12721.320	-57.57	14.60	-13.0	-44.57	119.60	Horizontal	Vertical	Pass
14879.530	-47.27	24.67	-13.0	-34.27	317.10	Horizontal	Vertical	Pass
16856.286	-44.79	26.20	-13.0	-31.79	74.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.24.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.880	-66.13	-11.83	-13.0	-53.13	159.00	Vertical	Vertical	Pass
148.068	-72.28	-16.14	-13.0	-59.28	181.30	Vertical	Vertical	Pass
237.043	-67.48	-4.40	-13.0	-54.48	322.80	Vertical	Vertical	Pass
679.495	-64.72	-1.14	-13.0	-51.72	256.10	Vertical	Vertical	Pass
1200.950	-57.68	-3.65	-13.0	-44.68	254.70	Vertical	Vertical	Pass
4753.562	-42.29	1.77	-13.0	-29.29	274.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_17.29.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8074.981	-64.35	9.71	-13.0	-51.35	242.00	Vertical	Vertical	Pass
8853.037	-61.52	11.52	-13.0	-48.52	358.30	Vertical	Vertical	Pass
10763.809	-57.44	16.57	-13.0	-44.44	279.20	Vertical	Vertical	Pass
13551.612	-54.74	17.91	-13.0	-41.74	296.40	Vertical	Vertical	Pass
14808.048	-46.75	25.72	-13.0	-33.75	71.90	Vertical	Vertical	Pass
16870.032	-44.82	26.20	-13.0	-31.82	214.10	Vertical	Vertical	Pass

7. CDMA BC0

7.1 CDMA BC0 LCH

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.14.58

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.310	-64.31	-15.72	-13.0	-51.31	95.80	Horizontal	Vertical	Pass
236.316	-57.45	-4.67	-13.0	-44.45	38.10	Horizontal	Vertical	Pass
823.989	-47.54	2.25	-13.0	-34.54	240.30	Horizontal	Vertical	Pass
869.568	-64.65	4.34	-13.0	-51.65	284.30	Horizontal	Vertical	Pass
1181.455	-59.02	-4.45	-13.0	-46.02	238.30	Horizontal	Vertical	Pass
5411.397	-40.96	2.45	-13.0	-27.96	293.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.24.57

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9328.668	-59.88	14.06	-13.0	-46.88	160.80	Horizontal	Vertical	Pass
10475.131	-56.93	16.42	-13.0	-43.93	189.50	Horizontal	Vertical	Pass
11643.589	-57.05	15.42	-13.0	-44.05	274.30	Horizontal	Vertical	Pass
14557.861	-47.57	24.29	-13.0	-34.57	135.10	Horizontal	Vertical	Pass
14805.299	-46.71	25.72	-13.0	-33.71	294.00	Horizontal	Vertical	Pass
17969.758	-29.76	42.21	-13.0	-16.76	265.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_09:58:41

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-61.59	-19.17	-13.0	-48.59	164.60	Vertical	Vertical	Pass
136.188	-68.97	-15.85	-13.0	-55.97	254.30	Vertical	Vertical	Pass
824.231	-49.08	2.28	-13.0	-36.08	315.00	Vertical	Vertical	Pass
869.325	-60.17	4.36	-13.0	-47.17	336.20	Vertical	Vertical	Pass
3697.826	-46.84	-0.90	-13.0	-33.84	151.80	Vertical	Vertical	Pass
6583.104	-36.03	7.81	-13.0	-23.03	0.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.19.18

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.22	10.00	-13.0	-51.22	1.90	Vertical	Vertical	Pass
9380.905	-59.51	15.04	-13.0	-46.51	133.60	Vertical	Vertical	Pass
10486.128	-56.73	16.46	-13.0	-43.73	77.10	Vertical	Vertical	Pass
14524.869	-47.48	24.24	-13.0	-34.48	355.30	Vertical	Vertical	Pass
14824.544	-47.28	25.71	-13.0	-34.28	57.70	Vertical	Vertical	Pass
16883.779	-44.26	26.19	-13.0	-31.26	79.70	Vertical	Vertical	Pass

7.2 CDMA BC0 MCH

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.12.06

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
139.825	-64.48	-15.70	-13.0	-51.48	122.20	Horizontal	Vertical	Pass
238.255	-57.59	-3.96	-13.0	-44.59	63.00	Horizontal	Vertical	Pass
836.111	-59.69	4.30	-13.0	-46.69	266.60	Horizontal	Vertical	Pass
1199.950	-58.19	-3.59	-13.0	-45.19	273.00	Horizontal	Vertical	Pass
3407.898	-48.52	-2.83	-13.0	-35.52	160.30	Horizontal	Vertical	Pass
5420.395	-41.06	2.41	-13.0	-28.06	256.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.22.56

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-64.54	9.56	-13.0	-51.54	71.50	Horizontal	Vertical	Pass
9380.905	-59.83	15.04	-13.0	-46.83	347.30	Horizontal	Vertical	Pass
11016.746	-56.65	16.66	-13.0	-43.65	282.80	Horizontal	Vertical	Pass
13777.056	-53.85	17.76	-13.0	-40.85	357.60	Horizontal	Vertical	Pass
14827.293	-45.82	25.71	-13.0	-32.82	159.80	Horizontal	Vertical	Pass
16933.267	-44.87	26.46	-13.0	-31.87	338.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.02.00

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.912	-65.37	-19.08	-13.0	-52.37	179.50	Vertical	Vertical	Pass
239.468	-67.36	-3.51	-13.0	-54.36	155.70	Vertical	Vertical	Pass
836.111	-61.82	4.30	-13.0	-48.82	294.50	Vertical	Vertical	Pass
881.690	-63.19	2.25	-13.0	-50.19	88.30	Vertical	Vertical	Pass
1199.450	-57.44	-3.61	-13.0	-44.44	275.30	Vertical	Vertical	Pass
5221.445	-41.77	2.46	-13.0	-28.77	93.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.20.36

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9345.164	-58.94	14.48	-13.0	-45.94	160.10	Vertical	Vertical	Pass
10521.870	-57.49	16.36	-13.0	-44.49	351.70	Vertical	Vertical	Pass
11184.454	-56.46	15.89	-13.0	-43.46	311.20	Vertical	Vertical	Pass
12160.460	-58.40	14.51	-13.0	-45.40	26.90	Vertical	Vertical	Pass
14791.552	-46.93	25.62	-13.0	-33.93	360.00	Vertical	Vertical	Pass
16870.032	-45.13	26.20	-13.0	-32.13	78.20	Vertical	Vertical	Pass

7.3 CDMA BC0 HCH

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.08.30

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
138.855	-63.89	-15.74	-13.0	-50.89	126.90	Horizontal	Vertical	Pass
238.255	-56.89	-3.96	-13.0	-43.89	52.10	Horizontal	Vertical	Pass
852.112	-48.47	5.68	-13.0	-35.47	239.00	Horizontal	Vertical	Pass
1200.450	-58.21	-3.62	-13.0	-45.21	157.00	Horizontal	Vertical	Pass
2276.181	-57.44	-3.10	-13.0	-44.44	341.30	Horizontal	Vertical	Pass
5369.408	-41.19	1.91	-13.0	-28.19	62.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.26.13

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.04	10.00	-13.0	-51.04	124.60	Horizontal	Vertical	Pass
9416.646	-60.13	14.97	-13.0	-47.13	202.40	Horizontal	Vertical	Pass
10499.875	-57.10	16.52	-13.0	-44.10	341.30	Horizontal	Vertical	Pass
11129.468	-56.25	15.30	-13.0	-43.25	168.50	Horizontal	Vertical	Pass
14799.800	-46.56	25.72	-13.0	-33.56	90.30	Horizontal	Vertical	Pass
17953.262	-29.69	41.68	-13.0	-16.69	321.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.05.35

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.882	-65.80	-19.45	-13.0	-52.80	185.90	Vertical	Vertical	Pass
139.098	-69.60	-15.73	-13.0	-56.60	253.30	Vertical	Vertical	Pass
238.255	-67.19	-3.96	-13.0	-54.19	156.50	Vertical	Vertical	Pass
851.870	-48.53	5.69	-13.0	-35.53	145.70	Vertical	Vertical	Pass
893.569	-66.95	1.54	-13.0	-53.95	300.50	Vertical	Vertical	Pass
4672.582	-42.49	1.18	-13.0	-29.49	88.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.16.51

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.33	9.21	-13.0	-51.33	220.90	Vertical	Vertical	Pass
9273.682	-59.42	13.35	-13.0	-46.42	102.10	Vertical	Vertical	Pass
11209.198	-56.43	15.93	-13.0	-43.43	358.30	Vertical	Vertical	Pass
11618.845	-56.74	16.05	-13.0	-43.74	99.50	Vertical	Vertical	Pass
14816.296	-46.66	25.71	-13.0	-33.66	150.20	Vertical	Vertical	Pass
17507.873	-40.67	31.49	-13.0	-27.67	175.50	Vertical	Vertical	Pass

8. EVDO BC0

8.1 EVDO BC0 LCH

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.36.36

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.795	-67.14	-15.76	-13.0	-54.14	111.60	Horizontal	Vertical	Pass
240.680	-61.90	-3.49	-13.0	-48.90	66.50	Horizontal	Vertical	Pass
823.989	-54.13	2.25	-13.0	-41.13	184.90	Horizontal	Vertical	Pass
870.052	-60.55	4.29	-13.0	-47.55	127.30	Horizontal	Vertical	Pass
2283.679	-57.65	-2.80	-13.0	-44.65	8.90	Horizontal	Vertical	Pass
9419.145	-36.81	18.93	-13.0	-23.81	86.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.53.24

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-71.97	-11.28	-13.0	-58.97	17.20	Vertical	Vertical	Pass
238.498	-68.41	-3.87	-13.0	-55.41	230.10	Vertical	Vertical	Pass
823.989	-61.87	2.25	-13.0	-48.87	62.20	Vertical	Vertical	Pass
869.083	-56.16	4.38	-13.0	-43.16	104.60	Vertical	Vertical	Pass
1200.950	-58.54	-3.65	-13.0	-45.54	210.80	Vertical	Vertical	Pass
9406.898	-37.18	19.22	-13.0	-24.18	272.70	Vertical	Vertical	Pass

8.2 EVDO BC0 MCH

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.41.46

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.280	-67.33	-15.81	-13.0	-54.33	99.60	Horizontal	Vertical	Pass
237.528	-60.60	-4.22	-13.0	-47.60	99.60	Horizontal	Vertical	Pass
836.111	-63.43	4.30	-13.0	-50.43	172.20	Horizontal	Vertical	Pass
881.447	-65.26	2.28	-13.0	-52.26	137.20	Horizontal	Vertical	Pass
2284.679	-56.87	-2.77	-13.0	-43.87	168.40	Horizontal	Vertical	Pass
9427.893	-36.86	18.73	-13.0	-23.86	358.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.50.06

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-71.18	-11.28	-13.0	-58.18	0.00	Vertical	Vertical	Pass
239.953	-69.53	-3.34	-13.0	-56.53	241.50	Vertical	Vertical	Pass
836.111	-67.04	4.30	-13.0	-54.04	143.60	Vertical	Vertical	Pass
881.690	-60.32	2.25	-13.0	-47.32	59.50	Vertical	Vertical	Pass
2281.180	-57.14	-2.90	-13.0	-44.14	292.10	Vertical	Vertical	Pass
9426.143	-35.75	18.77	-13.0	-22.75	14.00	Vertical	Vertical	Pass

8.3 EVDO BC0 HCH

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.44.32

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
235.831	-60.81	-4.85	-13.0	-47.81	130.30	Horizontal	Vertical	Pass
851.627	-47.00	5.71	-13.0	-34.00	143.30	Horizontal	Vertical	Pass
893.084	-68.03	1.51	-13.0	-55.03	116.90	Horizontal	Vertical	Pass
2288.678	-57.53	-2.62	-13.0	-44.53	151.00	Horizontal	Vertical	Pass
2989.503	-57.40	-1.03	-13.0	-44.40	51.70	Horizontal	Vertical	Pass
9212.697	-37.22	17.62	-13.0	-24.22	280.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-06_10.47.14

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case: CE FCC PART2&24&27 FCC CDMA_EVD0



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.061	-72.76	-11.13	-13.0	-59.76	232.30	Horizontal	Vertical	Pass
240.680	-69.88	-3.49	-13.0	-56.88	166.40	Horizontal	Vertical	Pass
853.809	-54.86	5.57	-13.0	-41.86	140.00	Horizontal	Vertical	Pass
893.084	-64.73	1.51	-13.0	-51.73	145.60	Horizontal	Vertical	Pass
1205.949	-58.39	-3.94	-13.0	-45.39	167.70	Horizontal	Vertical	Pass
9461.135	-37.12	17.95	-13.0	-24.12	0.10	Horizontal	Vertical	Pass