

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

report number :

SHE20040045-02AE

Note : Transmit frequency is ignore ,mark →

LTE-B2-1.4-LCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2020-06-18_10:52:57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.152	-59.57	-11.93	-13.0	-46.57	0.60	Horizontal	Horizontal	Pass
91.822	-64.64	-15.06	-13.0	-51.64	61.10	Horizontal	Horizontal	Pass
239.953	-65.16	-3.57	-13.0	-52.16	358.10	Horizontal	Horizontal	Pass
1010.497	-60.43	-4.53	-13.0	-47.43	247.30	Horizontal	Horizontal	Pass
1930.767	-32.62	-8.28	-13.0	-19.62	218.30	Horizontal	Horizontal	Pass
3700.825	-56.09	-0.88	-13.0	-43.09	129.10	Horizontal	Horizontal	Pass

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-03_16.22.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7934.766	-64.77	9.03	-13.0	-51.77	137.60	Horizontal	Vertical	Pass
9394.651	-59.52	15.23	-13.0	-46.52	312.20	Horizontal	Vertical	Pass
11192.702	-56.16	15.96	-13.0	-43.16	16.10	Horizontal	Vertical	Pass
13246.438	-56.95	15.80	-13.0	-43.95	1.10	Horizontal	Vertical	Pass
14783.304	-47.44	25.51	-13.0	-34.44	1.10	Horizontal	Vertical	Pass
16487.878	-46.37	24.54	-13.0	-33.37	92.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_10.49.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.152	-59.80	-11.93	-13.0	-46.80	24.40	Horizontal	Horizontal	Pass
122.854	-65.12	-14.75	-13.0	-52.12	189.10	Horizontal	Horizontal	Pass
239.953	-66.25	-3.57	-13.0	-53.25	360.00	Horizontal	Horizontal	Pass
350.747	-65.56	-8.38	-13.0	-52.56	217.80	Horizontal	Horizontal	Pass
1959.760	-33.93	-8.31	-13.0	-20.93	156.00	Horizontal	Horizontal	Pass
3690.827	-57.07	-1.00	-13.0	-44.07	318.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_16.21.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8011.747	-64.44	9.05	-13.0	-51.44	228.50	Horizontal	Vertical	Pass
9422.144	-59.46	14.86	-13.0	-46.46	98.30	Horizontal	Vertical	Pass
10807.798	-56.67	16.37	-13.0	-43.67	46.90	Horizontal	Vertical	Pass
13185.954	-55.96	15.77	-13.0	-42.96	202.80	Horizontal	Vertical	Pass
14775.056	-47.39	25.41	-13.0	-34.39	310.40	Horizontal	Vertical	Pass
16501.625	-46.59	24.96	-13.0	-33.59	214.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_10.46.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-58.70	-11.88	-13.0	-45.70	0.00	Horizontal	Horizontal	Pass
85.276	-62.05	-18.31	-13.0	-49.05	169.40	Horizontal	Horizontal	Pass
102.247	-65.19	-12.84	-13.0	-52.19	359.90	Horizontal	Horizontal	Pass
239.953	-65.17	-3.57	-13.0	-52.17	360.00	Horizontal	Horizontal	Pass
1003.999	-58.76	-4.33	-13.0	-45.76	113.30	Horizontal	Horizontal	Pass
1988.753	-31.27	-7.87	-13.0	-18.27	238.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_16.24.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.47	10.00	-13.0	-51.47	359.80	Horizontal	Vertical	Pass
9361.660	-59.69	14.77	-13.0	-46.69	212.80	Horizontal	Vertical	Pass
10519.120	-57.04	16.38	-13.0	-44.04	65.50	Horizontal	Vertical	Pass
13221.695	-56.09	15.95	-13.0	-43.09	255.30	Horizontal	Vertical	Pass
14772.307	-46.63	25.38	-13.0	-33.63	326.10	Horizontal	Vertical	Pass
16476.881	-47.16	24.11	-13.0	-34.16	62.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_10.33.32

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
89.155	-64.44	-16.39	-13.0	-51.44	74.10	Vertical	Vertical	Pass
163.584	-71.37	-16.30	-13.0	-58.37	42.80	Vertical	Vertical	Pass
238.498	-65.78	-4.14	-13.0	-52.78	3.80	Vertical	Vertical	Pass
397.538	-71.86	-9.97	-13.0	-58.86	66.30	Vertical	Vertical	Pass
1183.454	-58.42	-4.34	-13.0	-45.42	173.70	Vertical	Vertical	Pass
1930.767	-28.10	-8.28	-13.0	-15.10	192.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-07-03_16.15.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 24.0

Load: full load

Hum.: 58

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7962.259	-64.61	8.78	-13.0	-51.61	154.70	Vertical	Vertical	Pass
9413.897	-59.06	15.03	-13.0	-46.06	205.30	Vertical	Vertical	Pass
10535.616	-57.13	16.25	-13.0	-44.13	241.80	Vertical	Vertical	Pass
13202.449	-55.59	16.07	-13.0	-42.59	34.40	Vertical	Vertical	Pass
14494.626	-47.13	24.07	-13.0	-34.13	163.20	Vertical	Vertical	Pass
16856.286	-44.74	26.20	-13.0	-31.74	0.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_10.37.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.185	-64.55	-20.19	-13.0	-51.55	67.40	Vertical	Vertical	Pass
121.642	-73.24	-14.17	-13.0	-60.24	247.10	Vertical	Vertical	Pass
241.407	-65.70	-3.92	-13.0	-52.70	20.00	Vertical	Vertical	Pass
1007.998	-54.78	-4.44	-13.0	-41.78	209.70	Vertical	Vertical	Pass
1959.260	-28.15	-8.31	-13.0	-15.15	159.10	Vertical	Vertical	Pass
3186.953	-57.99	-1.41	-13.0	-44.99	16.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_16.20.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.73	10.20	-13.0	-51.73	73.30	Vertical	Vertical	Pass
9320.420	-59.89	13.84	-13.0	-46.89	153.70	Vertical	Vertical	Pass
11220.195	-56.27	15.83	-13.0	-43.27	35.00	Vertical	Vertical	Pass
13199.700	-56.49	16.07	-13.0	-43.49	150.70	Vertical	Vertical	Pass
14497.376	-47.51	24.16	-13.0	-34.51	173.80	Vertical	Vertical	Pass
16520.870	-45.55	24.31	-13.0	-32.55	312.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_10.42.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
89.640	-68.51	-16.15	-13.0	-55.51	53.30	Vertical	Vertical	Pass
239.710	-66.67	-3.66	-13.0	-53.67	350.60	Vertical	Vertical	Pass
390.992	-69.59	-10.04	-13.0	-56.59	50.70	Vertical	Vertical	Pass
1178.455	-58.47	-4.59	-13.0	-45.47	339.40	Vertical	Vertical	Pass
1988.753	-30.65	-7.87	-13.0	-17.65	160.40	Vertical	Vertical	Pass
3848.788	-56.90	-1.20	-13.0	-43.90	96.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-03_16.18.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7874.281	-64.24	9.26	-13.0	-51.24	360.00	Vertical	Vertical	Pass
8844.789	-62.64	11.53	-13.0	-49.64	79.10	Vertical	Vertical	Pass
10519.120	-56.63	16.38	-13.0	-43.63	50.50	Vertical	Vertical	Pass
12163.209	-58.60	14.47	-13.0	-45.60	191.90	Vertical	Vertical	Pass
14533.117	-47.24	24.24	-13.0	-34.24	65.00	Vertical	Vertical	Pass
16870.032	-44.77	26.20	-13.0	-31.77	350.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.01.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.152	-59.74	-11.93	-13.0	-46.74	0.70	Horizontal	Horizontal	Pass
98.125	-73.22	-12.88	-13.0	-60.22	41.40	Horizontal	Horizontal	Pass
240.195	-65.79	-3.60	-13.0	-52.79	359.60	Horizontal	Horizontal	Pass
848.233	-63.25	4.45	-13.0	-50.25	186.10	Horizontal	Horizontal	Pass
1200.450	-58.14	-3.61	-13.0	-45.14	308.00	Horizontal	Horizontal	Pass
1930.767	-32.22	-8.28	-13.0	-19.22	214.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.37.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7956.761	-64.27	8.74	-13.0	-51.27	189.00	Vertical	Vertical	Pass
9408.398	-59.42	15.14	-13.0	-46.42	312.30	Vertical	Vertical	Pass
10087.478	-59.06	13.55	-13.0	-46.06	13.10	Vertical	Vertical	Pass
11613.347	-57.09	16.20	-13.0	-44.09	38.50	Vertical	Vertical	Pass
13205.199	-55.91	16.05	-13.0	-42.91	1.00	Vertical	Vertical	Pass
14821.795	-46.85	25.71	-13.0	-33.85	174.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.04.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.152	-58.21	-11.93	-13.0	-45.21	27.30	Horizontal	Horizontal	Pass
98.368	-71.84	-12.83	-13.0	-58.84	27.30	Horizontal	Horizontal	Pass
240.922	-65.88	-3.79	-13.0	-52.88	353.80	Horizontal	Horizontal	Pass
1000.500	-59.29	-4.23	-13.0	-46.29	164.10	Horizontal	Horizontal	Pass
1960.260	-31.28	-8.30	-13.0	-18.28	224.70	Horizontal	Horizontal	Pass
3013.997	-56.66	-1.00	-13.0	-43.66	2.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.39.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.510	-64.84	8.76	-13.0	-51.84	331.20	Vertical	Vertical	Pass
8820.045	-62.49	11.24	-13.0	-49.49	129.90	Vertical	Vertical	Pass
10538.365	-56.64	16.23	-13.0	-43.64	228.00	Vertical	Vertical	Pass
12116.471	-58.15	14.85	-13.0	-45.15	138.50	Vertical	Vertical	Pass
13755.061	-54.71	17.84	-13.0	-41.71	322.60	Vertical	Vertical	Pass
14846.538	-46.75	25.70	-13.0	-33.75	138.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.08.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.364	-49.72	-11.30	-13.0	-36.72	6.90	Horizontal	Horizontal	Pass
92.064	-63.50	-14.94	-13.0	-50.50	2.50	Horizontal	Horizontal	Pass
244.316	-56.10	-4.69	-13.0	-43.10	14.60	Horizontal	Horizontal	Pass
333.777	-61.09	-8.91	-13.0	-48.09	38.80	Horizontal	Horizontal	Pass
1001.500	-59.12	-4.26	-13.0	-46.12	29.60	Horizontal	Horizontal	Pass
1989.253	-32.60	-7.86	-13.0	-19.60	221.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.42.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7888.028	-64.80	9.54	-13.0	-51.80	46.50	Horizontal	Horizontal	Pass
8850.287	-62.93	11.59	-13.0	-49.93	0.60	Horizontal	Horizontal	Pass
9400.150	-59.34	15.31	-13.0	-46.34	273.60	Horizontal	Horizontal	Pass
10794.051	-56.27	16.31	-13.0	-43.27	208.50	Horizontal	Horizontal	Pass
11616.096	-57.57	16.12	-13.0	-44.57	0.60	Horizontal	Horizontal	Pass
14544.114	-46.98	24.24	-13.0	-33.98	74.80	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.17.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-60.58	-11.88	-13.0	-47.58	0.00	Horizontal	Horizontal	Pass
104.186	-70.35	-13.11	-13.0	-57.35	0.00	Horizontal	Horizontal	Pass
234.861	-66.05	-5.58	-13.0	-53.05	355.30	Horizontal	Horizontal	Pass
453.784	-71.50	-3.55	-13.0	-58.50	217.60	Horizontal	Horizontal	Pass
1196.451	-58.12	-3.73	-13.0	-45.12	11.80	Horizontal	Horizontal	Pass
1988.753	-28.02	-7.87	-13.0	-15.02	211.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.34.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7976.006	-64.93	8.86	-13.0	-51.93	211.60	Vertical	Vertical	Pass
8847.538	-62.45	11.57	-13.0	-49.45	155.40	Vertical	Vertical	Pass
9416.646	-60.03	14.97	-13.0	-47.03	161.00	Vertical	Vertical	Pass
10571.357	-56.87	16.14	-13.0	-43.87	197.80	Vertical	Vertical	Pass
13152.962	-56.98	15.05	-13.0	-43.98	254.20	Vertical	Vertical	Pass
14788.803	-47.18	25.58	-13.0	-34.18	39.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.21.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-59.80	-11.88	-13.0	-46.80	0.00	Horizontal	Vertical	Pass
96.913	-72.35	-13.11	-13.0	-59.35	32.90	Horizontal	Vertical	Pass
240.195	-65.84	-3.60	-13.0	-52.84	353.40	Horizontal	Vertical	Pass
852.112	-62.63	4.55	-13.0	-49.63	329.50	Horizontal	Vertical	Pass
1959.760	-27.73	-8.31	-13.0	-14.73	166.90	Horizontal	Vertical	Pass
2988.003	-57.33	-1.30	-13.0	-44.33	60.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.29.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.60	10.04	-13.0	-51.60	285.10	Vertical	Vertical	Pass
8850.287	-62.27	11.59	-13.0	-49.27	111.00	Vertical	Vertical	Pass
9391.902	-59.66	15.20	-13.0	-46.66	76.40	Vertical	Vertical	Pass
10785.804	-57.07	16.38	-13.0	-44.07	224.50	Vertical	Vertical	Pass
13240.940	-55.50	15.83	-13.0	-42.50	125.90	Vertical	Vertical	Pass
14832.792	-46.92	25.71	-13.0	-33.92	210.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.23.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.364	-59.42	-11.68	-13.0	-46.42	357.90	Horizontal	Vertical	Pass
58.850	-60.87	-14.83	-13.0	-47.87	279.40	Horizontal	Vertical	Pass
143.947	-72.87	-16.29	-13.0	-59.87	56.90	Horizontal	Vertical	Pass
240.680	-65.65	-3.73	-13.0	-52.65	357.00	Horizontal	Vertical	Pass
1194.451	-58.28	-3.82	-13.0	-45.28	360.00	Horizontal	Vertical	Pass
1988.753	-27.92	-7.87	-13.0	-14.92	162.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.31.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-64.86	9.56	-13.0	-51.86	341.90	Vertical	Vertical	Pass
8861.285	-62.31	11.31	-13.0	-49.31	3.30	Vertical	Vertical	Pass
9892.277	-59.32	13.86	-13.0	-46.32	23.60	Vertical	Vertical	Pass
11189.953	-56.56	15.94	-13.0	-43.56	316.30	Vertical	Vertical	Pass
13202.449	-56.43	16.07	-13.0	-43.43	350.50	Vertical	Vertical	Pass
14502.874	-46.99	24.24	-13.0	-33.99	0.00	Vertical	Vertical	Pass

LTE-B2-5-LCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.47.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-59.04	-11.88	-13.0	-46.04	0.20	Horizontal	Horizontal	Pass
59.093	-64.47	-14.92	-13.0	-51.47	69.10	Horizontal	Horizontal	Pass
238.983	-66.58	-3.95	-13.0	-53.58	18.10	Horizontal	Horizontal	Pass
458.148	-71.12	-3.81	-13.0	-58.12	46.40	Horizontal	Horizontal	Pass
1199.450	-58.92	-3.60	-13.0	-45.92	292.70	Horizontal	Horizontal	Pass
2820.045	-57.13	-2.05	-13.0	-44.13	352.30	Horizontal	Horizontal	Pass

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.58.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8118.970	-64.77	9.97	-13.0	-51.77	31.90	Horizontal	Horizontal	Pass
9185.704	-59.92	13.45	-13.0	-46.92	308.80	Horizontal	Horizontal	Pass
10505.374	-56.39	16.48	-13.0	-43.39	94.40	Horizontal	Horizontal	Pass
12614.096	-58.01	14.15	-13.0	-45.01	360.00	Horizontal	Horizontal	Pass
14786.053	-47.21	25.55	-13.0	-34.21	91.80	Horizontal	Horizontal	Pass
16839.790	-44.32	25.98	-13.0	-31.32	168.90	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.52.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-58.92	-11.83	-13.0	-45.92	0.30	Horizontal	Horizontal	Pass
59.093	-65.78	-14.92	-13.0	-52.78	0.60	Horizontal	Horizontal	Pass
95.459	-72.88	-13.38	-13.0	-59.88	309.90	Horizontal	Horizontal	Pass
237.043	-64.88	-4.72	-13.0	-51.88	359.70	Horizontal	Horizontal	Pass
1199.450	-58.05	-3.60	-13.0	-45.05	247.70	Horizontal	Horizontal	Pass
1958.260	-31.69	-8.31	-13.0	-18.69	220.90	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.11.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-64.96	10.08	-13.0	-51.96	348.40	Horizontal	Horizontal	Pass
8844.789	-62.19	11.53	-13.0	-49.19	193.80	Horizontal	Horizontal	Pass
9259.935	-59.51	13.36	-13.0	-46.51	48.70	Horizontal	Horizontal	Pass
10502.624	-56.48	16.50	-13.0	-43.48	284.80	Horizontal	Horizontal	Pass
12231.942	-58.00	14.07	-13.0	-45.00	48.70	Horizontal	Horizontal	Pass
16908.523	-44.66	26.26	-13.0	-31.66	332.80	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_11.56.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
59.335	-65.09	-15.01	-13.0	-52.09	260.50	Horizontal	Horizontal	Pass
235.104	-66.08	-5.48	-13.0	-53.08	360.10	Horizontal	Horizontal	Pass
845.324	-63.14	4.16	-13.0	-50.14	243.00	Horizontal	Horizontal	Pass
1199.950	-58.27	-3.58	-13.0	-45.27	173.00	Horizontal	Horizontal	Pass
1906.273	-52.44	-8.32	-13.0	-39.44	113.10	Horizontal	Horizontal	Pass
1987.753	-31.78	-7.89	-13.0	-18.78	221.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.13.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7995.251	-64.99	8.98	-13.0	-51.99	330.60	Horizontal	Horizontal	Pass
9369.908	-59.71	14.89	-13.0	-46.71	95.80	Horizontal	Horizontal	Pass
10744.564	-56.58	16.60	-13.0	-43.58	303.80	Horizontal	Horizontal	Pass
11173.457	-55.94	15.80	-13.0	-42.94	359.70	Horizontal	Horizontal	Pass
14472.632	-47.24	23.38	-13.0	-34.24	238.30	Horizontal	Horizontal	Pass
16933.267	-45.15	26.46	-13.0	-32.15	229.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.25.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8039.240	-64.67	9.15	-13.0	-51.67	312.10	Vertical	Vertical	Pass
9138.965	-60.47	12.20	-13.0	-47.47	229.40	Vertical	Vertical	Pass
9908.773	-59.90	13.79	-13.0	-46.90	355.20	Vertical	Vertical	Pass
11176.206	-56.77	15.83	-13.0	-43.77	214.90	Vertical	Vertical	Pass
13540.615	-55.91	17.79	-13.0	-42.91	120.40	Vertical	Vertical	Pass
14832.792	-47.35	25.71	-13.0	-34.35	34.80	Vertical	Vertical	Pass

LTE-B2-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.33.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-59.59	-11.83	-13.0	-46.59	0.00	Vertical	Vertical	Pass
97.641	-72.26	-12.97	-13.0	-59.26	48.10	Vertical	Vertical	Pass
164.554	-72.05	-16.30	-13.0	-59.05	48.10	Vertical	Vertical	Pass
240.922	-66.18	-3.79	-13.0	-53.18	7.20	Vertical	Vertical	Pass
1879.780	-54.12	-8.18	-13.0	-41.12	110.80	Vertical	Vertical	Pass
1960.760	-24.86	-8.28	-13.0	-11.86	206.80	Vertical	Vertical	Pass

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.28.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8127.218	-64.96	9.85	-13.0	-51.96	44.70	Vertical	Vertical	Pass
8792.552	-62.67	10.95	-13.0	-49.67	158.20	Vertical	Vertical	Pass
9397.401	-59.36	15.27	-13.0	-46.36	1.70	Vertical	Vertical	Pass
10505.374	-56.30	16.48	-13.0	-43.30	215.50	Vertical	Vertical	Pass
12113.722	-58.15	14.86	-13.0	-45.15	335.00	Vertical	Vertical	Pass
14794.301	-47.38	25.65	-13.0	-34.38	329.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.39.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.849	-60.83	-11.58	-13.0	-47.83	8.10	Vertical	Vertical	Pass
96.913	-72.71	-13.11	-13.0	-59.71	32.30	Vertical	Vertical	Pass
160.675	-71.52	-16.27	-13.0	-58.52	154.80	Vertical	Vertical	Pass
241.892	-66.83	-4.05	-13.0	-53.83	360.00	Vertical	Vertical	Pass
1906.273	-55.20	-8.32	-13.0	-42.20	118.40	Vertical	Vertical	Pass
1986.753	-27.69	-7.92	-13.0	-14.69	214.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.18.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7934.766	-64.71	9.03	-13.0	-51.71	62.80	Vertical	Vertical	Pass
9125.219	-61.52	11.71	-13.0	-48.52	162.50	Vertical	Vertical	Pass
9721.820	-60.07	13.93	-13.0	-47.07	157.00	Vertical	Vertical	Pass
10549.363	-56.08	16.15	-13.0	-43.08	206.90	Vertical	Vertical	Pass
13191.452	-56.39	15.89	-13.0	-43.39	154.00	Vertical	Vertical	Pass
14491.877	-46.40	23.98	-13.0	-33.40	0.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.45.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-59.84	-11.88	-13.0	-46.84	0.00	Horizontal	Horizontal	Pass
146.128	-71.84	-16.32	-13.0	-58.84	355.00	Horizontal	Horizontal	Pass
241.165	-66.54	-3.86	-13.0	-53.54	358.10	Horizontal	Horizontal	Pass
1190.452	-57.95	-3.99	-13.0	-44.95	219.00	Horizontal	Horizontal	Pass
1841.290	-45.87	-7.89	-13.0	-32.87	299.80	Horizontal	Horizontal	Pass
1937.766	-26.71	-8.33	-13.0	-13.71	204.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.46.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7637.841	-66.63	7.71	-13.0	-53.63	131.40	Horizontal	Horizontal	Pass
8828.293	-62.77	11.34	-13.0	-49.77	180.60	Horizontal	Horizontal	Pass
9903.274	-59.88	13.93	-13.0	-46.88	24.30	Horizontal	Horizontal	Pass
11200.950	-56.51	16.01	-13.0	-43.51	127.70	Horizontal	Horizontal	Pass
14799.800	-47.22	25.72	-13.0	-34.22	272.10	Horizontal	Horizontal	Pass
16828.793	-44.81	25.74	-13.0	-31.81	357.90	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.48.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-60.95	-11.88	-13.0	-47.95	0.20	Horizontal	Horizontal	Pass
98.125	-72.25	-12.88	-13.0	-59.25	55.50	Horizontal	Horizontal	Pass
239.468	-65.20	-3.76	-13.0	-52.20	342.10	Horizontal	Horizontal	Pass
1220.945	-57.63	-4.83	-13.0	-44.63	254.10	Horizontal	Horizontal	Pass
1878.780	-56.74	-8.17	-13.0	-43.74	112.00	Horizontal	Horizontal	Pass
1959.760	-28.10	-8.31	-13.0	-15.10	212.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_14.07.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.232	-64.65	9.65	-13.0	-51.65	293.10	Horizontal	Horizontal	Pass
8847.538	-62.69	11.57	-13.0	-49.69	357.50	Horizontal	Horizontal	Pass
9339.665	-59.34	14.34	-13.0	-46.34	303.10	Horizontal	Horizontal	Pass
11178.955	-56.40	15.85	-13.0	-43.40	355.40	Horizontal	Horizontal	Pass
13807.298	-54.29	17.67	-13.0	-41.29	54.20	Horizontal	Horizontal	Pass
14508.373	-47.02	24.24	-13.0	-34.02	0.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_14.01.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-59.59	-11.88	-13.0	-46.59	0.30	Horizontal	Horizontal	Pass
97.398	-72.49	-13.01	-13.0	-59.49	28.80	Horizontal	Horizontal	Pass
241.892	-65.35	-4.05	-13.0	-52.35	359.20	Horizontal	Horizontal	Pass
858.173	-63.13	4.33	-13.0	-50.13	204.50	Horizontal	Horizontal	Pass
1906.773	-57.33	-8.32	-13.0	-44.33	109.40	Horizontal	Horizontal	Pass
1983.254	-28.75	-8.01	-13.0	-15.75	160.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_13.25.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8039.240	-64.67	9.15	-13.0	-51.67	312.10	Vertical	Vertical	Pass
9138.965	-60.47	12.20	-13.0	-47.47	229.40	Vertical	Vertical	Pass
9908.773	-59.90	13.79	-13.0	-46.90	355.20	Vertical	Vertical	Pass
11176.206	-56.77	15.83	-13.0	-43.77	214.90	Vertical	Vertical	Pass
13540.615	-55.91	17.79	-13.0	-42.91	120.40	Vertical	Vertical	Pass
14832.792	-47.35	25.71	-13.0	-34.35	34.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.06.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.698	-71.04	-10.83	-13.0	-58.04	178.30	Vertical	Vertical	Pass
95.944	-79.01	-13.29	-13.0	-66.01	199.90	Vertical	Vertical	Pass
240.437	-74.30	-3.67	-13.0	-61.30	360.00	Vertical	Vertical	Pass
450.632	-74.38	-3.36	-13.0	-61.38	84.80	Vertical	Vertical	Pass
1842.289	-49.56	-7.90	-13.0	-36.56	197.90	Vertical	Vertical	Pass
1937.766	-31.56	-8.33	-13.0	-18.56	58.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.08.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8066.733	-64.64	9.54	-13.0	-51.64	38.30	Vertical	Vertical	Pass
9400.150	-59.13	15.31	-13.0	-46.13	6.00	Vertical	Vertical	Pass
10414.646	-57.88	15.87	-13.0	-44.88	38.30	Vertical	Vertical	Pass
12817.546	-57.45	14.81	-13.0	-44.45	176.00	Vertical	Vertical	Pass
14786.053	-47.44	25.55	-13.0	-34.44	288.00	Vertical	Vertical	Pass
16680.330	-46.12	25.48	-13.0	-33.12	191.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_15.59.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-71.85	-11.09	-13.0	-58.85	333.10	Vertical	Vertical	Pass
98.125	-78.39	-12.88	-13.0	-65.39	360.00	Vertical	Vertical	Pass
239.468	-73.84	-3.76	-13.0	-60.84	48.80	Vertical	Vertical	Pass
1206.948	-58.23	-3.97	-13.0	-45.23	300.50	Vertical	Vertical	Pass
1879.780	-57.47	-8.18	-13.0	-44.47	25.90	Vertical	Vertical	Pass
1955.761	-31.58	-8.31	-13.0	-18.58	67.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.10.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8050.237	-65.06	9.19	-13.0	-52.06	298.60	Vertical	Vertical	Pass
8814.546	-62.58	11.18	-13.0	-49.58	225.30	Vertical	Vertical	Pass
9383.654	-59.47	15.08	-13.0	-46.47	96.30	Vertical	Vertical	Pass
11178.955	-55.85	15.85	-13.0	-42.85	359.40	Vertical	Vertical	Pass
14731.067	-46.82	25.16	-13.0	-33.82	283.40	Vertical	Vertical	Pass
16856.286	-45.09	26.20	-13.0	-32.09	360.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.13.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.86	10.17	-13.0	-51.86	32.30	Vertical	Vertical	Pass
9400.150	-59.94	15.31	-13.0	-46.94	172.40	Vertical	Vertical	Pass
10708.823	-56.97	16.07	-13.0	-43.97	255.00	Vertical	Vertical	Pass
13188.703	-55.89	15.83	-13.0	-42.89	165.30	Vertical	Vertical	Pass
14797.051	-46.90	25.68	-13.0	-33.90	175.70	Vertical	Vertical	Pass
16845.289	-44.60	26.10	-13.0	-31.60	213.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.44.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-68.08	-11.09	-13.0	-55.08	147.50	Horizontal	Horizontal	Pass
71.457	-77.37	-18.82	-13.0	-64.37	141.20	Horizontal	Horizontal	Pass
239.225	-74.98	-3.86	-13.0	-61.98	255.60	Horizontal	Horizontal	Pass
853.082	-67.02	4.51	-13.0	-54.02	243.00	Horizontal	Horizontal	Pass
1839.790	-47.73	-7.90	-13.0	-34.73	138.70	Horizontal	Horizontal	Pass
1936.266	-38.94	-8.32	-13.0	-25.94	126.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.34.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7934.766	-65.34	9.03	-13.0	-52.34	26.50	Horizontal	Horizontal	Pass
9075.731	-62.73	11.15	-13.0	-49.73	290.30	Horizontal	Horizontal	Pass
10508.123	-56.20	16.46	-13.0	-43.20	218.80	Horizontal	Horizontal	Pass
12757.061	-58.11	14.77	-13.0	-45.11	341.30	Horizontal	Horizontal	Pass
14538.615	-47.12	24.24	-13.0	-34.12	179.00	Horizontal	Horizontal	Pass
16903.024	-45.26	26.21	-13.0	-32.26	39.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.40.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.728	-71.37	-10.97	-13.0	-58.37	140.80	Horizontal	Horizontal	Pass
71.457	-76.67	-18.82	-13.0	-63.67	150.80	Horizontal	Horizontal	Pass
147.583	-75.17	-16.26	-13.0	-62.17	131.90	Horizontal	Horizontal	Pass
654.524	-71.20	-0.28	-13.0	-58.20	254.30	Horizontal	Horizontal	Pass
1879.780	-60.40	-8.18	-13.0	-47.40	6.90	Horizontal	Horizontal	Pass
1962.759	-39.75	-8.22	-13.0	-26.75	313.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.31.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8041.990	-64.58	9.16	-13.0	-51.58	204.20	Horizontal	Horizontal	Pass
8844.789	-61.34	11.53	-13.0	-48.34	57.20	Horizontal	Horizontal	Pass
10574.106	-56.64	16.14	-13.0	-43.64	134.90	Horizontal	Horizontal	Pass
11610.597	-56.91	16.27	-13.0	-43.91	151.00	Horizontal	Horizontal	Pass
14533.117	-47.61	24.24	-13.0	-34.61	282.70	Horizontal	Horizontal	Pass
16509.873	-45.72	24.68	-13.0	-32.72	63.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.37.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.970	-72.91	-10.94	-13.0	-59.91	191.50	Horizontal	Horizontal	Pass
71.215	-77.58	-18.73	-13.0	-64.58	166.20	Horizontal	Horizontal	Pass
146.128	-75.97	-16.32	-13.0	-62.97	120.40	Horizontal	Horizontal	Pass
1199.950	-58.63	-3.58	-13.0	-45.63	324.10	Horizontal	Horizontal	Pass
1839.790	-47.33	-7.90	-13.0	-34.33	138.80	Horizontal	Horizontal	Pass
1937.766	-39.21	-8.33	-13.0	-26.21	119.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.29.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.477	-63.89	10.05	-13.0	-50.89	30.60	Horizontal	Horizontal	Pass
9331.417	-59.82	14.13	-13.0	-46.82	357.60	Horizontal	Horizontal	Pass
10554.861	-57.13	16.14	-13.0	-44.13	147.10	Horizontal	Horizontal	Pass
11181.705	-56.24	15.87	-13.0	-43.24	251.30	Horizontal	Horizontal	Pass
14516.621	-46.82	24.24	-13.0	-33.82	163.10	Horizontal	Horizontal	Pass
16864.534	-44.69	26.20	-13.0	-31.69	326.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.57.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.698	-70.90	-10.83	-13.0	-57.90	163.80	Vertical	Vertical	Pass
71.457	-75.52	-18.82	-13.0	-62.52	170.10	Vertical	Vertical	Pass
145.886	-76.64	-16.32	-13.0	-63.64	126.20	Vertical	Vertical	Pass
1840.790	-48.98	-7.89	-13.0	-35.98	195.20	Vertical	Vertical	Pass
1941.265	-33.90	-8.34	-13.0	-20.90	28.90	Vertical	Vertical	Pass
5033.492	-52.91	2.85	-13.0	-39.91	344.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.20.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8030.992	-64.25	9.12	-13.0	-51.25	140.90	Vertical	Vertical	Pass
9196.701	-60.13	13.71	-13.0	-47.13	79.70	Vertical	Vertical	Pass
10502.624	-57.36	16.50	-13.0	-44.36	83.50	Vertical	Vertical	Pass
11376.906	-56.79	15.65	-13.0	-43.79	163.20	Vertical	Vertical	Pass
14830.042	-46.84	25.71	-13.0	-33.84	137.50	Vertical	Vertical	Pass
16889.278	-45.48	26.19	-13.0	-32.48	143.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.03.43

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-70.28	-10.86	-13.0	-57.28	164.90	Vertical	Vertical	Pass
71.457	-76.84	-18.82	-13.0	-63.84	112.80	Vertical	Vertical	Pass
242.134	-74.80	-4.11	-13.0	-61.80	94.20	Vertical	Vertical	Pass
1199.450	-58.37	-3.60	-13.0	-45.37	86.90	Vertical	Vertical	Pass
1953.762	-39.61	-8.31	-13.0	-26.61	122.30	Vertical	Vertical	Pass
5161.460	-52.81	2.83	-13.0	-39.81	317.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.19.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8124.469	-64.87	9.89	-13.0	-51.87	271.70	Vertical	Vertical	Pass
9210.447	-60.75	13.70	-13.0	-47.75	68.60	Vertical	Vertical	Pass
10530.117	-56.99	16.29	-13.0	-43.99	51.90	Vertical	Vertical	Pass
11621.595	-57.87	15.98	-13.0	-44.87	61.90	Vertical	Vertical	Pass
14513.872	-47.97	24.24	-13.0	-34.97	144.70	Vertical	Vertical	Pass
16853.537	-44.66	26.20	-13.0	-31.66	0.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.07.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-71.09	-11.09	-13.0	-58.09	169.80	Vertical	Vertical	Pass
71.457	-77.88	-18.82	-13.0	-64.88	135.50	Vertical	Vertical	Pass
242.619	-74.28	-4.24	-13.0	-61.28	86.40	Vertical	Vertical	Pass
1198.950	-57.54	-3.63	-13.0	-44.54	163.70	Vertical	Vertical	Pass
1956.261	-33.23	-8.31	-13.0	-20.23	34.20	Vertical	Vertical	Pass
5174.456	-52.73	2.88	-13.0	-39.73	287.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_16.23.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8140.965	-64.27	9.66	-13.0	-51.27	56.90	Vertical	Vertical	Pass
9053.737	-62.63	11.45	-13.0	-49.63	226.20	Vertical	Vertical	Pass
9900.525	-60.28	14.00	-13.0	-47.28	314.90	Vertical	Vertical	Pass
10524.619	-56.58	16.34	-13.0	-43.58	330.90	Vertical	Vertical	Pass
14524.869	-47.32	24.24	-13.0	-34.32	340.20	Vertical	Vertical	Pass
16823.294	-45.19	25.62	-13.0	-32.19	64.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.52.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-70.32	-11.16	-13.0	-57.32	153.40	Horizontal	Horizontal	Pass
151.705	-76.45	-16.12	-13.0	-63.45	258.00	Horizontal	Horizontal	Pass
240.195	-73.03	-3.60	-13.0	-60.03	307.50	Horizontal	Horizontal	Pass
851.870	-67.49	4.55	-13.0	-54.49	103.20	Horizontal	Horizontal	Pass
1939.765	-47.07	-8.34	-13.0	-34.07	138.70	Horizontal	Horizontal	Pass
3005.999	-56.50	-0.79	-13.0	-43.50	142.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.37.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8050.237	-64.40	9.19	-13.0	-51.40	289.60	Vertical	Vertical	Pass
8842.039	-61.96	11.50	-13.0	-48.96	17.10	Vertical	Vertical	Pass
10502.624	-56.62	16.50	-13.0	-43.62	353.60	Vertical	Vertical	Pass
11607.848	-56.77	16.34	-13.0	-43.77	173.40	Vertical	Vertical	Pass
14522.119	-47.24	24.24	-13.0	-34.24	99.40	Vertical	Vertical	Pass
16936.016	-44.37	26.48	-13.0	-31.37	244.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.49.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.698	-69.58	-10.83	-13.0	-56.58	163.90	Horizontal	Horizontal	Pass
71.457	-75.95	-18.82	-13.0	-62.95	163.90	Horizontal	Horizontal	Pass
239.468	-73.63	-3.76	-13.0	-60.63	83.40	Horizontal	Horizontal	Pass
1202.449	-58.49	-3.72	-13.0	-45.49	243.20	Horizontal	Horizontal	Pass
1840.790	-57.84	-7.89	-13.0	-44.84	104.80	Horizontal	Horizontal	Pass
1960.260	-41.27	-8.30	-13.0	-28.27	311.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17:39:59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7995.251	-65.17	8.98	-13.0	-52.17	44.20	Vertical	Vertical	Pass
9229.693	-59.81	13.54	-13.0	-46.81	360.00	Vertical	Vertical	Pass
10549.363	-56.68	16.15	-13.0	-43.68	143.60	Vertical	Vertical	Pass
11220.195	-55.96	15.83	-13.0	-42.96	37.90	Vertical	Vertical	Pass
14508.373	-46.31	24.24	-13.0	-33.31	350.30	Vertical	Vertical	Pass
16787.553	-45.47	25.05	-13.0	-32.47	338.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.45.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-71.41	-10.86	-13.0	-58.41	134.60	Vertical	Vertical	Pass
71.457	-76.84	-18.82	-13.0	-63.84	181.90	Vertical	Vertical	Pass
239.710	-73.76	-3.66	-13.0	-60.76	66.50	Vertical	Vertical	Pass
1001.000	-59.23	-4.25	-13.0	-46.23	4.30	Vertical	Vertical	Pass
1898.275	-58.17	-8.32	-13.0	-45.17	120.10	Vertical	Vertical	Pass
1987.253	-41.25	-7.91	-13.0	-28.25	309.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.42.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-65.05	9.88	-13.0	-52.05	265.40	Vertical	Vertical	Pass
8842.039	-62.21	11.50	-13.0	-49.21	331.60	Vertical	Vertical	Pass
9837.291	-60.03	12.97	-13.0	-47.03	46.60	Vertical	Vertical	Pass
11412.647	-57.19	15.99	-13.0	-44.19	68.50	Vertical	Vertical	Pass
14838.290	-47.18	25.70	-13.0	-34.18	0.20	Vertical	Vertical	Pass
17175.206	-44.75	26.15	-13.0	-31.75	131.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.14.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-70.63	-11.09	-13.0	-57.63	168.80	Vertical	Vertical	Pass
71.457	-75.91	-18.82	-13.0	-62.91	146.50	Vertical	Vertical	Pass
240.195	-73.85	-3.60	-13.0	-60.85	26.90	Vertical	Vertical	Pass
851.870	-66.95	4.55	-13.0	-53.95	330.10	Vertical	Vertical	Pass
1840.790	-47.95	-7.89	-13.0	-34.95	267.00	Vertical	Vertical	Pass
1948.263	-35.15	-8.31	-13.0	-22.15	74.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.30.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.58	10.17	-13.0	-51.58	351.80	Vertical	Vertical	Pass
9048.238	-62.59	11.52	-13.0	-49.59	179.10	Vertical	Vertical	Pass
10359.660	-57.28	15.46	-13.0	-44.28	262.10	Vertical	Vertical	Pass
13177.706	-56.30	15.59	-13.0	-43.30	182.80	Vertical	Vertical	Pass
14827.293	-47.14	25.71	-13.0	-34.14	339.10	Vertical	Vertical	Pass
16861.785	-45.22	26.20	-13.0	-32.22	239.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.19.32

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-68.33	-11.09	-13.0	-55.33	132.30	Vertical	Vertical	Pass
146.856	-76.27	-16.29	-13.0	-63.27	125.90	Vertical	Vertical	Pass
240.922	-74.19	-3.79	-13.0	-61.19	20.60	Vertical	Vertical	Pass
1199.950	-57.02	-3.58	-13.0	-44.02	267.90	Vertical	Vertical	Pass
1840.290	-57.42	-7.89	-13.0	-44.42	264.10	Vertical	Vertical	Pass
1951.762	-35.16	-8.31	-13.0	-22.16	77.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.28.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-64.04	9.39	-13.0	-51.04	358.90	Vertical	Vertical	Pass
9353.412	-59.36	14.65	-13.0	-46.36	284.70	Vertical	Vertical	Pass
10777.556	-57.02	16.45	-13.0	-44.02	342.40	Vertical	Vertical	Pass
12806.548	-56.98	14.85	-13.0	-43.98	49.60	Vertical	Vertical	Pass
14857.536	-46.27	25.44	-13.0	-33.27	323.10	Vertical	Vertical	Pass
16892.027	-45.03	26.19	-13.0	-32.03	78.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.23.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.698	-70.79	-10.83	-13.0	-57.79	211.10	Vertical	Vertical	Pass
70.972	-77.13	-18.63	-13.0	-64.13	139.70	Vertical	Vertical	Pass
240.922	-74.08	-3.79	-13.0	-61.08	45.90	Vertical	Vertical	Pass
1029.993	-59.49	-5.47	-13.0	-46.49	357.50	Vertical	Vertical	Pass
1897.276	-57.53	-8.31	-13.0	-44.53	345.90	Vertical	Vertical	Pass
1976.756	-34.74	-8.06	-13.0	-21.74	31.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-18_17.25.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8069.483	-64.86	9.60	-13.0	-51.86	149.10	Vertical	Vertical	Pass
8833.792	-62.74	11.41	-13.0	-49.74	333.10	Vertical	Vertical	Pass
9394.651	-59.50	15.23	-13.0	-46.50	64.60	Vertical	Vertical	Pass
11181.705	-55.93	15.87	-13.0	-42.93	142.00	Vertical	Vertical	Pass
14805.299	-46.62	25.72	-13.0	-33.62	303.90	Vertical	Vertical	Pass
16493.377	-47.00	24.75	-13.0	-34.00	303.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.19.02

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-69.41	-10.79	-13.0	-56.41	224.40	Horizontal	Horizontal	Pass
71.215	-74.83	-16.29	-13.0	-61.83	121.50	Horizontal	Horizontal	Pass
241.892	-73.74	-2.51	-13.0	-60.74	317.90	Horizontal	Horizontal	Pass
1007.749	-59.27	-4.46	-13.0	-46.27	316.10	Horizontal	Horizontal	Pass
2110.611	-38.17	-5.54	-13.0	-25.17	255.90	Horizontal	Horizontal	Pass
3888.889	-45.74	-0.50	-13.0	-32.74	180.80	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.32.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-64.48	9.44	-13.0	-51.48	291.60	Horizontal	Horizontal	Pass
8800.800	-62.47	11.02	-13.0	-49.47	40.00	Horizontal	Horizontal	Pass
9361.660	-59.81	14.77	-13.0	-46.81	102.10	Horizontal	Horizontal	Pass
11000.250	-57.04	16.89	-13.0	-44.04	308.70	Horizontal	Horizontal	Pass
13562.609	-55.18	18.02	-13.0	-42.18	311.30	Horizontal	Horizontal	Pass
14821.795	-45.44	25.71	-13.0	-32.44	204.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.22.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.061	-70.98	-10.68	-13.0	-57.98	206.20	Horizontal	Horizontal	Pass
71.457	-75.10	-16.38	-13.0	-62.10	125.90	Horizontal	Horizontal	Pass
240.195	-73.89	-1.55	-13.0	-60.89	305.60	Horizontal	Horizontal	Pass
1203.725	-58.60	-3.86	-13.0	-45.60	231.70	Horizontal	Horizontal	Pass
2132.608	-36.93	-5.11	-13.0	-23.93	3.60	Horizontal	Horizontal	Pass
4679.790	-42.30	1.27	-13.0	-29.30	0.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.29.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.510	-64.84	8.76	-13.0	-51.84	357.50	Horizontal	Horizontal	Pass
9325.919	-58.49	13.99	-13.0	-45.49	342.90	Horizontal	Horizontal	Pass
10530.117	-56.97	16.29	-13.0	-43.97	0.20	Horizontal	Horizontal	Pass
12132.967	-58.25	14.77	-13.0	-45.25	334.70	Horizontal	Horizontal	Pass
14480.880	-47.51	23.64	-13.0	-34.51	113.60	Horizontal	Horizontal	Pass
16496.126	-46.41	24.86	-13.0	-33.41	16.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.25.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-73.66	-10.82	-13.0	-60.66	189.90	Horizontal	Horizontal	Pass
71.457	-73.33	-16.38	-13.0	-60.33	184.70	Horizontal	Horizontal	Pass
199.950	-76.35	-8.64	-13.0	-63.35	200.70	Horizontal	Horizontal	Pass
1794.651	-53.01	-8.52	-13.0	-40.01	113.90	Horizontal	Horizontal	Pass
2153.856	-37.22	-4.91	-13.0	-24.22	360.00	Horizontal	Horizontal	Pass
4101.862	-44.49	1.00	-13.0	-31.49	76.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.27.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-64.93	9.17	-13.0	-51.93	55.50	Horizontal	Horizontal	Pass
8787.053	-62.54	10.90	-13.0	-49.54	336.90	Horizontal	Horizontal	Pass
9397.401	-59.86	15.27	-13.0	-46.86	348.00	Horizontal	Horizontal	Pass
10686.828	-57.02	15.94	-13.0	-44.02	152.70	Horizontal	Horizontal	Pass
13763.309	-54.10	17.81	-13.0	-41.10	234.90	Horizontal	Horizontal	Pass
14854.786	-46.18	25.53	-13.0	-33.18	20.90	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.06.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.546	-71.09	-10.72	-13.0	-58.09	141.30	Vertical	Vertical	Pass
71.457	-74.57	-16.38	-13.0	-61.57	116.70	Vertical	Vertical	Pass
114.126	-78.00	-10.49	-13.0	-65.00	340.80	Vertical	Vertical	Pass
242.377	-73.53	-2.78	-13.0	-60.53	70.60	Vertical	Vertical	Pass
1703.912	-40.04	-9.80	-13.0	-27.04	337.10	Vertical	Vertical	Pass
2110.861	-36.06	-5.54	-13.0	-23.06	178.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.39.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8074.981	-64.93	9.71	-13.0	-51.93	272.60	Vertical	Vertical	Pass
8844.789	-62.86	11.53	-13.0	-49.86	266.60	Vertical	Vertical	Pass
9422.144	-58.90	14.86	-13.0	-45.90	26.70	Vertical	Vertical	Pass
10554.861	-56.67	16.14	-13.0	-43.67	0.00	Vertical	Vertical	Pass
13807.298	-54.36	17.67	-13.0	-41.36	170.20	Vertical	Vertical	Pass
14722.819	-46.87	25.18	-13.0	-33.87	1.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.59.16

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.031	-71.87	-10.75	-13.0	-58.87	135.80	Vertical	Vertical	Pass
71.457	-73.74	-16.38	-13.0	-60.74	111.20	Vertical	Vertical	Pass
238.740	-73.40	-2.25	-13.0	-60.40	330.10	Vertical	Vertical	Pass
456.936	-73.33	-1.35	-13.0	-60.33	100.80	Vertical	Vertical	Pass
1698.663	-55.77	-9.94	-13.0	-42.77	261.50	Vertical	Vertical	Pass
2132.608	-38.53	-5.11	-13.0	-25.53	31.60	Vertical	Vertical	Pass


Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.42.54

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.5
 Hum.: 56%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20040045-01
 #05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7888.028	-65.82	9.54	-13.0	-52.82	288.40	Vertical	Vertical	Pass
8855.786	-62.52	11.45	-13.0	-49.52	58.40	Vertical	Vertical	Pass
10637.341	-57.26	16.00	-13.0	-44.26	7.40	Vertical	Vertical	Pass
13210.697	-55.74	16.01	-13.0	-42.74	316.30	Vertical	Vertical	Pass
14802.549	-47.39	25.72	-13.0	-34.39	183.80	Vertical	Vertical	Pass
16501.625	-46.33	24.96	-13.0	-33.33	149.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.54.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-70.48	-10.82	-13.0	-57.48	130.70	Vertical	Vertical	Pass
71.457	-72.95	-16.38	-13.0	-59.95	106.90	Vertical	Vertical	Pass
241.892	-73.52	-2.51	-13.0	-60.52	133.30	Vertical	Vertical	Pass
1700.662	-58.25	-9.84	-13.0	-45.25	81.00	Vertical	Vertical	Pass
2154.106	-36.25	-4.91	-13.0	-23.25	181.40	Vertical	Vertical	Pass
4495.813	-42.89	1.46	-13.0	-29.89	311.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_09.45.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-65.16	10.08	-13.0	-52.16	128.80	Vertical	Vertical	Pass
9405.649	-59.44	15.20	-13.0	-46.44	0.00	Vertical	Vertical	Pass
10499.875	-57.15	16.52	-13.0	-44.15	157.10	Vertical	Vertical	Pass
11594.101	-57.75	16.45	-13.0	-44.75	103.10	Vertical	Vertical	Pass
13766.058	-54.24	17.80	-13.0	-41.24	148.50	Vertical	Vertical	Pass
14808.048	-47.18	25.72	-13.0	-34.18	171.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.03.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.64	9.74	-13.0	-51.64	39.50	Horizontal	Horizontal	Pass
8861.285	-62.15	11.31	-13.0	-49.15	214.40	Horizontal	Horizontal	Pass
10568.608	-56.60	16.14	-13.0	-43.60	200.30	Horizontal	Horizontal	Pass
13238.190	-56.78	15.85	-13.0	-43.78	245.30	Horizontal	Horizontal	Pass
14758.560	-47.27	25.21	-13.0	-34.27	166.80	Horizontal	Horizontal	Pass
16853.537	-44.72	26.20	-13.0	-31.72	180.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.43.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-65.01	9.39	-13.0	-52.01	7.40	Vertical	Vertical	Pass
8833.792	-62.28	11.41	-13.0	-49.28	352.80	Vertical	Vertical	Pass
10439.390	-56.65	16.18	-13.0	-43.65	19.40	Vertical	Vertical	Pass
12174.206	-58.56	14.28	-13.0	-45.56	167.10	Vertical	Vertical	Pass
14192.202	-52.75	20.64	-13.0	-39.75	278.70	Vertical	Vertical	Pass
14802.549	-47.12	25.72	-13.0	-34.12	332.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.58.37

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.5
 Hum.: 56%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.031	-71.98	-10.75	-13.0	-58.98	112.40	Horizontal	Horizontal	Pass
71.457	-76.43	-16.38	-13.0	-63.43	82.60	Horizontal	Horizontal	Pass
239.225	-74.02	-1.94	-13.0	-61.02	355.30	Horizontal	Horizontal	Pass
452.572	-73.38	-1.38	-13.0	-60.38	182.00	Horizontal	Horizontal	Pass
1002.500	-59.82	-4.32	-13.0	-46.82	355.30	Horizontal	Horizontal	Pass
2131.359	-36.15	-5.13	-13.0	-23.15	0.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.45.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-64.69	9.39	-13.0	-51.69	73.80	Horizontal	Horizontal	Pass
8842.039	-62.27	11.50	-13.0	-49.27	317.10	Horizontal	Horizontal	Pass
9389.153	-59.89	15.16	-13.0	-46.89	113.60	Horizontal	Horizontal	Pass
10849.038	-57.01	16.95	-13.0	-44.01	54.00	Horizontal	Horizontal	Pass
14516.621	-47.27	24.24	-13.0	-34.27	258.00	Horizontal	Horizontal	Pass
16729.818	-45.46	25.24	-13.0	-32.46	84.90	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.53.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-71.29	-10.82	-13.0	-58.29	110.20	Horizontal	Horizontal	Pass
71.700	-75.22	-16.46	-13.0	-62.22	143.00	Horizontal	Horizontal	Pass
199.950	-74.79	-8.64	-13.0	-61.79	356.00	Horizontal	Horizontal	Pass
860.112	-66.37	4.50	-13.0	-53.37	134.40	Horizontal	Horizontal	Pass
1753.406	-62.09	-9.10	-13.0	-49.09	170.60	Horizontal	Horizontal	Pass
2153.856	-34.65	-4.91	-13.0	-21.65	360.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.49.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.63	9.21	-13.0	-51.63	309.40	Horizontal	Horizontal	Pass
8858.535	-61.73	11.38	-13.0	-48.73	358.80	Horizontal	Horizontal	Pass
10532.867	-56.86	16.27	-13.0	-43.86	150.50	Horizontal	Horizontal	Pass
13111.722	-57.13	14.78	-13.0	-44.13	358.20	Horizontal	Horizontal	Pass
14516.621	-47.30	24.24	-13.0	-34.30	278.20	Horizontal	Horizontal	Pass
16878.280	-44.81	26.20	-13.0	-31.81	34.80	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.10.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.243	-71.37	-10.84	-13.0	-58.37	125.60	Vertical	Vertical	Pass
71.457	-73.91	-16.38	-13.0	-60.91	165.40	Vertical	Vertical	Pass
239.953	-74.46	-1.47	-13.0	-61.46	82.10	Vertical	Vertical	Pass
1200.225	-58.10	-3.69	-13.0	-45.10	117.10	Vertical	Vertical	Pass
1701.662	-43.73	-9.83	-13.0	-30.73	360.00	Vertical	Vertical	Pass
2112.111	-34.43	-5.52	-13.0	-21.43	234.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.31.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-64.58	9.17	-13.0	-51.58	360.00	Vertical	Vertical	Pass
8842.039	-62.63	11.50	-13.0	-49.63	104.20	Vertical	Vertical	Pass
10505.374	-57.13	16.48	-13.0	-44.13	184.20	Vertical	Vertical	Pass
12776.306	-57.26	14.82	-13.0	-44.26	135.50	Vertical	Vertical	Pass
14830.042	-46.59	25.71	-13.0	-33.59	178.30	Vertical	Vertical	Pass
16754.561	-46.43	24.89	-13.0	-33.43	166.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.13.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.061	-71.69	-10.68	-13.0	-58.69	166.40	Vertical	Vertical	Pass
71.457	-77.50	-16.38	-13.0	-64.50	121.00	Vertical	Vertical	Pass
238.983	-73.51	-2.09	-13.0	-60.51	174.60	Vertical	Vertical	Pass
1002.750	-59.84	-4.33	-13.0	-46.84	356.50	Vertical	Vertical	Pass
1699.663	-59.54	-9.87	-13.0	-46.54	233.30	Vertical	Vertical	Pass
2133.108	-36.95	-5.10	-13.0	-23.95	183.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.21.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7404.149	-66.75	7.46	-13.0	-53.75	271.80	Vertical	Vertical	Pass
9163.709	-61.32	12.92	-13.0	-48.32	40.60	Vertical	Vertical	Pass
10538.365	-55.92	16.23	-13.0	-42.92	263.60	Vertical	Vertical	Pass
11154.211	-55.64	15.65	-13.0	-42.64	359.80	Vertical	Vertical	Pass
14159.210	-52.10	20.65	-13.0	-39.10	0.00	Vertical	Vertical	Pass
16845.289	-45.05	26.10	-13.0	-32.05	255.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.29.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-69.35	-10.82	-13.0	-56.35	142.60	Vertical	Vertical	Pass
71.457	-73.88	-16.38	-13.0	-60.88	191.70	Vertical	Vertical	Pass
240.437	-73.86	-1.68	-13.0	-60.86	340.60	Vertical	Vertical	Pass
1752.656	-59.31	-9.11	-13.0	-46.31	278.90	Vertical	Vertical	Pass
2153.356	-36.22	-4.91	-13.0	-23.22	181.10	Vertical	Vertical	Pass
4766.779	-43.14	1.82	-13.0	-30.14	196.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_10.25.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8055.736	-65.43	9.31	-13.0	-52.43	169.50	Vertical	Vertical	Pass
8817.296	-61.30	11.21	-13.0	-48.30	184.80	Vertical	Vertical	Pass
9840.040	-59.27	12.99	-13.0	-46.27	146.10	Vertical	Vertical	Pass
12113.722	-58.19	14.86	-13.0	-45.19	238.70	Vertical	Vertical	Pass
14505.624	-47.41	24.24	-13.0	-34.41	273.00	Vertical	Vertical	Pass
16485.129	-46.79	24.43	-13.0	-33.79	98.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.34.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.758	-71.61	-10.81	-13.0	-58.61	149.30	Horizontal	Horizontal	Pass
71.215	-73.03	-16.29	-13.0	-60.03	189.10	Horizontal	Horizontal	Pass
240.195	-72.89	-1.55	-13.0	-59.89	38.80	Horizontal	Horizontal	Pass
1002.500	-59.25	-4.32	-13.0	-46.25	178.20	Horizontal	Horizontal	Pass
1701.662	-51.62	-9.83	-13.0	-38.62	153.70	Horizontal	Horizontal	Pass
2112.111	-36.72	-5.52	-13.0	-23.72	211.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-22_09.20.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8154.711	-64.44	9.48	-13.0	-51.44	294.70	Horizontal	Horizontal	Pass
8847.538	-62.84	11.57	-13.0	-49.84	2.90	Horizontal	Horizontal	Pass
9347.913	-59.60	14.55	-13.0	-46.60	245.50	Horizontal	Horizontal	Pass
11159.710	-56.22	15.69	-13.0	-43.22	360.00	Horizontal	Horizontal	Pass
14090.477	-51.85	19.55	-13.0	-38.85	157.40	Horizontal	Horizontal	Pass
15187.453	-48.40	21.40	-13.0	-35.40	346.00	Horizontal	Horizontal	Pass

LTE-B4-5-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.31.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-72.24	-10.77	-13.0	-59.24	182.50	Horizontal	Horizontal	Pass
71.700	-76.43	-16.46	-13.0	-63.43	147.90	Horizontal	Horizontal	Pass
199.950	-76.10	-8.64	-13.0	-63.10	358.00	Horizontal	Horizontal	Pass
851.870	-66.25	5.17	-13.0	-53.25	276.30	Horizontal	Horizontal	Pass
1593.926	-61.61	-8.46	-13.0	-48.61	47.20	Horizontal	Horizontal	Pass
2133.608	-35.50	-5.10	-13.0	-22.50	354.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-22_09.16.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-64.80	9.09	-13.0	-51.80	197.00	Vertical	Horizontal	Pass
9413.897	-59.41	15.03	-13.0	-46.41	162.70	Vertical	Horizontal	Pass
11181.705	-54.63	15.87	-13.0	-41.63	295.90	Vertical	Horizontal	Pass
13196.951	-55.89	16.01	-13.0	-42.89	146.00	Vertical	Horizontal	Pass
14505.624	-47.61	24.24	-13.0	-34.61	360.00	Vertical	Horizontal	Pass
16501.625	-46.01	24.96	-13.0	-33.01	131.80	Vertical	Horizontal	Pass

LTE-B4-5-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.27.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-71.65	-10.82	-13.0	-58.65	155.80	Vertical	Vertical	Pass
71.457	-73.79	-16.38	-13.0	-60.79	139.80	Vertical	Vertical	Pass
230.012	-72.89	-6.31	-13.0	-59.89	307.60	Vertical	Vertical	Pass
1000.750	-59.73	-4.27	-13.0	-46.73	224.20	Vertical	Vertical	Pass
1794.651	-63.17	-8.52	-13.0	-50.17	16.90	Vertical	Vertical	Pass
2131.609	-34.51	-5.12	-13.0	-21.51	355.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-22_09.23.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.03	10.22	-13.0	-51.03	75.80	Horizontal	Horizontal	Pass
8844.789	-62.83	11.53	-13.0	-49.83	176.20	Horizontal	Horizontal	Pass
10563.109	-56.73	16.14	-13.0	-43.73	141.60	Horizontal	Horizontal	Pass
11599.600	-57.83	16.53	-13.0	-44.83	213.10	Horizontal	Horizontal	Pass
13232.692	-56.82	15.88	-13.0	-43.82	273.00	Horizontal	Horizontal	Pass
14841.040	-47.33	25.70	-13.0	-34.33	316.00	Horizontal	Horizontal	Pass

LTE-B4-5-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.23.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-66.69	-13.19	-13.0	-53.69	7.90	Vertical	Vertical	Pass
155.341	-67.51	-13.05	-13.0	-54.51	360.00	Vertical	Vertical	Pass
240.680	-65.87	-1.82	-13.0	-52.87	360.00	Vertical	Vertical	Pass
850.657	-68.07	4.95	-13.0	-55.07	203.60	Vertical	Vertical	Pass
1806.149	-63.15	-8.71	-13.0	-50.15	323.60	Vertical	Vertical	Pass
2112.611	-39.21	-5.51	-13.0	-26.21	106.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.06.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7855.036	-65.60	8.88	-13.0	-52.60	326.80	Vertical	Vertical	Pass
8833.792	-62.96	11.41	-13.0	-49.96	292.50	Vertical	Vertical	Pass
10301.925	-58.84	16.15	-13.0	-45.84	184.90	Vertical	Vertical	Pass
11211.947	-56.01	15.91	-13.0	-43.01	1.60	Vertical	Vertical	Pass
13584.604	-54.97	18.23	-13.0	-41.97	261.60	Vertical	Vertical	Pass
16496.126	-46.49	24.86	-13.0	-33.49	154.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.20.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.396	-66.50	-12.99	-13.0	-53.50	3.80	Vertical	Vertical	Pass
157.038	-67.35	-13.27	-13.0	-54.35	339.80	Vertical	Vertical	Pass
240.680	-65.68	-1.82	-13.0	-52.68	358.50	Vertical	Vertical	Pass
852.597	-67.58	5.14	-13.0	-54.58	255.00	Vertical	Vertical	Pass
1702.412	-58.45	-9.82	-13.0	-45.45	263.80	Vertical	Vertical	Pass
2135.108	-31.44	-5.08	-13.0	-18.44	190.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.09.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.07	9.44	-13.0	-52.07	0.60	Vertical	Vertical	Pass
8850.287	-62.37	11.59	-13.0	-49.37	269.20	Vertical	Vertical	Pass
10519.120	-56.41	16.38	-13.0	-43.41	168.80	Vertical	Vertical	Pass
12083.479	-58.42	14.71	-13.0	-45.42	80.80	Vertical	Vertical	Pass
14126.218	-52.09	20.25	-13.0	-39.09	348.10	Vertical	Vertical	Pass
16496.126	-46.94	24.86	-13.0	-33.94	2.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.20.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-72.47	-10.79	-13.0	-59.47	91.80	Vertical	Vertical	Pass
71.457	-77.63	-16.38	-13.0	-64.63	156.20	Vertical	Vertical	Pass
229.770	-74.20	-6.38	-13.0	-61.20	268.20	Vertical	Vertical	Pass
451.602	-72.69	-1.52	-13.0	-59.69	294.70	Vertical	Vertical	Pass
1835.396	-61.82	-8.69	-13.0	-48.82	1.40	Vertical	Vertical	Pass
2133.858	-35.37	-5.09	-13.0	-22.37	178.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.11.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-64.83	9.44	-13.0	-51.83	338.90	Vertical	Vertical	Pass
8844.789	-62.28	11.53	-13.0	-49.28	265.90	Vertical	Vertical	Pass
9886.778	-60.16	13.76	-13.0	-47.16	285.70	Vertical	Vertical	Pass
12647.088	-57.71	14.56	-13.0	-44.71	302.40	Vertical	Vertical	Pass
14511.122	-47.64	24.24	-13.0	-34.64	16.20	Vertical	Vertical	Pass
16881.030	-45.08	26.20	-13.0	-32.08	260.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.37.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.061	-70.69	-10.68	-13.0	-57.69	122.50	Horizontal	Horizontal	Pass
70.972	-76.60	-16.21	-13.0	-63.60	82.30	Horizontal	Horizontal	Pass
239.953	-73.97	-1.47	-13.0	-60.97	77.10	Horizontal	Horizontal	Pass
1012.748	-58.83	-4.71	-13.0	-45.83	29.00	Horizontal	Horizontal	Pass
1702.162	-43.09	-9.82	-13.0	-30.09	170.00	Horizontal	Horizontal	Pass
2115.861	-35.97	-5.45	-13.0	-22.97	0.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.49.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8074.981	-64.66	9.71	-13.0	-51.66	58.20	Horizontal	Horizontal	Pass
8844.789	-62.42	11.53	-13.0	-49.42	245.80	Horizontal	Horizontal	Pass
9367.158	-58.40	14.85	-13.0	-45.40	97.70	Horizontal	Horizontal	Pass
10502.624	-57.04	16.50	-13.0	-44.04	15.00	Horizontal	Horizontal	Pass
12605.849	-57.98	14.05	-13.0	-44.98	285.20	Horizontal	Horizontal	Pass
14566.108	-47.65	24.34	-13.0	-34.65	219.70	Horizontal	Horizontal	Pass

LTE-B4-10-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.41.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-71.81	-10.79	-13.0	-58.81	156.10	Horizontal	Horizontal	Pass
71.457	-72.30	-16.38	-13.0	-59.30	96.50	Horizontal	Horizontal	Pass
199.950	-74.93	-8.64	-13.0	-61.93	174.70	Horizontal	Horizontal	Pass
855.021	-67.15	4.90	-13.0	-54.15	204.10	Horizontal	Horizontal	Pass
1701.912	-59.75	-9.82	-13.0	-46.75	166.60	Horizontal	Horizontal	Pass
2134.108	-34.94	-5.09	-13.0	-21.94	360.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.48.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7461.885	-69.24	7.09	-13.0	-56.24	15.80	Horizontal	Horizontal	Pass
7921.020	-64.82	9.33	-13.0	-51.82	284.00	Horizontal	Horizontal	Pass
8847.538	-61.91	11.57	-13.0	-48.91	272.80	Horizontal	Horizontal	Pass
10453.137	-56.82	16.33	-13.0	-43.82	41.10	Horizontal	Horizontal	Pass
12831.292	-57.67	14.77	-13.0	-44.67	193.80	Horizontal	Horizontal	Pass
14511.122	-47.56	24.24	-13.0	-34.56	0.00	Horizontal	Horizontal	Pass

LTE-B4-10-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.44.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.516	-72.29	-10.79	-13.0	-59.29	151.90	Horizontal	Horizontal	Pass
71.457	-76.24	-16.38	-13.0	-63.24	82.60	Horizontal	Horizontal	Pass
143.704	-75.67	-14.95	-13.0	-62.67	303.40	Horizontal	Horizontal	Pass
455.724	-72.35	-0.94	-13.0	-59.35	50.30	Horizontal	Horizontal	Pass
1797.900	-62.25	-8.48	-13.0	-49.25	297.60	Horizontal	Horizontal	Pass
2147.607	-32.33	-4.93	-13.0	-19.33	353.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.46.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7874.281	-64.99	9.26	-13.0	-51.99	338.40	Horizontal	Horizontal	Pass
8855.786	-61.73	11.45	-13.0	-48.73	186.90	Horizontal	Horizontal	Pass
9914.271	-59.51	13.66	-13.0	-46.51	293.40	Horizontal	Horizontal	Pass
11198.200	-56.76	16.01	-13.0	-43.76	209.60	Horizontal	Horizontal	Pass
14791.552	-47.70	25.62	-13.0	-34.70	14.20	Horizontal	Horizontal	Pass
16883.779	-45.13	26.19	-13.0	-32.13	218.60	Horizontal	Horizontal	Pass

LTE-B4-10-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.36.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.788	-72.32	-10.73	-13.0	-59.32	135.50	Vertical	Vertical	Pass
115.096	-79.30	-10.22	-13.0	-66.30	311.90	Vertical	Vertical	Pass
240.680	-74.40	-1.82	-13.0	-61.40	301.50	Vertical	Vertical	Pass
851.385	-67.22	5.09	-13.0	-54.22	314.50	Vertical	Vertical	Pass
1701.662	-34.82	-9.83	-13.0	-21.82	261.90	Vertical	Vertical	Pass
2112.611	-36.76	-5.51	-13.0	-23.76	59.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.39.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-65.04	10.11	-13.0	-52.04	252.40	Vertical	Vertical	Pass
9323.169	-59.76	13.92	-13.0	-46.76	117.70	Vertical	Vertical	Pass
10502.624	-56.65	16.50	-13.0	-43.65	180.50	Vertical	Vertical	Pass
13735.816	-54.64	17.79	-13.0	-41.64	289.20	Vertical	Vertical	Pass
14497.376	-47.75	24.16	-13.0	-34.75	345.10	Vertical	Vertical	Pass
16949.763	-44.50	26.59	-13.0	-31.50	51.80	Vertical	Vertical	Pass

LTE-B4-10-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.47.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.369	-80.86	-10.41	-13.0	-67.86	3.00	Vertical	Vertical	Pass
199.950	-78.01	-8.64	-13.0	-65.01	2.00	Vertical	Vertical	Pass
239.953	-72.08	-1.47	-13.0	-59.08	6.00	Vertical	Vertical	Pass
855.264	-68.46	4.87	-13.0	-55.46	0.00	Vertical	Vertical	Pass
1703.162	-51.55	-9.81	-13.0	-38.55	257.80	Vertical	Vertical	Pass
2135.108	-37.61	-5.08	-13.0	-24.61	54.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.41.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8000.750	-65.11	9.01	-13.0	-52.11	13.80	Vertical	Vertical	Pass
8831.042	-62.52	11.37	-13.0	-49.52	299.60	Vertical	Vertical	Pass
10574.106	-57.06	16.14	-13.0	-44.06	222.20	Vertical	Vertical	Pass
13818.295	-54.69	17.66	-13.0	-41.69	67.40	Vertical	Vertical	Pass
14835.541	-47.43	25.71	-13.0	-34.43	285.10	Vertical	Vertical	Pass
16914.021	-44.29	26.30	-13.0	-31.29	214.00	Vertical	Vertical	Pass

LTE-B4-10-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.57.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-72.01	-10.82	-13.0	-59.01	160.50	Vertical	Vertical	Pass
113.642	-78.30	-10.62	-13.0	-65.30	350.70	Vertical	Vertical	Pass
199.950	-74.93	-8.64	-13.0	-61.93	174.30	Vertical	Vertical	Pass
854.536	-67.87	4.95	-13.0	-54.87	174.30	Vertical	Vertical	Pass
1824.147	-61.60	-8.68	-13.0	-48.60	85.10	Vertical	Vertical	Pass
2152.856	-37.45	-4.91	-13.0	-24.45	171.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.58.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8025.494	-64.48	9.10	-13.0	-51.48	231.10	Vertical	Vertical	Pass
9400.150	-59.41	15.31	-13.0	-46.41	213.60	Vertical	Vertical	Pass
10510.872	-57.72	16.44	-13.0	-44.72	245.60	Vertical	Vertical	Pass
13964.009	-54.07	19.18	-13.0	-41.07	58.80	Vertical	Vertical	Pass
14857.536	-47.15	25.44	-13.0	-34.15	216.60	Vertical	Vertical	Pass
16919.520	-45.08	26.35	-13.0	-32.08	357.00	Vertical	Vertical	Pass

LTE-B4-15-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.54.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.758	-69.55	-10.81	-13.0	-56.55	127.70	Horizontal	Horizontal	Pass
71.700	-73.55	-16.46	-13.0	-60.55	127.70	Horizontal	Horizontal	Pass
199.950	-75.82	-8.64	-13.0	-62.82	158.60	Horizontal	Horizontal	Pass
647.251	-69.48	1.28	-13.0	-56.48	23.80	Horizontal	Horizontal	Pass
1701.412	-45.71	-9.83	-13.0	-32.71	162.80	Horizontal	Horizontal	Pass
2115.361	-37.75	-5.46	-13.0	-24.75	207.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.51.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.88	9.21	-13.0	-51.88	309.30	Horizontal	Horizontal	Pass
8847.538	-62.61	11.57	-13.0	-49.61	155.80	Horizontal	Horizontal	Pass
10722.569	-56.33	16.28	-13.0	-43.33	329.00	Horizontal	Horizontal	Pass
11591.352	-56.80	16.41	-13.0	-43.80	24.50	Horizontal	Horizontal	Pass
13804.549	-55.00	17.67	-13.0	-42.00	0.00	Horizontal	Horizontal	Pass
14491.877	-47.08	23.98	-13.0	-34.08	181.50	Horizontal	Horizontal	Pass

LTE-B4-15-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_11.57.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.788	-71.36	-10.73	-13.0	-58.36	108.00	Horizontal	Horizontal	Pass
71.457	-75.17	-16.38	-13.0	-62.17	84.20	Horizontal	Horizontal	Pass
199.950	-76.29	-8.64	-13.0	-63.29	358.70	Horizontal	Horizontal	Pass
648.220	-69.81	1.27	-13.0	-56.81	33.10	Horizontal	Horizontal	Pass
1702.412	-54.77	-9.82	-13.0	-41.77	168.50	Horizontal	Horizontal	Pass
2136.108	-36.33	-5.06	-13.0	-23.33	360.00	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.18.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7882.529	-64.96	9.43	-13.0	-51.96	133.10	Horizontal	Horizontal	Pass
9180.205	-60.50	13.31	-13.0	-47.50	339.70	Horizontal	Horizontal	Pass
10574.106	-57.04	16.14	-13.0	-44.04	358.40	Horizontal	Horizontal	Pass
11613.347	-56.86	16.20	-13.0	-43.86	342.30	Horizontal	Horizontal	Pass
14516.621	-46.91	24.24	-13.0	-33.91	252.60	Horizontal	Horizontal	Pass
16845.289	-44.45	26.10	-13.0	-31.45	54.60	Horizontal	Horizontal	Pass

LTE-B4-15-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.13.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.970	-71.67	-10.90	-13.0	-58.67	99.80	Horizontal	Horizontal	Pass
71.457	-74.01	-16.38	-13.0	-61.01	156.00	Horizontal	Horizontal	Pass
199.950	-75.99	-8.64	-13.0	-62.99	191.10	Horizontal	Horizontal	Pass
859.870	-66.26	4.52	-13.0	-53.26	99.80	Horizontal	Horizontal	Pass
1792.651	-59.53	-8.55	-13.0	-46.53	331.40	Horizontal	Horizontal	Pass
2141.357	-36.51	-5.00	-13.0	-23.51	360.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.16.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8069.483	-64.32	9.60	-13.0	-51.32	48.00	Horizontal	Horizontal	Pass
8850.287	-61.11	11.59	-13.0	-48.11	299.00	Horizontal	Horizontal	Pass
10486.128	-57.57	16.46	-13.0	-44.57	222.60	Horizontal	Horizontal	Pass
12820.295	-58.33	14.80	-13.0	-45.33	186.10	Horizontal	Horizontal	Pass
14500.125	-47.76	24.24	-13.0	-34.76	220.00	Horizontal	Horizontal	Pass
16853.537	-45.03	26.20	-13.0	-32.03	205.50	Horizontal	Horizontal	Pass

LTE-B4-15-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.21.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.758	-70.65	-10.81	-13.0	-57.65	226.20	Vertical	Vertical	Pass
71.457	-72.83	-16.38	-13.0	-59.83	221.00	Vertical	Vertical	Pass
239.953	-72.78	-1.47	-13.0	-59.78	92.20	Vertical	Vertical	Pass
855.264	-67.07	4.87	-13.0	-54.07	53.90	Vertical	Vertical	Pass
1700.662	-38.52	-9.84	-13.0	-25.52	259.20	Vertical	Vertical	Pass
2112.861	-36.64	-5.50	-13.0	-23.64	225.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.18.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.524	-64.48	9.68	-13.0	-51.48	83.50	Vertical	Vertical	Pass
8847.538	-62.17	11.57	-13.0	-49.17	38.10	Vertical	Vertical	Pass
10557.611	-56.53	16.14	-13.0	-43.53	46.60	Vertical	Vertical	Pass
13177.706	-55.64	15.59	-13.0	-42.64	285.60	Vertical	Vertical	Pass
14821.795	-46.43	25.71	-13.0	-33.43	252.40	Vertical	Vertical	Pass
16696.826	-46.56	25.75	-13.0	-33.56	32.90	Vertical	Vertical	Pass

LTE-B4-15-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.25.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.788	-72.59	-10.73	-13.0	-59.59	171.20	Vertical	Vertical	Pass
70.730	-77.54	-16.13	-13.0	-64.54	179.40	Vertical	Vertical	Pass
240.437	-73.76	-1.68	-13.0	-60.76	119.50	Vertical	Vertical	Pass
853.809	-67.97	5.02	-13.0	-54.97	318.20	Vertical	Vertical	Pass
1701.912	-47.37	-9.82	-13.0	-34.37	255.60	Vertical	Vertical	Pass
2133.608	-37.99	-5.10	-13.0	-24.99	30.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.26.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8140.965	-64.07	9.66	-13.0	-51.07	19.50	Vertical	Vertical	Pass
9367.158	-59.39	14.85	-13.0	-46.39	8.30	Vertical	Vertical	Pass
10824.294	-56.73	16.60	-13.0	-43.73	204.30	Vertical	Vertical	Pass
13199.700	-56.46	16.07	-13.0	-43.46	8.30	Vertical	Vertical	Pass
14582.604	-47.31	24.45	-13.0	-34.31	263.10	Vertical	Vertical	Pass
16867.283	-45.59	26.20	-13.0	-32.59	184.50	Vertical	Vertical	Pass

LTE-B4-15-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.32.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-71.02	-10.93	-13.0	-58.02	121.20	Vertical	Vertical	Pass
71.457	-73.29	-16.38	-13.0	-60.29	155.80	Vertical	Vertical	Pass
240.437	-73.67	-1.68	-13.0	-60.67	37.80	Vertical	Vertical	Pass
855.264	-66.82	4.87	-13.0	-53.82	99.60	Vertical	Vertical	Pass
1702.662	-56.38	-9.81	-13.0	-43.38	251.80	Vertical	Vertical	Pass
2145.357	-37.21	-4.95	-13.0	-24.21	198.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.30.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8077.731	-64.15	9.77	-13.0	-51.15	204.10	Vertical	Vertical	Pass
8831.042	-62.31	11.37	-13.0	-49.31	18.40	Vertical	Vertical	Pass
9771.307	-60.32	13.27	-13.0	-47.32	159.50	Vertical	Vertical	Pass
11198.200	-55.59	16.01	-13.0	-42.59	30.00	Vertical	Vertical	Pass
14810.797	-46.69	25.72	-13.0	-33.69	301.30	Vertical	Vertical	Pass
16498.875	-45.38	24.97	-13.0	-32.38	332.50	Vertical	Vertical	Pass

LTE-B4-20-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.24.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.758	-70.76	-10.81	-13.0	-57.76	163.60	Horizontal	Horizontal	Pass
71.457	-73.21	-16.38	-13.0	-60.21	134.20	Horizontal	Horizontal	Pass
239.710	-73.31	-1.63	-13.0	-60.31	4.70	Horizontal	Horizontal	Pass
1000.000	-73.37	2.33	-13.0	-60.37	163.60	Horizontal	Horizontal	Pass
1702.912	-44.97	-9.81	-13.0	-31.97	145.00	Horizontal	Horizontal	Pass
2116.610	-38.65	-5.43	-13.0	-25.65	213.80	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.21.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7885.279	-64.85	9.48	-13.0	-51.85	360.00	Horizontal	Horizontal	Pass
9416.646	-59.23	14.97	-13.0	-46.23	42.90	Horizontal	Horizontal	Pass
10629.093	-56.63	16.03	-13.0	-43.63	31.40	Horizontal	Horizontal	Pass
12823.044	-57.59	14.79	-13.0	-44.59	239.00	Horizontal	Horizontal	Pass
14538.615	-47.63	24.24	-13.0	-34.63	188.00	Horizontal	Horizontal	Pass
16963.509	-45.23	26.18	-13.0	-32.23	45.90	Horizontal	Horizontal	Pass

LTE-B4-20-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.28.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.031	-72.96	-10.75	-13.0	-59.96	135.90	Horizontal	Horizontal	Pass
71.215	-75.11	-16.29	-13.0	-62.11	110.60	Horizontal	Horizontal	Pass
240.680	-73.53	-1.82	-13.0	-60.53	4.00	Horizontal	Horizontal	Pass
849.930	-67.23	4.81	-13.0	-54.23	49.20	Horizontal	Horizontal	Pass
1792.401	-57.16	-8.56	-13.0	-44.16	236.20	Horizontal	Horizontal	Pass
2139.358	-37.36	-5.02	-13.0	-24.36	0.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.29.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7976.006	-64.51	8.86	-13.0	-51.51	124.70	Horizontal	Horizontal	Pass
8842.039	-62.09	11.50	-13.0	-49.09	113.60	Horizontal	Horizontal	Pass
10741.815	-56.93	16.56	-13.0	-43.93	30.20	Horizontal	Horizontal	Pass
13752.312	-54.98	17.85	-13.0	-41.98	122.10	Horizontal	Horizontal	Pass
14651.337	-47.09	25.17	-13.0	-34.09	127.70	Horizontal	Horizontal	Pass
16875.531	-45.27	26.20	-13.0	-32.27	337.30	Horizontal	Horizontal	Pass

LTE-B4-20-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.34.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-70.88	-10.82	-13.0	-57.88	163.20	Horizontal	Horizontal	Pass
70.972	-74.68	-16.21	-13.0	-61.68	189.60	Horizontal	Horizontal	Pass
239.225	-74.08	-1.94	-13.0	-61.08	211.20	Horizontal	Horizontal	Pass
848.960	-67.04	4.50	-13.0	-54.04	267.00	Horizontal	Horizontal	Pass
1703.162	-58.80	-9.81	-13.0	-45.80	166.60	Horizontal	Horizontal	Pass
2137.358	-36.95	-5.05	-13.0	-23.95	359.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.31.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.74	10.17	-13.0	-51.74	175.30	Horizontal	Horizontal	Pass
9218.695	-59.23	13.63	-13.0	-46.23	157.90	Horizontal	Horizontal	Pass
10813.297	-56.88	16.45	-13.0	-43.88	194.70	Horizontal	Horizontal	Pass
13205.199	-56.10	16.05	-13.0	-43.10	149.70	Horizontal	Horizontal	Pass
14777.806	-47.23	25.44	-13.0	-34.23	233.40	Horizontal	Horizontal	Pass
16881.030	-45.20	26.20	-13.0	-32.20	84.50	Horizontal	Horizontal	Pass

LTE-B4-20-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.04.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.273	-71.91	-10.77	-13.0	-58.91	127.30	Vertical	Vertical	Pass
79.943	-75.99	-18.60	-13.0	-62.99	235.60	Vertical	Vertical	Pass
239.710	-73.72	-1.63	-13.0	-60.72	0.00	Vertical	Vertical	Pass
852.112	-67.00	5.19	-13.0	-54.00	248.60	Vertical	Vertical	Pass
1699.413	-38.51	-9.89	-13.0	-25.51	279.00	Vertical	Vertical	Pass
2127.109	-36.68	-5.21	-13.0	-23.68	30.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.06.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.85	9.93	-13.0	-51.85	11.20	Vertical	Vertical	Pass
9400.150	-59.14	15.31	-13.0	-46.14	134.80	Vertical	Vertical	Pass
10651.087	-56.71	15.95	-13.0	-43.71	282.90	Vertical	Vertical	Pass
11618.845	-57.03	16.05	-13.0	-44.03	271.80	Vertical	Vertical	Pass
13771.557	-54.05	17.78	-13.0	-41.05	240.20	Vertical	Vertical	Pass
16820.545	-45.34	25.56	-13.0	-32.34	352.90	Vertical	Vertical	Pass

LTE-B4-20-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.56.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.061	-71.96	-10.68	-13.0	-58.96	119.10	Vertical	Vertical	Pass
71.457	-74.75	-16.38	-13.0	-61.75	182.70	Vertical	Vertical	Pass
239.710	-73.75	-1.63	-13.0	-60.75	11.50	Vertical	Vertical	Pass
454.754	-72.21	-1.08	-13.0	-59.21	273.20	Vertical	Vertical	Pass
1702.662	-45.85	-9.81	-13.0	-32.85	275.70	Vertical	Vertical	Pass
2139.108	-37.64	-5.02	-13.0	-24.64	180.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.46.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7951.262	-65.47	8.71	-13.0	-52.47	115.30	Vertical	Vertical	Pass
9378.155	-59.48	15.00	-13.0	-46.48	3.20	Vertical	Vertical	Pass
10296.426	-57.98	16.09	-13.0	-44.98	352.80	Vertical	Vertical	Pass
11137.716	-55.82	15.43	-13.0	-42.82	154.80	Vertical	Vertical	Pass
13172.207	-56.99	15.47	-13.0	-43.99	129.90	Vertical	Vertical	Pass
14808.048	-46.58	25.72	-13.0	-33.58	208.70	Vertical	Vertical	Pass

LTE-B4-20-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_14.01.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.000	-72.31	-10.82	-13.0	-59.31	224.80	Vertical	Vertical	Pass
71.457	-73.40	-16.38	-13.0	-60.40	147.30	Vertical	Vertical	Pass
239.468	-73.41	-1.78	-13.0	-60.41	69.80	Vertical	Vertical	Pass
853.567	-67.07	5.04	-13.0	-54.07	78.00	Vertical	Vertical	Pass
1701.662	-50.52	-9.83	-13.0	-37.52	278.90	Vertical	Vertical	Pass
2140.357	-35.53	-5.01	-13.0	-22.53	175.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_13.44.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7871.532	-64.83	9.21	-13.0	-51.83	111.30	Vertical	Vertical	Pass
9419.395	-59.51	14.92	-13.0	-46.51	256.40	Vertical	Vertical	Pass
11192.702	-56.10	15.96	-13.0	-43.10	202.50	Vertical	Vertical	Pass
12748.813	-58.07	14.75	-13.0	-45.07	317.10	Vertical	Vertical	Pass
14522.119	-47.08	24.24	-13.0	-34.08	28.00	Vertical	Vertical	Pass
16908.523	-45.10	26.26	-13.0	-32.10	0.70	Vertical	Vertical	Pass

LTE-B5-1.4-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.12.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.123	-69.05	-14.17	-13.0	-56.05	0.00	Horizontal	Horizontal	Pass
161.887	-70.19	-15.82	-13.0	-57.19	359.10	Horizontal	Horizontal	Pass
240.437	-66.87	-3.43	-13.0	-53.87	341.80	Horizontal	Horizontal	Pass
824.231	-52.59	2.28	-13.0	-39.59	233.10	Horizontal	Horizontal	Pass
869.325	-36.25	4.36	-13.0	-23.25	64.90	Horizontal	Horizontal	Pass
5382.404	-40.63	2.16	-13.0	-27.63	184.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.16.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.699	-69.07	-13.32	-13.0	-56.07	0.30	Horizontal	Horizontal	Pass
163.342	-70.28	-15.87	-13.0	-57.28	355.60	Horizontal	Horizontal	Pass
243.832	-66.55	-4.30	-13.0	-53.55	1.90	Horizontal	Horizontal	Pass
836.111	-62.10	4.30	-13.0	-49.10	236.40	Horizontal	Horizontal	Pass
880.962	-38.22	2.33	-13.0	-25.22	83.10	Horizontal	Horizontal	Pass
4130.717	-44.91	0.56	-13.0	-31.91	275.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.20.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.941	-67.95	-13.40	-13.0	-54.95	48.10	Horizontal	Horizontal	Pass
162.614	-70.24	-15.84	-13.0	-57.24	357.70	Horizontal	Horizontal	Pass
244.801	-65.92	-4.54	-13.0	-52.92	359.80	Horizontal	Horizontal	Pass
848.718	-52.69	5.72	-13.0	-39.69	212.30	Horizontal	Horizontal	Pass
893.569	-40.08	1.54	-13.0	-27.08	360.00	Horizontal	Horizontal	Pass
4711.572	-42.85	1.58	-13.0	-29.85	357.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.32.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.031	-65.16	-10.98	-13.0	-52.16	188.00	Vertical	Vertical	Pass
165.039	-70.06	-15.94	-13.0	-57.06	359.90	Vertical	Vertical	Pass
242.134	-67.03	-3.86	-13.0	-54.03	347.30	Vertical	Vertical	Pass
824.231	-54.56	2.28	-13.0	-41.56	222.20	Vertical	Vertical	Pass
869.083	-35.45	4.38	-13.0	-22.45	84.20	Vertical	Vertical	Pass
3202.949	-47.61	-1.22	-13.0	-34.61	174.90	Vertical	Vertical	Pass

LTE-B5-1.4-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.37.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.123	-69.09	-14.17	-13.0	-56.09	0.60	Vertical	Vertical	Pass
158.978	-70.37	-15.74	-13.0	-57.37	357.90	Vertical	Vertical	Pass
240.680	-66.22	-3.49	-13.0	-53.22	360.00	Vertical	Vertical	Pass
836.111	-63.28	4.30	-13.0	-50.28	241.70	Vertical	Vertical	Pass
881.690	-38.31	2.25	-13.0	-25.31	360.00	Vertical	Vertical	Pass
3171.957	-48.76	-1.73	-13.0	-35.76	91.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.42.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.123	-69.08	-14.17	-13.0	-56.08	0.00	Vertical	Vertical	Pass
163.584	-70.44	-15.88	-13.0	-57.44	348.30	Vertical	Vertical	Pass
243.832	-67.36	-4.30	-13.0	-54.36	358.70	Vertical	Vertical	Pass
851.627	-46.93	5.71	-13.0	-33.93	152.10	Vertical	Vertical	Pass
892.842	-39.06	1.49	-13.0	-26.06	226.20	Vertical	Vertical	Pass
3001.000	-47.82	-0.66	-13.0	-34.82	292.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.01.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.396	-69.24	-13.91	-13.0	-56.24	0.20	Horizontal	Horizontal	Pass
162.614	-70.39	-15.84	-13.0	-57.39	360.00	Horizontal	Horizontal	Pass
238.255	-67.87	-3.96	-13.0	-54.87	358.90	Horizontal	Horizontal	Pass
824.474	-56.36	2.31	-13.0	-43.36	230.10	Horizontal	Horizontal	Pass
870.780	-34.64	4.15	-13.0	-21.64	84.60	Horizontal	Horizontal	Pass
4098.725	-44.99	1.00	-13.0	-31.99	44.10	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.05.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.881	-69.38	-14.08	-13.0	-56.38	7.90	Horizontal	Horizontal	Pass
161.887	-70.87	-15.82	-13.0	-57.87	357.90	Horizontal	Horizontal	Pass
238.740	-66.89	-3.78	-13.0	-53.89	359.20	Horizontal	Horizontal	Pass
836.111	-66.08	4.30	-13.0	-53.08	233.00	Horizontal	Horizontal	Pass
881.447	-37.29	2.28	-13.0	-24.29	227.80	Horizontal	Horizontal	Pass
4112.722	-44.76	0.84	-13.0	-31.76	70.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.09.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.426	-68.86	-13.57	-13.0	-55.86	0.00	Horizontal	Horizontal	Pass
161.887	-70.69	-15.82	-13.0	-57.69	353.30	Horizontal	Horizontal	Pass
241.165	-67.32	-3.62	-13.0	-54.32	357.60	Horizontal	Horizontal	Pass
852.112	-42.88	5.68	-13.0	-29.88	194.30	Horizontal	Horizontal	Pass
893.084	-36.71	1.51	-13.0	-23.71	37.70	Horizontal	Horizontal	Pass
4812.547	-42.34	1.92	-13.0	-29.34	295.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.50.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.850	-70.19	-14.43	-13.0	-57.19	0.90	Vertical	Vertical	Pass
158.735	-70.55	-15.74	-13.0	-57.55	359.40	Vertical	Vertical	Pass
238.983	-66.92	-3.69	-13.0	-53.92	360.00	Vertical	Vertical	Pass
824.231	-58.27	2.28	-13.0	-45.27	243.00	Vertical	Vertical	Pass
870.537	-35.45	4.20	-13.0	-22.45	163.30	Vertical	Vertical	Pass
4104.724	-44.30	0.96	-13.0	-31.30	113.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.55.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-68.50	-14.34	-13.0	-55.50	2.80	Vertical	Vertical	Pass
162.372	-70.23	-15.84	-13.0	-57.23	356.10	Vertical	Vertical	Pass
238.740	-66.01	-3.78	-13.0	-53.01	358.30	Vertical	Vertical	Pass
837.566	-65.61	4.59	-13.0	-52.61	223.00	Vertical	Vertical	Pass
880.720	-36.74	2.36	-13.0	-23.74	80.70	Vertical	Vertical	Pass
3205.949	-47.18	-1.30	-13.0	-34.18	16.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_15.59.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.881	-69.70	-14.08	-13.0	-56.70	2.30	Vertical	Vertical	Pass
163.827	-70.35	-15.89	-13.0	-57.35	359.90	Vertical	Vertical	Pass
239.953	-66.19	-3.34	-13.0	-53.19	357.90	Vertical	Vertical	Pass
852.112	-42.17	5.68	-13.0	-29.17	154.50	Vertical	Vertical	Pass
892.357	-35.72	1.46	-13.0	-22.72	228.50	Vertical	Vertical	Pass
3874.781	-46.11	-0.74	-13.0	-33.11	61.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.48.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.881	-69.77	-14.08	-13.0	-56.77	23.90	Horizontal	Horizontal	Pass
164.069	-70.32	-15.90	-13.0	-57.32	359.80	Horizontal	Horizontal	Pass
238.983	-67.03	-3.69	-13.0	-54.03	356.20	Horizontal	Horizontal	Pass
828.110	-56.37	2.82	-13.0	-43.37	222.20	Horizontal	Horizontal	Pass
870.295	-34.94	4.25	-13.0	-21.94	65.90	Horizontal	Horizontal	Pass
4731.567	-42.55	1.67	-13.0	-29.55	226.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.53.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.638	-69.55	-14.00	-13.0	-56.55	29.80	Horizontal	Horizontal	Pass
163.584	-70.36	-15.88	-13.0	-57.36	360.00	Horizontal	Horizontal	Pass
240.437	-66.93	-3.43	-13.0	-53.93	331.30	Horizontal	Horizontal	Pass
834.171	-57.34	3.91	-13.0	-44.34	220.80	Horizontal	Horizontal	Pass
881.205	-36.55	2.30	-13.0	-23.55	83.10	Horizontal	Horizontal	Pass
5418.395	-40.30	2.42	-13.0	-27.30	0.00	Horizontal	Horizontal	Pass

LTE-B5-5-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.57.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.426	-69.82	-13.57	-13.0	-56.82	21.90	Horizontal	Horizontal	Pass
162.372	-70.57	-15.84	-13.0	-57.57	358.50	Horizontal	Horizontal	Pass
240.437	-65.87	-3.43	-13.0	-52.87	360.00	Horizontal	Horizontal	Pass
852.112	-35.02	5.68	-13.0	-22.02	294.30	Horizontal	Horizontal	Pass
890.902	-37.54	1.36	-13.0	-24.54	225.50	Horizontal	Horizontal	Pass
4674.581	-41.97	1.20	-13.0	-28.97	8.50	Horizontal	Horizontal	Pass

LTE-B5-5-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.08.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.123	-68.70	-14.17	-13.0	-55.70	3.10	Vertical	Vertical	Pass
163.342	-70.02	-15.87	-13.0	-57.02	358.40	Vertical	Vertical	Pass
241.407	-67.65	-3.68	-13.0	-54.65	359.40	Vertical	Vertical	Pass
828.353	-55.29	2.85	-13.0	-42.29	232.90	Vertical	Vertical	Pass
869.568	-32.91	4.34	-13.0	-19.91	62.90	Vertical	Vertical	Pass
4103.724	-43.32	0.97	-13.0	-30.32	157.00	Vertical	Vertical	Pass

LTE-B5-5-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.12.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.365	-68.86	-14.25	-13.0	-55.86	0.60	Vertical	Vertical	Pass
163.584	-69.90	-15.88	-13.0	-56.90	355.90	Vertical	Vertical	Pass
242.134	-67.64	-3.86	-13.0	-54.64	349.20	Vertical	Vertical	Pass
834.171	-57.48	3.91	-13.0	-44.48	232.70	Vertical	Vertical	Pass
882.174	-36.94	2.19	-13.0	-23.94	360.00	Vertical	Vertical	Pass
4111.722	-44.96	0.85	-13.0	-31.96	360.00	Vertical	Vertical	Pass

LTE-B5-5-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.16.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.850	-68.93	-14.43	-13.0	-55.93	18.70	Vertical	Vertical	Pass
163.099	-70.45	-15.86	-13.0	-57.45	360.00	Vertical	Vertical	Pass
239.953	-66.78	-3.34	-13.0	-53.78	342.80	Vertical	Vertical	Pass
851.870	-31.97	5.69	-13.0	-18.97	226.80	Vertical	Vertical	Pass
892.357	-36.96	1.46	-13.0	-23.96	226.80	Vertical	Vertical	Pass
4151.712	-44.87	0.24	-13.0	-31.87	183.40	Vertical	Vertical	Pass

LTE-B5-10-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.44.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.123	-68.82	-14.17	-13.0	-55.82	0.70	Horizontal	Horizontal	Pass
163.584	-69.96	-15.88	-13.0	-56.96	357.50	Horizontal	Horizontal	Pass
240.195	-65.83	-3.37	-13.0	-52.83	359.00	Horizontal	Horizontal	Pass
828.838	-57.08	2.92	-13.0	-44.08	231.40	Horizontal	Horizontal	Pass
869.810	-34.70	4.32	-13.0	-21.70	215.40	Horizontal	Horizontal	Pass
4081.730	-44.84	0.57	-13.0	-31.84	252.50	Horizontal	Horizontal	Pass

LTE-B5-10-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.41.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.881	-69.35	-14.08	-13.0	-56.35	6.30	Horizontal	Horizontal	Pass
161.887	-70.18	-15.82	-13.0	-57.18	360.00	Horizontal	Horizontal	Pass
239.710	-66.67	-3.43	-13.0	-53.67	359.20	Horizontal	Horizontal	Pass
839.990	-58.59	5.07	-13.0	-45.59	230.40	Horizontal	Horizontal	Pass
878.053	-37.16	2.80	-13.0	-24.16	45.90	Horizontal	Horizontal	Pass
5416.396	-40.33	2.43	-13.0	-27.33	30.80	Horizontal	Horizontal	Pass

LTE-B5-10-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.38.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-68.46	-14.34	-13.0	-55.46	1.00	Horizontal	Horizontal	Pass
162.614	-70.23	-15.84	-13.0	-57.23	353.10	Horizontal	Horizontal	Pass
237.286	-66.37	-4.31	-13.0	-53.37	348.00	Horizontal	Horizontal	Pass
841.930	-55.52	5.22	-13.0	-42.52	221.10	Horizontal	Horizontal	Pass
886.053	-36.74	1.75	-13.0	-23.74	85.60	Horizontal	Horizontal	Pass
4087.728	-45.04	0.72	-13.0	-32.04	6.20	Horizontal	Horizontal	Pass

LTE-B5-10-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.19.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.638	-69.04	-14.00	-13.0	-56.04	2.80	Vertical	Vertical	Pass
163.342	-70.24	-15.87	-13.0	-57.24	358.70	Vertical	Vertical	Pass
239.710	-66.96	-3.43	-13.0	-53.96	341.00	Vertical	Vertical	Pass
828.110	-57.26	2.82	-13.0	-44.26	235.60	Vertical	Vertical	Pass
869.568	-31.74	4.34	-13.0	-18.74	79.60	Vertical	Vertical	Pass
4695.576	-42.69	1.47	-13.0	-29.69	273.00	Vertical	Vertical	Pass

LTE-B5-10-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.25.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.638	-68.70	-14.00	-13.0	-55.70	1.20	Vertical	Vertical	Pass
163.584	-70.22	-15.88	-13.0	-57.22	358.70	Vertical	Vertical	Pass
239.953	-66.48	-3.34	-13.0	-53.48	360.00	Vertical	Vertical	Pass
840.232	-56.00	5.09	-13.0	-43.00	221.50	Vertical	Vertical	Pass
879.023	-35.45	2.62	-13.0	-22.45	80.80	Vertical	Vertical	Pass
4771.557	-42.27	1.84	-13.0	-29.27	84.40	Vertical	Vertical	Pass

LTE-B5-10-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_16.29.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.911	-68.89	-13.74	-13.0	-55.89	22.80	Vertical	Vertical	Pass
158.493	-70.65	-15.74	-13.0	-57.65	347.30	Vertical	Vertical	Pass
239.225	-67.92	-3.60	-13.0	-54.92	360.00	Vertical	Vertical	Pass
840.232	-55.05	5.09	-13.0	-42.05	212.90	Vertical	Vertical	Pass
892.599	-36.74	1.47	-13.0	-23.74	228.60	Vertical	Vertical	Pass
4808.548	-42.48	1.93	-13.0	-29.48	135.00	Vertical	Vertical	Pass

LTE-B7-5-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.33.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.910	-68.56	-11.03	-25.0	-43.56	2.10	Horizontal	Horizontal	Pass
78.488	-75.11	-19.07	-25.0	-50.11	219.60	Horizontal	Horizontal	Pass
242.377	-66.38	-2.61	-25.0	-41.38	358.60	Horizontal	Horizontal	Pass
1182.454	-57.09	-2.62	-25.0	-32.09	358.40	Horizontal	Horizontal	Pass
2500.625	-50.41	3.01	-25.0	-25.41	93.70	Horizontal	Horizontal	Pass
2999.000	-54.04	2.02	-25.0	-29.04	69.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.49.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7984.254	-64.09	8.91	-13.0	-51.09	327.60	Horizontal	Horizontal	Pass
8858.535	-62.65	11.38	-13.0	-49.65	283.00	Horizontal	Horizontal	Pass
9402.899	-59.41	15.25	-13.0	-46.41	159.30	Horizontal	Horizontal	Pass
10752.812	-56.55	16.66	-13.0	-43.55	336.20	Horizontal	Horizontal	Pass
13188.703	-56.53	15.83	-13.0	-43.53	330.60	Horizontal	Horizontal	Pass
14538.615	-46.06	24.24	-13.0	-33.06	313.90	Horizontal	Horizontal	Pass

LTE-B7-5-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.38.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.668	-68.38	-11.02	-25.0	-43.38	1.20	Horizontal	Horizontal	Pass
144.916	-71.99	-15.06	-25.0	-46.99	345.90	Horizontal	Horizontal	Pass
240.922	-66.57	-2.25	-25.0	-41.57	343.30	Horizontal	Horizontal	Pass
853.324	-67.01	6.82	-25.0	-42.01	11.20	Horizontal	Horizontal	Pass
1200.450	-57.47	-1.78	-25.0	-32.47	177.00	Horizontal	Horizontal	Pass
2503.624	-52.56	2.95	-25.0	-27.56	217.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.32.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.609	-73.90	-18.13	-25.0	-48.90	120.60	Vertical	Vertical	Pass
114.854	-75.31	-10.35	-25.0	-50.31	74.80	Vertical	Vertical	Pass
451.602	-72.71	-1.56	-25.0	-47.71	97.50	Vertical	Vertical	Pass
959.513	-65.29	4.80	-25.0	-40.29	80.40	Vertical	Vertical	Pass
2544.614	-51.35	2.12	-25.0	-26.35	360.00	Vertical	Vertical	Pass
5021.495	-52.53	2.90	-25.0	-27.53	273.00	Vertical	Vertical	Pass

LTE-B7-5-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.41.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.153	-68.37	-11.03	-25.0	-43.37	9.00	Horizontal	Horizontal	Pass
143.462	-72.10	-14.91	-25.0	-47.10	332.70	Horizontal	Horizontal	Pass
240.195	-65.54	-2.08	-25.0	-40.54	351.70	Horizontal	Horizontal	Pass
459.360	-73.11	-2.19	-25.0	-48.11	330.10	Horizontal	Horizontal	Pass
1198.950	-56.86	-1.81	-25.0	-31.86	238.80	Horizontal	Horizontal	Pass
2504.124	-52.72	2.94	-25.0	-27.72	358.60	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.43.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8063.984	-64.95	9.48	-13.0	-51.95	172.70	Horizontal	Horizontal	Pass
8842.039	-62.35	11.50	-13.0	-49.35	134.80	Horizontal	Horizontal	Pass
10532.867	-55.91	16.27	-13.0	-42.91	220.40	Horizontal	Horizontal	Pass
11200.950	-56.25	16.01	-13.0	-43.25	52.50	Horizontal	Horizontal	Pass
13227.193	-55.76	15.91	-13.0	-42.76	203.60	Horizontal	Horizontal	Pass
14777.806	-47.16	25.44	-13.0	-34.16	304.90	Horizontal	Horizontal	Pass

LTE-B7-5-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.10.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.609	-77.54	-18.13	-36.0	-41.54	231.20	Vertical	Vertical	Pass
240.195	-77.26	-2.08	-36.0	-41.26	6.50	Vertical	Vertical	Pass
452.087	-75.07	-1.60	-36.0	-39.07	192.20	Vertical	Vertical	Pass
1195.451	-58.93	-1.97	-30.0	-28.93	194.80	Vertical	Vertical	Pass
2506.123	-53.79	2.90	-30.0	-23.79	192.20	Vertical	Vertical	Pass
2819.545	-57.27	1.11	-30.0	-27.27	180.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.27.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.15	9.74	-13.0	-52.15	42.50	Vertical	Vertical	Pass
8825.544	-61.63	11.31	-13.0	-48.63	59.30	Vertical	Vertical	Pass
9895.026	-59.12	13.91	-13.0	-46.12	56.70	Vertical	Vertical	Pass
11148.713	-56.49	15.60	-13.0	-43.49	357.80	Vertical	Vertical	Pass
14733.817	-47.53	25.15	-13.0	-34.53	130.00	Vertical	Vertical	Pass
16507.123	-45.48	24.77	-13.0	-32.48	183.50	Vertical	Vertical	Pass

LTE-B7-5-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.14.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.609	-77.35	-18.13	-36.0	-41.35	84.20	Vertical	Vertical	Pass
240.195	-76.77	-2.08	-36.0	-40.77	1.90	Vertical	Vertical	Pass
443.359	-74.12	-2.52	-36.0	-38.12	282.70	Vertical	Vertical	Pass
1199.450	-57.86	-1.78	-30.0	-27.86	35.10	Vertical	Vertical	Pass
2504.624	-54.72	2.93	-30.0	-24.72	339.60	Vertical	Vertical	Pass
6995.001	-47.90	11.06	-30.0	-17.90	215.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.29.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



LTE-B7-5-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.25.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.308	-75.23	-10.77	-25.0	-50.23	159.40	Vertical	Vertical	Pass
239.225	-76.23	-2.33	-25.0	-51.23	204.80	Vertical	Vertical	Pass
847.021	-66.18	6.62	-25.0	-41.18	26.50	Vertical	Vertical	Pass
1203.449	-55.89	-1.95	-25.0	-30.89	126.40	Vertical	Vertical	Pass
2280.680	-54.80	-0.32	-25.0	-29.80	38.20	Vertical	Vertical	Pass
2993.002	-54.33	2.19	-25.0	-29.33	234.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.36.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.34	-18.58	-25.0	-48.34	2.20	Vertical	Vertical	Pass
114.854	-74.83	-10.35	-25.0	-49.83	9.70	Vertical	Vertical	Pass
446.996	-72.90	-1.92	-25.0	-47.90	191.40	Vertical	Vertical	Pass
849.688	-66.94	6.99	-25.0	-41.94	53.30	Vertical	Vertical	Pass
1214.446	-56.86	-2.61	-25.0	-31.86	0.00	Vertical	Vertical	Pass
2505.124	-52.15	2.92	-25.0	-27.15	347.80	Vertical	Vertical	Pass

LTE-B7-10-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17:58:01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-72.49	-18.58	-25.0	-47.49	98.70	Vertical	Vertical	Pass
114.854	-74.09	-10.35	-25.0	-49.09	146.80	Vertical	Vertical	Pass
239.953	-73.72	-2.05	-25.0	-48.72	217.20	Vertical	Vertical	Pass
858.415	-67.77	6.50	-25.0	-42.77	200.40	Vertical	Vertical	Pass
2506.123	-49.43	2.90	-25.0	-24.43	18.90	Vertical	Vertical	Pass
2993.002	-54.27	2.19	-25.0	-29.27	75.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17:51:04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8030.992	-64.13	9.12	-13.0	-51.13	360.00	Horizontal	Horizontal	Pass
8853.037	-62.25	11.52	-13.0	-49.25	343.20	Horizontal	Horizontal	Pass
9873.032	-60.29	13.49	-13.0	-47.29	277.00	Horizontal	Horizontal	Pass
11184.454	-57.00	15.89	-13.0	-44.00	50.00	Horizontal	Horizontal	Pass
13227.193	-56.46	15.91	-13.0	-43.46	100.90	Horizontal	Horizontal	Pass
14824.544	-46.36	25.71	-13.0	-33.36	340.20	Horizontal	Horizontal	Pass

LTE-B7-10-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17:59:07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.911	-70.29	-13.18	-25.0	-45.29	56.60	Horizontal	Horizontal	Pass
144.431	-71.18	-15.01	-25.0	-46.18	321.70	Horizontal	Horizontal	Pass
243.589	-66.01	-2.90	-25.0	-41.01	1.30	Horizontal	Horizontal	Pass
457.421	-71.53	-2.03	-25.0	-46.53	290.10	Horizontal	Horizontal	Pass
1200.450	-55.83	-1.78	-25.0	-30.83	52.70	Horizontal	Horizontal	Pass
2560.610	-52.04	1.80	-25.0	-27.04	175.50	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17.53.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.63	10.22	-13.0	-51.63	182.20	Horizontal	Horizontal	Pass
8842.039	-62.77	11.50	-13.0	-49.77	148.30	Horizontal	Horizontal	Pass
9229.693	-58.92	13.54	-13.0	-45.92	359.10	Horizontal	Horizontal	Pass
11176.206	-55.55	15.83	-13.0	-42.55	99.20	Horizontal	Horizontal	Pass
13246.438	-55.95	15.80	-13.0	-42.95	31.40	Horizontal	Horizontal	Pass
14810.797	-46.94	25.72	-13.0	-33.94	202.70	Horizontal	Horizontal	Pass

LTE-B7-10-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-22_09.50.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.395	-68.30	-11.04	-25.0	-43.30	38.40	Horizontal	Horizontal	Pass
153.644	-70.55	-14.87	-25.0	-45.55	358.60	Horizontal	Horizontal	Pass
242.134	-64.80	-2.55	-25.0	-39.80	315.70	Horizontal	Horizontal	Pass
1199.450	-56.57	-1.78	-25.0	-31.57	90.00	Horizontal	Horizontal	Pass
1851.787	-60.09	-6.39	-25.0	-35.09	178.20	Horizontal	Horizontal	Pass
2504.124	-52.33	2.94	-25.0	-27.33	84.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-19_17:55:15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.48	9.93	-13.0	-51.48	116.50	Horizontal	Horizontal	Pass
8842.039	-62.09	11.50	-13.0	-49.09	294.40	Horizontal	Horizontal	Pass
9284.679	-59.33	13.34	-13.0	-46.33	119.50	Horizontal	Horizontal	Pass
10499.875	-57.13	16.52	-13.0	-44.13	277.60	Horizontal	Horizontal	Pass
13779.805	-54.36	17.75	-13.0	-41.36	130.60	Horizontal	Horizontal	Pass
14827.293	-46.92	25.71	-13.0	-33.92	360.00	Horizontal	Horizontal	Pass

LTE-B7-10-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.11.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.31	-18.58	-25.0	-48.31	77.20	Vertical	Vertical	Pass
166.251	-78.93	-15.11	-25.0	-53.93	79.80	Vertical	Vertical	Pass
242.134	-75.08	-2.55	-25.0	-50.08	339.20	Vertical	Vertical	Pass
846.778	-67.17	6.59	-25.0	-42.17	66.00	Vertical	Vertical	Pass
1187.453	-56.63	-2.35	-25.0	-31.63	357.40	Vertical	Vertical	Pass
2506.623	-50.51	2.89	-25.0	-25.51	18.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_17.54.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7734.066	-65.20	8.00	-13.0	-52.20	150.40	Vertical	Vertical	Pass
8847.538	-62.08	11.57	-13.0	-49.08	257.90	Vertical	Vertical	Pass
9886.778	-59.42	13.76	-13.0	-46.42	308.90	Vertical	Vertical	Pass
11162.459	-56.06	15.72	-13.0	-43.06	141.80	Vertical	Vertical	Pass
13752.312	-55.14	17.85	-13.0	-42.14	329.00	Vertical	Vertical	Pass
14500.125	-46.74	24.24	-13.0	-33.74	42.00	Vertical	Vertical	Pass

LTE-B7-10-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.01.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.84	-18.58	-25.0	-48.84	66.30	Vertical	Vertical	Pass
199.950	-77.19	-7.73	-25.0	-52.19	91.60	Vertical	Vertical	Pass
450.147	-72.34	-1.44	-25.0	-47.34	182.00	Vertical	Vertical	Pass
852.354	-67.33	6.88	-25.0	-42.33	12.70	Vertical	Vertical	Pass
1199.950	-56.45	-1.76	-25.0	-31.45	182.70	Vertical	Vertical	Pass
2503.624	-52.12	2.95	-25.0	-27.12	37.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.03.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8828.293	-62.38	11.34	-13.0	-49.38	301.50	Vertical	Vertical	Pass
9400.150	-59.10	15.31	-13.0	-46.10	346.90	Vertical	Vertical	Pass
11181.705	-56.56	15.87	-13.0	-43.56	23.50	Vertical	Vertical	Pass
13224.444	-56.17	15.93	-13.0	-43.17	40.60	Vertical	Vertical	Pass
14827.293	-46.79	25.71	-13.0	-33.79	106.10	Vertical	Vertical	Pass
16856.286	-44.66	26.20	-13.0	-31.66	259.00	Vertical	Vertical	Pass

LTE-B7-10-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.08.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.57	-18.58	-25.0	-48.57	0.90	Vertical	Vertical	Pass
114.854	-76.04	-10.35	-25.0	-51.04	58.10	Vertical	Vertical	Pass
241.892	-75.87	-2.49	-25.0	-50.87	173.10	Vertical	Vertical	Pass
854.051	-67.65	6.77	-25.0	-42.65	91.60	Vertical	Vertical	Pass
1199.950	-56.46	-1.76	-25.0	-31.46	2.60	Vertical	Vertical	Pass
2527.118	-52.68	2.47	-25.0	-27.68	240.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.05.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8127.218	-64.90	9.85	-13.0	-51.90	125.80	Vertical	Vertical	Pass
9182.954	-59.33	13.38	-13.0	-46.33	225.90	Vertical	Vertical	Pass
10557.611	-56.77	16.14	-13.0	-43.77	336.10	Vertical	Vertical	Pass
12498.625	-57.72	13.39	-13.0	-44.72	359.00	Vertical	Vertical	Pass
14511.122	-47.04	24.24	-13.0	-34.04	157.80	Vertical	Vertical	Pass
16900.275	-44.71	26.19	-13.0	-31.71	225.90	Vertical	Vertical	Pass

LTE-B7-15-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-22_09:57:35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.153	-68.29	-11.03	-25.0	-43.29	38.00	Horizontal	Horizontal	Pass
63.699	-71.42	-15.05	-25.0	-46.42	27.60	Horizontal	Horizontal	Pass
236.073	-65.64	-3.53	-25.0	-40.64	307.90	Horizontal	Horizontal	Pass
848.475	-66.56	6.82	-25.0	-41.56	2.30	Horizontal	Horizontal	Pass
1200.450	-55.93	-1.78	-25.0	-30.93	129.00	Horizontal	Horizontal	Pass
2489.628	-50.72	3.02	-25.0	-25.72	295.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-22_10.01.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7962.259	-65.35	8.78	-13.0	-52.35	0.00	Horizontal	Horizontal	Pass
9108.723	-62.45	11.13	-13.0	-49.45	359.40	Horizontal	Horizontal	Pass
9680.580	-59.81	13.65	-13.0	-46.81	191.60	Horizontal	Horizontal	Pass
11200.950	-56.67	16.01	-13.0	-43.67	284.80	Horizontal	Horizontal	Pass
13821.045	-54.59	17.65	-13.0	-41.59	99.30	Horizontal	Horizontal	Pass
14508.373	-46.28	24.24	-13.0	-33.28	8.10	Horizontal	Horizontal	Pass

LTE-B7-15-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.44.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.185	-72.55	-19.04	-25.0	-47.55	26.50	Horizontal	Horizontal	Pass
239.710	-75.75	-2.14	-25.0	-50.75	6.80	Horizontal	Horizontal	Pass
449.663	-72.03	-1.49	-25.0	-47.03	266.50	Horizontal	Horizontal	Pass
847.991	-67.33	6.76	-25.0	-42.33	4.80	Horizontal	Horizontal	Pass
1176.456	-56.64	-2.90	-25.0	-31.64	230.90	Horizontal	Horizontal	Pass
2504.624	-51.98	2.93	-25.0	-26.98	310.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.47.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7877.031	-64.49	9.32	-13.0	-51.49	343.70	Horizontal	Horizontal	Pass
8825.544	-62.93	11.31	-13.0	-49.93	321.00	Horizontal	Horizontal	Pass
9361.660	-59.91	14.77	-13.0	-46.91	201.90	Horizontal	Horizontal	Pass
11184.454	-55.94	15.89	-13.0	-42.94	246.90	Horizontal	Horizontal	Pass
13199.700	-55.62	16.07	-13.0	-42.62	122.30	Horizontal	Horizontal	Pass
14500.125	-47.12	24.24	-13.0	-34.12	244.30	Horizontal	Horizontal	Pass

LTE-B7-15-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-24_09.48.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-75.93	-18.58	-25.0	-50.93	109.90	Horizontal	Horizontal	Pass
115.096	-77.83	-10.36	-25.0	-52.83	356.80	Horizontal	Horizontal	Pass
199.950	-78.43	-7.73	-25.0	-53.43	319.10	Horizontal	Horizontal	Pass
855.021	-67.10	6.71	-25.0	-42.10	52.30	Horizontal	Horizontal	Pass
1207.448	-57.14	-2.17	-25.0	-32.14	55.00	Horizontal	Horizontal	Pass
2506.123	-51.85	2.90	-25.0	-26.85	253.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-24_09.50.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7954.011	-65.22	8.72	-13.0	-52.22	136.60	Horizontal	Horizontal	Pass
9389.153	-58.80	15.16	-13.0	-45.80	153.40	Horizontal	Horizontal	Pass
9862.034	-58.81	13.28	-13.0	-45.81	12.00	Horizontal	Horizontal	Pass
11206.448	-56.55	15.96	-13.0	-43.55	193.60	Horizontal	Horizontal	Pass
13763.309	-54.24	17.81	-13.0	-41.24	65.90	Horizontal	Horizontal	Pass
14511.122	-46.93	24.24	-13.0	-33.93	358.50	Horizontal	Horizontal	Pass

LTE-B7-15-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.15.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.57	-18.58	-25.0	-48.57	106.00	Vertical	Vertical	Pass
199.950	-77.71	-7.73	-25.0	-52.71	114.20	Vertical	Vertical	Pass
453.542	-72.21	-1.72	-25.0	-47.21	283.60	Vertical	Vertical	Pass
850.900	-67.54	6.97	-25.0	-42.54	29.00	Vertical	Vertical	Pass
1204.449	-56.76	-2.01	-25.0	-31.76	133.50	Vertical	Vertical	Pass
2508.123	-50.90	2.85	-25.0	-25.90	19.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.17.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8701.825	-63.21	9.87	-13.0	-50.21	115.10	Vertical	Vertical	Pass
9320.420	-59.69	13.84	-13.0	-46.69	69.70	Vertical	Vertical	Pass
11214.696	-56.43	15.88	-13.0	-43.43	316.40	Vertical	Vertical	Pass
13469.133	-56.34	17.49	-13.0	-43.34	339.40	Vertical	Vertical	Pass
14546.863	-46.73	24.24	-13.0	-33.73	360.00	Vertical	Vertical	Pass
16892.027	-45.42	26.19	-13.0	-32.42	123.60	Vertical	Vertical	Pass

LTE-B7-15-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.23.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.609	-73.68	-18.13	-25.0	-48.68	0.60	Vertical	Vertical	Pass
239.225	-75.60	-2.33	-25.0	-50.60	187.50	Vertical	Vertical	Pass
449.905	-72.51	-1.45	-25.0	-47.51	198.60	Vertical	Vertical	Pass
848.960	-67.83	6.89	-25.0	-42.83	17.10	Vertical	Vertical	Pass
1201.450	-56.57	-1.84	-25.0	-31.57	358.30	Vertical	Vertical	Pass
2418.145	-47.69	-2.22	-25.0	-22.69	77.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.19.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7984.254	-64.78	8.91	-13.0	-51.78	163.80	Vertical	Vertical	Pass
8789.803	-62.09	10.92	-13.0	-49.09	141.00	Vertical	Vertical	Pass
10543.864	-57.22	16.19	-13.0	-44.22	54.00	Vertical	Vertical	Pass
12583.854	-57.48	13.85	-13.0	-44.48	357.60	Vertical	Vertical	Pass
14783.304	-46.54	25.51	-13.0	-33.54	36.90	Vertical	Vertical	Pass
16493.377	-46.68	24.75	-13.0	-33.68	279.60	Vertical	Vertical	Pass

LTE-B7-15-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.27.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.37	-18.58	-25.0	-48.37	3.60	Vertical	Vertical	Pass
166.251	-79.22	-15.11	-25.0	-54.22	174.30	Vertical	Vertical	Pass
239.468	-75.81	-2.23	-25.0	-50.81	358.20	Vertical	Vertical	Pass
449.178	-71.58	-1.56	-25.0	-46.58	211.10	Vertical	Vertical	Pass
1204.949	-57.08	-2.03	-25.0	-32.08	230.30	Vertical	Vertical	Pass
2504.124	-51.17	2.94	-25.0	-26.17	298.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.28.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-64.98	10.11	-13.0	-51.98	321.30	Vertical	Vertical	Pass
8850.287	-62.09	11.59	-13.0	-49.09	256.20	Vertical	Vertical	Pass
9881.280	-59.80	13.65	-13.0	-46.80	26.90	Vertical	Vertical	Pass
11189.953	-56.64	15.94	-13.0	-43.64	123.20	Vertical	Vertical	Pass
14497.376	-47.30	24.16	-13.0	-34.30	346.60	Vertical	Vertical	Pass
16479.630	-46.28	24.22	-13.0	-33.28	112.10	Vertical	Vertical	Pass

LTE-B7-20-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.34.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.57	-18.58	-25.0	-48.57	26.00	Horizontal	Horizontal	Pass
238.983	-75.76	-2.42	-25.0	-50.76	0.80	Horizontal	Horizontal	Pass
447.966	-73.00	-1.76	-25.0	-48.00	178.20	Horizontal	Horizontal	Pass
859.870	-67.55	6.41	-25.0	-42.55	98.90	Horizontal	Horizontal	Pass
1200.450	-57.31	-1.78	-25.0	-32.31	341.50	Horizontal	Horizontal	Pass
2490.127	-47.36	3.17	-25.0	-22.36	344.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.15.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.81	10.20	-13.0	-51.81	39.00	Horizontal	Horizontal	Pass
8847.538	-61.59	11.57	-13.0	-48.59	197.30	Horizontal	Horizontal	Pass
9397.401	-59.14	15.27	-13.0	-46.14	291.10	Horizontal	Horizontal	Pass
10455.886	-57.32	16.34	-13.0	-44.32	325.30	Horizontal	Horizontal	Pass
11184.454	-56.22	15.89	-13.0	-43.22	314.20	Horizontal	Horizontal	Pass
14824.544	-47.37	25.71	-13.0	-34.37	30.40	Horizontal	Horizontal	Pass

LTE-B7-20-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.29.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.943	-71.58	-19.11	-25.0	-46.58	2.30	Horizontal	Horizontal	Pass
240.195	-73.05	-2.08	-25.0	-48.05	214.70	Horizontal	Horizontal	Pass
850.415	-67.12	7.00	-25.0	-42.12	84.80	Horizontal	Horizontal	Pass
1200.950	-56.92	-1.81	-25.0	-31.92	325.50	Horizontal	Horizontal	Pass
2526.118	-51.75	2.49	-25.0	-26.75	0.50	Horizontal	Horizontal	Pass
5143.464	-52.25	2.75	-25.0	-27.25	328.80	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.23.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-72.26	-18.58	-25.0	-47.26	0.40	Horizontal	Horizontal	Pass
244.316	-75.35	-3.08	-25.0	-50.35	262.80	Horizontal	Horizontal	Pass
452.572	-71.70	-1.64	-25.0	-46.70	271.00	Horizontal	Horizontal	Pass
854.779	-68.21	6.73	-25.0	-43.21	200.70	Horizontal	Horizontal	Pass
1202.449	-56.45	-1.90	-25.0	-31.45	114.50	Horizontal	Horizontal	Pass
2462.134	-48.38	-1.28	-25.0	-23.38	282.70	Horizontal	Horizontal	Pass

LTE-B7-20-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.37.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-72.54	-18.58	-25.0	-47.54	47.30	Horizontal	Horizontal	Pass
240.680	-75.74	-2.20	-25.0	-50.74	219.30	Horizontal	Horizontal	Pass
449.420	-72.01	-1.53	-25.0	-47.01	213.70	Horizontal	Horizontal	Pass
847.021	-67.18	6.62	-25.0	-42.18	0.40	Horizontal	Horizontal	Pass
1196.451	-56.86	-1.92	-25.0	-31.86	106.40	Horizontal	Horizontal	Pass
2546.613	-52.45	2.08	-25.0	-27.45	329.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_19.19.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-72.10	-18.58	-25.0	-47.10	183.90	Horizontal	Horizontal	Pass
117.521	-74.65	-11.18	-25.0	-49.65	356.20	Horizontal	Horizontal	Pass
238.255	-75.26	-2.69	-25.0	-50.26	9.40	Horizontal	Horizontal	Pass
856.718	-67.36	6.61	-25.0	-42.36	92.40	Horizontal	Horizontal	Pass
1198.450	-56.94	-1.83	-25.0	-31.94	1.50	Horizontal	Horizontal	Pass
2546.113	-52.44	2.09	-25.0	-27.44	358.70	Horizontal	Horizontal	Pass

LTE-B7-20-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.37.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-73.04	-18.58	-25.0	-48.04	57.00	Vertical	Vertical	Pass
199.950	-77.68	-7.73	-25.0	-52.68	96.80	Vertical	Vertical	Pass
450.632	-72.47	-1.48	-25.0	-47.47	279.50	Vertical	Vertical	Pass
849.688	-67.81	6.99	-25.0	-42.81	192.10	Vertical	Vertical	Pass
1199.450	-56.31	-1.78	-25.0	-31.31	210.90	Vertical	Vertical	Pass
2489.628	-49.76	3.02	-25.0	-24.76	30.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.39.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-64.94	9.82	-13.0	-51.94	17.20	Vertical	Vertical	Pass
8820.045	-62.42	11.24	-13.0	-49.42	142.10	Vertical	Vertical	Pass
11137.716	-55.69	15.43	-13.0	-42.69	99.60	Vertical	Vertical	Pass
13158.460	-55.95	15.17	-13.0	-42.95	201.20	Vertical	Vertical	Pass
14841.040	-47.01	25.70	-13.0	-34.01	235.10	Vertical	Vertical	Pass
16468.633	-46.75	23.79	-13.0	-33.75	99.60	Vertical	Vertical	Pass

LTE-B7-20-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.45.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.609	-73.90	-18.13	-25.0	-48.90	0.00	Vertical	Vertical	Pass
240.680	-74.34	-2.20	-25.0	-49.34	137.00	Vertical	Vertical	Pass
451.117	-72.48	-1.52	-25.0	-47.48	201.80	Vertical	Vertical	Pass
1201.950	-56.31	-1.87	-25.0	-31.31	187.40	Vertical	Vertical	Pass
2505.124	-52.35	2.92	-25.0	-27.35	119.30	Vertical	Vertical	Pass
4812.547	-53.51	1.92	-25.0	-28.51	310.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.41.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7844.039	-65.35	8.70	-13.0	-52.35	201.80	Vertical	Vertical	Pass
8853.037	-62.43	11.52	-13.0	-49.43	235.60	Vertical	Vertical	Pass
9402.899	-59.05	15.25	-13.0	-46.05	224.50	Vertical	Vertical	Pass
10519.120	-56.65	16.38	-13.0	-43.65	147.80	Vertical	Vertical	Pass
13207.948	-56.07	16.03	-13.0	-43.07	3.80	Vertical	Vertical	Pass
14524.869	-47.23	24.24	-13.0	-34.23	358.30	Vertical	Vertical	Pass

LTE-B7-20-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.48.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-72.73	-18.58	-25.0	-47.73	53.60	Vertical	Vertical	Pass
199.950	-78.64	-7.73	-25.0	-53.64	81.50	Vertical	Vertical	Pass
452.329	-71.77	-1.62	-25.0	-46.77	183.50	Vertical	Vertical	Pass
846.536	-67.75	6.56	-25.0	-42.75	172.40	Vertical	Vertical	Pass
1199.950	-55.37	-1.76	-25.0	-30.37	212.40	Vertical	Vertical	Pass
2504.124	-52.07	2.94	-25.0	-27.07	113.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-23_18.50.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9092.227	-62.33	10.93	-13.0	-49.33	250.60	Vertical	Vertical	Pass
9765.809	-60.11	13.38	-13.0	-47.11	43.60	Vertical	Vertical	Pass
11143.214	-56.18	15.51	-13.0	-43.18	2.00	Vertical	Vertical	Pass
13568.108	-55.40	18.07	-13.0	-42.40	111.40	Vertical	Vertical	Pass
14516.621	-46.88	24.24	-13.0	-33.88	253.60	Vertical	Vertical	Pass
16850.787	-45.83	26.20	-13.0	-32.83	162.70	Vertical	Vertical	Pass

LTE-B12-1.4-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.30.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.061	-71.79	-11.42	-13.0	-58.79	173.50	Horizontal	Vertical	Pass
160.432	-70.90	-15.77	-13.0	-57.90	229.30	Horizontal	Vertical	Pass
247.468	-63.79	-5.22	-13.0	-50.79	67.40	Horizontal	Vertical	Pass
699.375	0.17	-2.05	-13.0	13.17	266.50	Horizontal	Vertical	Pass
1398.900	-29.51	-5.85	-13.0	-16.51	334.00	Horizontal	Vertical	Pass
2098.725	-46.25	-5.62	-13.0	-33.25	336.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.44.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.51	9.76	-13.0	-51.51	241.10	Horizontal	Vertical	Pass
9369.908	-59.45	14.89	-13.0	-46.45	358.60	Horizontal	Vertical	Pass
10513.622	-56.65	16.42	-13.0	-43.65	0.00	Horizontal	Vertical	Pass
13529.618	-56.06	17.66	-13.0	-43.06	104.70	Horizontal	Vertical	Pass
14555.111	-47.32	24.27	-13.0	-34.32	323.40	Horizontal	Vertical	Pass
16878.280	-45.35	26.20	-13.0	-32.35	101.70	Horizontal	Vertical	Pass

LTE-B12-1.4-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.27.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-75.22	-11.31	-13.0	-62.22	117.60	Horizontal	Vertical	Pass
158.735	-70.43	-15.74	-13.0	-57.43	268.00	Horizontal	Vertical	Pass
246.013	-62.62	-4.85	-13.0	-49.62	61.80	Horizontal	Vertical	Pass
707.861	0.08	-1.75	-13.0	13.08	259.40	Horizontal	Vertical	Pass
1414.896	-29.06	-6.50	-13.0	-16.06	342.60	Horizontal	Vertical	Pass
2122.719	-40.05	-5.10	-13.0	-27.05	339.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.46.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-64.90	10.16	-13.0	-51.90	18.50	Horizontal	Vertical	Pass
9259.935	-59.26	13.36	-13.0	-46.26	256.80	Horizontal	Vertical	Pass
11027.743	-56.39	16.50	-13.0	-43.39	184.20	Horizontal	Vertical	Pass
13755.061	-54.07	17.84	-13.0	-41.07	37.80	Horizontal	Vertical	Pass
14832.792	-46.87	25.71	-13.0	-33.87	156.60	Horizontal	Vertical	Pass
16688.578	-46.43	25.62	-13.0	-33.43	187.20	Horizontal	Vertical	Pass

LTE-B12-1.4-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.34.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-73.08	-11.47	-13.0	-60.08	18.00	Horizontal	Vertical	Pass
157.766	-71.58	-15.74	-13.0	-58.58	82.70	Horizontal	Vertical	Pass
241.407	-62.52	-3.68	-13.0	-49.52	61.50	Horizontal	Vertical	Pass
715.376	0.55	-1.59	-13.0	13.55	284.00	Horizontal	Vertical	Pass
1430.392	-30.10	-7.23	-13.0	-17.10	341.90	Horizontal	Vertical	Pass
2145.214	-43.15	-4.96	-13.0	-30.15	341.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.48.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.232	-64.70	9.65	-13.0	-51.70	40.30	Horizontal	Vertical	Pass
9400.150	-58.97	15.31	-13.0	-45.97	82.70	Horizontal	Vertical	Pass
11170.707	-55.55	15.78	-13.0	-42.55	105.40	Horizontal	Vertical	Pass
13136.466	-56.72	14.92	-13.0	-43.72	313.80	Horizontal	Vertical	Pass
14802.549	-47.44	25.72	-13.0	-34.44	274.40	Horizontal	Vertical	Pass
16680.330	-46.63	25.48	-13.0	-33.63	223.00	Horizontal	Vertical	Pass

LTE-B12-1.4-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_13.56.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.669	-66.14	-18.98	-13.0	-53.14	159.70	Vertical	Vertical	Pass
238.983	-69.11	-3.69	-13.0	-56.11	250.10	Vertical	Vertical	Pass
699.133	-0.75	-2.07	-13.0	12.25	90.50	Vertical	Vertical	Pass
1399.400	-28.78	-5.83	-13.0	-15.78	71.30	Vertical	Vertical	Pass
2098.725	-43.05	-5.62	-13.0	-30.05	66.10	Vertical	Vertical	Pass
2990.002	-57.02	-1.02	-13.0	-44.02	288.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_13.58.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8000.750	-64.56	9.01	-13.0	-51.56	107.20	Vertical	Vertical	Pass
9466.133	-58.69	14.21	-13.0	-45.69	7.00	Vertical	Vertical	Pass
11148.713	-56.72	15.60	-13.0	-43.72	270.60	Vertical	Vertical	Pass
13180.455	-55.82	15.65	-13.0	-42.82	290.30	Vertical	Vertical	Pass
14813.547	-47.40	25.71	-13.0	-34.40	185.70	Vertical	Vertical	Pass
16881.030	-44.13	26.20	-13.0	-31.13	12.20	Vertical	Vertical	Pass

LTE-B12-1.4-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_13.52.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-66.00	-19.17	-13.0	-53.00	127.20	Vertical	Vertical	Pass
238.498	-69.01	-3.87	-13.0	-56.01	90.00	Vertical	Vertical	Pass
714.406	0.12	-1.61	-13.0	13.12	231.40	Vertical	Vertical	Pass
1428.893	-29.42	-7.16	-13.0	-16.42	71.40	Vertical	Vertical	Pass
2143.214	-40.83	-4.95	-13.0	-27.83	71.40	Vertical	Vertical	Pass
4100.725	-64.47	1.02	-13.0	-51.47	58.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.54.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7984.254	-65.47	8.91	-13.0	-52.47	146.60	Vertical	Vertical	Pass
9358.910	-59.57	14.73	-13.0	-46.57	0.30	Vertical	Vertical	Pass
11154.211	-56.36	15.65	-13.0	-43.36	360.00	Vertical	Vertical	Pass
13196.951	-55.75	16.01	-13.0	-42.75	89.30	Vertical	Vertical	Pass
14568.858	-47.77	24.36	-13.0	-34.77	283.30	Vertical	Vertical	Pass
16952.512	-44.81	26.51	-13.0	-31.81	18.60	Vertical	Vertical	Pass

LTE-B12-1.4-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.51.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.458	-65.92	-20.00	-13.0	-52.92	115.40	Vertical	Vertical	Pass
238.983	-70.03	-3.69	-13.0	-57.03	322.40	Vertical	Vertical	Pass
600.702	-52.40	-4.78	-13.0	-39.40	109.80	Vertical	Vertical	Pass
714.891	-0.82	-1.60	-13.0	12.18	93.80	Vertical	Vertical	Pass
1430.392	-30.16	-7.23	-13.0	-17.16	341.50	Vertical	Vertical	Pass
2145.214	-44.38	-4.96	-13.0	-31.38	65.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_14.00.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-64.86	10.11	-13.0	-51.86	198.70	Vertical	Vertical	Pass
9342.414	-60.01	14.41	-13.0	-47.01	300.30	Vertical	Vertical	Pass
10527.368	-56.33	16.31	-13.0	-43.33	198.70	Vertical	Vertical	Pass
13194.201	-56.39	15.95	-13.0	-43.39	178.30	Vertical	Vertical	Pass
14758.560	-47.94	25.21	-13.0	-34.94	333.80	Vertical	Vertical	Pass
16870.032	-44.75	26.20	-13.0	-31.75	286.20	Vertical	Vertical	Pass

LTE-B12-3-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.22.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.70	-11.31	-13.0	-61.70	112.10	Horizontal	Vertical	Pass
247.468	-62.31	-5.22	-13.0	-49.31	74.60	Horizontal	Vertical	Pass
620.582	-40.54	-1.82	-13.0	-27.54	294.80	Horizontal	Vertical	Pass
700.102	-3.93	-2.01	-13.0	9.07	80.10	Horizontal	Vertical	Pass
1399.400	-32.45	-5.83	-13.0	-19.45	343.50	Horizontal	Vertical	Pass
2100.225	-50.57	-5.58	-13.0	-37.57	346.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.40.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-64.97	10.22	-13.0	-51.97	129.50	Horizontal	Vertical	Pass
9424.894	-59.26	14.80	-13.0	-46.26	3.30	Horizontal	Vertical	Pass
11214.696	-56.42	15.88	-13.0	-43.42	83.80	Horizontal	Vertical	Pass
13224.444	-55.95	15.93	-13.0	-42.95	158.60	Horizontal	Vertical	Pass
14819.045	-46.95	25.71	-13.0	-33.95	237.80	Horizontal	Vertical	Pass
16872.782	-45.24	26.20	-13.0	-32.24	277.30	Horizontal	Vertical	Pass

LTE-B12-3-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.25.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.35	-11.31	-13.0	-61.35	71.10	Horizontal	Vertical	Pass
241.407	-62.33	-3.68	-13.0	-49.33	73.70	Horizontal	Vertical	Pass
622.037	-41.75	-1.69	-13.0	-28.75	280.00	Horizontal	Vertical	Pass
707.618	-2.57	-1.76	-13.0	10.43	50.30	Horizontal	Vertical	Pass
1416.396	-33.61	-6.57	-13.0	-20.61	340.70	Horizontal	Vertical	Pass
2123.719	-48.45	-5.09	-13.0	-35.45	338.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17:38.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-64.29	10.08	-13.0	-51.29	14.90	Horizontal	Vertical	Pass
9402.899	-59.64	15.25	-13.0	-46.64	250.50	Horizontal	Vertical	Pass
10502.624	-56.95	16.50	-13.0	-43.95	360.00	Horizontal	Vertical	Pass
13202.449	-56.50	16.07	-13.0	-43.50	342.50	Horizontal	Vertical	Pass
14799.800	-46.90	25.72	-13.0	-33.90	129.20	Horizontal	Vertical	Pass
16856.286	-44.95	26.20	-13.0	-31.95	216.20	Horizontal	Vertical	Pass

LTE-B12-3-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.19.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-73.76	-11.31	-13.0	-60.76	131.20	Horizontal	Vertical	Pass
240.195	-63.25	-3.37	-13.0	-50.25	88.80	Horizontal	Vertical	Pass
639.978	-40.20	-0.70	-13.0	-27.20	306.80	Horizontal	Vertical	Pass
714.406	-2.14	-1.61	-13.0	10.86	8.00	Horizontal	Vertical	Pass
1430.392	-35.81	-7.23	-13.0	-22.81	64.90	Horizontal	Vertical	Pass
2144.214	-53.86	-4.95	-13.0	-40.86	62.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.41.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7998.000	-64.93	9.00	-13.0	-51.93	191.70	Horizontal	Vertical	Pass
8820.045	-61.61	11.24	-13.0	-48.61	136.30	Horizontal	Vertical	Pass
10546.613	-57.31	16.17	-13.0	-44.31	183.50	Horizontal	Vertical	Pass
13210.697	-56.01	16.01	-13.0	-43.01	49.90	Horizontal	Vertical	Pass
14500.125	-47.17	24.24	-13.0	-34.17	27.20	Horizontal	Vertical	Pass
16853.537	-45.40	26.20	-13.0	-32.40	202.90	Horizontal	Vertical	Pass

LTE-B12-3-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.06.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.031	-68.80	-10.98	-13.0	-55.80	56.60	Vertical	Vertical	Pass
73.639	-66.78	-19.36	-13.0	-53.78	135.30	Vertical	Vertical	Pass
234.619	-71.76	-5.29	-13.0	-58.76	245.40	Vertical	Vertical	Pass
700.345	-4.06	-2.00	-13.0	8.94	118.50	Vertical	Vertical	Pass
1398.900	-31.50	-5.85	-13.0	-18.50	341.50	Vertical	Vertical	Pass
2098.725	-50.25	-5.62	-13.0	-37.25	344.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.10.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7852.287	-64.75	8.82	-13.0	-51.75	339.60	Vertical	Vertical	Pass
9325.919	-59.44	13.99	-13.0	-46.44	81.70	Vertical	Vertical	Pass
10502.624	-57.05	16.50	-13.0	-44.05	358.80	Vertical	Vertical	Pass
12138.465	-58.06	14.75	-13.0	-45.06	62.00	Vertical	Vertical	Pass
14819.045	-47.65	25.71	-13.0	-34.65	359.90	Vertical	Vertical	Pass
16892.027	-44.35	26.19	-13.0	-31.35	8.40	Vertical	Vertical	Pass

LTE-B12-3-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.03.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-66.50	-19.99	-13.0	-53.50	113.60	Vertical	Vertical	Pass
200.435	-71.38	-9.07	-13.0	-58.38	48.40	Vertical	Vertical	Pass
247.226	-67.93	-5.16	-13.0	-54.93	145.60	Vertical	Vertical	Pass
708.103	-3.00	-1.74	-13.0	10.00	119.10	Vertical	Vertical	Pass
1416.896	-31.74	-6.60	-13.0	-18.74	347.10	Vertical	Vertical	Pass
2123.219	-44.28	-5.10	-13.0	-31.28	341.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.59.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7877.031	-64.64	9.32	-13.0	-51.64	170.00	Vertical	Vertical	Pass
9378.155	-59.01	15.00	-13.0	-46.01	164.40	Vertical	Vertical	Pass
10549.363	-56.53	16.15	-13.0	-43.53	322.60	Vertical	Vertical	Pass
13749.563	-55.16	17.85	-13.0	-42.16	344.90	Vertical	Vertical	Pass
14505.624	-47.51	24.24	-13.0	-34.51	0.80	Vertical	Vertical	Pass
16845.289	-44.40	26.10	-13.0	-31.40	314.40	Vertical	Vertical	Pass

LTE-B12-3-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.16.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.184	-66.00	-18.79	-13.0	-53.00	141.50	Vertical	Vertical	Pass
242.862	-67.27	-4.05	-13.0	-54.27	149.70	Vertical	Vertical	Pass
602.642	-53.54	-4.57	-13.0	-40.54	103.90	Vertical	Vertical	Pass
713.922	-2.34	-1.62	-13.0	10.66	103.90	Vertical	Vertical	Pass
1430.392	-36.13	-7.23	-13.0	-23.13	72.50	Vertical	Vertical	Pass
2144.214	-51.97	-4.95	-13.0	-38.97	72.50	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.12.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-63.75	9.88	-13.0	-50.75	220.40	Vertical	Vertical	Pass
9342.414	-60.33	14.41	-13.0	-47.33	215.20	Vertical	Vertical	Pass
10499.875	-57.22	16.52	-13.0	-44.22	36.20	Vertical	Vertical	Pass
13257.436	-55.87	15.79	-13.0	-42.87	27.60	Vertical	Vertical	Pass
14830.042	-46.38	25.71	-13.0	-33.38	356.40	Vertical	Vertical	Pass
16878.280	-45.03	26.20	-13.0	-32.03	268.70	Vertical	Vertical	Pass

LTE-B12-5-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.33.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-73.80	-11.36	-13.0	-60.80	193.20	Horizontal	Vertical	Pass
241.407	-62.67	-3.68	-13.0	-49.67	93.10	Horizontal	Vertical	Pass
627.856	-43.27	-1.18	-13.0	-30.27	284.80	Horizontal	Vertical	Pass
699.860	-5.43	-2.02	-13.0	7.57	359.50	Horizontal	Vertical	Pass
1400.400	-33.79	-5.83	-13.0	-20.79	340.70	Horizontal	Vertical	Pass
2100.725	-53.02	-5.57	-13.0	-40.02	346.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17:34:08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-64.21	8.85	-13.0	-51.21	185.60	Horizontal	Vertical	Pass
9397.401	-60.06	15.27	-13.0	-47.06	6.80	Horizontal	Vertical	Pass
10744.564	-57.06	16.60	-13.0	-44.06	110.70	Horizontal	Vertical	Pass
13196.951	-56.66	16.01	-13.0	-43.66	145.00	Horizontal	Vertical	Pass
14824.544	-46.41	25.71	-13.0	-33.41	289.90	Horizontal	Vertical	Pass
16867.283	-44.96	26.20	-13.0	-31.96	281.60	Horizontal	Vertical	Pass

LTE-B12-5-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.29.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-74.40	-11.47	-13.0	-61.40	253.40	Horizontal	Vertical	Pass
244.559	-62.25	-4.48	-13.0	-49.25	56.90	Horizontal	Vertical	Pass
642.887	-41.68	-0.51	-13.0	-28.68	304.80	Horizontal	Vertical	Pass
709.073	-4.29	-1.71	-13.0	8.71	157.00	Horizontal	Vertical	Pass
1418.395	-32.48	-6.67	-13.0	-19.48	344.20	Horizontal	Vertical	Pass
2126.718	-49.00	-5.06	-13.0	-36.00	341.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.31.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8154.711	-64.48	9.48	-13.0	-51.48	321.60	Horizontal	Vertical	Pass
9372.657	-59.57	14.92	-13.0	-46.57	42.90	Horizontal	Vertical	Pass
10516.371	-57.09	16.40	-13.0	-44.09	242.70	Horizontal	Vertical	Pass
13430.642	-56.22	17.46	-13.0	-43.22	174.60	Horizontal	Vertical	Pass
14535.866	-47.38	24.24	-13.0	-34.38	65.90	Horizontal	Vertical	Pass
16897.526	-45.37	26.19	-13.0	-32.37	108.40	Horizontal	Vertical	Pass

LTE-B12-5-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.36.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-71.66	-11.47	-13.0	-58.66	337.20	Horizontal	Vertical	Pass
239.953	-63.64	-3.34	-13.0	-50.64	71.10	Horizontal	Vertical	Pass
633.432	-39.90	-0.89	-13.0	-26.90	310.40	Horizontal	Vertical	Pass
711.740	-3.61	-1.65	-13.0	9.39	0.30	Horizontal	Vertical	Pass
1422.894	-38.53	-6.88	-13.0	-25.53	75.90	Horizontal	Vertical	Pass
1772.807	-43.95	-9.37	-13.0	-30.95	40.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.35.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.524	-64.23	9.68	-13.0	-51.23	134.10	Horizontal	Vertical	Pass
9375.406	-60.09	14.96	-13.0	-47.09	273.60	Horizontal	Vertical	Pass
10505.374	-56.29	16.48	-13.0	-43.29	68.90	Horizontal	Vertical	Pass
12152.212	-57.18	14.65	-13.0	-44.18	353.70	Horizontal	Vertical	Pass
14827.293	-46.61	25.71	-13.0	-33.61	194.00	Horizontal	Vertical	Pass
16848.038	-45.54	26.16	-13.0	-32.54	199.60	Horizontal	Vertical	Pass

LTE-B12-5-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.02.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-66.40	-19.17	-13.0	-53.40	180.40	Vertical	Vertical	Pass
242.862	-66.45	-4.05	-13.0	-53.45	125.00	Vertical	Vertical	Pass
701.072	-5.61	-1.97	-13.0	7.39	320.10	Vertical	Vertical	Pass
1398.900	-33.25	-5.85	-13.0	-20.25	339.30	Vertical	Vertical	Pass
2099.725	-51.68	-5.60	-13.0	-38.68	339.30	Vertical	Vertical	Pass
2993.502	-57.31	-1.06	-13.0	-44.31	295.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_14.59.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-64.29	8.85	-13.0	-51.29	41.40	Vertical	Vertical	Pass
9009.748	-62.53	12.02	-13.0	-49.53	30.20	Vertical	Vertical	Pass
10637.341	-57.46	16.00	-13.0	-44.46	170.90	Vertical	Vertical	Pass
12141.215	-58.42	14.73	-13.0	-45.42	2.20	Vertical	Vertical	Pass
14362.659	-51.71	21.73	-13.0	-38.71	122.90	Vertical	Vertical	Pass
16856.286	-45.62	26.20	-13.0	-32.62	332.40	Vertical	Vertical	Pass

LTE-B12-5-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_14.55.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-66.30	-19.17	-13.0	-53.30	150.40	Vertical	Vertical	Pass
242.619	-67.04	-3.99	-13.0	-54.04	19.40	Vertical	Vertical	Pass
709.315	-5.22	-1.70	-13.0	7.78	309.70	Vertical	Vertical	Pass
1417.896	-30.57	-6.64	-13.0	-17.57	56.40	Vertical	Vertical	Pass
2128.218	-42.85	-5.04	-13.0	-29.85	51.20	Vertical	Vertical	Pass
2831.042	-55.56	-2.36	-13.0	-42.56	53.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_14:57:15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-65.71	9.21	-13.0	-52.71	44.60	Vertical	Vertical	Pass
8836.541	-62.48	11.44	-13.0	-49.48	99.30	Vertical	Vertical	Pass
10461.385	-56.99	16.36	-13.0	-43.99	329.70	Vertical	Vertical	Pass
13227.193	-56.77	15.91	-13.0	-43.77	8.50	Vertical	Vertical	Pass
14500.125	-47.04	24.24	-13.0	-34.04	292.80	Vertical	Vertical	Pass
16845.289	-44.72	26.10	-13.0	-31.72	113.50	Vertical	Vertical	Pass

LTE-B12-5-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.08.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.912	-65.94	-19.08	-13.0	-52.94	148.10	Vertical	Vertical	Pass
243.832	-66.69	-4.30	-13.0	-53.69	139.50	Vertical	Vertical	Pass
711.982	-4.62	-1.65	-13.0	8.38	101.60	Vertical	Vertical	Pass
1422.894	-34.97	-6.88	-13.0	-21.97	63.80	Vertical	Vertical	Pass
2138.215	-52.36	-4.96	-13.0	-39.36	58.30	Vertical	Vertical	Pass
2983.004	-57.53	-1.18	-13.0	-44.53	258.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_15.10.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-63.94	10.17	-13.0	-50.94	304.60	Vertical	Vertical	Pass
9375.406	-60.09	14.96	-13.0	-47.09	92.50	Vertical	Vertical	Pass
10579.605	-56.32	16.14	-13.0	-43.32	227.60	Vertical	Vertical	Pass
13733.067	-54.57	17.77	-13.0	-41.57	276.70	Vertical	Vertical	Pass
14808.048	-47.44	25.72	-13.0	-34.44	43.00	Vertical	Vertical	Pass
16894.776	-45.66	26.19	-13.0	-32.66	185.90	Vertical	Vertical	Pass

LTE-B12-10-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.57.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-73.69	-11.47	-13.0	-60.69	46.20	Horizontal	Vertical	Pass
242.862	-63.06	-4.05	-13.0	-50.06	67.40	Horizontal	Vertical	Pass
627.128	-44.56	-1.24	-13.0	-31.56	307.10	Horizontal	Vertical	Pass
707.861	-4.11	-1.75	-13.0	8.89	140.40	Horizontal	Vertical	Pass
1415.396	-36.29	-6.52	-13.0	-23.29	345.30	Horizontal	Vertical	Pass
2116.721	-54.19	-5.20	-13.0	-41.19	345.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.28.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.510	-64.40	8.76	-13.0	-51.40	12.30	Horizontal	Vertical	Pass
9353.412	-59.47	14.65	-13.0	-46.47	319.30	Horizontal	Vertical	Pass
10788.553	-56.44	16.36	-13.0	-43.44	46.60	Horizontal	Vertical	Pass
12806.548	-57.48	14.85	-13.0	-44.48	345.00	Horizontal	Vertical	Pass
14794.301	-47.41	25.65	-13.0	-34.41	196.10	Horizontal	Vertical	Pass
16501.625	-46.18	24.96	-13.0	-33.18	0.00	Horizontal	Vertical	Pass

LTE-B12-10-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_16.52.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.061	-74.49	-11.42	-13.0	-61.49	73.90	Horizontal	Vertical	Pass
158.008	-71.93	-15.74	-13.0	-58.93	267.80	Horizontal	Vertical	Pass
239.710	-63.30	-3.43	-13.0	-50.30	90.30	Horizontal	Vertical	Pass
710.285	-5.74	-1.68	-13.0	7.26	136.00	Horizontal	Vertical	Pass
1418.895	-37.74	-6.69	-13.0	-24.74	334.80	Horizontal	Vertical	Pass
2128.718	-52.81	-5.04	-13.0	-39.81	343.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.26.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-64.55	9.56	-13.0	-51.55	291.80	Horizontal	Vertical	Pass
9149.963	-61.35	12.58	-13.0	-48.35	218.40	Horizontal	Vertical	Pass
10648.338	-56.59	15.96	-13.0	-43.59	76.20	Horizontal	Vertical	Pass
13199.700	-56.65	16.07	-13.0	-43.65	87.80	Horizontal	Vertical	Pass
14709.073	-47.54	25.22	-13.0	-34.54	93.30	Horizontal	Vertical	Pass
16856.286	-44.85	26.20	-13.0	-31.85	203.90	Horizontal	Vertical	Pass

LTE-B12-10-HCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.01.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.45	-11.31	-13.0	-61.45	148.10	Horizontal	Vertical	Pass
157.281	-71.20	-15.74	-13.0	-58.20	88.50	Horizontal	Vertical	Pass
631.735	-42.76	-0.94	-13.0	-29.76	303.30	Horizontal	Vertical	Pass
708.345	-6.59	-1.73	-13.0	6.41	77.80	Horizontal	Vertical	Pass
1419.395	-38.31	-6.72	-13.0	-25.31	340.70	Horizontal	Vertical	Pass
2128.718	-56.18	-5.04	-13.0	-43.18	345.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.30.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.524	-64.66	9.68	-13.0	-51.66	223.70	Horizontal	Vertical	Pass
8853.037	-61.97	11.52	-13.0	-48.97	356.90	Horizontal	Vertical	Pass
10505.374	-56.69	16.48	-13.0	-43.69	0.00	Horizontal	Vertical	Pass
12834.041	-57.60	14.76	-13.0	-44.60	97.50	Horizontal	Vertical	Pass
14527.618	-47.56	24.24	-13.0	-34.56	146.30	Horizontal	Vertical	Pass
16509.873	-46.12	24.68	-13.0	-33.12	228.90	Horizontal	Vertical	Pass

LTE-B12-10-LCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.12.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-66.41	-19.17	-13.0	-53.41	154.90	Vertical	Vertical	Pass
239.953	-67.10	-3.34	-13.0	-54.10	342.10	Vertical	Vertical	Pass
593.187	-61.54	-4.64	-13.0	-48.54	103.90	Vertical	Vertical	Pass
707.861	-6.62	-1.75	-13.0	6.38	90.10	Vertical	Vertical	Pass
1415.896	-34.06	-6.55	-13.0	-21.06	345.90	Vertical	Vertical	Pass
2438.640	-49.23	-4.45	-13.0	-36.23	132.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.09.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-64.99	10.16	-13.0	-51.99	291.40	Vertical	Vertical	Pass
9279.180	-59.70	13.34	-13.0	-46.70	285.80	Vertical	Vertical	Pass
10563.109	-56.05	16.14	-13.0	-43.05	160.40	Vertical	Vertical	Pass
13829.293	-54.92	17.64	-13.0	-41.92	311.40	Vertical	Vertical	Pass
14546.863	-47.33	24.24	-13.0	-34.33	249.30	Vertical	Vertical	Pass
16501.625	-46.11	24.96	-13.0	-33.11	323.00	Vertical	Vertical	Pass

LTE-B12-10-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.16.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.397	-66.45	-19.26	-13.0	-53.45	153.70	Vertical	Vertical	Pass
239.953	-67.39	-3.34	-13.0	-54.39	259.10	Vertical	Vertical	Pass
710.527	-7.87	-1.67	-13.0	5.13	311.30	Vertical	Vertical	Pass
854.294	-59.38	5.54	-13.0	-46.38	101.20	Vertical	Vertical	Pass
1419.395	-35.39	-6.72	-13.0	-22.39	337.80	Vertical	Vertical	Pass
2128.718	-51.54	-5.04	-13.0	-38.54	346.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.18.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-64.31	9.18	-13.0	-51.31	0.00	Vertical	Vertical	Pass
9246.188	-59.69	13.41	-13.0	-46.69	69.30	Vertical	Vertical	Pass
10563.109	-56.95	16.14	-13.0	-43.95	166.10	Vertical	Vertical	Pass
13207.948	-55.59	16.03	-13.0	-42.59	2.30	Vertical	Vertical	Pass
14516.621	-47.03	24.24	-13.0	-34.03	131.90	Vertical	Vertical	Pass
16848.038	-44.85	26.16	-13.0	-31.85	296.70	Vertical	Vertical	Pass

LTE-B12-10-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.05.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.639	-66.29	-19.36	-13.0	-53.29	136.90	Vertical	Vertical	Pass
248.438	-67.49	-5.47	-13.0	-54.49	155.90	Vertical	Vertical	Pass
614.279	-64.75	-2.95	-13.0	-51.75	102.30	Vertical	Vertical	Pass
711.255	-7.17	-1.66	-13.0	5.83	30.50	Vertical	Vertical	Pass
1417.396	-36.92	-6.62	-13.0	-23.92	355.00	Vertical	Vertical	Pass
2127.218	-54.05	-5.05	-13.0	-41.05	341.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-07-02_17.07.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8116.221	-64.85	10.00	-13.0	-51.85	159.50	Vertical	Vertical	Pass
9394.651	-59.53	15.23	-13.0	-46.53	85.80	Vertical	Vertical	Pass
11228.443	-56.58	15.75	-13.0	-43.58	250.00	Vertical	Vertical	Pass
13793.552	-54.92	17.70	-13.0	-41.92	218.70	Vertical	Vertical	Pass
14546.863	-46.79	24.24	-13.0	-33.79	23.10	Vertical	Vertical	Pass
16839.790	-44.94	25.98	-13.0	-31.94	3.00	Vertical	Vertical	Pass

LTE-B13-5-LCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.41.54

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.031	-74.92	-11.63	-13.0	-61.92	214.80	Horizontal	Horizontal	Pass
246.013	-63.48	-4.85	-13.0	-50.48	319.80	Horizontal	Horizontal	Pass
779.138	-4.73	-1.06	-13.0	8.27	337.60	Horizontal	Horizontal	Pass
871.507	-45.94	4.02	-13.0	-32.94	307.90	Horizontal	Horizontal	Pass
1562.859	-30.26	-9.11	-13.0	-17.26	79.60	Horizontal	Horizontal	Pass
2338.165	-21.57	-3.59	-13.0	-8.57	326.30	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.44.00

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.250	-66.04	9.08	-13.0	-53.04	42.90	Horizontal	Horizontal	Pass
8812.250	-63.81	11.15	-13.0	-50.81	281.50	Horizontal	Horizontal	Pass
9345.750	-61.05	14.50	-13.0	-48.05	339.20	Horizontal	Horizontal	Pass
10753.750	-56.86	16.65	-13.0	-43.86	98.70	Horizontal	Horizontal	Pass
12786.000	-59.33	14.84	-13.0	-46.33	219.30	Horizontal	Horizontal	Pass
14779.750	-47.57	25.47	-13.0	-34.57	42.90	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.49.19

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.516	-76.23	-11.65	-13.0	-63.23	175.70	Horizontal	Horizontal	Pass
161.887	-69.96	-15.82	-13.0	-56.96	277.70	Horizontal	Horizontal	Pass
244.316	-64.05	-4.42	-13.0	-51.05	322.70	Horizontal	Horizontal	Pass
780.107	-4.63	-1.03	-13.0	8.37	265.80	Horizontal	Horizontal	Pass
1566.358	-30.10	-9.01	-13.0	-17.10	344.40	Horizontal	Horizontal	Pass
2342.664	-21.82	-3.70	-13.0	-8.82	326.20	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.46.05

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7874.500	-66.02	9.27	-13.0	-53.02	253.80	Horizontal	Horizontal	Pass
9037.750	-63.46	11.66	-13.0	-50.46	253.80	Horizontal	Horizontal	Pass
10613.500	-58.24	16.08	-13.0	-45.24	71.40	Horizontal	Horizontal	Pass
12255.250	-59.66	14.12	-13.0	-46.66	190.50	Horizontal	Horizontal	Pass
14587.250	-49.03	24.48	-13.0	-36.03	71.40	Horizontal	Horizontal	Pass
16891.750	-45.99	26.19	-13.0	-32.99	12.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.52.47

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.546	-76.45	-11.52	-13.0	-63.45	274.50	Horizontal	Horizontal	Pass
161.887	-69.57	-15.82	-13.0	-56.57	283.10	Horizontal	Horizontal	Pass
242.862	-63.42	-4.05	-13.0	-50.42	169.20	Horizontal	Horizontal	Pass
785.441	-4.73	-0.76	-13.0	8.27	289.40	Horizontal	Horizontal	Pass
1570.857	-29.95	-8.88	-13.0	-16.95	346.70	Horizontal	Horizontal	Pass
2349.663	-21.84	-4.06	-13.0	-8.84	340.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.54.04

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7937.750	-65.51	8.96	-13.0	-52.51	358.40	Horizontal	Horizontal	Pass
9398.000	-60.12	15.28	-13.0	-47.12	0.00	Horizontal	Horizontal	Pass
10778.500	-57.24	16.44	-13.0	-44.24	228.30	Horizontal	Horizontal	Pass
12769.500	-58.12	14.80	-13.0	-45.12	228.30	Horizontal	Horizontal	Pass
14763.250	-46.69	25.26	-13.0	-33.69	228.30	Horizontal	Horizontal	Pass
17026.500	-45.98	25.36	-13.0	-32.98	110.00	Horizontal	Horizontal	Pass


Test result

Project Number: 1744444

Test Time: 2020-06-28_15.54.56

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 24.5
 Hum.: 56%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
51.092	-54.68	-12.11	-13.0	-41.68	360.00	Vertical	Vertical	Pass
149.765	-63.72	-16.13	-13.0	-50.72	174.70	Vertical	Vertical	Pass
239.953	-69.34	-3.34	-13.0	-56.34	0.20	Vertical	Vertical	Pass
779.138	4.81	-1.06	-13.0	17.81	272.70	Vertical	Vertical	Pass
1558.860	-19.53	-9.22	-13.0	-6.53	99.00	Vertical	Vertical	Pass
2337.166	-19.36	-3.60	-13.0	-6.36	107.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.00.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7965.009	-64.48	8.79	-13.0	-51.48	67.00	Vertical	Vertical	Pass
9408.398	-59.57	15.14	-13.0	-46.57	327.60	Vertical	Vertical	Pass
10524.619	-57.54	16.34	-13.0	-44.54	52.20	Vertical	Vertical	Pass
11396.151	-57.37	15.94	-13.0	-44.37	7.90	Vertical	Vertical	Pass
14780.555	-46.30	25.48	-13.0	-33.30	149.70	Vertical	Vertical	Pass
16947.013	-45.01	26.57	-13.0	-32.01	291.90	Vertical	Vertical	Pass

LTE-B13-5-MCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.08.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
51.092	-54.52	-12.11	-13.0	-41.52	360.00	Vertical	Vertical	Pass
148.553	-64.08	-16.14	-13.0	-51.08	172.30	Vertical	Vertical	Pass
239.953	-69.21	-3.34	-13.0	-56.21	320.70	Vertical	Vertical	Pass
781.805	5.92	-0.95	-13.0	18.92	279.10	Vertical	Vertical	Pass
1561.360	-16.09	-9.16	-13.0	-3.09	100.30	Vertical	Vertical	Pass
2341.665	-15.87	-3.65	-13.0	-2.87	106.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.03.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8143.714	-64.67	9.62	-13.0	-51.67	268.30	Vertical	Vertical	Pass
8853.037	-62.60	11.52	-13.0	-49.60	214.30	Vertical	Vertical	Pass
9886.778	-59.46	13.76	-13.0	-46.46	358.00	Vertical	Vertical	Pass
11613.347	-56.56	16.20	-13.0	-43.56	121.30	Vertical	Vertical	Pass
13639.590	-55.02	18.00	-13.0	-42.02	54.30	Vertical	Vertical	Pass
14819.045	-47.07	25.71	-13.0	-34.07	344.70	Vertical	Vertical	Pass

LTE-B13-5-HCH-V-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.16.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
51.092	-54.55	-12.11	-13.0	-41.55	1.60	Vertical	Vertical	Pass
149.038	-63.97	-16.14	-13.0	-50.97	187.60	Vertical	Vertical	Pass
454.996	-69.60	-3.26	-13.0	-56.60	39.10	Vertical	Vertical	Pass
783.259	5.07	-0.87	-13.0	18.07	276.90	Vertical	Vertical	Pass
1572.357	-17.67	-8.85	-13.0	-4.67	107.90	Vertical	Vertical	Pass
2354.661	-18.75	-4.16	-13.0	-5.75	104.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.12.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8077.731	-65.23	9.77	-13.0	-52.23	355.80	Vertical	Vertical	Pass
9383.654	-58.66	15.08	-13.0	-45.66	256.60	Vertical	Vertical	Pass
11167.958	-55.87	15.76	-13.0	-42.87	0.60	Vertical	Vertical	Pass
13210.697	-56.53	16.01	-13.0	-43.53	5.40	Vertical	Vertical	Pass
14508.373	-47.80	24.24	-13.0	-34.80	45.80	Vertical	Vertical	Pass
16897.526	-45.31	26.19	-13.0	-32.31	357.40	Vertical	Vertical	Pass

LTE-B13-10-MCH-H-TX

Document number : SHE20040045-02AE

Test result

Project Number: 验证测试

Test Time: 2020-06-29_10.06.42

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-75.76	-11.31	-13.0	-62.76	17.20	Horizontal	Horizontal	Pass
155.826	-70.11	-15.73	-13.0	-57.11	274.20	Horizontal	Horizontal	Pass
241.165	-64.16	-3.62	-13.0	-51.16	298.10	Horizontal	Horizontal	Pass
785.684	-7.84	-0.74	-13.0	5.16	349.90	Horizontal	Horizontal	Pass
1563.859	-30.31	-9.08	-13.0	-17.31	1.70	Horizontal	Horizontal	Pass
2339.165	-23.13	-3.58	-13.0	-10.13	340.70	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-29_09.59.22

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20040045-01#05
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.750	-65.13	10.06	-13.0	-52.13	203.40	Horizontal	Horizontal	Pass
9389.750	-60.63	15.17	-13.0	-47.63	322.10	Horizontal	Horizontal	Pass
10817.000	-57.85	16.50	-13.0	-44.85	322.10	Horizontal	Horizontal	Pass
13187.500	-57.39	15.81	-13.0	-44.39	144.20	Horizontal	Horizontal	Pass
14603.750	-47.98	24.62	-13.0	-34.98	70.20	Horizontal	Horizontal	Pass
16858.750	-46.68	26.20	-13.0	-33.68	203.40	Horizontal	Horizontal	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.31.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
51.092	-54.23	-12.11	-13.0	-41.23	350.10	Vertical	Vertical	Pass
149.523	-64.05	-16.13	-13.0	-51.05	181.50	Vertical	Vertical	Pass
449.420	-68.12	-3.01	-13.0	-55.12	81.00	Vertical	Vertical	Pass
780.107	2.77	-1.03	-13.0	15.77	270.50	Vertical	Vertical	Pass
1558.860	-17.04	-9.22	-13.0	-4.04	103.30	Vertical	Vertical	Pass
2337.166	-16.89	-3.60	-13.0	-3.89	100.30	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-06-28_16.28.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7956.761	-64.72	8.74	-13.0	-51.72	353.20	Vertical	Vertical	Pass
9405.649	-59.92	15.20	-13.0	-46.92	353.20	Vertical	Vertical	Pass
11170.707	-57.03	15.78	-13.0	-44.03	96.50	Vertical	Vertical	Pass
13196.951	-56.32	16.01	-13.0	-43.32	320.90	Vertical	Vertical	Pass
14843.789	-47.11	25.70	-13.0	-34.11	332.80	Vertical	Vertical	Pass
16892.027	-45.52	26.19	-13.0	-32.52	338.70	Vertical	Vertical	Pass