

# EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

report number : SHE20040045-02AE

Note : Transmit frequency is ignore ,mark →

LTE-B17-5-LCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.04.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.274          | -75.69       | -11.64      | -13.0          | -62.69          | 360.00    | Horizontal | Vertical | Pass    |
| 239.953         | -64.11       | -3.34       | -13.0          | -51.11          | 90.80     | Horizontal | Vertical | Pass    |
| 707.618         | -4.87        | -1.76       | -13.0          | 8.13            | 167.10    | Horizontal | Vertical | Pass    |
| 1414.896        | -28.37       | -6.50       | -13.0          | -15.37          | 324.10    | Horizontal | Vertical | Pass    |
| 2125.719        | -32.25       | -5.07       | -13.0          | -19.25          | 186.40    | Horizontal | Vertical | Pass    |
| 2830.042        | -44.13       | -2.35       | -13.0          | -31.13          | 292.00    | Horizontal | Vertical | Pass    |

LTE-B17-5-MCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_17.52.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.031          | -73.69       | -11.63      | -13.0          | -60.69          | 235.10    | Horizontal | Vertical | Pass    |
| 241.407         | -62.25       | -3.68       | -13.0          | -49.25          | 76.90     | Horizontal | Vertical | Pass    |
| 708.830         | -5.55        | -1.72       | -13.0          | 7.45            | 20.20     | Horizontal | Vertical | Pass    |
| 1417.896        | -28.63       | -6.64       | -13.0          | -15.63          | 181.60    | Horizontal | Vertical | Pass    |
| 2129.718        | -35.69       | -5.03       | -13.0          | -22.69          | 195.00    | Horizontal | Vertical | Pass    |
| 2839.540        | -47.22       | -2.47       | -13.0          | -34.22          | 295.10    | Horizontal | Vertical | Pass    |

LTE-B17-5-HCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.01.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.759          | -73.92       | -11.66      | -13.0          | -60.92          | 209.20    | Horizontal | Vertical | Pass    |
| 239.953         | -61.81       | -3.34       | -13.0          | -48.81          | 77.10     | Horizontal | Vertical | Pass    |
| 711.255         | -4.09        | -1.66       | -13.0          | 8.91            | 280.00    | Horizontal | Vertical | Pass    |
| 1424.394        | -28.94       | -6.95       | -13.0          | -15.94          | 295.70    | Horizontal | Vertical | Pass    |
| 2138.215        | -34.57       | -4.96       | -13.0          | -21.57          | 95.80     | Horizontal | Vertical | Pass    |
| 2850.037        | -49.08       | -2.17       | -13.0          | -36.08          | 185.20    | Horizontal | Vertical | Pass    |

LTE-B17-5-LCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.08.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 73.154          | -66.73       | -19.17      | -13.0          | -53.73          | 106.10    | Vertical | Vertical | Pass    |
| 245.286         | -67.40       | -4.67       | -13.0          | -54.40          | 161.90    | Vertical | Vertical | Pass    |
| 706.891         | -3.93        | -1.78       | -13.0          | 9.07            | 71.10     | Vertical | Vertical | Pass    |
| 1414.896        | -28.37       | -6.50       | -13.0          | -15.37          | 303.90    | Vertical | Vertical | Pass    |
| 2124.219        | -31.93       | -5.09       | -13.0          | -18.93          | 293.10    | Vertical | Vertical | Pass    |
| 2832.542        | -45.16       | -2.38       | -13.0          | -32.16          | 293.10    | Vertical | Vertical | Pass    |

LTE-B17-5-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.15.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 73.154          | -66.27       | -19.17      | -13.0          | -53.27          | 145.60    | Vertical | Vertical | Pass    |
| 241.407         | -67.20       | -3.68       | -13.0          | -54.20          | 268.00    | Vertical | Vertical | Pass    |
| 709.558         | -5.30        | -1.69       | -13.0          | 7.70            | 71.10     | Vertical | Vertical | Pass    |
| 1417.396        | -28.49       | -6.62       | -13.0          | -15.49          | 287.50    | Vertical | Vertical | Pass    |
| 2127.718        | -36.76       | -5.05       | -13.0          | -23.76          | 292.70    | Vertical | Vertical | Pass    |
| 2839.540        | -47.28       | -2.47       | -13.0          | -34.28          | 290.10    | Vertical | Vertical | Pass    |

LTE-B17-5-HCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.11.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 72.912          | -66.52       | -19.08      | -13.0          | -53.52          | 154.10    | Vertical | Vertical | Pass    |
| 241.407         | -66.93       | -3.68       | -13.0          | -53.93          | 154.10    | Vertical | Vertical | Pass    |
| 712.224         | -5.33        | -1.64       | -13.0          | 7.67            | 116.50    | Vertical | Vertical | Pass    |
| 1422.894        | -29.13       | -6.88       | -13.0          | -16.13          | 99.70     | Vertical | Vertical | Pass    |
| 2139.215        | -36.84       | -4.95       | -13.0          | -23.84          | 298.80    | Vertical | Vertical | Pass    |
| 2849.538        | -50.98       | -2.18       | -13.0          | -37.98          | 296.20    | Vertical | Vertical | Pass    |

LTE-B17-10-LCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.28.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.031          | -74.93       | -11.63      | -13.0          | -61.93          | 61.10     | Horizontal | Vertical | Pass    |
| 161.887         | -70.97       | -15.82      | -13.0          | -57.97          | 93.50     | Horizontal | Vertical | Pass    |
| 710.770         | -5.83        | -1.67       | -13.0          | 7.17            | 286.30    | Horizontal | Vertical | Pass    |
| 1417.896        | -28.73       | -6.64       | -13.0          | -15.73          | 281.90    | Horizontal | Vertical | Pass    |
| 2127.218        | -37.70       | -5.05       | -13.0          | -24.70          | 292.70    | Horizontal | Vertical | Pass    |
| 2836.041        | -50.42       | -2.42       | -13.0          | -37.42          | 292.70    | Horizontal | Vertical | Pass    |

LTE-B17-10-MCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.32.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.031          | -72.96       | -11.63      | -13.0          | -59.96          | 111.20    | Horizontal | Vertical | Pass    |
| 239.953         | -61.85       | -3.34       | -13.0          | -48.85          | 85.20     | Horizontal | Vertical | Pass    |
| 711.740         | -5.62        | -1.65       | -13.0          | 7.38            | 256.00    | Horizontal | Vertical | Pass    |
| 1419.395        | -30.01       | -6.72       | -13.0          | -17.01          | 5.50      | Horizontal | Vertical | Pass    |
| 2129.718        | -37.67       | -5.03       | -13.0          | -24.67          | 187.90    | Horizontal | Vertical | Pass    |
| 2840.040        | -49.79       | -2.47       | -13.0          | -36.79          | 100.40    | Horizontal | Vertical | Pass    |

LTE-B17-10-HCH-H-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.36.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.516          | -73.87       | -11.65      | -13.0          | -60.87          | 7.20      | Horizontal | Vertical | Pass    |
| 242.862         | -63.45       | -4.05       | -13.0          | -50.45          | 74.50     | Horizontal | Vertical | Pass    |
| 711.982         | -6.46        | -1.65       | -13.0          | 6.54            | 114.70    | Horizontal | Vertical | Pass    |
| 1417.896        | -29.86       | -6.64       | -13.0          | -16.86          | 193.00    | Horizontal | Vertical | Pass    |
| 2129.218        | -38.52       | -5.03       | -13.0          | -25.52          | 290.50    | Horizontal | Vertical | Pass    |
| 2844.039        | -51.16       | -2.35       | -13.0          | -38.16          | 298.70    | Horizontal | Vertical | Pass    |

LTE-B17-10-LCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.25.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 73.154          | -66.16       | -19.17      | -13.0          | -53.16          | 156.00    | Vertical | Vertical | Pass    |
| 243.104         | -66.34       | -4.11       | -13.0          | -53.34          | 139.60    | Vertical | Vertical | Pass    |
| 711.982         | -6.73        | -1.65       | -13.0          | 6.27            | 74.90     | Vertical | Vertical | Pass    |
| 1417.896        | -28.86       | -6.64       | -13.0          | -15.86          | 197.20    | Vertical | Vertical | Pass    |
| 2127.218        | -37.98       | -5.05       | -13.0          | -24.98          | 291.70    | Vertical | Vertical | Pass    |
| 2836.041        | -50.33       | -2.42       | -13.0          | -37.33          | 302.50    | Vertical | Vertical | Pass    |

LTE-B17-10-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.19.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 73.154          | -66.44       | -19.17      | -13.0          | -53.44          | 144.30    | Vertical | Vertical | Pass    |
| 241.407         | -66.75       | -3.68       | -13.0          | -53.75          | 144.30    | Vertical | Vertical | Pass    |
| 711.497         | -7.93        | -1.66       | -13.0          | 5.07            | 39.00     | Vertical | Vertical | Pass    |
| 1419.895        | -29.60       | -6.74       | -13.0          | -16.60          | 192.30    | Vertical | Vertical | Pass    |
| 2129.718        | -37.60       | -5.03       | -13.0          | -24.60          | 295.00    | Vertical | Vertical | Pass    |
| 2840.040        | -49.68       | -2.47       | -13.0          | -36.68          | 295.00    | Vertical | Vertical | Pass    |

LTE-B17-10-HCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_18.22.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 73.639          | -66.57       | -19.36      | -13.0          | -53.57          | 145.60    | Vertical | Vertical | Pass    |
| 247.468         | -66.39       | -5.22       | -13.0          | -53.39          | 153.80    | Vertical | Vertical | Pass    |
| 710.042         | -7.92        | -1.68       | -13.0          | 5.08            | 86.80     | Vertical | Vertical | Pass    |
| 1421.395        | -29.10       | -6.81       | -13.0          | -16.10          | 96.60     | Vertical | Vertical | Pass    |
| 2129.718        | -38.98       | -5.03       | -13.0          | -25.98          | 292.70    | Vertical | Vertical | Pass    |
| 2839.540        | -51.92       | -2.47       | -13.0          | -38.92          | 292.70    | Vertical | Vertical | Pass    |

\*M3 test point is TX channel,so it is ignore

LTE-B25-1.4-LCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_09.45.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: CE

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 31.940          | -61.52       | -12.18      | -13.0          | -48.52          | 341.00    | Horizontal | Horizontal | Pass    |
| 168.190         | -65.86       | -16.64      | -13.0          | -52.86          | 151.00    | Horizontal | Horizontal | Pass    |
| 238.255         | -64.08       | -4.24       | -13.0          | -51.08          | 359.40    | Horizontal | Horizontal | Pass    |
| 446.268         | -75.47       | -3.94       | -13.0          | -62.47          | 79.90     | Horizontal | Horizontal | Pass    |
| 1850.287        | -61.21       | -7.96       | -13.0          | -48.21          | 313.00    | Horizontal | Horizontal | Pass    |
| 1930.767        | -45.08       | -8.28       | -13.0          | -32.08          | 3.40      | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_10.23.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 8162.959        | -64.80       | 9.38        | -13.0          | -51.80          | 13.50     | Horizontal | Horizontal | Pass    |
| 9045.489        | -62.17       | 11.56       | -13.0          | -49.17          | 261.20    | Horizontal | Horizontal | Pass    |
| 10615.346       | -56.93       | 16.08       | -13.0          | -43.93          | 183.80    | Horizontal | Horizontal | Pass    |
| 12682.829       | -57.60       | 14.52       | -13.0          | -44.60          | 347.50    | Horizontal | Horizontal | Pass    |
| 14755.811       | -47.89       | 25.17       | -13.0          | -34.89          | 112.20    | Horizontal | Horizontal | Pass    |
| 16897.526       | -44.85       | 26.19       | -13.0          | -31.85          | 10.50     | Horizontal | Horizontal | Pass    |

LTE-B25-1.4-MCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_09.48.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: CE

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 44.304          | -74.29       | -11.73      | -13.0          | -61.29          | 114.70    | Horizontal | Horizontal | Pass    |
| 166.493         | -68.98       | -16.46      | -13.0          | -55.98          | 179.10    | Horizontal | Horizontal | Pass    |
| 236.801         | -65.59       | -4.81       | -13.0          | -52.59          | 157.20    | Horizontal | Horizontal | Pass    |
| 848.960         | -67.76       | 4.52        | -13.0          | -54.76          | 232.30    | Horizontal | Horizontal | Pass    |
| 1841.290        | -60.88       | -7.89       | -13.0          | -47.88          | 316.50    | Horizontal | Horizontal | Pass    |
| 1962.259        | -45.80       | -8.24       | -13.0          | -32.80          | 360.00    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_10.26.13

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 7882.529        | -64.16       | 9.43        | -13.0          | -51.16          | 287.10    | Horizontal | Horizontal | Pass    |
| 8847.538        | -62.28       | 11.57       | -13.0          | -49.28          | 19.20     | Horizontal | Horizontal | Pass    |
| 10499.875       | -56.23       | 16.52       | -13.0          | -43.23          | 72.10     | Horizontal | Horizontal | Pass    |
| 11599.600       | -56.10       | 16.53       | -13.0          | -43.10          | 212.30    | Horizontal | Horizontal | Pass    |
| 14500.125       | -47.16       | 24.24       | -13.0          | -34.16          | 60.50     | Horizontal | Horizontal | Pass    |
| 16919.520       | -45.26       | 26.35       | -13.0          | -32.26          | 359.10    | Horizontal | Horizontal | Pass    |

LTE-B25-1.4-HCH-H-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_10.33.12

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 81.397          | -76.85       | -19.75      | -13.0          | -63.85          | 49.50     | Horizontal | Horizontal | Pass    |
| 116.308         | -78.10       | -12.04      | -13.0          | -65.10          | 32.00     | Horizontal | Horizontal | Pass    |
| 199.950         | -78.86       | -9.11       | -13.0          | -65.86          | 262.40    | Horizontal | Horizontal | Pass    |
| 850.415         | -68.05       | 4.61        | -13.0          | -55.05          | 84.80     | Horizontal | Horizontal | Pass    |
| 1913.772        | -55.74       | -8.31       | -13.0          | -42.74          | 352.10    | Horizontal | Horizontal | Pass    |
| 1994.251        | -40.20       | -7.73       | -13.0          | -27.20          | 128.70    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_10.34.43

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 8091.477        | -65.29       | 10.05       | -13.0          | -52.29          | 220.70    | Horizontal | Horizontal | Pass    |
| 8847.538        | -62.11       | 11.57       | -13.0          | -49.11          | 276.90    | Horizontal | Horizontal | Pass    |
| 11173.457       | -56.17       | 15.80       | -13.0          | -43.17          | 8.60      | Horizontal | Horizontal | Pass    |
| 13243.689       | -55.97       | 15.81       | -13.0          | -42.97          | 158.60    | Horizontal | Horizontal | Pass    |
| 14522.119       | -47.57       | 24.24       | -13.0          | -34.57          | 1.30      | Horizontal | Horizontal | Pass    |
| 16861.785       | -45.45       | 26.20       | -13.0          | -32.45          | 89.40     | Horizontal | Horizontal | Pass    |

LTE-B25-1.4-LCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_13.45.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.16       | -12.32      | -13.0          | -41.16          | 2.10      | Vertical | Vertical | Pass    |
| 147.098         | -64.46       | -16.28      | -13.0          | -51.46          | 193.80    | Vertical | Vertical | Pass    |
| 432.934         | -74.17       | -5.97       | -13.0          | -61.17          | 241.40    | Vertical | Vertical | Pass    |
| 1022.994        | -58.29       | -5.22       | -13.0          | -45.29          | 56.10     | Vertical | Vertical | Pass    |
| 1850.287        | -53.19       | -7.96       | -13.0          | -40.19          | 296.80    | Vertical | Vertical | Pass    |
| 1930.767        | -47.91       | -8.28       | -13.0          | -34.91          | 251.10    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_13.59.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7948.513        | -64.59       | 8.73        | -13.0          | -51.59          | 204.40    | Vertical | Vertical | Pass    |
| 9402.899        | -59.21       | 15.25       | -13.0          | -46.21          | 204.40    | Vertical | Vertical | Pass    |
| 10444.889       | -57.04       | 16.25       | -13.0          | -44.04          | 165.00    | Vertical | Vertical | Pass    |
| 12097.226       | -58.75       | 14.89       | -13.0          | -45.75          | 63.80     | Vertical | Vertical | Pass    |
| 14500.125       | -47.09       | 24.24       | -13.0          | -34.09          | 255.40    | Vertical | Vertical | Pass    |
| 16493.377       | -46.92       | 24.75       | -13.0          | -33.92          | 162.00    | Vertical | Vertical | Pass    |

LTE-B25-1.4-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_13.49.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.092          | -54.30       | -12.39      | -13.0          | -41.30          | 358.40    | Vertical | Vertical | Pass    |
| 149.765         | -64.88       | -16.19      | -13.0          | -51.88          | 162.80    | Vertical | Vertical | Pass    |
| 239.953         | -68.94       | -3.57       | -13.0          | -55.94          | 295.20    | Vertical | Vertical | Pass    |
| 1201.450        | -57.44       | -3.66       | -13.0          | -44.44          | 3.20      | Vertical | Vertical | Pass    |
| 1882.279        | -52.56       | -8.20       | -13.0          | -39.56          | 3.20      | Vertical | Vertical | Pass    |
| 1962.259        | -47.93       | -8.24       | -13.0          | -34.93          | 249.70    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.00.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8102.474        | -65.17       | 10.20       | -13.0          | -52.17          | 101.30    | Vertical | Vertical | Pass    |
| 8850.287        | -61.93       | 11.59       | -13.0          | -48.93          | 0.00      | Vertical | Vertical | Pass    |
| 9380.905        | -59.36       | 15.04       | -13.0          | -46.36          | 357.90    | Vertical | Vertical | Pass    |
| 10821.545       | -56.47       | 16.56       | -13.0          | -43.47          | 312.40    | Vertical | Vertical | Pass    |
| 13227.193       | -56.36       | 15.91       | -13.0          | -43.36          | 357.90    | Vertical | Vertical | Pass    |
| 14500.125       | -47.26       | 24.24       | -13.0          | -34.26          | 234.60    | Vertical | Vertical | Pass    |

LTE-B25-1.4-HCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_13.56.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.13       | -12.32      | -13.0          | -41.13          | 0.70      | Vertical | Vertical | Pass    |
| 148.310         | -64.46       | -16.24      | -13.0          | -51.46          | 173.40    | Vertical | Vertical | Pass    |
| 239.953         | -69.65       | -3.57       | -13.0          | -56.65          | 41.20     | Vertical | Vertical | Pass    |
| 1002.000        | -57.94       | -4.28       | -13.0          | -44.94          | 59.60     | Vertical | Vertical | Pass    |
| 1914.271        | -50.51       | -8.31       | -13.0          | -37.51          | 182.80    | Vertical | Vertical | Pass    |
| 1993.752        | -47.08       | -7.74       | -13.0          | -34.08          | 249.90    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.04.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8154.711        | -64.86       | 9.48        | -13.0          | -51.86          | 5.30      | Vertical | Vertical | Pass    |
| 9416.646        | -59.28       | 14.97       | -13.0          | -46.28          | 242.70    | Vertical | Vertical | Pass    |
| 10554.861       | -57.08       | 16.14       | -13.0          | -44.08          | 10.80     | Vertical | Vertical | Pass    |
| 13199.700       | -56.89       | 16.07       | -13.0          | -43.89          | 191.30    | Vertical | Vertical | Pass    |
| 14505.624       | -47.05       | 24.24       | -13.0          | -34.05          | 13.80     | Vertical | Vertical | Pass    |
| 16878.280       | -44.82       | 26.20       | -13.0          | -31.82          | 150.70    | Vertical | Vertical | Pass    |

LTE-B25-3-LCH-H-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_10.36.39

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 7976.006        | -64.66       | 8.86        | -13.0          | -51.66          | 82.40     | Horizontal | Horizontal | Pass    |
| 8822.794        | -62.95       | 11.28       | -13.0          | -49.95          | 258.70    | Horizontal | Horizontal | Pass    |
| 10601.600       | -57.21       | 16.12       | -13.0          | -44.21          | 76.40     | Horizontal | Horizontal | Pass    |
| 12845.039       | -57.51       | 14.72       | -13.0          | -44.51          | 121.40    | Horizontal | Horizontal | Pass    |
| 14497.376       | -47.10       | 24.16       | -13.0          | -34.10          | 237.50    | Horizontal | Horizontal | Pass    |
| 16828.793       | -45.04       | 25.74       | -13.0          | -32.04          | 142.60    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7901.775        | -65.24       | 9.74        | -13.0          | -52.24          | 134.80    | Horizontal | Vertical | Pass    |
| 8809.048        | -62.97       | 11.12       | -13.0          | -49.97          | 131.80    | Horizontal | Vertical | Pass    |
| 9229.693        | -59.81       | 13.54       | -13.0          | -46.81          | 23.90     | Horizontal | Vertical | Pass    |
| 11200.950       | -56.45       | 16.01       | -13.0          | -43.45          | 166.40    | Horizontal | Vertical | Pass    |
| 14505.624       | -47.61       | 24.24       | -13.0          | -34.61          | 211.80    | Horizontal | Vertical | Pass    |
| 14824.544       | -47.62       | 25.71       | -13.0          | -34.62          | 160.80    | Horizontal | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: CE  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Addition:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7901.775        | -65.24       | 9.74        | -13.0          | -52.24          | 134.80    | Horizontal | Vertical | Pass    |
| 8809.048        | -62.97       | 11.12       | -13.0          | -49.97          | 131.80    | Horizontal | Vertical | Pass    |
| 9229.693        | -59.81       | 13.54       | -13.0          | -46.81          | 23.90     | Horizontal | Vertical | Pass    |
| 11200.950       | -56.45       | 16.01       | -13.0          | -43.45          | 166.40    | Horizontal | Vertical | Pass    |
| 14505.624       | -47.61       | 24.24       | -13.0          | -34.61          | 211.80    | Horizontal | Vertical | Pass    |
| 14824.544       | -47.62       | 25.71       | -13.0          | -34.62          | 160.80    | Horizontal | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: CE  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Addition:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7901.775        | -65.24       | 9.74        | -13.0          | -52.24          | 134.80    | Horizontal | Vertical | Pass    |
| 8809.048        | -62.97       | 11.12       | -13.0          | -49.97          | 131.80    | Horizontal | Vertical | Pass    |
| 9229.693        | -59.81       | 13.54       | -13.0          | -46.81          | 23.90     | Horizontal | Vertical | Pass    |
| 11200.950       | -56.45       | 16.01       | -13.0          | -43.45          | 166.40    | Horizontal | Vertical | Pass    |
| 14505.624       | -47.61       | 24.24       | -13.0          | -34.61          | 211.80    | Horizontal | Vertical | Pass    |
| 14824.544       | -47.62       | 25.71       | -13.0          | -34.62          | 160.80    | Horizontal | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7901.775        | -65.24       | 9.74        | -13.0          | -52.24          | 134.80    | Horizontal | Vertical | Pass    |
| 8809.048        | -62.97       | 11.12       | -13.0          | -49.97          | 131.80    | Horizontal | Vertical | Pass    |
| 9229.693        | -59.81       | 13.54       | -13.0          | -46.81          | 23.90     | Horizontal | Vertical | Pass    |
| 11200.950       | -56.45       | 16.01       | -13.0          | -43.45          | 166.40    | Horizontal | Vertical | Pass    |
| 14505.624       | -47.61       | 24.24       | -13.0          | -34.61          | 211.80    | Horizontal | Vertical | Pass    |
| 14824.544       | -47.62       | 25.71       | -13.0          | -34.62          | 160.80    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.01.25

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 82.609          | -77.21       | -19.32      | -13.0          | -64.21          | 191.00    | Horizontal | Horizontal | Pass    |
| 199.950         | -78.91       | -9.11       | -13.0          | -65.91          | 63.00     | Horizontal | Horizontal | Pass    |
| 642.402         | -72.08       | -0.90       | -13.0          | -59.08          | 188.00    | Horizontal | Horizontal | Pass    |
| 862.052         | -67.33       | 4.09        | -13.0          | -54.33          | 310.60    | Horizontal | Horizontal | Pass    |
| 1881.780        | -58.99       | -8.20       | -13.0          | -45.99          | 334.10    | Horizontal | Horizontal | Pass    |
| 1961.260        | -41.01       | -8.27       | -13.0          | -28.01          | 111.20    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.29.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8050.237        | -64.35       | 9.19        | -13.0          | -51.35          | 39.70     | Horizontal | Vertical | Pass    |
| 8842.039        | -62.21       | 11.50       | -13.0          | -49.21          | 340.60    | Horizontal | Vertical | Pass    |
| 9380.905        | -59.33       | 15.04       | -13.0          | -46.33          | 152.10    | Horizontal | Vertical | Pass    |
| 10829.793       | -56.85       | 16.68       | -13.0          | -43.85          | 15.90     | Horizontal | Vertical | Pass    |
| 14544.114       | -46.69       | 24.24       | -13.0          | -33.69          | 57.20     | Horizontal | Vertical | Pass    |
| 16875.531       | -45.22       | 26.20       | -13.0          | -32.22          | 269.50    | Horizontal | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.29.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8050.237        | -64.35       | 9.19        | -13.0          | -51.35          | 39.70     | Horizontal | Vertical | Pass    |
| 8842.039        | -62.21       | 11.50       | -13.0          | -49.21          | 340.60    | Horizontal | Vertical | Pass    |
| 9380.905        | -59.33       | 15.04       | -13.0          | -46.33          | 152.10    | Horizontal | Vertical | Pass    |
| 10829.793       | -56.85       | 16.68       | -13.0          | -43.85          | 15.90     | Horizontal | Vertical | Pass    |
| 14544.114       | -46.69       | 24.24       | -13.0          | -33.69          | 57.20     | Horizontal | Vertical | Pass    |
| 16875.531       | -45.22       | 26.20       | -13.0          | -32.22          | 269.50    | Horizontal | Vertical | Pass    |



# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.04.37

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 82.609          | -76.31       | -19.32      | -13.0          | -63.31          | 299.60    | Horizontal | Horizontal | Pass    |
| 116.308         | -77.70       | -12.04      | -13.0          | -64.70          | 335.00    | Horizontal | Horizontal | Pass    |
| 239.953         | -76.27       | -3.57       | -13.0          | -63.27          | 180.50    | Horizontal | Horizontal | Pass    |
| 863.507         | -68.68       | 3.95        | -13.0          | -55.68          | 186.50    | Horizontal | Horizontal | Pass    |
| 1913.772        | -57.82       | -8.31       | -13.0          | -44.82          | 350.00    | Horizontal | Horizontal | Pass    |
| 1993.252        | -39.91       | -7.76       | -13.0          | -26.91          | 110.00    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7984.254        | -64.81       | 8.91        | -13.0          | -51.81          | 189.40    | Horizontal | Vertical | Pass    |
| 9356.161        | -59.64       | 14.69       | -13.0          | -46.64          | 48.30     | Horizontal | Vertical | Pass    |
| 10554.861       | -56.60       | 16.14       | -13.0          | -43.60          | 160.70    | Horizontal | Vertical | Pass    |
| 14524.869       | -47.12       | 24.24       | -13.0          | -34.12          | 306.70    | Horizontal | Vertical | Pass    |
| 14846.538       | -47.01       | 25.70       | -13.0          | -34.01          | 354.80    | Horizontal | Vertical | Pass    |
| 16839.790       | -44.93       | 25.98       | -13.0          | -31.93          | 356.50    | Horizontal | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_11.27.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7984.254        | -64.81       | 8.91        | -13.0          | -51.81          | 189.40    | Horizontal | Vertical | Pass    |
| 9356.161        | -59.64       | 14.69       | -13.0          | -46.64          | 48.30     | Horizontal | Vertical | Pass    |
| 10554.861       | -56.60       | 16.14       | -13.0          | -43.60          | 160.70    | Horizontal | Vertical | Pass    |
| 14524.869       | -47.12       | 24.24       | -13.0          | -34.12          | 306.70    | Horizontal | Vertical | Pass    |
| 14846.538       | -47.01       | 25.70       | -13.0          | -34.01          | 354.80    | Horizontal | Vertical | Pass    |
| 16839.790       | -44.93       | 25.98       | -13.0          | -31.93          | 356.50    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.08.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.092          | -54.37       | -12.39      | -13.0          | -41.37          | 4.90      | Vertical | Vertical | Pass    |
| 150.007         | -64.61       | -16.18      | -13.0          | -51.61          | 183.80    | Vertical | Vertical | Pass    |
| 652.342         | -66.91       | -0.40       | -13.0          | -53.91          | 213.20    | Vertical | Vertical | Pass    |
| 1841.290        | -51.91       | -7.89       | -13.0          | -38.91          | 258.10    | Vertical | Vertical | Pass    |
| 1931.267        | -45.12       | -8.29       | -13.0          | -32.12          | 249.90    | Vertical | Vertical | Pass    |
| 5404.399        | -40.61       | 2.49        | -13.0          | -27.61          | 310.80    | Vertical | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.26.33

EUT Name: N.A  
 Manufacturer: N.A  
 Model: 7165H  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: LYT  
 Test Standard: CE  
 Work Addition: Normal

Load: full load  
 Remark: DR-RSE01-E19020010-05#02  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Addition:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7912.772        | -64.93       | 9.50        | -13.0          | -51.93          | 113.30    | Vertical | Vertical | Pass    |
| 9353.412        | -59.91       | 14.65       | -13.0          | -46.91          | 93.50     | Vertical | Vertical | Pass    |
| 10835.291       | -56.81       | 16.76       | -13.0          | -43.81          | 10.10     | Vertical | Vertical | Pass    |
| 11206.448       | -56.25       | 15.96       | -13.0          | -43.25          | 75.70     | Vertical | Vertical | Pass    |
| 14502.874       | -46.93       | 24.24       | -13.0          | -33.93          | 162.80    | Vertical | Vertical | Pass    |
| 14788.803       | -47.19       | 25.58       | -13.0          | -34.19          | 200.30    | Vertical | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.26.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7912.772        | -64.93       | 9.50        | -13.0          | -51.93          | 113.30    | Vertical | Vertical | Pass    |
| 9353.412        | -59.91       | 14.65       | -13.0          | -46.91          | 93.50     | Vertical | Vertical | Pass    |
| 10835.291       | -56.81       | 16.76       | -13.0          | -43.81          | 10.10     | Vertical | Vertical | Pass    |
| 11206.448       | -56.25       | 15.96       | -13.0          | -43.25          | 75.70     | Vertical | Vertical | Pass    |
| 14502.874       | -46.93       | 24.24       | -13.0          | -33.93          | 162.80    | Vertical | Vertical | Pass    |
| 14788.803       | -47.19       | 25.58       | -13.0          | -34.19          | 200.30    | Vertical | Vertical | Pass    |


# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.15.18

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 24.5  
 Hum.: 56%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.335          | -54.48       | -12.45      | -13.0          | -41.48          | 4.60      | Vertical | Vertical | Pass    |
| 148.310         | -63.70       | -16.24      | -13.0          | -50.70          | 175.40    | Vertical | Vertical | Pass    |
| 199.950         | -67.58       | -9.11       | -13.0          | -54.58          | 141.60    | Vertical | Vertical | Pass    |
| 664.706         | -67.21       | -0.30       | -13.0          | -54.21          | 41.10     | Vertical | Vertical | Pass    |
| 1881.280        | -52.38       | -8.19       | -13.0          | -39.38          | 0.40      | Vertical | Vertical | Pass    |
| 1962.759        | -46.63       | -8.22       | -13.0          | -33.63          | 250.70    | Vertical | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.27.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8096.976        | -64.56       | 10.17       | -13.0          | -51.56          | 353.20    | Vertical | Vertical | Pass    |
| 9402.899        | -59.68       | 15.25       | -13.0          | -46.68          | 274.30    | Vertical | Vertical | Pass    |
| 10554.861       | -56.44       | 16.14       | -13.0          | -43.44          | 345.00    | Vertical | Vertical | Pass    |
| 11244.939       | -56.97       | 15.59       | -13.0          | -43.97          | 217.00    | Vertical | Vertical | Pass    |
| 13194.201       | -56.71       | 15.95       | -13.0          | -43.71          | 310.80    | Vertical | Vertical | Pass    |
| 14546.863       | -47.45       | 24.24       | -13.0          | -34.45          | 231.20    | Vertical | Vertical | Pass    |



# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.18.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.335          | -54.19       | -12.45      | -13.0          | -41.19          | 2.10      | Vertical | Vertical | Pass    |
| 149.523         | -63.54       | -16.20      | -13.0          | -50.54          | 198.80    | Vertical | Vertical | Pass    |
| 237.771         | -70.05       | -4.43       | -13.0          | -57.05          | 175.00    | Vertical | Vertical | Pass    |
| 1192.952        | -56.73       | -3.89       | -13.0          | -43.73          | 300.10    | Vertical | Vertical | Pass    |
| 1914.271        | -51.90       | -8.31       | -13.0          | -38.90          | 182.90    | Vertical | Vertical | Pass    |
| 1993.252        | -46.07       | -7.76       | -13.0          | -33.07          | 268.10    | Vertical | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2020-02-25\_13.24.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-05#02

Model: 7165H

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: CE

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7899.025        | -64.97       | 9.76        | -13.0          | -51.97          | 359.40    | Vertical | Vertical | Pass    |
| 9356.161        | -58.86       | 14.69       | -13.0          | -45.86          | 49.70     | Vertical | Vertical | Pass    |
| 10722.569       | -56.50       | 16.28       | -13.0          | -43.50          | 76.20     | Vertical | Vertical | Pass    |
| 12586.603       | -57.69       | 13.88       | -13.0          | -44.69          | 249.90    | Vertical | Vertical | Pass    |
| 14695.326       | -46.82       | 25.24       | -13.0          | -33.82          | 90.30     | Vertical | Vertical | Pass    |
| 16878.280       | -45.16       | 26.20       | -13.0          | -32.16          | 2.10      | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.08.28

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 82.609          | -76.94       | -19.32      | -13.0          | -63.94          | 53.90     | Horizontal | Horizontal | Pass    |
| 115.096         | -78.85       | -11.59      | -13.0          | -65.85          | 184.10    | Horizontal | Horizontal | Pass    |
| 239.953         | -76.39       | -3.57       | -13.0          | -63.39          | 202.00    | Horizontal | Horizontal | Pass    |
| 847.263         | -68.41       | 4.35        | -13.0          | -55.41          | 4.50      | Horizontal | Horizontal | Pass    |
| 1842.289        | -56.37       | -7.90       | -13.0          | -43.37          | 347.50    | Horizontal | Horizontal | Pass    |
| 1931.267        | -39.33       | -8.29       | -13.0          | -26.33          | 138.40    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.10.13

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 8061.235        | -64.87       | 9.42        | -13.0          | -51.87          | 298.10    | Horizontal | Horizontal | Pass    |
| 9408.398        | -59.91       | 15.14       | -13.0          | -46.91          | 13.50     | Horizontal | Horizontal | Pass    |
| 10549.363       | -57.36       | 16.15       | -13.0          | -44.36          | 90.10     | Horizontal | Horizontal | Pass    |
| 13202.449       | -56.74       | 16.07       | -13.0          | -43.74          | 158.60    | Horizontal | Horizontal | Pass    |
| 14810.797       | -46.84       | 25.72       | -13.0          | -33.84          | 170.50    | Horizontal | Horizontal | Pass    |
| 16823.294       | -44.68       | 25.62       | -13.0          | -31.68          | 161.60    | Horizontal | Horizontal | Pass    |

LTE-B25-5-MCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.17.16

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 81.397          | -76.17       | -19.75      | -13.0          | -63.17          | 41.50     | Horizontal | Horizontal | Pass    |
| 199.950         | -79.64       | -9.11       | -13.0          | -66.64          | 307.60    | Horizontal | Horizontal | Pass    |
| 649.433         | -71.76       | -0.55       | -13.0          | -58.76          | 17.70     | Horizontal | Horizontal | Pass    |
| 854.051         | -68.10       | 4.48        | -13.0          | -55.10          | 319.50    | Horizontal | Horizontal | Pass    |
| 1880.780        | -58.88       | -8.19       | -13.0          | -45.88          | 343.30    | Horizontal | Horizontal | Pass    |
| 1960.760        | -40.99       | -8.28       | -13.0          | -27.99          | 106.60    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.11.53

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 7912.772        | -64.21       | 9.50        | -13.0          | -51.21          | 86.50     | Horizontal | Horizontal | Pass    |
| 9356.161        | -59.50       | 14.69       | -13.0          | -46.50          | 3.30      | Horizontal | Horizontal | Pass    |
| 10843.539       | -56.44       | 16.87       | -13.0          | -43.44          | 290.70    | Horizontal | Horizontal | Pass    |
| 13752.312       | -54.53       | 17.85       | -13.0          | -41.53          | 221.40    | Horizontal | Horizontal | Pass    |
| 14824.544       | -47.06       | 25.71       | -13.0          | -34.06          | 182.60    | Horizontal | Horizontal | Pass    |
| 16947.013       | -44.97       | 26.57       | -13.0          | -31.97          | 32.20     | Horizontal | Horizontal | Pass    |

LTE-B25-5-HCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.21.48

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 82.609          | -76.91       | -19.32      | -13.0          | -63.91          | 252.00    | Horizontal | Horizontal | Pass    |
| 199.950         | -79.26       | -9.11       | -13.0          | -66.26          | 121.00    | Horizontal | Horizontal | Pass    |
| 452.572         | -74.40       | -3.47       | -13.0          | -61.40          | 284.40    | Horizontal | Horizontal | Pass    |
| 851.385         | -68.05       | 4.57        | -13.0          | -55.05          | 118.00    | Horizontal | Horizontal | Pass    |
| 1913.772        | -59.29       | -8.31       | -13.0          | -46.29          | 0.10      | Horizontal | Horizontal | Pass    |
| 1992.752        | -40.19       | -7.77       | -13.0          | -27.19          | 129.40    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.23.27

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 7929.268        | -65.01       | 9.15        | -13.0          | -52.01          | 224.00    | Horizontal | Horizontal | Pass    |
| 9347.913        | -59.93       | 14.55       | -13.0          | -46.93          | 250.80    | Horizontal | Horizontal | Pass    |
| 10524.619       | -56.82       | 16.34       | -13.0          | -43.82          | 0.40      | Horizontal | Horizontal | Pass    |
| 12179.705       | -58.46       | 14.19       | -13.0          | -45.46          | 197.20    | Horizontal | Horizontal | Pass    |
| 13595.601       | -55.05       | 18.34       | -13.0          | -42.05          | 176.30    | Horizontal | Horizontal | Pass    |
| 14852.037       | -46.37       | 25.63       | -13.0          | -33.37          | 131.30    | Horizontal | Horizontal | Pass    |

LTE-B25-5-LCH-V-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.26.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.19       | -12.32      | -13.0          | -41.19          | 1.00      | Vertical | Vertical | Pass    |
| 149.765         | -64.89       | -16.19      | -13.0          | -51.89          | 340.20    | Vertical | Vertical | Pass    |
| 449.178         | -71.37       | -3.46       | -13.0          | -58.37          | 69.70     | Vertical | Vertical | Pass    |
| 1199.950        | -56.90       | -3.58       | -13.0          | -43.90          | 181.60    | Vertical | Vertical | Pass    |
| 1841.290        | -46.57       | -7.89       | -13.0          | -33.57          | 259.40    | Vertical | Vertical | Pass    |
| 1933.267        | -44.60       | -8.30       | -13.0          | -31.60          | 275.40    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.22.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7890.777        | -64.72       | 9.59        | -13.0          | -51.72          | 347.10    | Vertical | Vertical | Pass    |
| 9386.403        | -59.41       | 15.12       | -13.0          | -46.41          | 29.50     | Vertical | Vertical | Pass    |
| 10497.126       | -57.18       | 16.51       | -13.0          | -44.18          | 75.30     | Vertical | Vertical | Pass    |
| 13194.201       | -56.62       | 15.95       | -13.0          | -43.62          | 124.10    | Vertical | Vertical | Pass    |
| 14830.042       | -46.12       | 25.71       | -13.0          | -33.12          | 49.60     | Vertical | Vertical | Pass    |
| 16845.289       | -44.91       | 26.10       | -13.0          | -31.91          | 21.30     | Vertical | Vertical | Pass    |

LTE-B25-5-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.31.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.365          | -54.54       | -12.20      | -13.0          | -41.54          | 355.60    | Vertical | Vertical | Pass    |
| 149.523         | -64.50       | -16.20      | -13.0          | -51.50          | 154.50    | Vertical | Vertical | Pass    |
| 445.784         | -71.12       | -4.02       | -13.0          | -58.12          | 309.30    | Vertical | Vertical | Pass    |
| 869.568         | -64.85       | 3.41        | -13.0          | -51.85          | 293.30    | Vertical | Vertical | Pass    |
| 1880.280        | -52.30       | -8.19       | -13.0          | -39.30          | 0.60      | Vertical | Vertical | Pass    |
| 1963.759        | -45.78       | -8.19       | -13.0          | -32.78          | 275.30    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.28.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7874.281        | -64.87       | 9.26        | -13.0          | -51.87          | 30.20     | Vertical | Vertical | Pass    |
| 9358.910        | -59.34       | 14.73       | -13.0          | -46.34          | 306.30    | Vertical | Vertical | Pass    |
| 10513.622       | -56.90       | 16.42       | -13.0          | -43.90          | 255.30    | Vertical | Vertical | Pass    |
| 13232.692       | -56.30       | 15.88       | -13.0          | -43.30          | 1.10      | Vertical | Vertical | Pass    |
| 14744.814       | -46.92       | 25.12       | -13.0          | -33.92          | 230.40    | Vertical | Vertical | Pass    |
| 16501.625       | -46.14       | 24.96       | -13.0          | -33.14          | 2.60      | Vertical | Vertical | Pass    |

LTE-B25-5-HCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.35.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.50       | -12.32      | -13.0          | -41.50          | 341.60    | Vertical | Vertical | Pass    |
| 150.492         | -63.72       | -16.16      | -13.0          | -50.72          | 170.40    | Vertical | Vertical | Pass    |
| 658.403         | -67.02       | -0.07       | -13.0          | -54.02          | 1.70      | Vertical | Vertical | Pass    |
| 1913.272        | -53.06       | -8.31       | -13.0          | -40.06          | 184.80    | Vertical | Vertical | Pass    |
| 1992.252        | -45.71       | -7.78       | -13.0          | -32.71          | 270.80    | Vertical | Vertical | Pass    |
| 2451.637        | -45.20       | -4.41       | -13.0          | -32.20          | 73.20     | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.37.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8052.987        | -65.02       | 9.25        | -13.0          | -52.02          | 6.00      | Vertical | Vertical | Pass    |
| 9358.910        | -59.83       | 14.73       | -13.0          | -46.83          | 175.70    | Vertical | Vertical | Pass    |
| 11198.200       | -56.69       | 16.01       | -13.0          | -43.69          | 195.80    | Vertical | Vertical | Pass    |
| 12710.322       | -58.55       | 14.54       | -13.0          | -45.55          | 73.70     | Vertical | Vertical | Pass    |
| 14527.618       | -47.72       | 24.24       | -13.0          | -34.72          | 147.10    | Vertical | Vertical | Pass    |
| 16933.267       | -45.54       | 26.46       | -13.0          | -32.54          | 215.50    | Vertical | Vertical | Pass    |

LTE-B25-10-LCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.31.29

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 84.064          | -76.02       | -18.79      | -13.0          | -63.02          | 335.40    | Horizontal | Horizontal | Pass    |
| 199.950         | -78.64       | -9.11       | -13.0          | -65.64          | 341.30    | Horizontal | Horizontal | Pass    |
| 451.845         | -74.04       | -3.43       | -13.0          | -61.04          | 122.50    | Horizontal | Horizontal | Pass    |
| 867.386         | -67.85       | 3.61        | -13.0          | -54.85          | 353.20    | Horizontal | Horizontal | Pass    |
| 1841.790        | -52.10       | -7.90       | -13.0          | -39.10          | 353.90    | Horizontal | Horizontal | Pass    |
| 1937.266        | -39.57       | -8.32       | -13.0          | -26.57          | 130.40    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.25.32

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 8036.491        | -64.47       | 9.14        | -13.0          | -51.47          | 81.90     | Horizontal | Horizontal | Pass    |
| 9433.142        | -59.10       | 14.64       | -13.0          | -46.10          | 290.00    | Horizontal | Horizontal | Pass    |
| 10862.784       | -56.85       | 16.79       | -13.0          | -43.85          | 251.70    | Horizontal | Horizontal | Pass    |
| 12754.311       | -57.41       | 14.76       | -13.0          | -44.41          | 120.70    | Horizontal | Horizontal | Pass    |
| 14505.624       | -46.89       | 24.24       | -13.0          | -33.89          | 84.90     | Horizontal | Horizontal | Pass    |
| 16845.289       | -45.60       | 26.10       | -13.0          | -32.60          | 310.80    | Horizontal | Horizontal | Pass    |

LTE-B25-10-MCH-H-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.34.38

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 81.397          | -76.37       | -19.75      | -13.0          | -63.37          | 360.00    | Horizontal | Horizontal | Pass    |
| 199.950         | -78.43       | -9.11       | -13.0          | -65.43          | 296.30    | Horizontal | Horizontal | Pass    |
| 661.797         | -71.68       | -0.11       | -13.0          | -58.68          | 118.80    | Horizontal | Horizontal | Pass    |
| 858.415         | -68.26       | 4.33        | -13.0          | -55.26          | 216.70    | Horizontal | Horizontal | Pass    |
| 1879.280        | -60.22       | -8.18       | -13.0          | -47.22          | 341.90    | Horizontal | Horizontal | Pass    |
| 1964.259        | -41.38       | -8.17       | -13.0          | -28.38          | 127.20    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.36.17

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 8066.733        | -64.15       | 9.54        | -13.0          | -51.15          | 234.10    | Horizontal | Horizontal | Pass    |
| 8853.037        | -62.44       | 11.52       | -13.0          | -49.44          | 324.60    | Horizontal | Horizontal | Pass    |
| 10513.622       | -56.98       | 16.42       | -13.0          | -43.98          | 161.90    | Horizontal | Horizontal | Pass    |
| 12652.587       | -57.26       | 14.59       | -13.0          | -44.26          | 0.50      | Horizontal | Horizontal | Pass    |
| 14497.376       | -46.95       | 24.16       | -13.0          | -33.95          | 1.00      | Horizontal | Horizontal | Pass    |
| 16831.542       | -44.45       | 25.80       | -13.0          | -31.45          | 116.40    | Horizontal | Horizontal | Pass    |

LTE-B25-10-HCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.44.00

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 81.397          | -76.97       | -19.75      | -13.0          | -63.97          | 133.40    | Horizontal | Horizontal | Pass    |
| 241.165         | -75.86       | -3.86       | -13.0          | -62.86          | 287.90    | Horizontal | Horizontal | Pass    |
| 453.784         | -74.57       | -3.55       | -13.0          | -61.57          | 101.10    | Horizontal | Horizontal | Pass    |
| 850.900         | -67.12       | 4.59        | -13.0          | -54.12          | 153.90    | Horizontal | Horizontal | Pass    |
| 1920.270        | -59.61       | -8.30       | -13.0          | -46.61          | 345.30    | Horizontal | Horizontal | Pass    |
| 1989.753        | -39.06       | -7.84       | -13.0          | -26.06          | 128.00    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.38.50

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 8069.483        | -64.52       | 9.60        | -13.0          | -51.52          | 40.80     | Horizontal | Horizontal | Pass    |
| 9389.153        | -59.25       | 15.16       | -13.0          | -46.25          | 163.20    | Horizontal | Horizontal | Pass    |
| 10527.368       | -56.72       | 16.31       | -13.0          | -43.72          | 348.20    | Horizontal | Horizontal | Pass    |
| 12806.548       | -57.92       | 14.85       | -13.0          | -44.92          | 355.90    | Horizontal | Horizontal | Pass    |
| 14717.321       | -47.16       | 25.20       | -13.0          | -34.16          | 267.00    | Horizontal | Horizontal | Pass    |
| 16498.875       | -46.44       | 24.97       | -13.0          | -33.44          | 70.50     | Horizontal | Horizontal | Pass    |

LTE-B25-10-LCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.43.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.092          | -54.09       | -12.39      | -13.0          | -41.09          | 359.00    | Vertical | Vertical | Pass    |
| 151.462         | -64.35       | -16.13      | -13.0          | -51.35          | 173.80    | Vertical | Vertical | Pass    |
| 239.953         | -70.44       | -3.57       | -13.0          | -57.44          | 126.10    | Vertical | Vertical | Pass    |
| 864.476         | -63.33       | 3.87        | -13.0          | -50.33          | 318.90    | Vertical | Vertical | Pass    |
| 1842.789        | -41.73       | -7.90       | -13.0          | -28.73          | 252.70    | Vertical | Vertical | Pass    |
| 1931.267        | -46.73       | -8.29       | -13.0          | -33.73          | 279.50    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.40.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7885.279        | -64.51       | 9.48        | -13.0          | -51.51          | 94.90     | Vertical | Vertical | Pass    |
| 9149.963        | -61.65       | 12.58       | -13.0          | -48.65          | 222.60    | Vertical | Vertical | Pass    |
| 10519.120       | -56.39       | 16.38       | -13.0          | -43.39          | 168.60    | Vertical | Vertical | Pass    |
| 12762.559       | -57.90       | 14.78       | -13.0          | -44.90          | 180.10    | Vertical | Vertical | Pass    |
| 14511.122       | -47.13       | 24.24       | -13.0          | -34.13          | 1.00      | Vertical | Vertical | Pass    |
| 16900.275       | -45.05       | 26.19       | -13.0          | -32.05          | 234.20    | Vertical | Vertical | Pass    |

LTE-B25-10-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.47.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.50       | -12.32      | -13.0          | -41.50          | 359.10    | Vertical | Vertical | Pass    |
| 149.523         | -63.70       | -16.20      | -13.0          | -50.70          | 174.60    | Vertical | Vertical | Pass    |
| 242.619         | -71.01       | -4.24       | -13.0          | -58.01          | 220.30    | Vertical | Vertical | Pass    |
| 1879.280        | -52.34       | -8.18       | -13.0          | -39.34          | 1.30      | Vertical | Vertical | Pass    |
| 1964.759        | -49.09       | -8.16       | -13.0          | -36.09          | 290.80    | Vertical | Vertical | Pass    |
| 5014.496        | -41.69       | 2.93        | -13.0          | -28.69          | 259.30    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.48.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7934.766        | -64.97       | 9.03        | -13.0          | -51.97          | 358.30    | Vertical | Vertical | Pass    |
| 9199.450        | -59.60       | 13.78       | -13.0          | -46.60          | 247.50    | Vertical | Vertical | Pass    |
| 10744.564       | -57.11       | 16.60       | -13.0          | -44.11          | 16.30     | Vertical | Vertical | Pass    |
| 13202.449       | -56.51       | 16.07       | -13.0          | -43.51          | 239.00    | Vertical | Vertical | Pass    |
| 14519.370       | -47.75       | 24.24       | -13.0          | -34.75          | 287.30    | Vertical | Vertical | Pass    |
| 16867.283       | -44.69       | 26.20       | -13.0          | -31.69          | 94.00     | Vertical | Vertical | Pass    |

LTE-B25-10-HCH-V-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.54.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.34       | -12.32      | -13.0          | -41.34          | 358.90    | Vertical | Vertical | Pass    |
| 149.765         | -63.77       | -16.19      | -13.0          | -50.77          | 169.80    | Vertical | Vertical | Pass    |
| 268.803         | -70.39       | -7.52       | -13.0          | -57.39          | 0.00      | Vertical | Vertical | Pass    |
| 853.082         | -63.31       | 4.51        | -13.0          | -50.31          | 108.40    | Vertical | Vertical | Pass    |
| 1921.270        | -48.33       | -8.29       | -13.0          | -35.33          | 315.10    | Vertical | Vertical | Pass    |
| 1988.253        | -48.35       | -7.88       | -13.0          | -35.35          | 285.30    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.50.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7904.524        | -65.09       | 9.68        | -13.0          | -52.09          | 191.90    | Vertical | Vertical | Pass    |
| 8833.792        | -61.56       | 11.41       | -13.0          | -48.56          | 348.00    | Vertical | Vertical | Pass    |
| 10480.630       | -56.89       | 16.44       | -13.0          | -43.89          | 79.00     | Vertical | Vertical | Pass    |
| 13199.700       | -56.34       | 16.07       | -13.0          | -43.34          | 118.50    | Vertical | Vertical | Pass    |
| 14516.621       | -47.44       | 24.24       | -13.0          | -34.44          | 327.90    | Vertical | Vertical | Pass    |
| 16944.264       | -44.83       | 26.54       | -13.0          | -31.83          | 350.60    | Vertical | Vertical | Pass    |

LTE-B25-15-LCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.47.51

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 81.397          | -76.78       | -19.75      | -13.0          | -63.78          | 359.80    | Horizontal | Horizontal | Pass    |
| 239.225         | -76.42       | -3.86       | -13.0          | -63.42          | 275.50    | Horizontal | Horizontal | Pass    |
| 449.663         | -74.57       | -3.38       | -13.0          | -61.57          | 1.60      | Horizontal | Horizontal | Pass    |
| 863.264         | -67.71       | 3.98        | -13.0          | -54.71          | 188.80    | Horizontal | Horizontal | Pass    |
| 1840.290        | -51.98       | -7.89       | -13.0          | -38.98          | 347.40    | Horizontal | Horizontal | Pass    |
| 1941.265        | -40.47       | -8.34       | -13.0          | -27.47          | 130.10    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.49.54

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 7926.518        | -64.91       | 9.21        | -13.0          | -51.91          | 117.30    | Horizontal | Horizontal | Pass    |
| 8831.042        | -62.48       | 11.37       | -13.0          | -49.48          | 227.10    | Horizontal | Horizontal | Pass    |
| 9372.657        | -59.74       | 14.92       | -13.0          | -46.74          | 137.80    | Horizontal | Horizontal | Pass    |
| 10832.542       | -56.32       | 16.72       | -13.0          | -43.32          | 308.20    | Horizontal | Horizontal | Pass    |
| 13603.849       | -54.77       | 18.34       | -13.0          | -41.77          | 236.00    | Horizontal | Horizontal | Pass    |
| 14808.048       | -46.73       | 25.72       | -13.0          | -33.73          | 233.00    | Horizontal | Horizontal | Pass    |
| 16683.079       | -46.23       | 25.53       | -13.0          | -33.23          | 184.30    | Horizontal | Horizontal | Pass    |

LTE-B25-15-MCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.55.14

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 81.397          | -76.44       | -19.75      | -13.0          | -63.44          | 360.30    | Horizontal | Horizontal | Pass    |
| 199.950         | -78.50       | -9.11       | -13.0          | -65.50          | 274.30    | Horizontal | Horizontal | Pass    |
| 449.905         | -74.98       | -3.34       | -13.0          | -61.98          | 110.90    | Horizontal | Horizontal | Pass    |
| 855.264         | -68.05       | 4.44        | -13.0          | -55.05          | 321.60    | Horizontal | Horizontal | Pass    |
| 1880.780        | -60.99       | -8.19       | -13.0          | -47.99          | 0.80      | Horizontal | Horizontal | Pass    |
| 1956.261        | -42.43       | -8.31       | -13.0          | -29.43          | 126.40    | Horizontal | Horizontal | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-24\_11.51.53

EUT Name:

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 7877.031        | -65.51       | 9.32        | -13.0          | -52.51          | 334.80    | Horizontal | Horizontal | Pass    |
| 8847.538        | -62.79       | 11.57       | -13.0          | -49.79          | 13.10     | Horizontal | Horizontal | Pass    |
| 10546.613       | -57.23       | 16.17       | -13.0          | -44.23          | 244.80    | Horizontal | Horizontal | Pass    |
| 13609.348       | -54.41       | 18.29       | -13.0          | -41.41          | 129.40    | Horizontal | Horizontal | Pass    |
| 14832.792       | -46.50       | 25.71       | -13.0          | -33.50          | 344.10    | Horizontal | Horizontal | Pass    |
| 16507.123       | -46.12       | 24.77       | -13.0          | -33.12          | 51.80     | Horizontal | Horizontal | Pass    |

LTE-B25-15-HCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.07.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.759          | -74.00       | -11.92      | -13.0          | -61.00          | 87.80     | Horizontal | Vertical | Pass    |
| 160.432         | -71.55       | -16.27      | -13.0          | -58.55          | 256.80    | Horizontal | Vertical | Pass    |
| 239.953         | -63.24       | -3.57       | -13.0          | -50.24          | 52.90     | Horizontal | Vertical | Pass    |
| 1001.500        | -58.06       | -4.26       | -13.0          | -45.06          | 351.00    | Horizontal | Vertical | Pass    |
| 1981.255        | -53.34       | -8.06       | -13.0          | -40.34          | 151.20    | Horizontal | Vertical | Pass    |
| 2454.136        | -51.43       | -4.31       | -13.0          | -38.43          | 178.30    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.09.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7921.020        | -64.75       | 9.33        | -13.0          | -51.75          | 351.80    | Horizontal | Vertical | Pass    |
| 9383.654        | -59.53       | 15.08       | -13.0          | -46.53          | 220.80    | Horizontal | Vertical | Pass    |
| 10505.374       | -56.67       | 16.48       | -13.0          | -43.67          | 132.50    | Horizontal | Vertical | Pass    |
| 12798.300       | -57.89       | 14.87       | -13.0          | -44.89          | 47.00     | Horizontal | Vertical | Pass    |
| 14777.806       | -46.80       | 25.44       | -13.0          | -33.80          | 101.60    | Horizontal | Vertical | Pass    |
| 16894.776       | -45.28       | 26.19       | -13.0          | -32.28          | 360.00    | Horizontal | Vertical | Pass    |

LTE-B25-15-LCH-V-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_14.58.06

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.335          | -54.28       | -12.45      | -13.0          | -41.28          | 359.80    | Vertical | Vertical | Pass    |
| 149.523         | -63.85       | -16.20      | -13.0          | -50.85          | 185.00    | Vertical | Vertical | Pass    |
| 850.657         | -62.37       | 4.60        | -13.0          | -49.37          | 198.00    | Vertical | Vertical | Pass    |
| 1840.790        | -37.02       | -7.89       | -13.0          | -24.02          | 5.50      | Vertical | Vertical | Pass    |
| 1935.266        | -49.67       | -8.31       | -13.0          | -36.67          | 270.00    | Vertical | Vertical | Pass    |
| 5387.403        | -40.80       | 2.26        | -13.0          | -27.80          | 49.80     | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.00.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8107.973        | -63.93       | 10.12       | -13.0          | -50.93          | 86.80     | Vertical | Vertical | Pass    |
| 9386.403        | -59.36       | 15.12       | -13.0          | -46.36          | 0.40      | Vertical | Vertical | Pass    |
| 10508.123       | -57.15       | 16.46       | -13.0          | -44.15          | 185.40    | Vertical | Vertical | Pass    |
| 13191.452       | -56.56       | 15.89       | -13.0          | -43.56          | 21.30     | Vertical | Vertical | Pass    |
| 14819.045       | -46.89       | 25.71       | -13.0          | -33.89          | 143.40    | Vertical | Vertical | Pass    |
| 16922.269       | -44.72       | 26.37       | -13.0          | -31.72          | 98.00     | Vertical | Vertical | Pass    |

LTE-B25-15-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.06.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.092          | -54.48       | -12.39      | -13.0          | -41.48          | 359.00    | Vertical | Vertical | Pass    |
| 149.280         | -63.39       | -16.21      | -13.0          | -50.39          | 175.60    | Vertical | Vertical | Pass    |
| 275.349         | -71.18       | -8.58       | -13.0          | -58.18          | 0.00      | Vertical | Vertical | Pass    |
| 862.052         | -62.95       | 4.09        | -13.0          | -49.95          | 359.80    | Vertical | Vertical | Pass    |
| 1878.280        | -54.31       | -8.17       | -13.0          | -41.31          | 359.50    | Vertical | Vertical | Pass    |
| 1966.258        | -50.20       | -8.11       | -13.0          | -37.20          | 295.80    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.02.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8820.045        | -62.81       | 11.24       | -13.0          | -49.81          | 1.10      | Vertical | Vertical | Pass    |
| 9375.406        | -59.54       | 14.96       | -13.0          | -46.54          | 98.30     | Vertical | Vertical | Pass    |
| 10992.002       | -56.27       | 16.90       | -13.0          | -43.27          | 185.50    | Vertical | Vertical | Pass    |
| 12097.226       | -57.82       | 14.89       | -13.0          | -44.82          | 256.90    | Vertical | Vertical | Pass    |
| 14497.376       | -47.75       | 24.16       | -13.0          | -34.75          | 95.30     | Vertical | Vertical | Pass    |
| 16485.129       | -46.56       | 24.43       | -13.0          | -33.56          | 327.20    | Vertical | Vertical | Pass    |

LTE-B25-15-HCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.11.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.54       | -12.32      | -13.0          | -41.54          | 357.30    | Vertical | Vertical | Pass    |
| 148.795         | -63.65       | -16.22      | -13.0          | -50.65          | 173.40    | Vertical | Vertical | Pass    |
| 657.918         | -67.30       | -0.10       | -13.0          | -54.30          | 160.30    | Vertical | Vertical | Pass    |
| 1920.770        | -50.86       | -8.30       | -13.0          | -37.86          | 185.20    | Vertical | Vertical | Pass    |
| 1988.753        | -50.59       | -7.87       | -13.0          | -37.59          | 275.20    | Vertical | Vertical | Pass    |
| 5399.400        | -41.17       | 2.50        | -13.0          | -28.17          | 359.30    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.13.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8105.224        | -64.43       | 10.16       | -13.0          | -51.43          | 299.80    | Vertical | Vertical | Pass    |
| 9424.894        | -59.72       | 14.80       | -13.0          | -46.72          | 277.10    | Vertical | Vertical | Pass    |
| 11225.694       | -55.78       | 15.77       | -13.0          | -42.78          | 129.70    | Vertical | Vertical | Pass    |
| 13782.554       | -53.89       | 17.74       | -13.0          | -40.89          | 291.60    | Vertical | Vertical | Pass    |
| 14799.800       | -46.73       | 25.72       | -13.0          | -33.73          | 268.50    | Vertical | Vertical | Pass    |
| 16471.382       | -47.10       | 23.90       | -13.0          | -34.10          | 288.60    | Vertical | Vertical | Pass    |

LTE-B25-20-LCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.20.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.274          | -74.29       | -11.90      | -13.0          | -61.29          | 228.60    | Horizontal | Vertical | Pass    |
| 244.559         | -63.32       | -4.75       | -13.0          | -50.32          | 91.20     | Horizontal | Vertical | Pass    |
| 850.900         | -67.10       | 4.59        | -13.0          | -54.10          | 359.20    | Horizontal | Vertical | Pass    |
| 1838.290        | -43.35       | -8.03       | -13.0          | -30.35          | 262.70    | Horizontal | Vertical | Pass    |
| 1931.767        | -56.46       | -8.29       | -13.0          | -43.46          | 164.80    | Horizontal | Vertical | Pass    |
| 5199.450        | -41.17       | 2.98        | -13.0          | -28.17          | 271.90    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.23.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8107.973        | -64.51       | 10.12       | -13.0          | -51.51          | 272.30    | Horizontal | Vertical | Pass    |
| 9246.188        | -59.58       | 13.41       | -13.0          | -46.58          | 277.90    | Horizontal | Vertical | Pass    |
| 10521.870       | -56.72       | 16.36       | -13.0          | -43.72          | 153.60    | Horizontal | Vertical | Pass    |
| 13169.458       | -56.39       | 15.41       | -13.0          | -43.39          | 0.00      | Horizontal | Vertical | Pass    |
| 14524.869       | -47.20       | 24.24       | -13.0          | -34.20          | 7.00      | Horizontal | Vertical | Pass    |
| 16490.627       | -46.04       | 24.65       | -13.0          | -33.04          | 246.70    | Horizontal | Vertical | Pass    |

LTE-B25-20-MCH-H-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.16.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 44.546          | -74.68       | -11.78      | -13.0          | -61.68          | 181.20    | Horizontal | Vertical | Pass    |
| 158.008         | -71.29       | -16.17      | -13.0          | -58.29          | 90.40     | Horizontal | Vertical | Pass    |
| 249.165         | -65.01       | -5.96       | -13.0          | -52.01          | 90.40     | Horizontal | Vertical | Pass    |
| 1841.290        | -58.88       | -7.89       | -13.0          | -45.88          | 293.80    | Horizontal | Vertical | Pass    |
| 1970.257        | -55.61       | -7.99       | -13.0          | -42.61          | 152.80    | Horizontal | Vertical | Pass    |
| 4519.620        | -44.35       | 1.29        | -13.0          | -31.35          | 252.60    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.12.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7915.521        | -64.80       | 9.44        | -13.0          | -51.80          | 225.70    | Horizontal | Vertical | Pass    |
| 9356.161        | -59.96       | 14.69       | -13.0          | -46.96          | 359.50    | Horizontal | Vertical | Pass    |
| 10519.120       | -56.76       | 16.38       | -13.0          | -43.76          | 217.50    | Horizontal | Vertical | Pass    |
| 12086.228       | -58.37       | 14.75       | -13.0          | -45.37          | 353.60    | Horizontal | Vertical | Pass    |
| 14538.615       | -47.50       | 24.24       | -13.0          | -34.50          | 194.80    | Horizontal | Vertical | Pass    |
| 16864.534       | -44.63       | 26.20       | -13.0          | -31.63          | 76.50     | Horizontal | Vertical | Pass    |

LTE-B25-20-HCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.27.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.274          | -74.41       | -11.90      | -13.0          | -61.41          | 302.30    | Horizontal | Vertical | Pass    |
| 241.407         | -63.71       | -3.92       | -13.0          | -50.71          | 273.20    | Horizontal | Vertical | Pass    |
| 847.021         | -68.67       | 4.33        | -13.0          | -55.67          | 217.00    | Horizontal | Vertical | Pass    |
| 1897.776        | -58.66       | -8.32       | -13.0          | -45.66          | 264.00    | Horizontal | Vertical | Pass    |
| 1976.756        | -54.25       | -8.06       | -13.0          | -41.25          | 153.20    | Horizontal | Vertical | Pass    |
| 4119.720        | -44.72       | 0.73        | -13.0          | -31.72          | 259.70    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.24.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8110.722        | -64.44       | 10.08       | -13.0          | -51.44          | 163.10    | Horizontal | Vertical | Pass    |
| 9394.651        | -59.86       | 15.23       | -13.0          | -46.86          | 194.00    | Horizontal | Vertical | Pass    |
| 10543.864       | -57.18       | 16.19       | -13.0          | -44.18          | 297.00    | Horizontal | Vertical | Pass    |
| 12141.215       | -57.72       | 14.73       | -13.0          | -44.72          | 97.60     | Horizontal | Vertical | Pass    |
| 14513.872       | -47.04       | 24.24       | -13.0          | -34.04          | 237.10    | Horizontal | Vertical | Pass    |
| 16856.286       | -44.85       | 26.20       | -13.0          | -31.85          | 100.50    | Horizontal | Vertical | Pass    |

LTE-B25-20-LCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.22.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 51.092          | -54.54       | -12.39      | -13.0          | -41.54          | 360.00    | Vertical | Vertical | Pass    |
| 149.280         | -64.03       | -16.21      | -13.0          | -51.03          | 161.40    | Vertical | Vertical | Pass    |
| 448.935         | -71.09       | -3.50       | -13.0          | -58.09          | 95.00     | Vertical | Vertical | Pass    |
| 1841.290        | -38.79       | -7.89       | -13.0          | -25.79          | 6.20      | Vertical | Vertical | Pass    |
| 1933.767        | -50.73       | -8.30       | -13.0          | -37.73          | 277.10    | Vertical | Vertical | Pass    |
| 4769.558        | -42.41       | 1.84        | -13.0          | -29.41          | 20.00     | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.25.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8811.797        | -62.30       | 11.15       | -13.0          | -49.30          | 208.20    | Vertical | Vertical | Pass    |
| 9400.150        | -59.73       | 15.31       | -13.0          | -46.73          | 9.90      | Vertical | Vertical | Pass    |
| 10519.120       | -56.82       | 16.38       | -13.0          | -43.82          | 199.30    | Vertical | Vertical | Pass    |
| 13199.700       | -56.51       | 16.07       | -13.0          | -43.51          | 295.70    | Vertical | Vertical | Pass    |
| 14546.863       | -46.95       | 24.24       | -13.0          | -33.95          | 153.50    | Vertical | Vertical | Pass    |
| 16853.537       | -45.00       | 26.20       | -13.0          | -32.00          | 29.60     | Vertical | Vertical | Pass    |

LTE-B25-20-MCH-V-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.30.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.850          | -54.47       | -12.32      | -13.0          | -41.47          | 356.20    | Vertical | Vertical | Pass    |
| 149.280         | -63.49       | -16.21      | -13.0          | -50.49          | 178.70    | Vertical | Vertical | Pass    |
| 660.827         | -66.82       | -0.04       | -13.0          | -53.82          | 333.90    | Vertical | Vertical | Pass    |
| 1839.790        | -51.78       | -7.90       | -13.0          | -38.78          | 1.90      | Vertical | Vertical | Pass    |
| 1970.257        | -50.68       | -7.99       | -13.0          | -37.68          | 292.40    | Vertical | Vertical | Pass    |
| 4684.579        | -43.67       | 1.33        | -13.0          | -30.67          | 265.20    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-06-28\_15.27.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8094.226        | -64.73       | 10.11       | -13.0          | -51.73          | 164.60    | Vertical | Vertical | Pass    |
| 9386.403        | -59.12       | 15.12       | -13.0          | -46.12          | 159.00    | Vertical | Vertical | Pass    |
| 10524.619       | -57.12       | 16.34       | -13.0          | -44.12          | 141.90    | Vertical | Vertical | Pass    |
| 12729.568       | -58.10       | 14.64       | -13.0          | -45.10          | 328.70    | Vertical | Vertical | Pass    |
| 14491.877       | -46.82       | 23.98       | -13.0          | -33.82          | 184.30    | Vertical | Vertical | Pass    |
| 16875.531       | -44.51       | 26.20       | -13.0          | -31.51          | 331.30    | Vertical | Vertical | Pass    |

LTE-B25-20-HCH-V-TX

Document number : SHE19020010-02AE



# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.44.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 74.124          | -67.58       | -19.84      | -13.0          | -54.58          | 103.90    | Vertical | Vertical | Pass    |
| 241.407         | -67.16       | -3.92       | -13.0          | -54.16          | 116.90    | Vertical | Vertical | Pass    |
| 853.567         | -68.14       | 4.50        | -13.0          | -55.14          | 154.90    | Vertical | Vertical | Pass    |
| 1896.276        | -54.67       | -8.31       | -13.0          | -41.67          | 21.90     | Vertical | Vertical | Pass    |
| 1991.752        | -55.19       | -7.79       | -13.0          | -42.19          | 108.60    | Vertical | Vertical | Pass    |
| 3915.771        | -47.03       | -0.49       | -13.0          | -34.03          | 192.60    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_19.40.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7926.518        | -64.74       | 9.21        | -13.0          | -51.74          | 271.60    | Vertical | Vertical | Pass    |
| 9229.693        | -59.66       | 13.54       | -13.0          | -46.66          | 359.90    | Vertical | Vertical | Pass    |
| 11192.702       | -56.41       | 15.96       | -13.0          | -43.41          | 194.60    | Vertical | Vertical | Pass    |
| 13199.700       | -55.90       | 16.07       | -13.0          | -42.90          | 115.30    | Vertical | Vertical | Pass    |
| 14797.051       | -46.90       | 25.68       | -13.0          | -33.90          | 251.50    | Vertical | Vertical | Pass    |
| 16875.531       | -45.24       | 26.20       | -13.0          | -32.24          | 219.50    | Vertical | Vertical | Pass    |

LTE-B41-5-LCH-H-TX

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.26.20

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 31.940          | -68.36       | -11.05      | -25.0          | -43.36          | 261.70    | Horizontal | Vertical | Pass    |
| 146.371         | -68.21       | -15.06      | -25.0          | -43.21          | 81.60     | Horizontal | Vertical | Pass    |
| 239.225         | -62.83       | -2.33       | -25.0          | -37.83          | 79.00     | Horizontal | Vertical | Pass    |
| 497.666         | -58.24       | -5.78       | -25.0          | -33.24          | 205.90    | Horizontal | Vertical | Pass    |
| 2535.116        | -48.12       | 2.31        | -25.0          | -23.12          | 273.00    | Horizontal | Vertical | Pass    |
| 4840.540        | -53.42       | 1.80        | -25.0          | -28.42          | 137.30    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.30.13

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7940.265        | -64.81       | 8.91        | -13.0          | -51.81          | 151.10    | Horizontal | Vertical | Pass    |
| 9378.155        | -59.63       | 15.00       | -13.0          | -46.63          | 122.10    | Horizontal | Vertical | Pass    |
| 10502.624       | -56.94       | 16.50       | -13.0          | -43.94          | 2.30      | Horizontal | Vertical | Pass    |
| 11624.344       | -57.03       | 15.91       | -13.0          | -44.03          | 227.10    | Horizontal | Vertical | Pass    |
| 14500.125       | -47.22       | 24.24       | -13.0          | -34.22          | 319.70    | Horizontal | Vertical | Pass    |
| 16853.537       | -45.19       | 26.20       | -13.0          | -32.19          | 190.60    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.34.16

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.424          | -67.42       | -10.96      | -25.0          | -42.42          | 244.20    | Horizontal | Vertical | Pass    |
| 149.765         | -68.39       | -15.06      | -25.0          | -43.39          | 71.90     | Horizontal | Vertical | Pass    |
| 239.953         | -63.00       | -2.05       | -25.0          | -38.00          | 244.20    | Horizontal | Vertical | Pass    |
| 501.787         | -59.08       | -5.56       | -25.0          | -34.08          | 114.70    | Horizontal | Vertical | Pass    |
| 1195.951        | -57.11       | -1.94       | -25.0          | -32.11          | 313.30    | Horizontal | Vertical | Pass    |
| 2522.119        | -52.41       | 2.57        | -25.0          | -27.41          | 89.60     | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.31.31

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8127.218        | -65.18       | 9.85        | -13.0          | -52.18          | 237.50    | Horizontal | Vertical | Pass    |
| 9334.166        | -58.80       | 14.20       | -13.0          | -45.80          | 279.90    | Horizontal | Vertical | Pass    |
| 10524.619       | -57.14       | 16.34       | -13.0          | -44.14          | 175.00    | Horizontal | Vertical | Pass    |
| 11222.944       | -56.10       | 15.80       | -13.0          | -43.10          | 359.10    | Horizontal | Vertical | Pass    |
| 14535.866       | -47.12       | 24.24       | -13.0          | -34.12          | 36.20     | Horizontal | Vertical | Pass    |
| 14832.792       | -46.98       | 25.71       | -13.0          | -33.98          | 10.90     | Horizontal | Vertical | Pass    |

LTE-B41-5-HCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.23.40

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.424          | -66.46       | -10.96      | -25.0          | -41.46          | 157.30    | Horizontal | Vertical | Pass    |
| 149.038         | -68.35       | -15.06      | -25.0          | -43.35          | 221.50    | Horizontal | Vertical | Pass    |
| 237.771         | -64.12       | -2.88       | -25.0          | -39.12          | 103.60    | Horizontal | Vertical | Pass    |
| 497.423         | -60.35       | -5.78       | -25.0          | -35.35          | 213.60    | Horizontal | Vertical | Pass    |
| 2653.087        | -45.73       | 0.05        | -25.0          | -20.73          | 279.40    | Horizontal | Vertical | Pass    |
| 6607.098        | -48.06       | 7.95        | -25.0          | -23.06          | 225.00    | Horizontal | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.28.56

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7915.521        | -64.75       | 9.44        | -13.0          | -51.75          | 35.90     | Horizontal | Vertical | Pass    |
| 9408.398        | -59.09       | 15.14       | -13.0          | -46.09          | 319.10    | Horizontal | Vertical | Pass    |
| 10510.872       | -57.30       | 16.44       | -13.0          | -44.30          | 200.40    | Horizontal | Vertical | Pass    |
| 14582.604       | -47.11       | 24.45       | -13.0          | -34.11          | 356.20    | Horizontal | Vertical | Pass    |
| 16501.625       | -46.50       | 24.96       | -13.0          | -33.50          | 220.20    | Horizontal | Vertical | Pass    |
| 16947.013       | -44.92       | 26.57       | -13.0          | -31.92          | 93.30     | Horizontal | Vertical | Pass    |



LTE-B41-5-LCH-V-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.13.12

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.850          | -61.43       | -13.93      | -25.0          | -36.43          | 155.30    | Vertical | Vertical | Pass    |
| 240.922         | -62.78       | -2.25       | -25.0          | -37.78          | 131.10    | Vertical | Vertical | Pass    |
| 490.877         | -61.07       | -5.90       | -25.0          | -36.07          | 358.80    | Vertical | Vertical | Pass    |
| 1197.451        | -56.92       | -1.88       | -25.0          | -31.92          | 198.60    | Vertical | Vertical | Pass    |
| 2534.116        | -50.28       | 2.33        | -25.0          | -25.28          | 310.90    | Vertical | Vertical | Pass    |
| 6609.098        | -48.20       | 7.94        | -25.0          | -23.20          | 35.30     | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.42.28

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7907.273        | -65.00       | 9.62        | -13.0          | -52.00          | 27.20     | Vertical | Vertical | Pass    |
| 9424.894        | -60.01       | 14.80       | -13.0          | -47.01          | 256.50    | Vertical | Vertical | Pass    |
| 10461.385       | -56.66       | 16.36       | -13.0          | -43.66          | 201.40    | Vertical | Vertical | Pass    |
| 11192.702       | -55.56       | 15.96       | -13.0          | -42.56          | 256.50    | Vertical | Vertical | Pass    |
| 13815.546       | -54.03       | 17.66       | -13.0          | -41.03          | 69.60     | Vertical | Vertical | Pass    |
| 14574.356       | -45.76       | 24.40       | -13.0          | -32.76          | 259.40    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

LTE-B41-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.39.06

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.608          | -61.93       | -13.84      | -25.0          | -36.93          | 144.20    | Vertical | Vertical | Pass    |
| 145.886         | -68.68       | -15.06      | -25.0          | -43.68          | 265.70    | Vertical | Vertical | Pass    |
| 240.922         | -62.04       | -2.25       | -25.0          | -37.04          | 136.40    | Vertical | Vertical | Pass    |
| 492.574         | -61.58       | -5.87       | -25.0          | -36.58          | 313.00    | Vertical | Vertical | Pass    |
| 1195.451        | -57.10       | -1.97       | -25.0          | -32.10          | 326.60    | Vertical | Vertical | Pass    |
| 2501.125        | -52.59       | 3.00        | -25.0          | -27.59          | 318.50    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.33.51

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8069.483        | -64.12       | 9.60        | -13.0          | -51.12          | 0.00      | Horizontal | Vertical | Pass    |
| 9394.651        | -59.24       | 15.23       | -13.0          | -46.24          | 222.20    | Horizontal | Vertical | Pass    |
| 10813.297       | -56.64       | 16.45       | -13.0          | -43.64          | 82.70     | Horizontal | Vertical | Pass    |
| 13515.871       | -55.26       | 17.50       | -13.0          | -42.26          | 349.50    | Horizontal | Vertical | Pass    |
| 14857.536       | -46.73       | 25.44       | -13.0          | -33.73          | 190.60    | Horizontal | Vertical | Pass    |
| 16930.517       | -45.63       | 26.43       | -13.0          | -32.63          | 275.80    | Horizontal | Vertical | Pass    |

LTE-B41-5-HCH-V-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.17.19

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.608          | -62.44       | -13.84      | -25.0          | -37.44          | 146.30    | Vertical | Vertical | Pass    |
| 148.068         | -69.84       | -15.06      | -25.0          | -44.84          | 62.20     | Vertical | Vertical | Pass    |
| 238.013         | -60.64       | -2.79       | -25.0          | -35.64          | 135.50    | Vertical | Vertical | Pass    |
| 492.574         | -61.24       | -5.87       | -25.0          | -36.24          | 319.30    | Vertical | Vertical | Pass    |
| 2653.087        | -44.93       | 0.05        | -25.0          | -19.93          | 336.00    | Vertical | Vertical | Pass    |
| 6569.108        | -47.43       | 7.66        | -25.0          | -22.43          | 284.50    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.44.23

|                |                 |                   |                          |
|----------------|-----------------|-------------------|--------------------------|
| EUT Name:      | N.A             | Load:             | Full load                |
| Manufacturer:  | N.A             | Remark:           | DR-RSE01-E20040045-01#05 |
| Model:         | N.A             | Name:             |                          |
| Temp.(oC):     | 24.5            | Project Template: |                          |
| Hum.:          | 56%             | Manufacture:      |                          |
| Test Engineer: | Xiang Cheng Jie | Model Name:       |                          |
| Test Standard: | FCC             | Templ.(oC):       |                          |
| Work Addition: | Normal          | Hum:              |                          |
|                |                 | Work Additon:     |                          |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7896.276        | -64.44       | 9.71        | -13.0          | -51.44          | 223.00    | Vertical | Vertical | Pass    |
| 8844.789        | -62.12       | 11.53       | -13.0          | -49.12          | 16.10     | Vertical | Vertical | Pass    |
| 10477.881       | -57.25       | 16.43       | -13.0          | -44.25          | 296.30    | Vertical | Vertical | Pass    |
| 13224.444       | -56.43       | 15.93       | -13.0          | -43.43          | 0.30      | Vertical | Vertical | Pass    |
| 14519.370       | -46.69       | 24.24       | -13.0          | -33.69          | 350.30    | Vertical | Vertical | Pass    |
| 16600.600       | -47.14       | 24.11       | -13.0          | -34.14          | 214.00    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE


LTE-B41-10-LCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.40.56

|                |                 |                   |                          |
|----------------|-----------------|-------------------|--------------------------|
| EUT Name:      | N.A             | Load:             | Full load                |
| Manufacturer:  | N.A             | Remark:           | DR-RSE01-E20040045-01#05 |
| Model:         | N.A             | Name:             |                          |
| Temp.(oC):     | 24.5            | Project Template: |                          |
| Hum.:          | 56%             | Manufacture:      |                          |
| Test Engineer: | Xiang Cheng Jie | Model Name:       |                          |
| Test Standard: | FCC             | Templ.(oC):       |                          |
| Work Addition: | Normal          | Hum:              |                          |
|                |                 | Work Additon:     |                          |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.424          | -68.58       | -10.96      | -25.0          | -43.58          | 199.20    | Horizontal | Vertical | Pass    |
| 151.220         | -68.72       | -15.00      | -25.0          | -43.72          | 238.60    | Horizontal | Vertical | Pass    |
| 239.953         | -62.73       | -2.05       | -25.0          | -37.73          | 249.40    | Horizontal | Vertical | Pass    |
| 495.484         | -59.44       | -5.82       | -25.0          | -34.44          | 207.40    | Horizontal | Vertical | Pass    |
| 1194.451        | -56.70       | -2.01       | -25.0          | -31.70          | 229.10    | Horizontal | Vertical | Pass    |
| 2534.616        | -49.86       | 2.32        | -25.0          | -24.86          | 274.50    | Horizontal | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.30.05

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8096.976        | -64.24       | 10.17       | -13.0          | -51.24          | 330.40    | Horizontal | Vertical | Pass    |
| 9402.899        | -59.50       | 15.25       | -13.0          | -46.50          | 84.80     | Horizontal | Vertical | Pass    |
| 10565.859       | -57.27       | 16.14       | -13.0          | -44.27          | 358.10    | Horizontal | Vertical | Pass    |
| 13166.708       | -56.14       | 15.35       | -13.0          | -43.14          | 299.10    | Horizontal | Vertical | Pass    |
| 14786.053       | -46.75       | 25.55       | -13.0          | -33.75          | 327.40    | Horizontal | Vertical | Pass    |
| 16889.278       | -45.04       | 26.19       | -13.0          | -32.04          | 296.50    | Horizontal | Vertical | Pass    |



LTE-B41-10-MCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.38.08

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 31.455          | -69.53       | -11.14      | -25.0          | -44.53          | 216.60    | Horizontal | Vertical | Pass    |
| 148.310         | -67.81       | -15.06      | -25.0          | -42.81          | 259.10    | Horizontal | Vertical | Pass    |
| 232.922         | -62.28       | -4.73       | -25.0          | -37.28          | 253.90    | Horizontal | Vertical | Pass    |
| 496.938         | -59.13       | -5.79       | -25.0          | -34.13          | 200.60    | Horizontal | Vertical | Pass    |
| 1202.449        | -57.34       | -1.90       | -25.0          | -32.34          | 169.60    | Horizontal | Vertical | Pass    |
| 2505.124        | -52.51       | 2.92        | -25.0          | -27.51          | 92.20     | Horizontal | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.24.38

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8105.224        | -65.01       | 10.16       | -13.0          | -52.01          | 100.00    | Horizontal | Vertical | Pass    |
| 9204.949        | -59.69       | 13.75       | -13.0          | -46.69          | 40.50     | Horizontal | Vertical | Pass    |
| 10532.867       | -56.96       | 16.27       | -13.0          | -43.96          | 57.60     | Horizontal | Vertical | Pass    |
| 12374.906       | -58.39       | 12.56       | -13.0          | -45.39          | 63.20     | Horizontal | Vertical | Pass    |
| 14560.610       | -47.59       | 24.31       | -13.0          | -34.59          | 91.40     | Horizontal | Vertical | Pass    |
| 16856.286       | -45.63       | 26.20       | -13.0          | -32.63          | 314.50    | Horizontal | Vertical | Pass    |

LTE-B41-10-HCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.43.44

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.182          | -66.55       | -11.01      | -25.0          | -41.55          | 160.10    | Horizontal | Vertical | Pass    |
| 150.007         | -68.40       | -15.06      | -25.0          | -43.40          | 237.90    | Horizontal | Vertical | Pass    |
| 231.710         | -61.88       | -5.19       | -25.0          | -36.88          | 253.60    | Horizontal | Vertical | Pass    |
| 496.696         | -59.03       | -5.80       | -25.0          | -34.03          | 119.60    | Horizontal | Vertical | Pass    |
| 2650.587        | -45.79       | 0.10        | -25.0          | -20.79          | 269.40    | Horizontal | Vertical | Pass    |
| 6514.121        | -47.81       | 7.08        | -25.0          | -22.81          | 131.60    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.31.38

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8052.987        | -64.68       | 9.25        | -13.0          | -51.68          | 0.10      | Horizontal | Vertical | Pass    |
| 9391.902        | -59.96       | 15.20       | -13.0          | -46.96          | 45.70     | Horizontal | Vertical | Pass    |
| 10560.360       | -56.63       | 16.14       | -13.0          | -43.63          | 155.90    | Horizontal | Vertical | Pass    |
| 13177.706       | -56.75       | 15.59       | -13.0          | -43.75          | 349.50    | Horizontal | Vertical | Pass    |
| 14519.370       | -47.27       | 24.24       | -13.0          | -34.27          | 25.60     | Horizontal | Vertical | Pass    |
| 16757.311       | -45.64       | 24.90       | -13.0          | -32.64          | 45.70     | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.27.12

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.608          | -62.00       | -13.84      | -25.0          | -37.00          | 123.60    | Vertical | Vertical | Pass    |
| 148.795         | -68.65       | -15.06      | -25.0          | -43.65          | 311.60    | Vertical | Vertical | Pass    |
| 238.255         | -62.13       | -2.69       | -25.0          | -37.13          | 128.90    | Vertical | Vertical | Pass    |
| 493.059         | -60.61       | -5.86       | -25.0          | -35.61          | 23.20     | Vertical | Vertical | Pass    |
| 1203.949        | -56.88       | -1.98       | -25.0          | -31.88          | 124.50    | Vertical | Vertical | Pass    |
| 2488.128        | -41.72       | 2.43        | -25.0          | -16.72          | 312.80    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_20.48.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7868.783        | -65.25       | 9.15        | -13.0          | -52.25          | 278.10    | Vertical | Vertical | Pass    |
| 9372.657        | -60.00       | 14.92       | -13.0          | -47.00          | 106.50    | Vertical | Vertical | Pass    |
| 10486.128       | -56.68       | 16.46       | -13.0          | -43.68          | 72.70     | Vertical | Vertical | Pass    |
| 12083.479       | -57.62       | 14.71       | -13.0          | -44.62          | 58.20     | Vertical | Vertical | Pass    |
| 14819.045       | -46.98       | 25.71       | -13.0          | -33.98          | 143.40    | Vertical | Vertical | Pass    |
| 16845.289       | -45.60       | 26.10       | -13.0          | -32.60          | 244.20    | Vertical | Vertical | Pass    |

LTE-B41-10-MCH-V-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.24.02

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.608          | -62.30       | -13.84      | -25.0          | -37.30          | 137.10    | Vertical | Vertical | Pass    |
| 145.886         | -67.53       | -15.06      | -25.0          | -42.53          | 292.90    | Vertical | Vertical | Pass    |
| 238.740         | -60.17       | -2.51       | -25.0          | -35.17          | 121.50    | Vertical | Vertical | Pass    |
| 492.332         | -60.25       | -5.87       | -25.0          | -35.25          | 330.20    | Vertical | Vertical | Pass    |
| 1193.452        | -56.35       | -2.06       | -25.0          | -31.35          | 195.80    | Vertical | Vertical | Pass    |
| 2586.103        | -52.25       | 1.28        | -25.0          | -27.25          | 320.90    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_20.46.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8025.494        | -64.68       | 9.10        | -13.0          | -51.68          | 66.90     | Vertical | Vertical | Pass    |
| 8850.287        | -62.41       | 11.59       | -13.0          | -49.41          | 358.40    | Vertical | Vertical | Pass    |
| 10513.622       | -56.62       | 16.42       | -13.0          | -43.62          | 264.90    | Vertical | Vertical | Pass    |
| 11624.344       | -57.31       | 15.91       | -13.0          | -44.31          | 120.50    | Vertical | Vertical | Pass    |
| 14805.299       | -47.42       | 25.72       | -13.0          | -34.42          | 216.90    | Vertical | Vertical | Pass    |
| 16680.330       | -45.69       | 25.48       | -13.0          | -32.69          | 222.40    | Vertical | Vertical | Pass    |



# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.32.14

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.850          | -61.99       | -13.93      | -25.0          | -36.99          | 116.20    | Vertical | Vertical | Pass    |
| 149.280         | -68.78       | -15.06      | -25.0          | -43.78          | 337.20    | Vertical | Vertical | Pass    |
| 238.983         | -62.19       | -2.42       | -25.0          | -37.19          | 135.50    | Vertical | Vertical | Pass    |
| 496.453         | -61.32       | -5.80       | -25.0          | -36.32          | 356.40    | Vertical | Vertical | Pass    |
| 2470.132        | -51.41       | -1.17       | -25.0          | -26.41          | 120.90    | Vertical | Vertical | Pass    |
| 2695.076        | -43.78       | -0.70       | -25.0          | -18.78          | 2.20      | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.34.25

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7959.510        | -64.98       | 8.76        | -13.0          | -51.98          | 127.50    | Vertical | Vertical | Pass    |
| 9380.905        | -59.07       | 15.04       | -13.0          | -46.07          | 161.70    | Vertical | Vertical | Pass    |
| 10802.299       | -56.99       | 16.29       | -13.0          | -43.99          | 161.70    | Vertical | Vertical | Pass    |
| 12132.967       | -58.19       | 14.77       | -13.0          | -45.19          | 283.40    | Vertical | Vertical | Pass    |
| 14505.624       | -47.24       | 24.24       | -13.0          | -34.24          | 101.10    | Vertical | Vertical | Pass    |
| 16677.581       | -46.60       | 25.44       | -13.0          | -33.60          | 60.90     | Vertical | Vertical | Pass    |

LTE-B41-15-LCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.49.14

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 31.940          | -66.69       | -11.05      | -25.0          | -41.69          | 243.10    | Horizontal | Vertical | Pass    |
| 148.068         | -68.22       | -15.06      | -25.0          | -43.22          | 92.00     | Horizontal | Vertical | Pass    |
| 234.376         | -62.65       | -4.17       | -25.0          | -37.65          | 248.70    | Horizontal | Vertical | Pass    |
| 495.484         | -59.52       | -5.82       | -25.0          | -34.52          | 113.20    | Horizontal | Vertical | Pass    |
| 2484.129        | -42.10       | 0.86        | -25.0          | -17.10          | 265.60    | Horizontal | Vertical | Pass    |
| 2544.114        | -47.19       | 2.13        | -25.0          | -22.19          | 279.40    | Horizontal | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.22.43

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 7981.505        | -65.24       | 8.90        | -13.0          | -52.24          | 294.40    | Horizontal | Vertical | Pass    |
| 8847.538        | -62.72       | 11.57       | -13.0          | -49.72          | 271.40    | Horizontal | Vertical | Pass    |
| 10849.038       | -55.36       | 16.95       | -13.0          | -42.36          | 78.20     | Horizontal | Vertical | Pass    |
| 13227.193       | -56.59       | 15.91       | -13.0          | -43.59          | 1.00      | Horizontal | Vertical | Pass    |
| 14475.381       | -47.54       | 23.47       | -13.0          | -34.54          | 29.80     | Horizontal | Vertical | Pass    |
| 16501.625       | -46.89       | 24.96       | -13.0          | -33.89          | 285.50    | Horizontal | Vertical | Pass    |

Document number : SHE19020010-02AE

LTE-B41-15-MCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.46.31

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 31.697          | -66.67       | -11.09      | -25.0          | -41.67          | 263.20    | Horizontal | Vertical | Pass    |
| 147.583         | -67.38       | -15.06      | -25.0          | -42.38          | 102.80    | Horizontal | Vertical | Pass    |
| 239.710         | -62.33       | -2.14       | -25.0          | -37.33          | 244.60    | Horizontal | Vertical | Pass    |
| 495.726         | -59.56       | -5.81       | -25.0          | -34.56          | 102.80    | Horizontal | Vertical | Pass    |
| 2488.628        | -45.70       | 2.63        | -25.0          | -20.70          | 258.50    | Horizontal | Vertical | Pass    |
| 2586.603        | -47.01       | 1.27        | -25.0          | -22.01          | 279.70    | Horizontal | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.18.52

|                |                 |                   |                          |
|----------------|-----------------|-------------------|--------------------------|
| EUT Name:      | N.A             | Load:             | Full load                |
| Manufacturer:  | N.A             | Remark:           | DR-RSE01-E20040045-01#05 |
| Model:         | N.A             | Name:             |                          |
| Temp.(oC):     | 24.5            | Project Template: |                          |
| Hum.:          | 56%             | Manufacture:      |                          |
| Test Engineer: | Xiang Cheng Jie | Model Name:       |                          |
| Test Standard: | FCC             | Templ.(oC):       |                          |
| Work Addition: | Normal          | Hum:              |                          |
|                |                 | Work Additon:     |                          |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8215.196        | -65.06       | 8.63        | -13.0          | -52.06          | 212.50    | Horizontal | Vertical | Pass    |
| 9356.161        | -59.29       | 14.69       | -13.0          | -46.29          | 223.70    | Horizontal | Vertical | Pass    |
| 10513.622       | -56.88       | 16.42       | -13.0          | -43.88          | 47.00     | Horizontal | Vertical | Pass    |
| 11181.705       | -56.55       | 15.87       | -13.0          | -43.55          | 187.20    | Horizontal | Vertical | Pass    |
| 14500.125       | -46.78       | 24.24       | -13.0          | -33.78          | 0.40      | Horizontal | Vertical | Pass    |
| 16842.539       | -45.40       | 26.04       | -13.0          | -32.40          | 112.10    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.51.41

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.424          | -66.16       | -10.96      | -25.0          | -41.16          | 226.20    | Horizontal | Vertical | Pass    |
| 150.735         | -67.50       | -15.02      | -25.0          | -42.50          | 241.80    | Horizontal | Vertical | Pass    |
| 231.710         | -62.49       | -5.19       | -25.0          | -37.49          | 236.60    | Horizontal | Vertical | Pass    |
| 494.756         | -59.09       | -5.83       | -25.0          | -34.09          | 119.80    | Horizontal | Vertical | Pass    |
| 2485.129        | -42.17       | 1.26        | -25.0          | -17.17          | 264.40    | Horizontal | Vertical | Pass    |
| 2560.610        | -43.58       | 1.80        | -25.0          | -18.58          | 267.00    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.20.58

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8061.235        | -64.89       | 9.42        | -13.0          | -51.89          | 51.40     | Horizontal | Vertical | Pass    |
| 9235.191        | -59.22       | 13.50       | -13.0          | -46.22          | 0.00      | Horizontal | Vertical | Pass    |
| 10733.567       | -56.78       | 16.44       | -13.0          | -43.78          | 264.30    | Horizontal | Vertical | Pass    |
| 13202.449       | -56.11       | 16.07       | -13.0          | -43.11          | 318.60    | Horizontal | Vertical | Pass    |
| 14802.549       | -46.77       | 25.72       | -13.0          | -33.77          | 0.10      | Horizontal | Vertical | Pass    |
| 16894.776       | -44.27       | 26.19       | -13.0          | -31.27          | 153.40    | Horizontal | Vertical | Pass    |



# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.14.54

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.850          | -62.40       | -13.93      | -25.0          | -37.40          | 166.40    | Vertical | Vertical | Pass    |
| 240.195         | -61.21       | -2.08       | -25.0          | -36.21          | 134.80    | Vertical | Vertical | Pass    |
| 444.571         | -61.33       | -2.32       | -25.0          | -36.33          | 291.80    | Vertical | Vertical | Pass    |
| 1197.451        | -56.36       | -1.88       | -25.0          | -31.36          | 345.90    | Vertical | Vertical | Pass    |
| 2489.628        | -36.99       | 3.02        | -25.0          | -11.99          | 245.10    | Vertical | Vertical | Pass    |
| 2995.001        | -54.22       | 2.13        | -25.0          | -29.22          | 209.70    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.17.55

|                |                 |                   |                          |
|----------------|-----------------|-------------------|--------------------------|
| EUT Name:      | N.A             | Load:             | Full load                |
| Manufacturer:  | N.A             | Remark:           | DR-RSE01-E20040045-01#05 |
| Model:         | N.A             | Name:             |                          |
| Temp.(oC):     | 24.5            | Project Template: |                          |
| Hum.:          | 56%             | Manufacture:      |                          |
| Test Engineer: | Xiang Cheng Jie | Model Name:       |                          |
| Test Standard: | FCC             | Templ.(oC):       |                          |
| Work Addition: | Normal          | Hum:              |                          |
|                |                 | Work Additon:     |                          |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8105.224        | -64.02       | 10.16       | -13.0          | -51.02          | 302.20    | Vertical | Vertical | Pass    |
| 9391.902        | -59.78       | 15.20       | -13.0          | -46.78          | 68.00     | Vertical | Vertical | Pass    |
| 11214.696       | -54.60       | 15.88       | -13.0          | -41.60          | 296.60    | Vertical | Vertical | Pass    |
| 12072.482       | -57.84       | 14.57       | -13.0          | -44.84          | 290.60    | Vertical | Vertical | Pass    |
| 14544.114       | -48.11       | 24.24       | -13.0          | -35.11          | 174.40    | Vertical | Vertical | Pass    |
| 16850.787       | -44.49       | 26.20       | -13.0          | -31.49          | 174.40    | Vertical | Vertical | Pass    |

LTE-B41-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.06.44

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 58.608          | -62.25       | -13.84      | -25.0          | -37.25          | 132.60    | Vertical | Vertical | Pass    |
| 149.280         | -68.80       | -15.06      | -25.0          | -43.80          | 326.20    | Vertical | Vertical | Pass    |
| 238.498         | -61.28       | -2.60       | -25.0          | -36.28          | 159.10    | Vertical | Vertical | Pass    |
| 443.117         | -60.84       | -2.56       | -25.0          | -35.84          | 272.20    | Vertical | Vertical | Pass    |
| 1202.949        | -56.39       | -1.92       | -25.0          | -31.39          | 62.00     | Vertical | Vertical | Pass    |
| 2587.103        | -51.74       | 1.26        | -25.0          | -26.74          | 324.70    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.03.35

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7896.276        | -64.83       | 9.71        | -13.0          | -51.83          | 313.40    | Vertical | Vertical | Pass    |
| 8844.789        | -62.98       | 11.53       | -13.0          | -49.98          | 1.70      | Vertical | Vertical | Pass    |
| 10739.065       | -56.76       | 16.52       | -13.0          | -43.76          | 18.00     | Vertical | Vertical | Pass    |
| 12108.223       | -57.28       | 14.89       | -13.0          | -44.28          | 351.40    | Vertical | Vertical | Pass    |
| 14505.624       | -47.34       | 24.24       | -13.0          | -34.34          | 310.80    | Vertical | Vertical | Pass    |
| 16889.278       | -45.51       | 26.19       | -13.0          | -32.51          | 162.30    | Vertical | Vertical | Pass    |

LTE-B41-15-HCH-V-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.11.43

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 59.578          | -62.39       | -14.21      | -25.0          | -37.39          | 144.50    | Vertical | Vertical | Pass    |
| 238.983         | -59.46       | -2.42       | -25.0          | -34.46          | 136.30    | Vertical | Vertical | Pass    |
| 496.453         | -59.87       | -5.80       | -25.0          | -34.87          | 8.00      | Vertical | Vertical | Pass    |
| 1193.952        | -56.50       | -2.03       | -25.0          | -31.50          | 289.50    | Vertical | Vertical | Pass    |
| 2420.145        | -48.13       | -2.31       | -25.0          | -23.13          | 53.50     | Vertical | Vertical | Pass    |
| 2692.577        | -39.27       | -0.66       | -25.0          | -14.27          | 355.60    | Vertical | Vertical | Pass    |

Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-02\_20.32.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20040045-01#05



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8072.232        | -64.60       | 9.65        | -13.0          | -51.60          | 171.00    | Vertical | Vertical | Pass    |
| 9375.406        | -59.94       | 14.96       | -13.0          | -46.94          | 76.40     | Vertical | Vertical | Pass    |
| 10491.627       | -56.55       | 16.49       | -13.0          | -43.55          | 317.00    | Vertical | Vertical | Pass    |
| 13191.452       | -56.68       | 15.89       | -13.0          | -43.68          | 107.70    | Vertical | Vertical | Pass    |
| 14802.549       | -46.74       | 25.72       | -13.0          | -33.74          | 90.50     | Vertical | Vertical | Pass    |
| 16900.275       | -45.45       | 26.19       | -13.0          | -32.45          | 76.40     | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.56.38

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.424          | -66.11       | -10.96      | -25.0          | -41.11          | 203.10    | Horizontal | Vertical | Pass    |
| 152.189         | -68.36       | -14.94      | -25.0          | -43.36          | 243.20    | Horizontal | Vertical | Pass    |
| 240.195         | -63.40       | -2.08       | -25.0          | -38.40          | 68.90     | Horizontal | Vertical | Pass    |
| 498.150         | -59.34       | -5.77       | -25.0          | -34.34          | 197.50    | Horizontal | Vertical | Pass    |
| 2489.128        | -39.24       | 2.82        | -25.0          | -14.24          | 267.80    | Horizontal | Vertical | Pass    |
| 2545.114        | -47.01       | 2.11        | -25.0          | -22.01          | 273.00    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.13.45

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8096.976        | -65.03       | 10.17       | -13.0          | -52.03          | 98.40     | Horizontal | Vertical | Pass    |
| 9389.153        | -59.80       | 15.16       | -13.0          | -46.80          | 336.60    | Horizontal | Vertical | Pass    |
| 10491.627       | -56.83       | 16.49       | -13.0          | -43.83          | 140.80    | Horizontal | Vertical | Pass    |
| 13177.706       | -56.24       | 15.59       | -13.0          | -43.24          | 3.50      | Horizontal | Vertical | Pass    |
| 14508.373       | -47.81       | 24.24       | -13.0          | -34.81          | 248.60    | Horizontal | Vertical | Pass    |
| 14846.538       | -47.33       | 25.70       | -13.0          | -34.33          | 3.50      | Horizontal | Vertical | Pass    |



# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_11.54.11

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.182          | -67.53       | -11.01      | -25.0          | -42.53          | 219.70    | Horizontal | Vertical | Pass    |
| 152.674         | -68.63       | -14.92      | -25.0          | -43.63          | 239.00    | Horizontal | Vertical | Pass    |
| 238.255         | -62.66       | -2.69       | -25.0          | -37.66          | 76.40     | Horizontal | Vertical | Pass    |
| 500.332         | -59.50       | -5.71       | -25.0          | -34.50          | 201.10    | Horizontal | Vertical | Pass    |
| 2486.628        | -45.51       | 1.84        | -25.0          | -20.51          | 273.40    | Horizontal | Vertical | Pass    |
| 2586.603        | -47.43       | 1.27        | -25.0          | -22.43          | 292.40    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.06.05

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8080.480        | -63.96       | 9.82        | -13.0          | -50.96          | 269.30    | Horizontal | Vertical | Pass    |
| 9218.695        | -60.31       | 13.63       | -13.0          | -47.31          | 0.30      | Horizontal | Vertical | Pass    |
| 10766.558       | -56.47       | 16.54       | -13.0          | -43.47          | 354.10    | Horizontal | Vertical | Pass    |
| 12146.713       | -57.90       | 14.71       | -13.0          | -44.90          | 292.40    | Horizontal | Vertical | Pass    |
| 14513.872       | -46.93       | 24.24       | -13.0          | -33.93          | 283.10    | Horizontal | Vertical | Pass    |
| 16875.531       | -45.24       | 26.20       | -13.0          | -32.24          | 217.90    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.08.37

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 32.424          | -66.30       | -10.96      | -25.0          | -41.30          | 184.60    | Horizontal | Vertical | Pass    |
| 234.619         | -61.43       | -4.08       | -25.0          | -36.43          | 243.50    | Horizontal | Vertical | Pass    |
| 494.271         | -59.13       | -5.84       | -25.0          | -34.13          | 198.00    | Horizontal | Vertical | Pass    |
| 2651.587        | -48.87       | 0.08        | -25.0          | -23.87          | 289.80    | Horizontal | Vertical | Pass    |
| 2698.075        | -45.32       | -0.76       | -25.0          | -20.32          | 242.90    | Horizontal | Vertical | Pass    |
| 6785.054        | -47.12       | 8.86        | -25.0          | -22.12          | 281.50    | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.10.21

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 8058.485        | -64.21       | 9.37        | -13.0          | -51.21          | 258.40    | Horizontal | Vertical | Pass    |
| 9229.693        | -60.04       | 13.54       | -13.0          | -47.04          | 158.70    | Horizontal | Vertical | Pass    |
| 10513.622       | -57.15       | 16.42       | -13.0          | -44.15          | 161.30    | Horizontal | Vertical | Pass    |
| 11184.454       | -56.44       | 15.89       | -13.0          | -43.44          | 255.80    | Horizontal | Vertical | Pass    |
| 14615.596       | -47.56       | 24.76       | -13.0          | -34.56          | 54.30     | Horizontal | Vertical | Pass    |
| 16509.873       | -45.75       | 24.68       | -13.0          | -32.75          | 93.80     | Horizontal | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.53.14

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 59.093          | -61.76       | -14.02      | -25.0          | -36.76          | 134.50    | Vertical | Vertical | Pass    |
| 240.680         | -62.94       | -2.20       | -25.0          | -37.94          | 185.10    | Vertical | Vertical | Pass    |
| 486.028         | -60.42       | -5.34       | -25.0          | -35.42          | 322.70    | Vertical | Vertical | Pass    |
| 1193.452        | -56.94       | -2.06       | -25.0          | -31.94          | 228.40    | Vertical | Vertical | Pass    |
| 2486.128        | -34.48       | 1.65        | -25.0          | -9.48           | 273.80    | Vertical | Vertical | Pass    |
| 2994.001        | -54.21       | 2.16        | -25.0          | -29.21          | 239.20    | Vertical | Vertical | Pass    |

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.57.06

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8039.240        | -64.91       | 9.15        | -13.0          | -51.91          | 297.70    | Vertical | Vertical | Pass    |
| 9325.919        | -60.20       | 13.99       | -13.0          | -47.20          | 62.60     | Vertical | Vertical | Pass    |
| 10535.616       | -56.60       | 16.25       | -13.0          | -43.60          | 353.60    | Vertical | Vertical | Pass    |
| 13199.700       | -55.80       | 16.07       | -13.0          | -42.80          | 93.50     | Vertical | Vertical | Pass    |
| 14739.315       | -47.01       | 25.13       | -13.0          | -34.01          | 105.00    | Vertical | Vertical | Pass    |
| 16850.787       | -44.66       | 26.20       | -13.0          | -31.66          | 110.60    | Vertical | Vertical | Pass    |

LTE-B41-20-MCH-V-TX

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.41.11

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 59.335          | -62.27       | -14.11      | -25.0          | -37.27          | 179.80    | Vertical | Vertical | Pass    |
| 144.916         | -67.25       | -15.06      | -25.0          | -42.25          | 283.20    | Vertical | Vertical | Pass    |
| 238.498         | -61.93       | -2.60       | -25.0          | -36.93          | 132.20    | Vertical | Vertical | Pass    |
| 489.665         | -59.42       | -5.86       | -25.0          | -34.42          | 339.40    | Vertical | Vertical | Pass    |
| 2586.103        | -51.28       | 1.28        | -25.0          | -26.28          | 269.30    | Vertical | Vertical | Pass    |
| 2992.502        | -54.11       | 2.21        | -25.0          | -29.11          | 84.30     | Vertical | Vertical | Pass    |


Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_14.01.19

|                |                 |                   |                          |
|----------------|-----------------|-------------------|--------------------------|
| EUT Name:      | N.A             | Load:             | Full load                |
| Manufacturer:  | N.A             | Remark:           | DR-RSE01-E20040045-01#05 |
| Model:         | N.A             | Name:             |                          |
| Temp.(oC):     | 24.5            | Project Template: |                          |
| Hum.:          | 56%             | Manufacture:      |                          |
| Test Engineer: | Xiang Cheng Jie | Model Name:       |                          |
| Test Standard: | FCC             | Templ.(oC):       |                          |
| Work Addition: | Normal          | Hum:              |                          |
|                |                 | Work Additon:     |                          |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 7890.777        | -64.44       | 9.59        | -13.0          | -51.44          | 160.90    | Vertical | Vertical | Pass    |
| 9364.409        | -58.80       | 14.81       | -13.0          | -45.80          | 181.00    | Vertical | Vertical | Pass    |
| 10574.106       | -57.46       | 16.14       | -13.0          | -44.46          | 64.90     | Vertical | Vertical | Pass    |
| 13205.199       | -56.73       | 16.05       | -13.0          | -43.73          | 1.50      | Vertical | Vertical | Pass    |
| 14797.051       | -46.84       | 25.68       | -13.0          | -33.84          | 25.40     | Vertical | Vertical | Pass    |
| 16861.785       | -45.21       | 26.20       | -13.0          | -32.21          | 359.60    | Vertical | Vertical | Pass    |



LTE-B41-20-HCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.49.29

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20040045-01#05

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 59.335          | -62.11       | -14.11      | -25.0          | -37.11          | 171.80    | Vertical | Vertical | Pass    |
| 147.583         | -67.07       | -15.06      | -25.0          | -42.07          | 331.10    | Vertical | Vertical | Pass    |
| 236.558         | -63.96       | -3.34       | -25.0          | -38.96          | 150.60    | Vertical | Vertical | Pass    |
| 495.484         | -60.70       | -5.82       | -25.0          | -35.70          | 13.00     | Vertical | Vertical | Pass    |
| 2505.624        | -52.38       | 2.91        | -25.0          | -27.38          | 264.60    | Vertical | Vertical | Pass    |
| 2699.075        | -43.89       | -0.77       | -25.0          | -18.89          | 251.20    | Vertical | Vertical | Pass    |


Document number : SHE19020010-02AE

# Test result

Project Number: 验证测试

Test Time: 2020-07-03\_13.58.38

|                |                 |                   |                          |
|----------------|-----------------|-------------------|--------------------------|
| EUT Name:      | N.A             | Load:             | Full load                |
| Manufacturer:  | N.A             | Remark:           | DR-RSE01-E20040045-01#05 |
| Model:         | N.A             | Name:             |                          |
| Temp.(oC):     | 24.5            | Project Template: |                          |
| Hum.:          | 56%             | Manufacture:      |                          |
| Test Engineer: | Xiang Cheng Jie | Model Name:       |                          |
| Test Standard: | FCC             | Templ.(oC):       |                          |
| Work Addition: | Normal          | Hum:              |                          |
|                |                 | Work Additon:     |                          |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 8050.237        | -64.36       | 9.19        | -13.0          | -51.36          | 46.80     | Vertical | Vertical | Pass    |
| 9210.447        | -59.93       | 13.70       | -13.0          | -46.93          | 305.60    | Vertical | Vertical | Pass    |
| 11178.955       | -56.35       | 15.85       | -13.0          | -43.35          | 0.60      | Vertical | Vertical | Pass    |
| 13603.849       | -54.76       | 18.34       | -13.0          | -41.76          | 4.40      | Vertical | Vertical | Pass    |
| 14788.803       | -47.17       | 25.58       | -13.0          | -34.17          | 337.60    | Vertical | Vertical | Pass    |
| 16892.027       | -45.62       | 26.19       | -13.0          | -32.62          | 265.40    | Vertical | Vertical | Pass    |