







11AC80MIMO_Ant0_5775



11AC80MIMO_Ant1_5775




11AX20MIMO_Ant0_5180




Date: 14.SEP.2024 21:37:47

11AX20MIMO_Ant1_5180




Date: 14.SEP.2024 21:44:04

11AX20MIMO_Ant0_5200




Date: 14.SEP.2024 21:51:34

11AX20MIMO_Ant1_5200




Date: 14.SEP.2024 21:55:36

11AX20MIMO_Ant0_5240




Date: 18.SEP.2024 14:16:20

11AX20MIMO_Ant1_5240




Date: 18.SEP.2024 14:21:50

11AX20MIMO_Ant0_5745




Date: 21.SEP.2024 15:19:01

11AX20MIMO_Ant1_5745




Date: 21.SEP.2024 15:20:52

11AX20MIMO_Ant0_5785




Date: 21.SEP.2024 15:22:52

11AX20MIMO_Ant1_5785




Date: 21.SEP.2024 15:24:21

11AX20MIMO_Ant0_5825




Date: 21.SEP.2024 15:26:26

11AX20MIMO_Ant1_5825




Date: 21.SEP.2024 15:28:19

11AX40MIMO_Ant0_5190




Date: 18.SEP.2024 14:42:58

11AX40MIMO_Ant1_5190




Date: 18.SEP.2024 14:48:26

11AX40MIMO_Ant0_5230




Date: 18.SEP.2024 14:56:54

11AX40MIMO_Ant1_5230




Date: 18.SEP.2024 15:02:35

11AX40MIMO_Ant0_5755




Date: 21.SEP.2024 15:30:38

11AX40MIMO_Ant1_5755




Date: 21.SEP.2024 15:32:30

11AX40MIMO_Ant0_5795




Date: 21.SEP.2024 15:34:34

11AX40MIMO_Ant1_5795




Date: 21.SEP.2024 15:36:31

11AX80MIMO_Ant0_5210




Date: 18.SEP.2024 15:08:58


11AX80MIMO_Ant1_5210



11AX80MIMO_Ant0_5775



11AX80MIMO_Ant1_5775





3. Min emission bandwidth

3.1. Test Result

TestMode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant0	5745	15.32	5737.16	5752.48	0.5	PASS
	Ant1	5745	15.56	5737.16	5752.72	0.5	PASS
	Ant0	5785	16.00	5777.08	5793.08	0.5	PASS
	Ant1	5785	15.16	5777.36	5792.52	0.5	PASS
	Ant0	5825	16.36	5816.76	5833.12	0.5	PASS
	Ant1	5825	16.36	5816.76	5833.12	0.5	PASS
11N20MIMO	Ant0	5745	16.40	5737.04	5753.44	0.5	PASS
	Ant1	5745	17.56	5736.16	5753.72	0.5	PASS
	Ant0	5785	16.08	5777.36	5793.44	0.5	PASS
	Ant1	5785	17.56	5776.16	5793.72	0.5	PASS
	Ant0	5825	16.68	5816.80	5833.48	0.5	PASS
	Ant1	5825	16.96	5816.16	5833.12	0.5	PASS
11N40MIMO	Ant0	5755	30.00	5742.44	5772.44	0.5	PASS
	Ant1	5755	35.04	5737.40	5772.44	0.5	PASS
	Ant0	5795	35.04	5777.40	5812.44	0.5	PASS
	Ant1	5795	35.04	5777.40	5812.44	0.5	PASS
11AC20MIMO	Ant0	5745	17.60	5736.12	5753.72	0.5	PASS
	Ant1	5745	17.60	5736.16	5753.76	0.5	PASS
	Ant0	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant1	5785	17.60	5776.12	5793.72	0.5	PASS
	Ant0	5825	17.64	5816.12	5833.76	0.5	PASS
	Ant1	5825	17.60	5816.16	5833.76	0.5	PASS
11AC40MIMO	Ant0	5755	36.32	5736.84	5773.16	0.5	PASS
	Ant1	5755	36.32	5736.84	5773.16	0.5	PASS
	Ant0	5795	35.60	5777.08	5812.68	0.5	PASS
	Ant1	5795	35.36	5777.16	5812.52	0.5	PASS
11AC80MIMO	Ant0	5775	76.00	5736.76	5812.76	0.5	PASS
	Ant1	5775	75.68	5737.08	5812.76	0.5	PASS
11AX20MIMO	Ant0	5745	19.12	5735.40	5754.52	0.5	PASS
	Ant1	5745	19.04	5735.44	5754.48	0.5	PASS
	Ant0	5785	18.56	5775.44	5794.00	0.5	PASS
	Ant1	5785	19.12	5775.40	5794.52	0.5	PASS
	Ant0	5825	19.08	5815.40	5834.48	0.5	PASS
	Ant1	5825	19.08	5815.40	5834.48	0.5	PASS
11AX40MIMO	Ant0	5755	37.84	5735.96	5773.80	0.5	PASS
	Ant1	5755	38.16	5735.88	5774.04	0.5	PASS
	Ant0	5795	37.92	5775.88	5813.80	0.5	PASS
	Ant1	5795	38.08	5775.88	5813.96	0.5	PASS
11AX80MIMO	Ant0	5775	77.60	5735.96	5813.56	0.5	PASS
	Ant1	5775	78.24	5735.80	5814.04	0.5	PASS


3.2. Test Graphs






Date: 20.SEP.2024 22:51:30

11A_Ant1_5785




Date: 20.SEP.2024 23:03:37

11A_Ant0_5825




Date: 20.SEP.2024 22:53:21

11A_Ant1_5825




Date: 20.SEP.2024 23:06:33

11N20MIMO_Ant0_5745




Date: 20.SEP.2024 23:10:36

11N20MIMO_Ant1_5745




Date: 20.SEP.2024 23:12:27

11N20MIMO_Ant0_5785




Date: 20.SEP.2024 23:14:20

11N20MIMO_Ant1_5785




Date: 20.SEP.2024 23:15:48

11N20MIMO_Ant0_5825




Date: 20.SEP.2024 23:17:19

11N20MIMO_Ant1_5825




Date: 20.SEP.2024 23:19:09

11N40MIMO_Ant0_5755




Date: 20.SEP.2024 23:22:04

11N40MIMO_Ant1_5755




Date: 20.SEP.2024 23:24:28

11N40MIMO_Ant0_5795




Date: 20.SEP.2024 23:26:29

11N40MIMO_Ant1_5795




Date: 20.SEP.2024 23:28:20

11AC20MIMO_Ant0_5745




Date: 21.SEP.2024 14:58:26

11AC20MIMO_Ant1_5745




Date: 21.SEP.2024 15:00:34

11AC20MIMO_Ant0_5785




Date: 21.SEP.2024 15:02:36

11AC20MIMO_Ant1_5785




Date: 21.SEP.2024 15:04:06

11AC20MIMO_Ant0_5825




Date: 21.SEP.2024 15:05:50

11AC20MIMO_Ant1_5825




Date: 21.SEP.2024 15:07:42

11AC40MIMO_Ant0_5755




Date: 21.SEP.2024 15:09:56

11AC40MIMO_Ant1_5755




Date: 21.SEP.2024 15:11:48

11AC40MIMO_Ant0_5795




Date: 21.SEP.2024 15:13:55

11AC40MIMO_Ant1_5795




Date: 21.SEP.2024 15:15:47

11AC80MIMO_Ant0_5775




Date: 21.SEP.2024 14:45:07

11AC80MIMO_Ant1_5775




Date: 21.SEP.2024 14:51:08

11AX20MIMO_Ant0_5745




Date: 21.SEP.2024 15:18:47

11AX20MIMO_Ant1_5745




Date: 21.SEP.2024 15:20:39

11AX20MIMO_Ant0_5785




Date: 21.SEP.2024 15:22:39

11AX20MIMO_Ant1_5785




Date: 21.SEP.2024 15:24:08

11AX20MIMO_Ant0_5825




Date: 21.SEP.2024 15:26:13

11AX20MIMO_Ant1_5825




Date: 21.SEP.2024 15:28:06

11AX40MIMO_Ant0_5755




Date: 21.SEP.2024 15:30:25

11AX40MIMO_Ant1_5755




Date: 21.SEP.2024 15:32:17

11AX40MIMO_Ant0_5795




Date: 21.SEP.2024 15:34:21

11AX40MIMO_Ant1_5795




Date: 21.SEP.2024 15:36:18

11AX80MIMO_Ant0_5775



11AX80MIMO_Ant1_5775



4. Maximum conducted output power

4.1. Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant0	5180	17.34	≤23.98	PASS
	Ant1	5180	19.47	≤23.98	PASS
	Ant0	5200	17.27	≤23.98	PASS
	Ant1	5200	20.06	≤23.98	PASS
	Ant0	5240	19.11	≤23.98	PASS
	Ant1	5240	19.44	≤23.98	PASS
	Ant0	5745	21.08	≤30.00	PASS
	Ant1	5745	21.94	≤30.00	PASS
	Ant0	5785	20.73	≤30.00	PASS
	Ant1	5785	22.03	≤30.00	PASS
	Ant0	5825	21.80	≤30.00	PASS
	Ant1	5825	21.43	≤30.00	PASS
11N20MIMO	Ant0	5180	16.39	≤23.98	PASS
	Ant1	5180	19.30	≤23.98	PASS
	total	5180	21.09	≤22.45	PASS
	Ant0	5200	15.27	≤23.98	PASS
	Ant1	5200	17.69	≤23.98	PASS
	total	5200	19.66	≤22.45	PASS
	Ant0	5240	16.65	≤23.98	PASS
	Ant1	5240	19.19	≤23.98	PASS
	total	5240	21.11	≤22.45	PASS
	Ant0	5745	18.64	≤30.00	PASS
	Ant1	5745	19.33	≤30.00	PASS
	total	5745	22.01	≤28.6	PASS
	Ant0	5785	18.57	≤30.00	PASS
	Ant1	5785	19.56	≤30.00	PASS
	total	5785	22.10	≤28.6	PASS
	Ant0	5825	19.25	≤30.00	PASS
	Ant1	5825	19.20	≤30.00	PASS
	total	5825	22.24	≤28.6	PASS
11N40MIMO	Ant0	5190	15.40	≤23.98	PASS
	Ant1	5190	17.89	≤23.98	PASS
	total	5190	19.83	≤22.45	PASS
	Ant0	5230	16.73	≤23.98	PASS
	Ant1	5230	18.11	≤23.98	PASS
	total	5230	20.48	≤22.45	PASS
	Ant0	5755	18.88	≤30.00	PASS
	Ant1	5755	19.78	≤30.00	PASS
	total	5755	22.36	≤28.6	PASS
	Ant0	5795	19.05	≤30.00	PASS

	Ant1	5795	19.72	≤30.00	PASS
	total	5795	22.41	≤28.6	PASS
11AC20MIMO	Ant0	5180	15.46	≤23.98	PASS
	Ant1	5180	17.34	≤23.98	PASS
	total	5180	19.51	≤22.45	PASS
	Ant0	5200	15.48	≤23.98	PASS
	Ant1	5200	18.18	≤23.98	PASS
	total	5200	20.05	≤22.45	PASS
	Ant0	5240	15.12	≤23.98	PASS
	Ant1	5240	17.62	≤23.98	PASS
	total	5240	19.56	≤22.45	PASS
	Ant0	5745	16.89	≤30.00	PASS
	Ant1	5745	17.50	≤30.00	PASS
	total	5745	20.22	≤28.6	PASS
	Ant0	5785	16.85	≤30.00	PASS
	Ant1	5785	17.64	≤30.00	PASS
	total	5785	20.27	≤28.6	PASS
	Ant0	5825	17.40	≤30.00	PASS
	Ant1	5825	17.92	≤30.00	PASS
	total	5825	20.68	≤28.6	PASS
11AC40MIMO	Ant0	5190	14.97	≤23.98	PASS
	Ant1	5190	17.71	≤23.98	PASS
	total	5190	19.56	≤22.45	PASS
	Ant0	5230	16.71	≤23.98	PASS
	Ant1	5230	19.48	≤23.98	PASS
	total	5230	21.32	≤22.45	PASS
	Ant0	5755	16.45	≤30.00	PASS
	Ant1	5755	17.22	≤30.00	PASS
	total	5755	19.86	≤28.6	PASS
	Ant0	5795	16.28	≤30.00	PASS
	Ant1	5795	17.56	≤30.00	PASS
	total	5795	19.98	≤28.6	PASS
11AC80MIMO	Ant0	5210	15.48	≤23.98	PASS
	Ant1	5210	17.68	≤23.98	PASS
	total	5210	19.73	≤22.45	PASS
	Ant0	5775	16.80	≤30.00	PASS
	Ant1	5775	17.30	≤30.00	PASS
	total	5775	20.07	≤28.6	PASS
11AX20MIMO	Ant0	5180	15.30	≤23.98	PASS
	Ant1	5180	17.89	≤23.98	PASS
	total	5180	19.80	≤22.45	PASS
	Ant0	5200	14.36	≤23.98	PASS
	Ant1	5200	17.02	≤23.98	PASS
	total	5200	18.90	≤22.45	PASS
	Ant0	5240	15.12	≤23.98	PASS

	Ant1	5240	17.79	≤23.98	PASS
	total	5240	19.67	≤22.45	PASS
	Ant0	5745	16.82	≤30.00	PASS
	Ant1	5745	17.84	≤30.00	PASS
	total	5745	20.37	≤28.6	PASS
	Ant0	5785	16.90	≤30.00	PASS
	Ant1	5785	17.37	≤30.00	PASS
	total	5785	20.15	≤28.6	PASS
	Ant0	5825	17.78	≤30.00	PASS
	Ant1	5825	17.34	≤30.00	PASS
	total	5825	20.58	≤28.6	PASS
11AX40MIMO	Ant0	5190	14.18	≤23.98	PASS
	Ant1	5190	17.16	≤23.98	PASS
	total	5190	18.93	≤22.45	PASS
	Ant0	5230	15.60	≤23.98	PASS
	Ant1	5230	16.21	≤23.98	PASS
	total	5230	18.93	≤22.45	PASS
	Ant0	5755	17.25	≤30.00	PASS
	Ant1	5755	17.58	≤30.00	PASS
	total	5755	20.43	≤28.6	PASS
	Ant0	5795	16.85	≤30.00	PASS
	Ant1	5795	17.58	≤30.00	PASS
	total	5795	20.24	≤28.6	PASS
11AX80MIMO	Ant0	5210	14.50	≤23.98	PASS
	Ant1	5210	17.44	≤23.98	PASS
	total	5210	19.22	≤22.45	PASS
	Ant0	5775	17.48	≤30.00	PASS
	Ant1	5775	16.92	≤30.00	PASS
	total	5775	20.22	≤28.6	PASS

Note: The EUT incorporates a MIMO function. Physically, the EUT provides two antennas for transmitting and receiving.
 When ANT.0 and ANT. 1 transmitting simultaneously, and the
 Directional Gain=7.53dBi>6dBi. (Ant.0: 4.52dBi; Ant.1: 4.52dBi) For U-NII-1: 5180MHz-5240MHz
 Directional Gain=7.4dBi>6dBi. (Ant.0: 4.39dBi; Ant.1: 4.39dBi) For U-NII-3: 5745MHz-5825MHz
 So $P_{out} = P_{limit} - (G_{TX} - 6) = (23.98 - 1.53) \text{dBm} = 22.45 \text{dBm}$ For U-NII-1: 5180MHz-5240MHz
 So $P_{out} = P_{limit} - (G_{TX} - 6) = (30 - 1.4) \text{dBm} = 28.6 \text{dBm}$ For U-NII-3: 5745MHz-5825MHz

Directional Gain=ANT. Gain+10*LOG(NANT)

The Duty Cycle Factor is compensated in the graph.

5. Maximum power spectral density

5.1. Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant0	5180	7.09	≤11.00	PASS
	Ant1	5180	9.21	≤11.00	PASS
	Ant0	5200	7.78	≤11.00	PASS
	Ant1	5200	9.80	≤11.00	PASS
	Ant0	5240	8.59	≤11.00	PASS
	Ant1	5240	9.22	≤11.00	PASS
	Ant0	5745	7.63	≤30.00	PASS
	Ant1	5745	8.55	≤30.00	PASS
	Ant0	5785	7.39	≤30.00	PASS
	Ant1	5785	8.36	≤30.00	PASS
	Ant0	5825	8.27	≤30.00	PASS
	Ant1	5825	7.93	≤30.00	PASS
11N20MIMO	Ant0	5180	5.29	≤11.00	PASS
	Ant1	5180	7.17	≤11.00	PASS
	total	5180	9.34	≤9.47	PASS
	Ant0	5200	4.94	≤11.00	PASS
	Ant1	5200	7.17	≤11.00	PASS
	total	5200	9.21	≤9.47	PASS
	Ant0	5240	4.78	≤11.00	PASS
	Ant1	5240	7.63	≤11.00	PASS
	total	5240	9.45	≤9.47	PASS
	Ant0	5745	5.28	≤30.00	PASS
	Ant1	5745	5.64	≤30.00	PASS
	total	5745	8.47	≤28.6	PASS
	Ant0	5785	5.08	≤30.00	PASS
	Ant1	5785	5.67	≤30.00	PASS
	total	5785	8.40	≤28.6	PASS
	Ant0	5825	5.55	≤30.00	PASS
	Ant1	5825	5.48	≤30.00	PASS
	total	5825	8.53	≤28.6	PASS
11N40MIMO	Ant0	5190	3.03	≤11.00	PASS
	Ant1	5190	5.18	≤11.00	PASS
	total	5190	7.25	≤9.47	PASS
	Ant0	5230	4.60	≤11.00	PASS
	Ant1	5230	5.47	≤11.00	PASS
	total	5230	8.07	≤9.47	PASS
	Ant0	5755	3.00	≤30.00	PASS
	Ant1	5755	3.71	≤30.00	PASS
	total	5755	6.38	≤28.6	PASS
	Ant0	5795	2.81	≤30.00	PASS

	Ant1	5795	3.44	≤30.00	PASS
	total	5795	6.15	≤28.6	PASS
11AC20MIMO	Ant0	5180	5.29	≤11.00	PASS
	Ant1	5180	7.17	≤11.00	PASS
	total	5180	9.34	≤9.47	PASS
	Ant0	5200	3.77	≤11.00	PASS
	Ant1	5200	6.20	≤11.00	PASS
	total	5200	8.16	≤9.47	PASS
	Ant0	5240	4.78	≤11.00	PASS
	Ant1	5240	7.63	≤11.00	PASS
	total	5240	9.45	≤9.47	PASS
	Ant0	5745	5.08	≤30.00	PASS
	Ant1	5745	4.82	≤30.00	PASS
	total	5745	7.96	≤28.6	PASS
	Ant0	5785	4.15	≤30.00	PASS
	Ant1	5785	5.05	≤30.00	PASS
	total	5785	7.63	≤28.6	PASS
	Ant0	5825	5.26	≤30.00	PASS
	Ant1	5825	5.26	≤30.00	PASS
	total	5825	8.27	≤28.6	PASS
11AC40MIMO	Ant0	5190	2.32	≤11.00	PASS
	Ant1	5190	4.64	≤11.00	PASS
	total	5190	6.64	≤9.47	PASS
	Ant0	5230	4.06	≤11.00	PASS
	Ant1	5230	6.99	≤11.00	PASS
	total	5230	8.78	≤9.47	PASS
	Ant0	5755	1.94	≤30.00	PASS
	Ant1	5755	1.59	≤30.00	PASS
	total	5755	4.78	≤28.6	PASS
	Ant0	5795	1.22	≤30.00	PASS
11AC80MIMO	Ant1	5210	1.32	≤11.00	PASS
	total	5210	3.83	≤9.47	PASS
	Ant0	5775	-0.39	≤30.00	PASS
	Ant1	5775	-0.52	≤30.00	PASS
	total	5775	2.56	≤28.6	PASS
11AX20MIMO	Ant0	5180	4.85	≤11.00	PASS
	Ant1	5180	6.76	≤11.00	PASS
	total	5180	8.92	≤9.47	PASS
	Ant0	5200	3.77	≤11.00	PASS
	Ant1	5200	6.20	≤11.00	PASS
	total	5200	8.16	≤9.47	PASS
	Ant0	5240	4.80	≤11.00	PASS

	Ant1	5240	6.90	≤11.00	PASS
	total	5240	8.99	≤9.47	PASS
	Ant0	5745	4.40	≤30.00	PASS
	Ant1	5745	5.23	≤30.00	PASS
	total	5745	7.85	≤28.6	PASS
	Ant0	5785	3.89	≤30.00	PASS
	Ant1	5785	4.72	≤30.00	PASS
	total	5785	7.34	≤28.6	PASS
	Ant0	5825	5.23	≤30.00	PASS
	Ant1	5825	4.21	≤30.00	PASS
	total	5825	7.76	≤28.6	PASS
11AX40MIMO	Ant0	5190	1.16	≤11.00	PASS
	Ant1	5190	4.15	≤11.00	PASS
	total	5190	5.92	≤9.47	PASS
	Ant0	5230	2.64	≤11.00	PASS
	Ant1	5230	3.44	≤11.00	PASS
	total	5230	6.07	≤9.47	PASS
	Ant0	5755	2.19	≤30.00	PASS
	Ant1	5755	2.10	≤30.00	PASS
	total	5755	5.16	≤28.6	PASS
	Ant0	5795	1.82	≤30.00	PASS
	Ant1	5795	1.77	≤30.00	PASS
	total	5795	4.81	≤28.6	PASS
11AX80MIMO	Ant0	5210	-1.31	≤11.00	PASS
	Ant1	5210	1.41	≤11.00	PASS
	total	5210	3.27	≤9.47	PASS
	Ant0	5775	-0.82	≤30.00	PASS
	Ant1	5775	-0.73	≤30.00	PASS
	total	5775	2.24	≤28.6	PASS

Note: The EUT incorporates a MIMO function. Physically, the EUT provides two antennas for transmitting and receiving.
 When ANT.0 and ANT. 1 transmitting simultaneously, and the
 Directional Gain=7.53dBi>6dBi. (Ant.0: 4.52dBi; Ant.1: 4.52dBi) For U-NII-1: 5180MHz-5240MHz
 Directional Gain=7.4dBi>6dBi. (Ant.0: 4.39dBi; Ant.1: 4.39dBi) For U-NII-3: 5745MHz-5825MHz
 So $PSD_{out} = PSD_{limit} - (G_{TX} - 6) = (11 - 1.53) \text{dBm/MHz} = 9.47 \text{dBm/MHz}$ For U-NII-1: 5180MHz-5240MHz
 So $PSD_{out} = PSD_{limit} - (G_{TX} - 6) = (30 - 1.4) \text{dBm/500kHz} = 28.6 \text{dBm/500kHz}$ For U-NII-3: 5745MHz-5825MHz


Directional Gain=ANT. Gain+10*LOG(NANT)

The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

The Duty Cycle Factor and RBW Factor is compensated in the graph.


5.2. Test Graphs

11A_Ant0_5180




Date: 14.SEP.2024 19:29:06

11A_Ant1_5180




Date: 14.SEP.2024 19:42:07


11A_Ant0_5200




11A_Ant1_5200




11A_Ant0_5240




11A_Ant1_5240




11A_Ant0_5745




11A_Ant1_5745




11A_Ant0_5785




11A_Ant1_5785




11A_Ant0_5825




11A_Ant1_5825




11N20MIMO_Ant0_5180




11N20MIMO_Ant1_5180




11N20MIMO_Ant0_5200




11N20MIMO_Ant1_5200




11N20MIMO_Ant0_5240




11N20MIMO_Ant1_5240




11N20MIMO_Ant0_5745




11N20MIMO_Ant1_5745




11N20MIMO_Ant0_5785




11N20MIMO_Ant1_5785




11N20MIMO_Ant0_5825




11N20MIMO_Ant1_5825




11N40MIMO_Ant0_5190




11N40MIMO_Ant1_5190




11N40MIMO_Ant0_5230



11N40MIMO_Ant1_5230



11N40MIMO_Ant0_5755



11N40MIMO_Ant1_5755