




NTNV-11AC20MIMO-Ant1-5785




NTNV-11AC20MIMO-Ant2-5785



NTNV-11AC20MIMO-Ant1-5825




NTNV-11AC20MIMO-Ant2-5825




NTNV-11AC40MIMO-Ant1-5190




NTNV-11AC40MIMO-Ant2-5190



NTNV-11AC40MIMO-Ant1-5230




NTNV-11AC40MIMO-Ant2-5230




NTNV-11AC40MIMO-Ant1-5755




NTNV-11AC40MIMO-Ant2-5755




NTNV-11AC40MIMO-Ant1-5795




NTNV-11AC40MIMO-Ant2-5795




NTNV-11AC80MIMO-Ant1-5210



NTNV-11AC80MIMO-Ant2-5210



NTNV-11AC80MIMO-Ant1-5775



NTNV-11AC80MIMO-Ant2-5775



## AppendixC: Maximum conducted output power

### Test Result

Test Mode	Antenna	Frequency[MHz]	Rate	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	6Mbps	14.24	95.37	0.21	14.45	≤23.98	PASS
11A	Ant2	5180	6Mbps	14.48	92.00	0.36	14.84	≤23.98	PASS
11A	Ant1	5200	6Mbps	13.81	90.79	0.42	14.23	≤23.98	PASS
11A	Ant2	5200	6Mbps	14.13	93.24	0.30	14.43	≤23.98	PASS
11A	Ant1	5240	6Mbps	13.36	90.75	0.42	13.78	≤23.98	PASS
11A	Ant2	5240	6Mbps	13.74	92.41	0.34	14.08	≤23.98	PASS
11A	Ant1	5745	6Mbps	13.83	90.39	0.44	14.27	≤30.00	PASS
11A	Ant2	5745	6Mbps	13.74	93.64	0.29	14.03	≤30.00	PASS
11A	Ant1	5785	6Mbps	13.55	91.56	0.38	13.93	≤30.00	PASS
11A	Ant2	5785	6Mbps	14.41	92.00	0.36	14.77	≤30.00	PASS
11A	Ant1	5825	6Mbps	13.31	91.56	0.38	13.69	≤30.00	PASS
11A	Ant2	5825	6Mbps	14.24	92.00	0.36	14.60	≤30.00	PASS
11N20SISO	Ant1	5180	MCS0	14.33	89.30	0.49	14.82	≤23.98	PASS
11N20SISO	Ant2	5180	MCS0	14.23	91.43	0.39	14.62	≤23.98	PASS
11N20SISO	Ant1	5200	MCS0	13.83	94.58	0.24	14.07	≤23.98	PASS
11N20SISO	Ant2	5200	MCS0	14.09	90.57	0.43	14.52	≤23.98	PASS
11N20SISO	Ant1	5240	MCS0	13.34	89.30	0.49	13.83	≤23.98	PASS
11N20SISO	Ant2	5240	MCS0	13.70	90.57	0.43	14.13	≤23.98	PASS
11N20SISO	Ant1	5745	MCS0	13.75	92.75	0.33	14.08	≤30.00	PASS
11N20SISO	Ant2	5745	MCS0	13.75	90.14	0.45	14.20	≤30.00	PASS
11N20SISO	Ant1	5785	MCS0	13.63	95.05	0.22	13.85	≤30.00	PASS
11N20SISO	Ant2	5785	MCS0	14.45	91.00	0.41	14.86	≤30.00	PASS
11N20SISO	Ant1	5825	MCS0	13.51	93.20	0.31	13.82	≤30.00	PASS
11N20SISO	Ant2	5825	MCS0	14.25	91.00	0.41	14.66	≤30.00	PASS
11N40SISO	Ant1	5190	MCS0	13.84	85.59	0.68	14.52	≤23.98	PASS
11N40SISO	Ant2	5190	MCS0	13.73	87.85	0.56	14.29	≤23.98	PASS
11N40SISO	Ant1	5230	MCS0	14.38	85.45	0.68	15.06	≤23.98	PASS
11N40SISO	Ant2	5230	MCS0	13.43	88.79	0.52	13.95	≤23.98	PASS
11N40SISO	Ant1	5755	MCS0	13.51	84.82	0.72	14.23	≤30.00	PASS
11N40SISO	Ant2	5755	MCS0	13.48	87.16	0.60	14.08	≤30.00	PASS
11N40SISO	Ant1	5795	MCS0	12.48	83.93	0.76	13.24	≤30.00	PASS
11N40SISO	Ant2	5795	MCS0	13.91	87.96	0.56	14.47	≤30.00	PASS
11AC20SISO	Ant1	5180	MCS0	13.83	91.90	0.37	14.20	≤23.98	PASS
11AC20SISO	Ant2	5180	MCS0	14.20	91.94	0.36	14.56	≤23.98	PASS
11AC20SISO	Ant1	5200	MCS0	13.39	90.19	0.45	13.84	≤23.98	PASS
11AC20SISO	Ant2	5200	MCS0	13.97	91.04	0.41	14.38	≤23.98	PASS
11AC20SISO	Ant1	5240	MCS0	13.91	91.08	0.41	14.32	≤23.98	PASS
11AC20SISO	Ant2	5240	MCS0	13.66	91.04	0.41	14.07	≤23.98	PASS

11AC20SISO	Ant1	5745	MCS0	14.45	90.65	0.43	14.88	≤30.00	PASS
11AC20SISO	Ant2	5745	MCS0	13.69	91.08	0.41	14.10	≤30.00	PASS
11AC20SISO	Ant1	5785	MCS0	14.24	90.61	0.43	14.67	≤30.00	PASS
11AC20SISO	Ant2	5785	MCS0	14.33	91.04	0.41	14.74	≤30.00	PASS
11AC20SISO	Ant1	5825	MCS0	14.02	91.90	0.37	14.39	≤30.00	PASS
11AC20SISO	Ant2	5825	MCS0	14.18	91.90	0.37	14.55	≤30.00	PASS
11AC40SISO	Ant1	5190	MCS0	13.31	82.05	0.86	14.17	≤23.98	PASS
11AC40SISO	Ant2	5190	MCS0	13.68	85.59	0.68	14.36	≤23.98	PASS
11AC40SISO	Ant1	5230	MCS0	13.91	84.82	0.72	14.63	≤23.98	PASS
11AC40SISO	Ant2	5230	MCS0	13.31	85.59	0.68	13.99	≤23.98	PASS
11AC40SISO	Ant1	5755	MCS0	13.23	84.82	0.72	13.95	≤30.00	PASS
11AC40SISO	Ant2	5755	MCS0	13.51	84.96	0.71	14.22	≤30.00	PASS
11AC40SISO	Ant1	5795	MCS0	12.55	84.07	0.75	13.30	≤30.00	PASS
11AC40SISO	Ant2	5795	MCS0	13.84	86.49	0.63	14.47	≤30.00	PASS
11AC80SISO	Ant1	5210	MCS0	13.55	67.65	1.70	15.25	≤23.98	PASS
11AC80SISO	Ant2	5210	MCS0	12.72	69.70	1.57	14.29	≤23.98	PASS
11AC80SISO	Ant1	5775	MCS0	12.38	70.77	1.50	13.88	≤30.00	PASS
11AC80SISO	Ant2	5775	MCS0	13.78	69.70	1.57	15.35	≤30.00	PASS
11N20MIMO	Ant1	5180	MCS0	9.84	90.14	0.45	10.29	≤23.98	PASS
11N20MIMO	Ant2	5180	MCS0	12.42	92.31	0.35	12.77	≤23.98	PASS
11N20MIMO	total	5180	MCS0	---	---	---	14.71	≤23.98	PASS
11N20MIMO	Ant1	5200	MCS0	9.37	91.43	0.39	9.76	≤23.98	PASS
11N20MIMO	Ant2	5200	MCS0	12.15	91.00	0.41	12.56	≤23.98	PASS
11N20MIMO	total	5200	MCS0	---	---	---	14.39	≤23.98	PASS
11N20MIMO	Ant1	5240	MCS0	8.78	91.43	0.39	9.17	≤23.98	PASS
11N20MIMO	Ant2	5240	MCS0	11.82	91.43	0.39	12.21	≤23.98	PASS
11N20MIMO	total	5240	MCS0	---	---	---	13.96	≤23.98	PASS
11N20MIMO	Ant1	5745	MCS0	10.59	91.43	0.39	10.98	≤30.00	PASS
11N20MIMO	Ant2	5745	MCS0	11.05	91.43	0.39	11.44	≤30.00	PASS
11N20MIMO	total	5745	MCS0	---	---	---	14.23	≤30.00	PASS
11N20MIMO	Ant1	5785	MCS0	10.73	90.57	0.43	11.16	≤30.00	PASS
11N20MIMO	Ant2	5785	MCS0	10.97	90.14	0.45	11.42	≤30.00	PASS
11N20MIMO	total	5785	MCS0	---	---	---	14.30	≤30.00	PASS
11N20MIMO	Ant1	5825	MCS0	10.41	91.43	0.39	10.80	≤30.00	PASS
11N20MIMO	Ant2	5825	MCS0	10.85	91.00	0.41	11.26	≤30.00	PASS
11N20MIMO	total	5825	MCS0	---	---	---	14.05	≤30.00	PASS
11N40MIMO	Ant1	5190	MCS0	9.32	85.59	0.68	10.00	≤23.98	PASS
11N40MIMO	Ant2	5190	MCS0	12.02	85.59	0.68	12.70	≤23.98	PASS
11N40MIMO	total	5190	MCS0	---	---	---	14.57	≤23.98	PASS
11N40MIMO	Ant1	5230	MCS0	8.66	84.68	0.72	9.38	≤23.98	PASS
11N40MIMO	Ant2	5230	MCS0	11.61	84.82	0.72	12.33	≤23.98	PASS
11N40MIMO	total	5230	MCS0	---	---	---	14.11	≤23.98	PASS
11N40MIMO	Ant1	5755	MCS0	10.48	84.68	0.72	11.20	≤30.00	PASS
11N40MIMO	Ant2	5755	MCS0	10.81	85.45	0.68	11.49	≤30.00	PASS



11N40MIMO	total	5755	MCS0	---	---	---	14.36	≤30.00	PASS
11N40MIMO	Ant1	5795	MCS0	10.43	84.82	0.72	11.15	≤30.00	PASS
11N40MIMO	Ant2	5795	MCS0	10.63	84.68	0.72	11.35	≤30.00	PASS
11N40MIMO	total	5795	MCS0	---	---	---	14.26	≤30.00	PASS
11AC20MIMO	Ant1	5180	MCS0	10.35	91.04	0.41	10.76	≤23.98	PASS
11AC20MIMO	Ant2	5180	MCS0	12.60	90.23	0.45	13.05	≤23.98	PASS
11AC20MIMO	total	5180	MCS0	---	---	---	15.06	≤23.98	PASS
11AC20MIMO	Ant1	5200	MCS0	9.48	90.19	0.45	9.93	≤23.98	PASS
11AC20MIMO	Ant2	5200	MCS0	12.22	91.04	0.41	12.63	≤23.98	PASS
11AC20MIMO	total	5200	MCS0	---	---	---	14.50	≤23.98	PASS
11AC20MIMO	Ant1	5240	MCS0	8.83	90.61	0.43	9.26	≤23.98	PASS
11AC20MIMO	Ant2	5240	MCS0	11.84	90.61	0.43	12.27	≤23.98	PASS
11AC20MIMO	total	5240	MCS0	---	---	---	14.03	≤23.98	PASS
11AC20MIMO	Ant1	5745	MCS0	10.55	90.61	0.43	10.98	≤30.00	PASS
11AC20MIMO	Ant2	5745	MCS0	11.07	91.04	0.41	11.48	≤30.00	PASS
11AC20MIMO	total	5745	MCS0	---	---	---	14.25	≤30.00	PASS
11AC20MIMO	Ant1	5785	MCS0	10.68	90.23	0.45	11.13	≤30.00	PASS
11AC20MIMO	Ant2	5785	MCS0	10.98	90.61	0.43	11.41	≤30.00	PASS
11AC20MIMO	total	5785	MCS0	---	---	---	14.28	≤30.00	PASS
11AC20MIMO	Ant1	5825	MCS0	10.37	91.47	0.39	10.76	≤30.00	PASS
11AC20MIMO	Ant2	5825	MCS0	10.81	90.61	0.43	11.24	≤30.00	PASS
11AC20MIMO	total	5825	MCS0	---	---	---	14.02	≤30.00	PASS
11AC40MIMO	Ant1	5190	MCS0	9.32	84.82	0.72	10.04	≤23.98	PASS
11AC40MIMO	Ant2	5190	MCS0	12.00	84.07	0.75	12.75	≤23.98	PASS
11AC40MIMO	total	5190	MCS0	---	---	---	14.61	≤23.98	PASS
11AC40MIMO	Ant1	5230	MCS0	8.64	84.82	0.72	9.36	≤23.98	PASS
11AC40MIMO	Ant2	5230	MCS0	11.55	84.82	0.72	12.27	≤23.98	PASS
11AC40MIMO	total	5230	MCS0	---	---	---	14.06	≤23.98	PASS
11AC40MIMO	Ant1	5755	MCS0	10.42	84.82	0.72	11.14	≤30.00	PASS
11AC40MIMO	Ant2	5755	MCS0	10.70	84.82	0.72	11.42	≤30.00	PASS
11AC40MIMO	total	5755	MCS0	---	---	---	14.29	≤30.00	PASS
11AC40MIMO	Ant1	5795	MCS0	10.31	85.71	0.67	10.98	≤30.00	PASS
11AC40MIMO	Ant2	5795	MCS0	10.57	85.71	0.67	11.24	≤30.00	PASS
11AC40MIMO	total	5795	MCS0	---	---	---	14.12	≤30.00	PASS
11AC80MIMO	Ant1	5210	MCS0	8.45	70.77	1.50	9.95	≤23.98	PASS
11AC80MIMO	Ant2	5210	MCS0	11.23	68.66	1.63	12.86	≤23.98	PASS
11AC80MIMO	total	5210	MCS0	---	---	---	14.65	≤23.98	PASS
11AC80MIMO	Ant1	5775	MCS0	10.39	69.70	1.57	11.96	≤30.00	PASS
11AC80MIMO	Ant2	5775	MCS0	10.54	69.70	1.57	12.11	≤30.00	PASS
11AC80MIMO	total	5775	MCS0	---	---	---	15.05	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

## AppendixD: Maximum power spectral density

### Test Result

Test Mode	Antenna	Frequency[MHz]	Rate	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	6Mbps	1.52	≤11.00	PASS
11A	Ant1	5200	6Mbps	1.09	≤11.00	PASS
11A	Ant1	5240	6Mbps	1.19	≤11.00	PASS
11A	Ant1	5745	6Mbps	2.02	≤30.00	PASS
11A	Ant1	5785	6Mbps	1.3	≤30.00	PASS
11A	Ant1	5825	6Mbps	1.01	≤30.00	PASS
11A	Ant2	5180	6Mbps	1.63	≤11.00	PASS
11A	Ant2	5200	6Mbps	1.22	≤11.00	PASS
11A	Ant2	5240	6Mbps	1.29	≤11.00	PASS
11A	Ant2	5745	6Mbps	-1.86	≤30.00	PASS
11A	Ant2	5785	6Mbps	-0.92	≤30.00	PASS
11A	Ant2	5825	6Mbps	-1.6	≤30.00	PASS
11N20SISO	Ant1	5180	MCS0	1.74	≤11.00	PASS
11N20SISO	Ant1	5200	MCS0	0.86	≤11.00	PASS
11N20SISO	Ant1	5240	MCS0	0.95	≤11.00	PASS
11N20SISO	Ant1	5745	MCS0	1.67	≤30.00	PASS
11N20SISO	Ant1	5785	MCS0	1.08	≤30.00	PASS
11N20SISO	Ant1	5825	MCS0	1.26	≤30.00	PASS
11N20SISO	Ant2	5180	MCS0	1.3	≤11.00	PASS
11N20SISO	Ant2	5200	MCS0	1.18	≤11.00	PASS
11N20SISO	Ant2	5240	MCS0	1.07	≤11.00	PASS
11N20SISO	Ant2	5745	MCS0	-1.91	≤30.00	PASS
11N20SISO	Ant2	5785	MCS0	-1.32	≤30.00	PASS
11N20SISO	Ant2	5825	MCS0	-1.8	≤30.00	PASS
11N40SISO	Ant1	5190	MCS0	-0.19	≤11.00	PASS
11N40SISO	Ant1	5230	MCS0	-1.17	≤11.00	PASS
11N40SISO	Ant1	5755	MCS0	-5.29	≤30.00	PASS
11N40SISO	Ant1	5795	MCS0	-6.18	≤30.00	PASS
11N40SISO	Ant2	5190	MCS0	-1.86	≤11.00	PASS
11N40SISO	Ant2	5230	MCS0	-2.35	≤11.00	PASS
11N40SISO	Ant2	5755	MCS0	-4.88	≤30.00	PASS
11N40SISO	Ant2	5795	MCS0	-4.58	≤30.00	PASS
11AC20SISO	Ant1	5180	MCS0	0.73	≤11.00	PASS
11AC20SISO	Ant1	5200	MCS0	0.26	≤11.00	PASS
11AC20SISO	Ant1	5240	MCS0	1.08	≤11.00	PASS
11AC20SISO	Ant1	5745	MCS0	-1.33	≤30.00	PASS
11AC20SISO	Ant1	5785	MCS0	-1.8	≤30.00	PASS
11AC20SISO	Ant1	5825	MCS0	-1.98	≤30.00	PASS
11AC20SISO	Ant2	5180	MCS0	1.13	≤11.00	PASS



11AC20SISO	Ant2	5200	MCS0	0.68	≤11.00	PASS
11AC20SISO	Ant2	5240	MCS0	0.96	≤11.00	PASS
11AC20SISO	Ant2	5745	MCS0	-1.78	≤30.00	PASS
11AC20SISO	Ant2	5785	MCS0	-1.19	≤30.00	PASS
11AC20SISO	Ant2	5825	MCS0	-2.05	≤30.00	PASS
11AC40SISO	Ant1	5190	MCS0	-1.93	≤11.00	PASS
11AC40SISO	Ant1	5230	MCS0	-1.5	≤11.00	PASS
11AC40SISO	Ant1	5755	MCS0	-5.36	≤30.00	PASS
11AC40SISO	Ant1	5795	MCS0	-6.01	≤30.00	PASS
11AC40SISO	Ant2	5190	MCS0	-1.77	≤11.00	PASS
11AC40SISO	Ant2	5230	MCS0	-2.24	≤11.00	PASS
11AC40SISO	Ant2	5755	MCS0	-4.97	≤30.00	PASS
11AC40SISO	Ant2	5795	MCS0	-4.66	≤30.00	PASS
11AC80SISO	Ant1	5210	MCS0	-5.35	≤11.00	PASS
11AC80SISO	Ant1	5775	MCS0	-8	≤30.00	PASS
11AC80SISO	Ant2	5210	MCS0	-5.44	≤11.00	PASS
11AC80SISO	Ant2	5775	MCS0	-6.78	≤30.00	PASS
11N20MIMO	Ant1	5180	MCS0	-3.25	≤11.00	PASS
11N20MIMO	Ant2	5180	MCS0	-0.46	≤11.00	PASS
11N20MIMO	total	5180	MCS0	1.38	≤11.00	PASS
11N20MIMO	Ant1	5200	MCS0	-3.68	≤11.00	PASS
11N20MIMO	Ant2	5200	MCS0	-1.01	≤11.00	PASS
11N20MIMO	total	5200	MCS0	0.87	≤11.00	PASS
11N20MIMO	Ant1	5240	MCS0	-4.16	≤11.00	PASS
11N20MIMO	Ant2	5240	MCS0	-1.13	≤11.00	PASS
11N20MIMO	total	5240	MCS0	0.62	≤11.00	PASS
11N20MIMO	Ant1	5745	MCS0	-5.58	≤30.00	PASS
11N20MIMO	Ant2	5745	MCS0	-4.54	≤30.00	PASS
11N20MIMO	total	5745	MCS0	-2.02	≤30.00	PASS
11N20MIMO	Ant1	5785	MCS0	-5.04	≤30.00	PASS
11N20MIMO	Ant2	5785	MCS0	-4.42	≤30.00	PASS
11N20MIMO	total	5785	MCS0	-1.71	≤30.00	PASS
11N20MIMO	Ant1	5825	MCS0	-5.58	≤30.00	PASS
11N20MIMO	Ant2	5825	MCS0	-5.18	≤30.00	PASS
11N20MIMO	total	5825	MCS0	-2.37	≤30.00	PASS
11N40MIMO	Ant1	5190	MCS0	-6.05	≤11.00	PASS
11N40MIMO	Ant2	5190	MCS0	-3.51	≤11.00	PASS
11N40MIMO	total	5190	MCS0	-1.59	≤11.00	PASS
11N40MIMO	Ant1	5230	MCS0	-7.07	≤11.00	PASS
11N40MIMO	Ant2	5230	MCS0	-3.85	≤11.00	PASS
11N40MIMO	total	5230	MCS0	-2.16	≤11.00	PASS
11N40MIMO	Ant1	5755	MCS0	-8.05	≤30.00	PASS
11N40MIMO	Ant2	5755	MCS0	-7.26	≤30.00	PASS
11N40MIMO	total	5755	MCS0	-4.63	≤30.00	PASS




11N40MIMO	Ant1	5795	MCS0	-7.97	≤30.00	PASS
11N40MIMO	Ant2	5795	MCS0	-6.99	≤30.00	PASS
11N40MIMO	total	5795	MCS0	-4.44	≤30.00	PASS
11AC20MIMO	Ant1	5180	MCS0	-2.77	≤11.00	PASS
11AC20MIMO	Ant2	5180	MCS0	-0.44	≤11.00	PASS
11AC20MIMO	total	5180	MCS0	1.56	≤11.00	PASS
11AC20MIMO	Ant1	5200	MCS0	-3.64	≤11.00	PASS
11AC20MIMO	Ant2	5200	MCS0	-1.06	≤11.00	PASS
11AC20MIMO	total	5200	MCS0	0.85	≤11.00	PASS
11AC20MIMO	Ant1	5240	MCS0	-3.96	≤11.00	PASS
11AC20MIMO	Ant2	5240	MCS0	-0.65	≤11.00	PASS
11AC20MIMO	total	5240	MCS0	1.01	≤11.00	PASS
11AC20MIMO	Ant1	5745	MCS0	-5.54	≤30.00	PASS
11AC20MIMO	Ant2	5745	MCS0	-4.76	≤30.00	PASS
11AC20MIMO	total	5745	MCS0	-2.12	≤30.00	PASS
11AC20MIMO	Ant1	5785	MCS0	-5.15	≤30.00	PASS
11AC20MIMO	Ant2	5785	MCS0	-4.75	≤30.00	PASS
11AC20MIMO	total	5785	MCS0	-1.94	≤30.00	PASS
11AC20MIMO	Ant1	5825	MCS0	-5.54	≤30.00	PASS
11AC20MIMO	Ant2	5825	MCS0	-5.21	≤30.00	PASS
11AC20MIMO	total	5825	MCS0	-2.36	≤30.00	PASS
11AC40MIMO	Ant1	5190	MCS0	-6.33	≤11.00	PASS
11AC40MIMO	Ant2	5190	MCS0	-3.71	≤11.00	PASS
11AC40MIMO	total	5190	MCS0	-1.82	≤11.00	PASS
11AC40MIMO	Ant1	5230	MCS0	-6.8	≤11.00	PASS
11AC40MIMO	Ant2	5230	MCS0	-3.99	≤11.00	PASS
11AC40MIMO	total	5230	MCS0	-2.16	≤11.00	PASS
11AC40MIMO	Ant1	5755	MCS0	-7.74	≤30.00	PASS
11AC40MIMO	Ant2	5755	MCS0	-7.42	≤30.00	PASS
11AC40MIMO	total	5755	MCS0	-4.57	≤30.00	PASS
11AC40MIMO	Ant1	5795	MCS0	-7.83	≤30.00	PASS
11AC40MIMO	Ant2	5795	MCS0	-7.79	≤30.00	PASS
11AC40MIMO	total	5795	MCS0	-4.80	≤30.00	PASS
11AC80MIMO	Ant1	5210	MCS0	-9.35	≤11.00	PASS
11AC80MIMO	Ant2	5210	MCS0	-6.62	≤11.00	PASS
11AC80MIMO	total	5210	MCS0	-4.76	≤11.00	PASS
11AC80MIMO	Ant1	5775	MCS0	-10.43	≤30.00	PASS
11AC80MIMO	Ant2	5775	MCS0	-10.02	≤30.00	PASS
11AC80MIMO	total	5775	MCS0	-7.21	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factorand RBW Factoriscompensatedinthegraph.


## Test Graphs



11A-Ant1-5180 11A-Ant1-5200









11A-Ant1-5240 11A-Ant1-5745




11A-Ant1-5785 11A-Ant1-5825







11N20SISO-Ant1-5180



11N20SISO-Ant1-5200



11N20SISO-Ant1-5240



11N20SISO-Ant1-5745



11N20SISO-Ant1-5785



11N20SISO-Ant1-5825



