


Antenna performance test specification

Applications

- ※Bluetooth Home RF
- ※ISM band 2.4GHz applications

.Dimensions



Specifications


number	Item	Specifications
1	Working Central Frequency	2441 MHz
2	Band Width	(2402-2480) MHz
3	Gain	0dBi
4	VSWR	≤2.0
5	Antenna type	PCB antenna
6	Azimuth Beam width	Omni - directional
7	Impedance	50 Ohm
8	Modulation mode	GFSK, $\pi/4$ -DQPSK, 8DPSK

	Doc No.	
	Rev.	
	Page	

Instrument test, software simulation parameters

VSWR


Mkr1: 2397MHz 1.47 Mkr2: 2450MHz 1.51 Mkr3: 2482 MHz 1.59



Smith Char

Mkr1: 2397MHz 73.4 Mkr2: 2450MHz 62.7 Mkr3: 2482MHz 66.8


Doc No.	
Rev.	
Page	



Return Loss

Mkr1: 2397MHz -15 Mkr2: 2450MHz -18 Mkr3: 2482 MHz -16

Doc No.	
Rev.	
Page	



Smith Char


Mkr1: 2400MHz 1.234 Mkr2: 2500MHz 1.051 Mkr3: 2600MHz 1.322

Return Loss

Mkr1: 2400MHz -19.59 Mkr2: 2450MHz -27.70 Mkr3: 2500MHz -31.97


Mkr4: 2550MHz -21.83

Doc No.	
Rev.	
Page	




Phase

Mkr1: 2400MHz -54.89 Mkr2: 2500MHz -82.03 Mkr3: 2600MHz -102.6



. Radiation Patterns

XY-plane



Z-plane

Radiation field pattern

Doc No.	
Rev.	
Page	

