

# TEST REPORT

Reference No..... : WTU24D09207844W  
FCC ID ..... : 2AOTUKDDY109C  
Applicant..... : Changzhou Kaidi Electrical Inc.  
Address..... : Jiangcun, Henglin Town, 213101, Changzhou City , Jiangsu Province,  
China  
Manufacturer ..... : Changzhou Kaidi Electrical Inc.  
Address ..... : Jiangcun, Henglin Town, 213101, Changzhou City , Jiangsu Province,  
China  
Product..... : Control Box  
Model(s)..... : KDDY109C  
Standards ..... : FCC Part 15 Subpart B  
Date of Receipt sample .... : 2024-09-05  
Date of Test ..... : 2024-09-05 to 2024-09-12  
Date of Issue..... : 2024-09-23  
Test Result..... : **Pass**

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

**Prepared By:**

**Waltek Testing Group Co., Ltd.**

Address: No. 77, Houjie Section, Guantai Road, Houjie Town, Dongguan City, Guangdong, China

Tel: +86-769-2267 6998

Fax: +86-769-2267 6828

Compiled by:

*James Cheng*

James Cheng / Project Engineer

Approved by:

*Deval Qin*

Deval Qin / Designated Reviewer

# 1 Contents

	Page
<b>COVER PAGE</b> .....	<b>1</b>
<b>1 CONTENTS</b> .....	<b>2</b>
<b>2 REVISION HISTORY</b> .....	<b>3</b>
<b>3 GENERAL INFORMATION</b> .....	<b>4</b>
3.1 GENERAL DESCRIPTION OF E.U.T.....	4
3.2 DETAILS OF E.U.T.....	4
3.3 SUBCONTRACTED.....	4
3.4 ABNORMALITIES FROM STANDARD CONDITIONS .....	4
<b>4 TEST SUMMARY</b> .....	<b>5</b>
<b>5 EQUIPMENT USED DURING TEST</b> .....	<b>6</b>
5.1 EQUIPMENT LIST.....	6
5.2 MEASUREMENT UNCERTAINTY.....	7
5.3 TEST MODE .....	7
<b>6 EMISSION TEST RESULTS</b> .....	<b>8</b>
6.1 AC POWER LINE CONDUCTED EMISSION, 150kHz TO 30MHz.....	8
6.2 RADIATION EMISSION, 30MHz TO 1000MHz.....	11
6.3 RADIATION EMISSION, ABOVE 1000MHz.....	14
<b>7 PHOTOGRAPHS – TEST SETUP</b> .....	<b>17</b>
7.1 PHOTOGRAPH –AC POWER LINE CONDUCTED EMISSION TEST SETUP .....	17
7.2 PHOTOGRAPH – RADIATED EMISSION TEST SETUP FOR 30MHz-1000MHz .....	17
7.3 PHOTOGRAPH –RADIATED EMISSIONS TEST SETUP FOR ABOVE 1GHz .....	18
<b>8 PHOTOGRAPHS – CONSTRUCTIONAL DETAILS</b> .....	<b>19</b>
8.1 EUT – EXTERNAL VIEW .....	19
8.2 EUT – INTERNAL VIEW.....	22

## 2 Revision History

Test Report No.	Date of Receipt sample	Date of Test	Date of Issue	Purpose	Comment	Approved
WTU24D09207844W	2024-09-05	2024-09-05 to 2024-09-12	2024-09-23	Original	-	Valid



## 4 Test Summary

Test Item	Test Requirement	Test Result
AC Power Line Conducted Emission (150kHz to 30MHz)	FCC Part 15 Subpart B	Pass
Radiated Emission (30MHz to 1GHz)	FCC Part 15 Subpart B	Pass
Radiated Emission (Above 1GHz)	FCC Part 15 Subpart B	Pass

Remark:

Pass Test item meets the requirement

Fail Test item does not meet the requirement

N/A Test case does not apply to the test object

## 5 Equipment Used during Test

### 5.1 Equipment List

Conducted emissions from the AC mains power ports						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1	EMI Test Receiver	R&S	ESCI	100947	2024-07-18	2025-07-17
2	LISN	R&S	ENV216	100115	2024-07-18	2025-07-17
3	Cable	Top	TYPE16(3.5M)	-	2024-07-18	2025-07-17
3m Semi-anechoic Chamber for Radiation (TDK)						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1	Test Receiver	R&S	ESCI	101296	2024-04-22	2025-04-21
2	Trilog Broadband Antenna	SCHWARZBECK	VULB9160	9160-3325	2023-11-04	2024-11-03
3	Amplifier	ANRITSU	MH648A	M43381	2024-04-22	2025-04-21
4	Cable	HUBER+SUHNER	CBL2	525178	2024-04-22	2025-04-21
3m Semi-anechoic Chamber for Radiation, Above 1GHz						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1	Spectrum Analyzer	R&S	FSP	100091	2024-04-22	2025-04-21
2	Broad-band Horn Antenna	SCHWARZBECK	BBHA 9120 D	667	2024-01-23	2025-01-22
3	Broadband Preamplifier	COMPLIANCE DIRECTION	PAP-1G18	2004	2024-07-18	2025-07-17
4	Coaxial Cable (above 1GHz)	Top	1GHz-18GHz	NA	2024-07-18	2025-07-17

#### Test Software:

Test Item	Software name	Software version
Conduction disturbance Radiated Emission(3m)	EZ-EMC	EZ-EMC(RA-03A1-1)

## 5.2 Measurement Uncertainty

Parameter	Uncertainty (Note 1)
Temperature	±1°C
Humidity	±5%
DC and low frequency voltages	±3%
Conducted Emission (150kHz-30MHz)	±3.64dB
Radiated Emission_3m (30MHz-1000MHz)	±4.53 dB
Radiated Emission_10m (30MHz-1000MHz)	±5.24 dB
Radiated Emission(1GHz~18GHz)	±5.03dB

Note 1: This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

## 5.3 Test Mode

Test Item	Test Mode	Test Voltage
AC Power Line Conducted Emission (150KHz-30MHz)	Working mode	AC 120V/60Hz
Radiated Emissions (30MHz-1GHz)	Working mode	AC 120V/60Hz
Radiated Emissions (Above1GHz)	Working mode	AC 120V/60Hz

“\*” shows the worst case mode which were recorded in this report.

## 6 Emission Test Results

### 6.1 AC Power Line Conducted Emission, 150kHz to 30MHz

Test Requirement..... : FCC Part 15 Subpart B

Test Method..... : ANSI C63.4

Test Result ..... : Pass

Frequency Range..... : 150kHz to 30MHz

Class..... : Class B

Limit..... :

Frequency (MHz)	Limit (dB $\mu$ V)	
	Quasi-peak	Average
0.15 to 0.5	66 to 56	56 to 46
0.5 to 5	56	46
5 to 30	60	50

#### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature..... : 25.3°C


Humidity..... : 49.1%RH

Atmospheric Pressure..... : 101.3kPa

EUT Operation ..... : Refer to section 5.3.

#### 6.1.2 Block Diagram of Test Setup

The AC Power Line Conducted Emissions tests were performed in accordance with the ANSI C63.4 .






### 6.1.3 Measurement Data

The maximised peak emissions from the EUT was scanned and measured for both the Live and Neutral Lines. Quasi-peak & average measurements were performed if peak emissions were within 6dB of the average limit line. According to the data in section 6.1.4, the EUT complied with the FCC PART 15, SUBPART B standards.


### 6.1.4 AC Power Line Conducted Emission Test Data

Live Line:



No.	Freq. (MHz)	Reading (dBuV)	Factor (dB)	Result (dBuV)	Limit dBuV	Margin (dB)	Detector	Remark
1	0.1500	39.35	5.80	45.15	65.99	-20.84	QP	
2	0.1500	18.51	5.80	24.31	55.99	-31.68	AVG	
3	0.2819	33.63	5.80	39.43	60.76	-21.33	QP	
4	0.2819	15.16	5.80	20.96	50.76	-29.80	AVG	
5	0.3420	38.10	5.80	43.90	59.15	-15.25	QP	
6	0.3420	17.45	5.80	23.25	49.15	-25.90	AVG	
7	0.5220	26.41	5.80	32.21	56.00	-23.79	QP	
8	0.5220	7.43	5.80	13.23	46.00	-32.77	AVG	
9	3.2139	26.60	5.81	32.41	56.00	-23.59	QP	
10	3.2139	7.61	5.81	13.42	46.00	-32.58	AVG	
11	5.5739	23.29	5.81	29.10	60.00	-30.90	QP	
12	5.5739	6.57	5.81	12.38	50.00	-37.62	AVG	

Neutral Line:



No.	Freq. (MHz)	Reading (dBuV)	Factor (dB)	Result (dBuV)	Limit dBuV	Margin (dB)	Detector	Remark
1	0.1620	33.50	9.55	43.05	65.36	-22.31	QP	
2	0.1620	7.97	9.55	17.52	55.36	-37.84	AVG	
3	0.2100	33.95	9.57	43.52	63.20	-19.68	QP	
4	0.2100	6.54	9.57	16.11	53.20	-37.09	AVG	
5	0.3500	34.32	9.59	43.91	58.96	-15.05	QP	
6	0.3500	14.85	9.59	24.44	48.96	-24.52	AVG	
7	1.1380	21.69	9.62	31.31	56.00	-24.69	QP	
8	1.1380	3.90	9.62	13.52	46.00	-32.48	AVG	
9	1.8140	21.17	9.65	30.82	56.00	-25.18	QP	
10	1.8140	2.48	9.65	12.13	46.00	-33.87	AVG	
11	3.3100	23.12	9.71	32.83	56.00	-23.17	QP	
12	3.3100	3.40	9.71	13.11	46.00	-32.89	AVG	

## 6.2 Radiation Emission, 30MHz to 1000MHz

Test Requirement..... : FCC Part 15 Subpart B  
 Test Method..... : ANSI C63.4  
 Test Result ..... : Pass  
 Frequency Range..... : 30MHz to 1000MHz  
 Class..... : Class B  
 Limit..... :

Frequency (MHz)	Distance (Meter)	Limit (dB $\mu$ V/m)
		Quasi-peak
30 to 88	3	40
88 to 216	3	43.5
216 to 960	3	46
960 to 1000	3	54


### 6.2.1 E.U.T. Operation

Operating Environment:

Temperature..... : 26.5°C  
 Humidity..... : 47.1%RH  
 Atmospheric Pressure..... : 101.5kPa  
 EUT Operation ..... : Refer to section 5.3.

### 6.2.2 Block Diagram of Test Setup

The radiated emission tests were performed in the 3m Semi- Anechoic Chamber test site, using the setup accordance with the ANSI C63.4.




### 6.2.3 Measurement Data

The maximised peak emissions from the EUT was scanned and measured for both the Antenna Vertical Polarization and Antenna Horizontal Polarization. Quasi-peak measurements were performed if peak emissions were within 6dB of the Quasi-peak limit line.


### 6.2.4 Radiated Emission Test Data, 30MHz to 1000MHz

Antenna Polarization: Vertical



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	53.3179	42.49	-15.86	26.63	40.00	-13.37	QP	
2	62.8707	48.17	-16.66	31.51	40.00	-8.49	QP	
3	94.7600	45.20	-18.17	27.03	43.50	-16.47	QP	
4	150.5377	40.41	-13.97	26.44	43.50	-17.06	QP	
5	221.3921	45.76	-15.42	30.34	46.00	-15.66	QP	
6	477.1693	35.41	-9.75	25.66	46.00	-20.34	QP	

Antenna Polarization: Horizontal



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	59.4405	36.05	-16.11	19.94	40.00	-20.06	QP	
2	96.0985	48.10	-18.10	30.00	43.50	-13.50	QP	
3	159.2250	43.39	-13.72	29.67	43.50	-13.83	QP	
4	209.3129	45.70	-11.95	33.75	43.50	-9.75	QP	
5	235.8163	42.15	-9.72	32.43	46.00	-13.57	QP	
6	830.4000	30.72	-2.62	28.10	46.00	-17.90	QP	

### 6.3 Radiation Emission, Above 1000MHz

Test Requirement..... : FCC Part 15 Subpart B  
 Test Method..... : ANSI C63.4  
 Test Result ..... : Pass  
 Frequency Range..... : Above 1GHz  
 Class. : Class B  
 Limit. .... :

Frequency Range (MHz)	Distance (Meter)	Average Limit dB(uV/m)	Peak Limit (dBuV/m)
Above 1GHz	3	54	74


#### 6.3.1 E.U.T. Operation

Operating Environment:

Temperature..... : 24.8°C  
 Humidity..... : 52.3%RH  
 Atmospheric Pressure..... : 101.3kPa  
 EUT Operation ..... : Refer to section 5.3.

#### 6.3.2 Block Diagram of Test Setup

The radiated emission tests were performed in the 3m Semi- Anechoic Chamber test site, using the setup accordance with the ANSI C63.4.




#### 6.3.3 Measurement Data

The maximised peak emissions from the EUT was scanned and measured for both the Antenna Vertical Polarization and Antenna Horizontal Polarization. Average measurements were performed if peak emissions were within 6dB of the average limit line


### 6.3.4 Radiated Emission test data, Above 1000MHz

Antenna Polarization: Vertical



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1085.000	54.88	-13.41	41.47	74.00	-32.53	peak	
2	2180.000	51.61	-9.16	42.45	74.00	-31.55	peak	
3	2465.000	52.32	-8.26	44.06	74.00	-29.94	peak	
4	2745.000	55.13	-8.25	46.88	74.00	-27.12	peak	
5	4300.000	51.34	-6.46	44.88	74.00	-29.12	peak	
6	5790.000	52.49	-3.64	48.85	74.00	-25.15	peak	

Antenna Polarization: Horizontal



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	2180.000	51.11	-9.16	41.95	74.00	-32.05	peak	
2	2745.000	53.22	-8.25	44.97	74.00	-29.03	peak	
3	3550.000	51.17	-8.18	42.99	74.00	-31.01	peak	
4	4380.000	50.54	-6.28	44.26	74.00	-29.74	peak	
5	5245.000	50.63	-4.67	45.96	74.00	-28.04	peak	
6	5795.000	51.43	-3.64	47.79	74.00	-26.21	peak	




## 7 Photographs – Test Setup


### 7.1 Photograph –AC Power Line Conducted Emission Test Setup



### 7.2 Photograph – Radiated Emission Test Setup For 30MHz-1000MHz



### 7.3 Photograph –Radiated Emissions Test Setup For Above 1GHz



## 8 Photographs – Constructional Details


### 8.1 EUT – External View









## 8.2 EUT – Internal View





====End of Report====