
















WCDMA Band 4_HSDPA			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
1413	1732.6	1413	1732.6
			
Channel	Frequency(MHz)		
1413	1732.6	-	-
			




WCDMA Band 4_HSUPA			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
1413	1732.6	1413	1732.6
			
Channel	Frequency(MHz)	-	-
1413	1732.6	-	-
			




LTE Band 4_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-



LTE Band 4_3M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			

LTE Band 4_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			



LTE Band 4_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			



LTE Band 4_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			




LTE Band 4_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			




LTE Band 7_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			




LTE Band 7_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
Channel	Frequency(MHz)	-	-
21100	2535	-	-




LTE Band 7_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)		
21100	2535	-	-
			




LTE Band 7_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			




LTE Band 12_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
			
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
			

LTE Band 12_3M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
			
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
			

LTE Band 12_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
			
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
			



LTE Band 12_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
			
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
			



LTE Band 13_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23230	710.0	23230	710.0
			
Channel	Frequency(MHz)		
23230	710.0	-	-
			

LTE Band 13_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23230	710.0	23230	710.0
			
Channel	Frequency(MHz)		
23230	710.0	-	-
			

LTE Band 41_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
39675	2498.5	40620	2593.0
Channel	Frequency(MHz)	-	-
41565	2687.5	-	-

LTE Band 41_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
39700	2501.0	40620	2593.0
Channel	Frequency(MHz)	-	-
41540	2685.0	-	-


LTE Band 41_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
39725	2503.5	40620	2593.0
			
Channel	Frequency(MHz)	-	-
41515	2682.5	-	-
			

LTE Band 41_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
39750	2506.0	40620	2593.0
			
Channel	Frequency(MHz)	-	-
41490	2680.0	-	-
			

APPENDIX C - RADIATED EMISSION (9KHZ TO 30MHZ)

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC2A)

Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	0.012	38.55	20.66	59.21	126.02	-66.81	AVG	
2		0.019	34.83	19.72	54.55	121.94	-67.39	AVG	
3		0.026	30.27	19.43	49.70	119.24	-69.54	AVG	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC2A)


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.244	26.19	16.68	42.87	99.85	-56.98	AVG	
2	*	2.297	24.07	15.43	39.50	69.54	-30.04	QP	
3		3.435	18.16	15.11	33.27	69.54	-36.27	QP	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC2A)


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.012	35.19	20.63	55.82	125.88	-70.06	AVG	
2		0.025	28.43	19.46	47.89	119.54	-71.65	AVG	
3	*	0.039	27.16	19.04	46.20	115.74	-69.54	AVG	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC2A)


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.191	28.47	16.83	45.30	101.97	-56.67	AVG	
2	*	2.240	24.16	15.44	39.60	69.54	-29.94	QP	
3		4.213	20.18	14.82	35.00	69.54	-34.54	QP	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC2A)


Ant 0°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		0.012	37.17	20.70	57.87	126.24	-68.37	AVG	
2	*	0.021	33.56	19.59	53.15	121.16	-68.01	AVG	
3		0.042	26.29	18.97	45.26	115.22	-69.96	AVG	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC2A)


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.169	30.89	16.89	47.78	103.04	-55.26	AVG	
2	*	1.925	28.87	15.54	44.41	69.54	-25.13	QP	
3		2.629	19.87	15.33	35.20	69.54	-34.34	QP	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC2A)


Ant 90°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	0.011	38.88	20.74	59.62	126.47	-66.85	AVG	
2		0.024	31.41	19.50	50.91	119.96	-69.05	AVG	
3		0.040	28.26	19.03	47.29	115.65	-68.36	AVG	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC2A)


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.197	28.31	16.81	45.12	101.71	-56.59	AVG	
2	*	2.128	23.79	15.47	39.26	69.54	-30.28	QP	
3		3.796	17.98	15.01	32.99	69.54	-36.55	QP	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC3A)

Ant 0°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	0.019	33.90	19.75	53.65	122.03	-68.38	AVG	
2		0.037	27.53	19.09	46.62	116.12	-69.50	AVG	
3		0.070	23.95	18.32	42.27	110.65	-68.38	AVG	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC3A)


Ant 0°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		0.408	23.40	16.53	39.93	95.38	-55.45	AVG	
2	*	2.297	23.87	15.43	39.30	69.54	-30.24	QP	
3		4.978	20.22	14.38	34.60	69.54	-34.94	QP	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC3A)

Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.018	34.37	19.88	54.25	122.50	-68.25	AVG	
2		0.038	27.92	19.08	47.00	116.01	-69.01	AVG	
3		0.075	20.33	18.22	38.55	110.05	-71.50	AVG	

Test Mode: TX Mode (Adapter: Liteon / ADLX45YLC3A)


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.274	25.36	16.64	42.00	98.84	-56.84	AVG	
2	*	1.928	23.69	15.54	39.23	69.54	-30.31	QP	
3		4.202	21.33	14.83	36.16	69.54	-33.38	QP	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC3A)


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.024	32.72	19.49	52.21	119.86	-67.65	AVG	
2	*	0.048	28.26	18.77	47.03	113.93	-66.90	AVG	
3		0.077	17.08	18.17	35.25	109.83	-74.58	AVG	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC3A)


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.481	22.35	16.49	38.84	93.96	-55.12	AVG	
2	*	1.819	29.34	15.58	44.92	69.54	-24.62	QP	
3		2.272	29.33	15.44	44.77	69.54	-24.77	QP	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC3A)


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.022	34.45	19.57	54.02	120.92	-66.90	AVG	
2		0.051	27.04	18.71	45.75	113.50	-67.75	AVG	
3		0.070	23.20	18.34	41.54	110.75	-69.21	AVG	

Test Mode: TX Mode (Adapter: Chicony / ADLX45YCC3A)


Ant 90°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		0.329	27.30	16.60	43.90	97.27	-53.37	AVG	
2	*	1.819	25.97	15.58	41.55	69.54	-27.99	QP	
3		2.225	24.30	15.44	39.74	69.54	-29.80	QP	

Test Mode: TX Mode (Adapter: Liteon / ADLX65YLC3A)

Ant 0°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	0.018	33.64	19.82	53.46	122.26	-68.80	AVG	
2		0.035	27.10	19.18	46.28	116.77	-70.49	AVG	
3		0.059	21.85	18.54	40.39	112.13	-71.74	AVG	

Test Mode: TX Mode (Adapter: Liteon / ADLX65YLC3A)


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.263	25.44	16.65	42.09	99.21	-57.12	AVG	
2	*	1.970	29.65	15.52	45.17	69.54	-24.37	QP	
3		2.272	26.69	15.44	42.13	69.54	-27.41	QP	

Test Mode: TX Mode (Adapter: Liteon / ADLX65YLC3A)


Ant 90°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		0.017	33.61	20.07	53.68	123.26	-69.58	AVG	
2	*	0.032	29.70	19.26	48.96	117.50	-68.54	AVG	
3		0.061	22.49	18.50	40.99	111.86	-70.87	AVG	

Test Mode: TX Mode (Adapter: Liteon / ADLX65YLC3A)


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.524	25.48	16.44	41.92	73.22	-31.30	AVG	
2	*	2.273	24.02	15.44	39.46	69.54	-30.08	QP	
3		5.653	20.18	14.29	34.47	69.54	-35.07	QP	

Test Mode: TX Mode (Adapter: Chicony / ADLX65YCC3A)


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.022	33.11	19.55	52.66	120.56	-67.90	AVG	
2		0.049	27.36	18.76	46.12	113.85	-67.73	AVG	
3	*	0.073	24.85	18.27	43.12	110.31	-67.19	AVG	

Test Mode: TX Mode (Adapter: Chicony / ADLX65YCC3A)


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.286	25.30	16.63	41.93	98.47	-56.54	AVG	
2		1.868	23.10	15.56	38.66	69.54	-30.88	QP	
3	*	2.213	26.39	15.45	41.84	69.54	-27.70	QP	

Test Mode: TX Mode (Adapter: Chicony / ADLX65YCC3A)


Ant 90°



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	0.021	33.34	19.60	52.94	121.24	-68.30	AVG	
2		0.037	27.02	19.12	46.14	116.34	-70.20	AVG	
3		0.074	21.64	18.25	39.89	110.24	-70.35	AVG	

Test Mode: TX Mode (Adapter: Chicony / ADLX65YCC3A)


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.196	25.73	16.81	42.54	101.78	-59.24	AVG	
2	*	1.928	22.21	15.54	37.75	69.54	-31.79	QP	
3		4.269	19.33	14.80	34.13	69.54	-35.41	QP	


APPENDIX D - RADIATED EMISSION (30MHZ TO 1GHZ)

Test Mode: WCDMA Band 4 (Adapter: Liteon / ADLX45YLC2A)




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	32.910	-68.60	-0.96	-69.56	-13.00	-56.56	peak	
2	144.460	-77.89	6.25	-71.64	-13.00	-58.64	peak	
3	221.090	-66.19	-4.78	-70.97	-13.00	-57.97	peak	
4	270.560	-75.03	2.18	-72.85	-13.00	-59.85	peak	
5 *	517.910	-74.62	8.14	-66.48	-13.00	-53.48	peak	
6	647.890	-77.36	7.36	-70.00	-13.00	-57.00	peak	

Test Mode: WCDMA Band 4 (Adapter: Liteon / ADLX45YLC2A)




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		195.870	-66.57	-0.82	-67.39	-13.00	-54.39	peak	
2	*	230.790	-67.44	7.46	-59.98	-13.00	-46.98	peak	
3		388.900	-71.74	5.29	-66.45	-13.00	-53.45	peak	
4		420.910	-74.20	6.34	-67.86	-13.00	-54.86	peak	
5		639.160	-80.32	13.61	-66.71	-13.00	-53.71	peak	
6		699.300	-79.08	12.43	-66.65	-13.00	-53.65	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX45YCC2A)




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		33.880	-67.91	-1.20	-69.11	-13.00	-56.11	peak	
2		135.730	-71.49	2.62	-68.87	-13.00	-55.87	peak	
3		288.990	-79.65	4.65	-75.00	-13.00	-62.00	peak	
4	*	517.910	-75.89	8.14	-67.75	-13.00	-54.75	peak	
5		550.890	-75.92	8.01	-67.91	-13.00	-54.91	peak	
6		647.890	-75.30	7.36	-67.94	-13.00	-54.94	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX45YCC2A)




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		161.920	-74.24	2.40	-71.84	-13.00	-58.84	peak	
2		226.910	-75.53	7.79	-67.74	-13.00	-54.74	peak	
3	*	251.160	-69.02	2.15	-66.87	-13.00	-53.87	peak	
4		388.900	-75.67	5.29	-70.38	-13.00	-57.38	peak	
5		420.910	-75.23	6.34	-68.89	-13.00	-55.89	peak	
6		641.100	-80.47	13.53	-66.94	-13.00	-53.94	peak	

Test Mode: WCDMA Band 4 (Adapter: Liteon / ADLX45YLC3A)




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		145.430	-76.95	6.30	-70.65	-13.00	-57.65	peak	
2		292.870	-76.09	4.24	-71.85	-13.00	-58.85	peak	
3		521.790	-74.27	8.07	-66.20	-13.00	-53.20	peak	
4		753.620	-74.73	10.99	-63.74	-13.00	-50.74	peak	
5		877.780	-73.78	13.36	-60.42	-13.00	-47.42	peak	
6	*	999.030	-76.51	17.18	-59.33	-13.00	-46.33	peak	

Test Mode: WCDMA Band 4 (Adapter: Liteon / ADLX45YLC3A)




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		158.040	-76.88	3.19	-73.69	-13.00	-60.69	peak	
2		227.880	-77.17	7.89	-69.28	-13.00	-56.28	peak	
3		410.240	-75.06	6.39	-68.67	-13.00	-55.67	peak	
4		549.920	-74.65	6.86	-67.79	-13.00	-54.79	peak	
5		640.130	-75.45	13.68	-61.77	-13.00	-48.77	peak	
6	*	819.580	-75.92	15.42	-60.50	-13.00	-47.50	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX45YCC3A)




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	100.810	-77.69	1.53	-76.16	-13.00	-63.16	peak	
2	145.430	-78.96	6.30	-72.66	-13.00	-59.66	peak	
3	305.480	-77.63	3.34	-74.29	-13.00	-61.29	peak	
4	419.940	-76.86	2.34	-74.52	-13.00	-61.52	peak	
5	523.730	-75.43	8.17	-67.26	-13.00	-54.26	peak	
6 *	742.950	-77.33	11.75	-65.58	-13.00	-52.58	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX45YCC3A)




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		43.580	-76.14	2.00	-74.14	-13.00	-61.14	peak	
2		157.070	-76.38	3.18	-73.20	-13.00	-60.20	peak	
3		224.970	-76.96	7.60	-69.36	-13.00	-56.36	peak	
4		403.450	-76.18	6.74	-69.44	-13.00	-56.44	peak	
5		639.160	-75.49	13.61	-61.88	-13.00	-48.88	peak	
6	*	821.520	-76.18	14.93	-61.25	-13.00	-48.25	peak	

Test Mode:	WCDMA Band 4 (Adapter: Chicony / ADLX45YCC3A)
------------	---




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		143.490	-76.96	5.78	-71.18	-13.00	-58.18	peak	
2		291.900	-76.62	4.42	-72.20	-13.00	-59.20	peak	
3		417.030	-75.86	2.27	-73.59	-13.00	-60.59	peak	
4		556.710	-74.08	7.95	-66.13	-13.00	-53.13	peak	
5		741.980	-75.94	11.74	-64.20	-13.00	-51.20	peak	
6	*	890.390	-71.99	12.14	-59.85	-13.00	-46.85	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX45YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		47.460	-80.29	1.13	-79.16	-13.00	-66.16	peak	
2		154.160	-81.98	3.12	-78.86	-13.00	-65.86	peak	
3		228.850	-82.54	7.97	-74.57	-13.00	-61.57	peak	
4		405.390	-80.25	6.68	-73.57	-13.00	-60.57	peak	
5		655.650	-80.06	13.20	-66.86	-13.00	-53.86	peak	
6	*	818.610	-80.38	15.04	-65.34	-13.00	-52.34	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX65YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-69.12	-0.96	-70.08	-13.00	-57.08	peak	
2		145.430	-81.19	6.30	-74.89	-13.00	-61.89	peak	
3		215.270	-66.82	-4.59	-71.41	-13.00	-58.41	peak	
4	*	518.880	-73.96	8.06	-65.90	-13.00	-52.90	peak	
5		550.890	-75.18	8.01	-67.17	-13.00	-54.17	peak	
6		647.890	-75.13	7.36	-67.77	-13.00	-54.77	peak	

Test Mode: WCDMA Band 4 (Adapter: Chicony / ADLX65YCC3A)


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		193.930	-73.58	-0.73	-74.31	-13.00	-61.31	peak	
2		226.910	-74.67	7.79	-66.88	-13.00	-53.88	peak	
3		388.900	-75.21	5.29	-69.92	-13.00	-56.92	peak	
4		420.910	-75.64	6.34	-69.30	-13.00	-56.30	peak	
5		452.920	-74.40	3.65	-70.75	-13.00	-57.75	peak	
6	*	643.040	-78.79	13.23	-65.56	-13.00	-52.56	peak	


Test Mode: LTE Band 4 (Adapter: Liteon / ADLX45YLC2A)

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-68.46	-1.20	-69.66	-13.00	-56.66	peak	
2	*	134.760	-66.08	2.26	-63.82	-13.00	-50.82	peak	
3		160.950	-71.59	0.87	-70.72	-13.00	-57.72	peak	
4		226.910	-67.17	-4.04	-71.21	-13.00	-58.21	peak	
5		517.910	-75.10	8.14	-66.96	-13.00	-53.96	peak	
6		550.890	-76.70	8.01	-68.69	-13.00	-55.69	peak	


Test Mode: LTE Band 4 (Adapter: Liteon / ADLX45YLC2A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		161.920	-71.65	2.40	-69.25	-13.00	-56.25	peak	
2		195.870	-64.86	-0.82	-65.68	-13.00	-52.68	peak	
3	*	225.940	-67.72	7.70	-60.02	-13.00	-47.02	peak	
4		388.900	-70.58	5.29	-65.29	-13.00	-52.29	peak	
5		420.910	-72.79	6.34	-66.45	-13.00	-53.45	peak	
6		641.100	-78.85	13.53	-65.32	-13.00	-52.32	peak	


Test Mode: LTE Band 4 (Adapter: Chicony / ADLX45YCC2A)

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		33.880	-68.99	-1.20	-70.19	-13.00	-57.19	peak	
2		136.700	-70.88	2.95	-67.93	-13.00	-54.93	peak	
3		183.260	-67.54	-4.96	-72.50	-13.00	-59.50	peak	
4		278.320	-78.80	3.35	-75.45	-13.00	-62.45	peak	
5	*	517.910	-75.34	8.14	-67.20	-13.00	-54.20	peak	
6		647.890	-75.96	7.36	-68.60	-13.00	-55.60	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX45YCC2A)



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		161.920	-73.64	2.40	-71.24	-13.00	-58.24	peak	
2		226.910	-73.93	7.79	-66.14	-13.00	-53.14	peak	
3		254.070	-68.68	2.53	-66.15	-13.00	-53.15	peak	
4		420.910	-75.25	6.34	-68.91	-13.00	-55.91	peak	
5	*	599.390	-60.34	5.73	-54.61	-13.00	-41.61	peak	
6		654.680	-78.29	13.29	-65.00	-13.00	-52.00	peak	


Test Mode: LTE Band 4 (Adapter: Liteon / ADLX45YLC3A)



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		144.460	-76.95	6.25	-70.70	-13.00	-57.70	peak	
2		288.990	-76.71	4.65	-72.06	-13.00	-59.06	peak	
3		522.760	-74.63	8.12	-66.51	-13.00	-53.51	peak	
4		558.650	-73.55	7.68	-65.87	-13.00	-52.87	peak	
5		701.240	-75.16	10.70	-64.46	-13.00	-51.46	peak	
6	*	871.960	-74.62	13.42	-61.20	-13.00	-48.20	peak	


Test Mode: LTE Band 4 (Adapter: Liteon / ADLX45YLC3A)

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		158.040	-75.95	3.19	-72.76	-13.00	-59.76	peak	
2		224.970	-76.77	7.60	-69.17	-13.00	-56.17	peak	
3		408.300	-75.59	6.51	-69.08	-13.00	-56.08	peak	
4		541.190	-74.40	6.60	-67.80	-13.00	-54.80	peak	
5		649.830	-74.93	13.05	-61.88	-13.00	-48.88	peak	
6	*	820.550	-76.45	15.34	-61.11	-13.00	-48.11	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX45YCC3A)



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		32.910	-77.42	-0.96	-78.38	-13.00	-65.38	peak	
2		146.400	-78.75	5.98	-72.77	-13.00	-59.77	peak	
3		289.960	-79.54	4.80	-74.74	-13.00	-61.74	peak	
4		418.970	-77.38	2.31	-75.07	-13.00	-62.07	peak	
5		539.250	-76.99	7.62	-69.37	-13.00	-56.37	peak	
6 *		697.360	-77.14	10.44	-66.70	-13.00	-53.70	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX45YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.550	-76.75	2.22	-74.53	-13.00	-61.53	peak	
2		157.070	-76.70	3.18	-73.52	-13.00	-60.52	peak	
3		228.850	-77.02	7.97	-69.05	-13.00	-56.05	peak	
4		420.910	-75.41	6.34	-69.07	-13.00	-56.07	peak	
5		657.590	-74.16	12.91	-61.25	-13.00	-48.25	peak	
6	*	819.580	-76.36	15.42	-60.94	-13.00	-47.94	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX45YCC3A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		145.430	-76.57	6.30	-70.27	-13.00	-57.27	peak	
2		286.080	-76.16	4.23	-71.93	-13.00	-58.93	peak	
3		399.570	-74.90	2.23	-72.67	-13.00	-59.67	peak	
4		558.650	-73.93	7.68	-66.25	-13.00	-53.25	peak	
5		754.590	-75.12	10.93	-64.19	-13.00	-51.19	peak	
6	*	907.850	-70.84	11.39	-59.45	-13.00	-46.45	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX45YCC3A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		30.970	-80.21	1.57	-78.64	-13.00	-65.64	peak	
2		150.280	-81.10	3.05	-78.05	-13.00	-65.05	peak	
3		225.940	-81.11	7.70	-73.41	-13.00	-60.41	peak	
4		407.330	-80.06	6.56	-73.50	-13.00	-60.50	peak	
5		537.310	-79.29	6.29	-73.00	-13.00	-60.00	peak	
6	*	641.100	-80.12	13.53	-66.59	-13.00	-53.59	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX65YCC3A)


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		32.910	-67.92	-0.96	-68.88	-13.00	-55.88	peak	
2		144.460	-80.65	6.25	-74.40	-13.00	-61.40	peak	
3		288.990	-80.32	4.65	-75.67	-13.00	-62.67	peak	
4	*	517.910	-74.53	8.14	-66.39	-13.00	-53.39	peak	
5		549.920	-76.64	7.96	-68.68	-13.00	-55.68	peak	
6		647.890	-75.78	7.36	-68.42	-13.00	-55.42	peak	

Test Mode: LTE Band 4 (Adapter: Chicony / ADLX65YCC3A)


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		226.910	-74.69	7.79	-66.90	-13.00	-53.90	peak	
2		266.680	-74.88	0.82	-74.06	-13.00	-61.06	peak	
3		388.900	-76.15	5.29	-70.86	-13.00	-57.86	peak	
4		420.910	-76.84	6.34	-70.50	-13.00	-57.50	peak	
5		453.890	-74.67	3.44	-71.23	-13.00	-58.23	peak	
6	*	633.340	-79.25	12.78	-66.47	-13.00	-53.47	peak	

Test Mode: LTE Band 7 (Adapter: Liteon / ADLX45YLC2A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-68.05	-0.96	-69.01	-25.00	-44.01	peak	
2		160.950	-71.93	0.87	-71.06	-25.00	-46.06	peak	
3		221.090	-65.72	-4.78	-70.50	-25.00	-45.50	peak	
4	*	517.910	-74.63	8.14	-66.49	-25.00	-41.49	peak	
5		550.890	-75.55	8.01	-67.54	-25.00	-42.54	peak	
6		730.340	-78.66	11.30	-67.36	-25.00	-42.36	peak	

Test Mode: LTE Band 7 (Adapter: Liteon / ADLX45YLC2A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		195.870	-66.25	-0.82	-67.07	-25.00	-42.07	peak	
2	*	226.910	-67.76	7.79	-59.97	-25.00	-34.97	peak	
3		388.900	-70.82	5.29	-65.53	-25.00	-40.53	peak	
4		420.910	-74.37	6.34	-68.03	-25.00	-43.03	peak	
5		453.890	-73.22	3.44	-69.78	-25.00	-44.78	peak	
6		639.160	-80.30	13.61	-66.69	-25.00	-41.69	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX45YCC2A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-68.29	-1.20	-69.49	-25.00	-44.49	peak	
2		137.670	-72.02	3.27	-68.75	-25.00	-43.75	peak	
3	*	517.910	-74.85	8.14	-66.71	-25.00	-41.71	peak	
4		550.890	-76.48	8.01	-68.47	-25.00	-43.47	peak	
5		647.890	-76.16	7.36	-68.80	-25.00	-43.80	peak	
6		735.190	-80.37	11.69	-68.68	-25.00	-43.68	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX45YCC2A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		161.920	-74.34	2.40	-71.94	-25.00	-46.94	peak	
2		226.910	-74.55	7.79	-66.76	-25.00	-41.76	peak	
3		255.040	-69.21	2.64	-66.57	-25.00	-41.57	peak	
4		388.900	-75.17	5.29	-69.88	-25.00	-44.88	peak	
5		420.910	-75.44	6.34	-69.10	-25.00	-44.10	peak	
6	*	640.130	-79.79	13.68	-66.11	-25.00	-41.11	peak	

Test Mode: LTE Band 7 (Adapter: Liteon / ADLX45YLC3A)


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		145.430	-76.97	6.30	-70.67	-25.00	-45.67	peak	
2		285.110	-76.91	4.08	-72.83	-25.00	-47.83	peak	
3		452.920	-74.97	2.79	-72.18	-25.00	-47.18	peak	
4		510.150	-74.87	8.19	-66.68	-25.00	-41.68	peak	
5		730.340	-76.05	11.30	-64.75	-25.00	-39.75	peak	
6 *		871.960	-74.54	13.42	-61.12	-25.00	-36.12	peak	

Test Mode: LTE Band 7 (Adapter: Liteon / ADLX45YLC3A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		45.520	-75.24	2.02	-73.22	-25.00	-48.22	peak	
2		157.070	-76.57	3.18	-73.39	-25.00	-48.39	peak	
3		225.940	-77.35	7.70	-69.65	-25.00	-44.65	peak	
4		404.420	-76.00	6.71	-69.29	-25.00	-44.29	peak	
5		653.710	-74.53	13.23	-61.30	-25.00	-36.30	peak	
6	*	821.520	-76.02	14.93	-61.09	-25.00	-36.09	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX45YCC3A)


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		145.430	-76.14	6.30	-69.84	-25.00	-44.84	peak	
2		291.900	-76.48	4.42	-72.06	-25.00	-47.06	peak	
3		530.520	-74.31	7.72	-66.59	-25.00	-41.59	peak	
4		737.130	-75.35	11.71	-63.64	-25.00	-38.64	peak	
5		870.020	-74.48	13.39	-61.09	-25.00	-36.09	peak	
6	*	999.030	-75.86	17.18	-58.68	-25.00	-33.68	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX45YCC3A)


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-76.02	1.88	-74.14	-25.00	-49.14	peak	
2		156.100	-76.20	3.16	-73.04	-25.00	-48.04	peak	
3		228.850	-76.45	7.97	-68.48	-25.00	-43.48	peak	
4		399.570	-75.76	6.75	-69.01	-25.00	-44.01	peak	
5		652.740	-74.63	13.19	-61.44	-25.00	-36.44	peak	
6	*	820.550	-75.31	15.34	-59.97	-25.00	-34.97	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX45YCC3A)


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		146.400	-76.88	5.98	-70.90	-25.00	-45.90	peak	
2		288.020	-76.60	4.52	-72.08	-25.00	-47.08	peak	
3		404.420	-74.98	1.95	-73.03	-25.00	-48.03	peak	
4		553.800	-74.93	8.13	-66.80	-25.00	-41.80	peak	
5		745.860	-75.35	11.66	-63.69	-25.00	-38.69	peak	
6	*	865.170	-74.62	12.77	-61.85	-25.00	-36.85	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX45YCC3A)


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		153.190	-81.11	3.10	-78.01	-25.00	-53.01	peak	
2		229.820	-82.85	8.06	-74.79	-25.00	-49.79	peak	
3		422.850	-79.96	6.02	-73.94	-25.00	-48.94	peak	
4		546.040	-79.98	6.81	-73.17	-25.00	-48.17	peak	
5		637.220	-80.06	13.39	-66.67	-25.00	-41.67	peak	
6	*	699.300	-79.09	12.43	-66.66	-25.00	-41.66	peak	

Test Mode: LTE Band 7 (Adapter: Chicony / ADLX65YCC3A)

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		33.880	-67.85	-1.20	-69.05	-25.00	-44.05	peak	
2		142.520	-76.76	5.30	-71.46	-25.00	-46.46	peak	
3		291.900	-80.71	4.42	-76.29	-25.00	-51.29	peak	
4	*	517.910	-75.28	8.14	-67.14	-25.00	-42.14	peak	
5		550.890	-76.71	8.01	-68.70	-25.00	-43.70	peak	
6		647.890	-76.41	7.36	-69.05	-25.00	-44.05	peak	


Test Mode: LTE Band 7 (Adapter: Chicony / ADLX65YCC3A)

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		161.920	-77.03	2.40	-74.63	-25.00	-49.63	peak	
2		226.910	-75.59	7.79	-67.80	-25.00	-42.80	peak	
3		388.900	-75.91	5.29	-70.62	-25.00	-45.62	peak	
4		420.910	-76.53	6.34	-70.19	-25.00	-45.19	peak	
5		453.890	-74.57	3.44	-71.13	-25.00	-46.13	peak	
6	*	644.010	-78.88	13.09	-65.79	-25.00	-40.79	peak	

Test Mode: LTE Band 12 (Adapter: Liteon / ADLX45YLC2A)




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		32.910	-67.86	-0.96	-68.82	-13.00	-55.82	peak	
2		159.980	-73.55	1.57	-71.98	-13.00	-58.98	peak	
3		221.090	-65.97	-4.78	-70.75	-13.00	-57.75	peak	
4	*	517.910	-73.44	8.14	-65.30	-13.00	-52.30	peak	
5		550.890	-75.32	8.01	-67.31	-13.00	-54.31	peak	
6		647.890	-75.10	7.36	-67.74	-13.00	-54.74	peak	

Test Mode: LTE Band 12 (Adapter: Liteon / ADLX45YLC2A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.010	-71.78	3.22	-68.56	-13.00	-55.56	peak	
2		195.870	-66.66	-0.82	-67.48	-13.00	-54.48	peak	
3	*	225.940	-67.71	7.70	-60.01	-13.00	-47.01	peak	
4		388.900	-71.31	5.29	-66.02	-13.00	-53.02	peak	
5		420.910	-73.98	6.34	-67.64	-13.00	-54.64	peak	
6		641.100	-79.75	13.53	-66.22	-13.00	-53.22	peak	


Test Mode: LTE Band 12 (Adapter: Chicony / ADLX45YCC2A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-69.07	-0.96	-70.03	-13.00	-57.03	peak	
2		145.430	-72.89	6.30	-66.59	-13.00	-53.59	peak	
3		273.470	-77.85	2.72	-75.13	-13.00	-62.13	peak	
4	*	517.910	-74.71	8.14	-66.57	-13.00	-53.57	peak	
5		550.890	-76.59	8.01	-68.58	-13.00	-55.58	peak	
6		737.130	-79.67	11.71	-67.96	-13.00	-54.96	peak	


Test Mode: LTE Band 12 (Adapter: Chicony / ADLX45YCC2A)

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		161.920	-74.43	2.40	-72.03	-13.00	-59.03	peak	
2		226.910	-74.73	7.79	-66.94	-13.00	-53.94	peak	
3		252.130	-69.49	2.28	-67.21	-13.00	-54.21	peak	
4		388.900	-75.19	5.29	-69.90	-13.00	-56.90	peak	
5		420.910	-76.53	6.34	-70.19	-13.00	-57.19	peak	
6	*	641.100	-80.28	13.53	-66.75	-13.00	-53.75	peak	

Test Mode: LTE Band 12 (Adapter: Liteon / ADLX45YLC3A)




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		146.400	-76.55	5.98	-70.57	-13.00	-57.57	peak	
2		290.930	-77.02	4.61	-72.41	-13.00	-59.41	peak	
3		515.000	-74.73	8.39	-66.34	-13.00	-53.34	peak	
4		704.150	-75.06	10.68	-64.38	-13.00	-51.38	peak	
5	*	877.780	-75.05	13.36	-61.69	-13.00	-48.69	peak	
6		968.960	-74.83	12.94	-61.89	-13.00	-48.89	peak	

Test Mode:	LTE Band 12 (Adapter: Liteon / ADLX45YLC3A)
------------	---




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		31.940	-75.10	1.27	-73.83	-13.00	-60.83	peak	
2		146.400	-75.90	2.76	-73.14	-13.00	-60.14	peak	
3		229.820	-77.83	8.06	-69.77	-13.00	-56.77	peak	
4		398.600	-76.70	6.62	-70.08	-13.00	-57.08	peak	
5		646.920	-74.74	12.98	-61.76	-13.00	-48.76	peak	
6	*	820.550	-76.55	15.34	-61.21	-13.00	-48.21	peak	

Test Mode: LTE Band 12 (Adapter: Chicony / ADLX45YCC3A)




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		145.430	-75.42	6.30	-69.12	-13.00	-56.12	peak	
2		293.840	-75.29	4.05	-71.24	-13.00	-58.24	peak	
3		517.910	-74.28	8.14	-66.14	-13.00	-53.14	peak	
4		555.740	-73.81	8.08	-65.73	-13.00	-52.73	peak	
5		749.740	-74.11	11.22	-62.89	-13.00	-49.89	peak	
6 *		875.840	-73.56	13.43	-60.13	-13.00	-47.13	peak	

Test Mode:	LTE Band 12 (Adapter: Chicony / ADLX45YCC3A)
------------	--




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.550	-76.65	2.22	-74.43	-13.00	-61.43	peak	
2		159.010	-76.70	3.22	-73.48	-13.00	-60.48	peak	
3		223.030	-76.03	6.67	-69.36	-13.00	-56.36	peak	
4		400.540	-75.47	6.81	-68.66	-13.00	-55.66	peak	
5		541.190	-74.95	6.60	-68.35	-13.00	-55.35	peak	
6	*	818.610	-75.42	15.04	-60.38	-13.00	-47.38	peak	

Test Mode: LTE Band 12 (Adapter: Chicony / ADLX45YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		145.430	-77.11	6.30	-70.81	-13.00	-57.81	peak	
2		288.990	-76.96	4.65	-72.31	-13.00	-59.31	peak	
3		520.820	-74.48	8.02	-66.46	-13.00	-53.46	peak	
4		748.770	-75.05	11.33	-63.72	-13.00	-50.72	peak	
5		872.930	-75.65	13.43	-62.22	-13.00	-49.22	peak	
6	*	977.690	-73.51	12.43	-61.08	-13.00	-48.08	peak	


Test Mode: LTE Band 12 (Adapter: Chicony / ADLX45YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.980	-82.26	3.23	-79.03	-13.00	-66.03	peak	
2		229.820	-81.63	8.06	-73.57	-13.00	-60.57	peak	
3		412.180	-80.32	6.30	-74.02	-13.00	-61.02	peak	
4		533.430	-79.47	5.94	-73.53	-13.00	-60.53	peak	
5	*	641.100	-79.81	13.53	-66.28	-13.00	-53.28	peak	
6		702.210	-80.13	12.14	-67.99	-13.00	-54.99	peak	

Test Mode: LTE Band 12 (Adapter: Chicony / ADLX65YCC3A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-68.67	-0.96	-69.63	-13.00	-56.63	peak	
2		99.840	-77.36	1.45	-75.91	-13.00	-62.91	peak	
3		144.460	-80.84	6.25	-74.59	-13.00	-61.59	peak	
4		289.960	-81.09	4.80	-76.29	-13.00	-63.29	peak	
5	*	517.910	-73.97	8.14	-65.83	-13.00	-52.83	peak	
6		647.890	-75.98	7.36	-68.62	-13.00	-55.62	peak	


Test Mode: LTE Band 12 (Adapter: Chicony / ADLX65YCC3A)

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		193.930	-71.86	-0.73	-72.59	-13.00	-59.59	peak	
2		226.910	-75.26	7.79	-67.47	-13.00	-54.47	peak	
3		268.620	-74.53	0.73	-73.80	-13.00	-60.80	peak	
4		388.900	-75.87	5.29	-70.58	-13.00	-57.58	peak	
5		452.920	-74.03	3.65	-70.38	-13.00	-57.38	peak	
6	*	638.190	-79.90	13.50	-66.40	-13.00	-53.40	peak	

Test Mode: LTE Band 13 (Adapter: Liteon / ADLX45YLC2A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-68.31	-1.20	-69.51	-13.00	-56.51	peak	
2		159.010	-73.28	2.05	-71.23	-13.00	-58.23	peak	
3		224.000	-66.41	-4.48	-70.89	-13.00	-57.89	peak	
4	*	487.840	-69.66	5.50	-64.16	-13.00	-51.16	peak	
5		517.910	-74.13	8.14	-65.99	-13.00	-52.99	peak	
6		647.890	-75.68	7.36	-68.32	-13.00	-55.32	peak	


Test Mode: LTE Band 13 (Adapter: Liteon / ADLX45YLC2A)

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		161.920	-71.20	2.40	-68.80	-13.00	-55.80	peak	
2		196.840	-66.14	-1.19	-67.33	-13.00	-54.33	peak	
3	*	225.940	-68.60	7.70	-60.90	-13.00	-47.90	peak	
4		388.900	-70.90	5.29	-65.61	-13.00	-52.61	peak	
5		420.910	-74.57	6.34	-68.23	-13.00	-55.23	peak	
6		638.190	-79.86	13.50	-66.36	-13.00	-53.36	peak	


Test Mode: LTE Band 13 (Adapter: Chicony / ADLX45YCC2A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-70.10	-1.20	-71.30	-13.00	-58.30	peak	
2		137.670	-72.23	3.27	-68.96	-13.00	-55.96	peak	
3		162.890	-67.17	-0.55	-67.72	-13.00	-54.72	peak	
4		517.910	-76.20	8.14	-68.06	-13.00	-55.06	peak	
5		550.890	-77.05	8.01	-69.04	-13.00	-56.04	peak	
6	*	647.890	-75.02	7.36	-67.66	-13.00	-54.66	peak	


Test Mode: LTE Band 13 (Adapter: Chicony / ADLX45YCC2A)

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		161.920	-74.23	2.40	-71.83	-13.00	-58.83	peak	
2		226.910	-74.39	7.79	-66.60	-13.00	-53.60	peak	
3		252.130	-69.28	2.28	-67.00	-13.00	-54.00	peak	
4		388.900	-75.82	5.29	-70.53	-13.00	-57.53	peak	
5		420.910	-75.00	6.34	-68.66	-13.00	-55.66	peak	
6 *		642.070	-79.58	13.38	-66.20	-13.00	-53.20	peak	

Test Mode: LTE Band 13 (Adapter: Liteon / ADLX45YLC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		144.460	-77.44	6.25	-71.19	-13.00	-58.19	peak	
2		289.960	-77.20	4.80	-72.40	-13.00	-59.40	peak	
3		394.720	-74.73	1.98	-72.75	-13.00	-59.75	peak	
4		525.670	-75.21	8.17	-67.04	-13.00	-54.04	peak	
5		701.240	-75.17	10.70	-64.47	-13.00	-51.47	peak	
6	*	874.870	-75.06	13.46	-61.60	-13.00	-48.60	peak	


Test Mode: LTE Band 13 (Adapter: Liteon / ADLX45YLC3A)

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		45.520	-76.44	2.02	-74.42	-13.00	-61.42	peak	
2		157.070	-76.10	3.18	-72.92	-13.00	-59.92	peak	
3		227.880	-77.14	7.89	-69.25	-13.00	-56.25	peak	
4		403.450	-75.57	6.74	-68.83	-13.00	-55.83	peak	
5		537.310	-74.62	6.29	-68.33	-13.00	-55.33	peak	
6	*	637.220	-75.49	13.39	-62.10	-13.00	-49.10	peak	


Test Mode: LTE Band 13 (Adapter: Chicony / ADLX45YCC3A)



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		145.430	-76.88	6.30	-70.58	-13.00	-57.58	peak	
2		277.350	-76.05	3.25	-72.80	-13.00	-59.80	peak	
3		514.030	-75.01	8.36	-66.65	-13.00	-53.65	peak	
4		722.580	-75.07	10.56	-64.51	-13.00	-51.51	peak	
5	*	870.020	-75.06	13.39	-61.67	-13.00	-48.67	peak	
6		961.200	-75.02	12.92	-62.10	-13.00	-49.10	peak	


Test Mode: LTE Band 13 (Adapter: Chicony / ADLX45YCC3A)

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.490	-75.21	1.58	-73.63	-13.00	-60.63	peak	
2		151.250	-76.39	3.06	-73.33	-13.00	-60.33	peak	
3		227.880	-77.44	7.89	-69.55	-13.00	-56.55	peak	
4		405.390	-74.87	6.68	-68.19	-13.00	-55.19	peak	
5		637.220	-75.51	13.39	-62.12	-13.00	-49.12	peak	
6 *		817.640	-75.07	14.65	-60.42	-13.00	-47.42	peak	

Test Mode: LTE Band 13 (Adapter: Chicony / ADLX45YCC3A)




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	143.490	-76.44	5.78	-70.66	-13.00	-57.66	peak	
2	288.020	-76.57	4.52	-72.05	-13.00	-59.05	peak	
3	353.010	-76.18	3.00	-73.18	-13.00	-60.18	peak	
4	503.360	-75.32	7.76	-67.56	-13.00	-54.56	peak	
5	549.920	-74.53	7.96	-66.57	-13.00	-53.57	peak	
6 *	748.770	-75.11	11.33	-63.78	-13.00	-50.78	peak	

Test Mode: LTE Band 13 (Adapter: Chicony / ADLX45YCC3A)




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-79.75	1.69	-78.06	-13.00	-65.06	peak	
2		159.980	-80.96	3.23	-77.73	-13.00	-64.73	peak	
3		228.850	-82.55	7.97	-74.58	-13.00	-61.58	peak	
4		406.360	-80.17	6.62	-73.55	-13.00	-60.55	peak	
5		549.920	-79.67	6.86	-72.81	-13.00	-59.81	peak	
6 *		631.400	-79.19	12.36	-66.83	-13.00	-53.83	peak	

Test Mode: LTE Band 13 (Adapter: Chicony / ADLX65YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-69.99	-0.96	-70.95	-13.00	-57.95	peak	
2		111.480	-68.28	-1.41	-69.69	-13.00	-56.69	peak	
3		145.430	-80.47	6.30	-74.17	-13.00	-61.17	peak	
4		289.960	-80.05	4.80	-75.25	-13.00	-62.25	peak	
5	*	517.910	-75.16	8.14	-67.02	-13.00	-54.02	peak	
6		647.890	-75.59	7.36	-68.23	-13.00	-55.23	peak	


Test Mode: LTE Band 13 (Adapter: Chicony / ADLX65YCC3A)



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		161.920	-77.11	2.40	-74.71	-13.00	-61.71	peak	
2		193.930	-72.48	-0.73	-73.21	-13.00	-60.21	peak	
3		226.910	-75.51	7.79	-67.72	-13.00	-54.72	peak	
4		388.900	-75.66	5.29	-70.37	-13.00	-57.37	peak	
5		420.910	-75.71	6.34	-69.37	-13.00	-56.37	peak	
6	*	638.190	-79.34	13.50	-65.84	-13.00	-52.84	peak	

Test Mode: LTE Band 41 (Adapter: Liteon / ADLX45YLC2A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-68.97	-1.20	-70.17	-25.00	-45.17	peak	
2		160.950	-72.08	0.87	-71.21	-25.00	-46.21	peak	
3		226.910	-66.49	-4.04	-70.53	-25.00	-45.53	peak	
4		271.530	-74.84	2.36	-72.48	-25.00	-47.48	peak	
5	*	517.910	-75.24	8.14	-67.10	-25.00	-42.10	peak	
6		646.920	-76.87	7.15	-69.72	-25.00	-44.72	peak	

Test Mode: LTE Band 41 (Adapter: Liteon / ADLX45YLC2A)


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-67.85	-1.20	-69.05	-25.00	-44.05	peak	
2		142.520	-76.76	5.30	-71.46	-25.00	-46.46	peak	
3		291.900	-80.71	4.42	-76.29	-25.00	-51.29	peak	
4 *		517.910	-75.28	8.14	-67.14	-25.00	-42.14	peak	
5		550.890	-76.71	8.01	-68.70	-25.00	-43.70	peak	
6		647.890	-76.41	7.36	-69.05	-25.00	-44.05	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX45YCC2A)


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		32.910	-70.10	-0.96	-71.06	-25.00	-46.06	peak	
2		111.480	-69.58	-1.41	-70.99	-25.00	-45.99	peak	
3		137.670	-71.73	3.27	-68.46	-25.00	-43.46	peak	
4	*	517.910	-75.08	8.14	-66.94	-25.00	-41.94	peak	
5		550.890	-76.23	8.01	-68.22	-25.00	-43.22	peak	
6		647.890	-77.04	7.36	-69.68	-25.00	-44.68	peak	


Test Mode: LTE Band 41 (Adapter: Chicony / ADLX45YCC2A)

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		161.920	-77.03	2.40	-74.63	-25.00	-49.63	peak	
2		226.910	-75.59	7.79	-67.80	-25.00	-42.80	peak	
3		388.900	-75.91	5.29	-70.62	-25.00	-45.62	peak	
4		420.910	-76.53	6.34	-70.19	-25.00	-45.19	peak	
5		453.890	-74.57	3.44	-71.13	-25.00	-46.13	peak	
6	*	644.010	-78.88	13.09	-65.79	-25.00	-40.79	peak	


Test Mode: LTE Band 41 (Adapter: Liteon / ADLX45YLC3A)



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		144.460	-76.79	6.25	-70.54	-25.00	-45.54	peak	
2		290.930	-77.24	4.61	-72.63	-25.00	-47.63	peak	
3		408.300	-74.98	1.95	-73.03	-25.00	-48.03	peak	
4		515.000	-74.57	8.39	-66.18	-25.00	-41.18	peak	
5		689.600	-76.06	9.54	-66.52	-25.00	-41.52	peak	
6	*	872.930	-75.77	13.43	-62.34	-25.00	-37.34	peak	

Test Mode: LTE Band 41 (Adapter: Liteon / ADLX45YLC3A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		46.490	-76.91	1.58	-75.33	-25.00	-50.33	peak	
2		152.220	-75.81	3.09	-72.72	-25.00	-47.72	peak	
3		229.820	-76.78	8.06	-68.72	-25.00	-43.72	peak	
4		405.390	-74.87	6.68	-68.19	-25.00	-43.19	peak	
5		550.890	-74.67	6.78	-67.89	-25.00	-42.89	peak	
6	*	651.770	-74.02	13.14	-60.88	-25.00	-35.88	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX45YCC3A)


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		146.400	-77.51	5.98	-71.53	-25.00	-46.53	peak	
2		284.140	-76.14	3.97	-72.17	-25.00	-47.17	peak	
3		353.010	-76.32	3.00	-73.32	-25.00	-48.32	peak	
4		529.550	-74.58	7.79	-66.79	-25.00	-41.79	peak	
5		736.160	-75.78	11.70	-64.08	-25.00	-39.08	peak	
6	*	865.170	-74.58	12.77	-61.81	-25.00	-36.81	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX45YCC3A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		47.460	-75.83	1.13	-74.70	-25.00	-49.70	peak	
2		159.980	-76.40	3.23	-73.17	-25.00	-48.17	peak	
3		226.910	-76.72	7.79	-68.93	-25.00	-43.93	peak	
4		406.360	-75.08	6.62	-68.46	-25.00	-43.46	peak	
5		537.310	-74.35	6.29	-68.06	-25.00	-43.06	peak	
6 *		644.010	-74.46	13.09	-61.37	-25.00	-36.37	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX45YCC3A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		145.430	-76.81	6.30	-70.51	-25.00	-45.51	peak	
2		295.780	-76.60	3.71	-72.89	-25.00	-47.89	peak	
3		555.740	-74.21	8.08	-66.13	-25.00	-41.13	peak	
4		736.160	-75.17	11.70	-63.47	-25.00	-38.47	peak	
5		865.170	-75.28	12.77	-62.51	-25.00	-37.51	peak	
6	*	999.030	-75.80	17.18	-58.62	-25.00	-33.62	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX45YCC3A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		30.000	-75.19	1.88	-73.31	-25.00	-48.31	peak	
2		147.370	-75.98	2.84	-73.14	-25.00	-48.14	peak	
3		228.850	-75.95	7.97	-67.98	-25.00	-42.98	peak	
4		403.450	-75.43	6.74	-68.69	-25.00	-43.69	peak	
5		544.100	-74.89	6.76	-68.13	-25.00	-43.13	peak	
6	*	641.100	-74.49	13.53	-60.96	-25.00	-35.96	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX65YCC3A)


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-68.99	-1.20	-70.19	-25.00	-45.19	peak	
2		144.460	-79.95	6.25	-73.70	-25.00	-48.70	peak	
3		274.440	-79.34	2.90	-76.44	-25.00	-51.44	peak	
4	*	517.910	-75.24	8.14	-67.10	-25.00	-42.10	peak	
5		550.890	-76.22	8.01	-68.21	-25.00	-43.21	peak	
6		646.920	-74.56	7.15	-67.41	-25.00	-42.41	peak	

Test Mode: LTE Band 41 (Adapter: Chicony / ADLX65YCC3A)


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		193.930	-72.08	-0.73	-72.81	-25.00	-47.81	peak	
2		226.910	-75.10	7.79	-67.31	-25.00	-42.31	peak	
3		388.900	-75.47	5.29	-70.18	-25.00	-45.18	peak	
4		420.910	-76.27	6.34	-69.93	-25.00	-44.93	peak	
5		452.920	-75.36	3.65	-71.71	-25.00	-46.71	peak	
6	*	638.190	-79.30	13.50	-65.80	-25.00	-40.80	peak	


APPENDIX E - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode:	WCDMA Band 4
------------	--------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3420.000	-68.19	13.97	-54.22	-13.00	-41.22	peak	


Test Mode:	WCDMA Band 4
------------	--------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3420.000	-66.98	10.32	-56.66	-13.00	-43.66	peak	

Test Mode: LTE Band 4_ 1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3510.000	-66.73	14.27	-52.46	-13.00	-39.46	peak	
2	*	5265.000	-62.20	15.37	-46.83	-13.00	-33.83	peak	


Test Mode: LTE Band 4_ 1.4M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3510.000	-65.04	10.66	-54.38	-13.00	-41.38	peak	
2		3735.000	-63.83	11.27	-52.56	-13.00	-39.56	peak	
3	*	5265.000	-64.68	15.68	-49.00	-13.00	-36.00	peak	

Test Mode: LTE Band 4_ 20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5325.000	-66.68	15.55	-51.13	-13.00	-38.13	peak	


Test Mode:	LTE Band 4_ 20M
------------	-----------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5325.000	-70.98	15.91	-55.07	-13.00	-42.07	peak	

Test Mode: LTE Band 7_ 5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	7605.000	-62.78	18.24	-44.54	-25.00	-19.54	peak	

Test Mode: LTE Band 7_ 5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7605.000	-68.69	20.88	-47.81	-25.00	-22.81	peak	

Test Mode: LTE Band 7_ 20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7605.000	-63.16	18.24	-44.92	-25.00	-19.92	peak	


Test Mode: LTE Band 7_ 20M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7605.000	-69.26	20.88	-48.38	-25.00	-23.38	peak	

Test Mode: LTE Band 12_ 1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3539.000	-58.81	14.30	-44.51	-13.00	-31.51	peak	


Test Mode:	LTE Band 12_ 1.4M
------------	-------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3539.000	-66.21	10.74	-55.47	-13.00	-42.47	peak	


Test Mode: LTE Band 12_ 10M

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3541.000	-56.49	14.30	-42.19	-13.00	-29.19	peak	


Test Mode: LTE Band 12_ 10M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3543.000	-65.22	10.75	-54.47	-13.00	-41.47	peak	

Test Mode: LTE Band 13_ 5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3912.000	-62.37	14.66	-47.71	-13.00	-34.71	peak	

Test Mode: LTE Band 13_ 5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3912.000	-59.67	11.76	-47.91	-13.00	-34.91	peak	

Test Mode: LTE Band 13_ 10M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3915.000	-60.39	14.66	-45.73	-13.00	-32.73	peak	

Test Mode: LTE Band 13_ 10M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3915.000	-57.77	11.77	-46.00	-13.00	-33.00	peak	

Test Mode: LTE Band 41_ 5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5190.000	-67.02	15.15	-51.87	-25.00	-26.87	peak	
2		7785.000	-70.93	18.88	-52.05	-25.00	-27.05	peak	

Test Mode: LTE Band 41_ 5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5190.000	-67.67	15.39	-52.28	-25.00	-27.28	peak	
2	*	7785.000	-71.07	21.30	-49.77	-25.00	-24.77	peak	


Test Mode: LTE Band 41_ 20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5190.000	-65.18	15.15	-50.03	-25.00	-25.03	peak	
2		7785.000	-70.67	18.88	-51.79	-25.00	-26.79	peak	


Test Mode:	LTE Band 41_ 20M
------------	------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5190.000	-68.04	15.39	-52.65	-25.00	-27.65	peak	
2	*	7785.000	-71.07	21.30	-49.77	-25.00	-24.77	peak	

APPENDIX F - BAND EDGE


WCDMA Band 4_WCDMA



WCDMA Band 4_HSDPA



WCDMA Band 4_HSUPA



LTE Band 4_1.4M

1RB0		1RB5	
Channel	19957	Channel	20393



6RB0

Channel	19957	Channel	20393
---------	-------	---------	-------



LTE Band 4_3M

1RB0



1RB14

Channel

19965

Channel

20385





15RB0

Channel

19965



Channel

20385



LTE Band 4_5M

1RB0		1RB24	
Channel	19975	Channel	20375



25RB0

Channel	19975	Channel	20375
---------	-------	---------	-------

