



Profile: 22A0153R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.891	-1.114	-21.109	54.000	34.005	AV

Profile: 22A0153R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	44.670	10.665	-29.330	74.000	34.005	PK

Profile: 22A0153R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.779	-1.226	-21.221	54.000	34.005	AV

Profile: 22A0153R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	44.643	10.638	-29.357	74.000	34.005	PK

Profile: 22A0153R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.183	-1.038	-20.817	54.000	34.221	AV

Profile: 22A0153R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	45.823	11.602	-28.177	74.000	34.221	PK
2	*	2487.856	47.361	13.130	-26.639	74.000	34.231	PK

Profile: 22A0153R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.376	-0.845	-20.624	54.000	34.221	AV

Profile: 22A0153R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	42.740	8.519	-31.260	74.000	34.221	PK

Profile: 22A0153R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.983	-1.022	-21.017	54.000	34.005	AV

Profile: 22A0153R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	45.279	11.274	-28.721	74.000	34.005	PK

Profile: 22A0153R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.910	-1.095	-21.090	54.000	34.005	AV

Profile: 22A0153R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2412MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	45.810	11.805	-28.190	74.000	34.005	PK

Profile: 22A0153R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.097	-1.124	-20.903	54.000	34.221	AV

Profile: 22A0153R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.281	11.060	-28.719	74.000	34.221	PK

Profile: 22A0153R	Page No.: 23
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.271	-0.950	-20.729	54.000	34.221	AV

Profile: 22A0153R	Page No.: 24
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 2462MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.058	10.837	-28.942	74.000	34.221	PK

Profile: 22A0153R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.560	37.022	-0.086	-16.978	54.000	37.108	AV
2		5150.000	32.928	-4.435	-21.072	54.000	37.363	AV

Profile: 22A0153R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4994.730	48.847	11.740	-25.153	74.000	37.107	PK
2		5150.000	45.370	8.007	-28.630	74.000	37.363	PK

Profile: 22A0153R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.560	42.513	5.405	-11.487	54.000	37.108	AV
2		5150.000	36.433	-0.930	-17.567	54.000	37.363	AV

Profile: 22A0153R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4992.660	47.023	9.917	-26.977	74.000	37.106	PK
2		5150.000	46.188	8.825	-27.812	74.000	37.363	PK

Profile: 22A0153R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5000.250	36.688	-0.421	-17.312	54.000	37.109	AV
2		5150.000	32.845	-4.518	-21.155	54.000	37.363	AV

Profile: 22A0153R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4989.900	48.701	11.597	-25.299	74.000	37.104	PK
2		5150.000	44.737	7.374	-29.263	74.000	37.363	PK

Profile: 22A0153R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.560	38.900	1.792	-15.100	54.000	37.108	AV
2		5150.000	32.969	-4.394	-21.031	54.000	37.363	AV

Profile: 22A0153R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 22:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4991.970	48.052	10.947	-25.948	74.000	37.105	PK
2		5150.000	44.699	7.336	-29.301	74.000	37.363	PK

Profile: 22A0153R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.840	36.635	-0.473	-17.365	54.000	37.108	AV
2		5150.000	33.097	-4.266	-20.903	54.000	37.363	AV

Profile: 22A0153R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4996.290	49.723	12.616	-24.277	74.000	37.107	PK
2		5150.000	48.594	11.231	-25.406	74.000	37.363	PK

Profile: 22A0153R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.840	39.426	2.318	-14.574	54.000	37.108	AV
2		5150.000	34.146	-3.217	-19.854	54.000	37.363	AV

Profile: 22A0153R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.254	15.891	-20.746	74.000	37.363	PK

Profile: 22A0153R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.560	37.104	-0.004	-16.896	54.000	37.108	AV
2		5150.000	32.809	-4.554	-21.191	54.000	37.363	AV

Profile: 22A0153R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4997.490	48.443	11.335	-25.557	74.000	37.108	PK
2		5150.000	46.176	8.813	-27.824	74.000	37.363	PK

Profile: 22A0153R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4999.560	39.295	2.187	-14.705	54.000	37.108	AV
2		5150.000	32.897	-4.466	-21.103	54.000	37.363	AV

Profile: 22A0153R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4989.210	48.385	11.281	-25.615	74.000	37.104	PK
2	*	5150.000	48.557	11.194	-25.443	74.000	37.363	PK

Profile: 22A0153R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5000.250	36.414	-0.695	-17.586	54.000	37.109	AV
2		5150.000	34.546	-2.817	-19.454	54.000	37.363	AV

Profile: 22A0153R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4989.750	48.203	11.099	-25.797	74.000	37.104	PK
2	*	5135.250	50.441	13.083	-23.559	74.000	37.359	PK
3		5150.000	47.165	9.802	-26.835	74.000	37.363	PK

Profile: 22A0153R	Page No.: 23
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4929.000	38.781	1.699	-15.219	54.000	37.082	AV
2	*	5000.250	39.607	2.498	-14.393	54.000	37.109	AV
3		5150.000	37.016	-0.347	-16.984	54.000	37.363	AV

Profile: 22A0153R	Page No.: 24
Engineer: RenZhang	
Site: AC5	Time: 2022/10/26 - 23:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4982.250	48.739	11.639	-25.261	74.000	37.100	PK
2	*	5136.000	53.950	16.591	-20.050	74.000	37.359	PK
3		5150.000	48.755	11.392	-25.245	74.000	37.363	PK

Profile: 22A0153R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:03
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.610	46.516	8.415	-53.973	100.490	38.101	PK
2		5710.830	45.184	7.216	-63.050	108.235	37.969	PK
3		5723.130	49.455	11.497	-68.483	117.938	37.958	PK

Profile: 22A0153R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.485	46.029	7.921	-50.679	96.708	38.108	PK
2		5710.830	45.647	7.679	-62.587	108.235	37.969	PK
3		5722.925	48.808	10.850	-68.662	117.470	37.957	PK

Profile: 22A0153R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.020	45.990	7.892	-54.802	100.792	38.098	PK
2		5712.470	45.835	7.868	-62.859	108.694	37.967	PK
3		5722.310	45.413	7.455	-70.655	116.068	37.959	PK
4		5851.460	46.410	8.014	-72.461	118.870	38.396	PK
5		5865.810	47.495	9.030	-60.276	107.771	38.465	PK
6	*	5883.645	45.155	6.825	-53.625	98.780	38.331	PK

Profile: 22A0153R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.765	45.877	7.762	-53.252	99.128	38.115	PK
2		5712.470	46.698	8.731	-61.996	108.694	37.967	PK
3		5721.900	46.584	8.625	-68.550	115.133	37.959	PK
4		5851.870	46.281	7.881	-71.655	117.935	38.400	PK
5		5865.810	46.111	7.646	-61.660	107.771	38.465	PK
6	*	5886.310	45.741	7.410	-51.062	96.803	38.331	PK

Profile: 22A0153R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:11
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.920	46.083	7.662	-67.179	113.262	38.421	PK
2		5870.320	45.726	7.308	-60.782	106.509	38.418	PK
3	*	5886.310	45.741	7.410	-51.062	96.803	38.331	PK

Profile: 22A0153R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5850.845	44.909	6.520	-75.364	120.273	38.390	PK
2		5866.835	46.286	7.832	-61.198	107.484	38.454	PK
3	*	5881.390	45.154	6.824	-55.300	100.454	38.330	PK

Profile: 22A0153R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.330	45.789	7.677	-52.281	98.070	38.112	PK
2		5706.730	46.368	8.379	-60.718	107.087	37.990	PK
3		5722.720	48.491	10.533	-68.512	117.003	37.958	PK

Profile: 22A0153R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:16
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.405	44.915	6.812	-55.423	100.338	38.103	PK
2		5709.395	47.356	9.386	-60.477	107.833	37.970	PK
3		5721.900	49.951	11.992	-65.183	115.133	37.959	PK

Profile: 22A0153R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.305	45.272	7.163	-52.041	97.313	38.109	PK
2		5712.060	45.508	7.541	-63.071	108.579	37.968	PK
3		5723.950	45.486	7.529	-74.321	119.807	37.957	PK
4		5853.100	45.759	7.347	-69.371	115.131	38.412	PK
5		5866.835	46.245	7.791	-61.239	107.484	38.454	PK
6		5881.185	46.725	8.395	-53.881	100.606	38.329	PK

Profile: 22A0153R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:21
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.275	46.027	7.948	-56.428	102.455	38.078	PK
2		5709.190	45.048	7.078	-62.728	107.776	37.970	PK
3		5722.925	44.686	6.728	-72.784	117.470	37.957	PK
4		5852.280	45.315	6.911	-71.685	117.000	38.404	PK
5		5867.655	46.292	7.846	-60.963	107.254	38.445	PK
6	*	5882.825	45.693	7.363	-53.696	99.389	38.331	PK

Profile: 22A0153R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.280	46.556	8.152	-70.444	117.000	38.404	PK
2		5864.170	45.279	6.797	-62.951	108.230	38.481	PK
3	*	5882.415	44.849	6.519	-54.844	99.693	38.330	PK

Profile: 22A0153R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:25
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5848.180	49.336	10.974	-72.864	122.200	38.362	PK
2		5865.400	45.040	6.571	-62.846	107.886	38.469	PK
3	*	5883.030	44.998	6.668	-54.238	99.237	38.330	PK

Profile: 22A0153R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.920	45.278	7.167	-52.489	97.767	38.111	PK
2		5709.600	45.870	7.901	-62.020	107.890	37.970	PK
3		5721.900	53.438	15.479	-61.696	115.133	37.959	PK

Profile: 22A0153R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.635	50.711	9.113	-50.534	101.245	41.598	PK
2		5712.880	57.527	15.337	-51.282	108.809	42.190	PK
3		5722.925	61.840	19.985	-55.631	117.470	41.854	PK

Profile: 22A0153R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.665	49.313	10.915	-69.090	118.403	38.398	PK
2		5865.195	45.377	6.906	-62.566	107.943	38.471	PK
3	*	5885.490	45.268	6.937	-52.143	97.411	38.331	PK

Profile: 22A0153R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:31
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.485	49.255	10.849	-67.278	116.533	38.406	PK
2		5866.835	45.962	7.508	-61.522	107.484	38.454	PK
3	*	5881.185	45.172	6.842	-55.434	100.606	38.329	PK

Profile: 22A0153R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.200	45.446	7.341	-54.741	100.187	38.105	PK
2		5710.625	45.687	7.718	-62.491	108.177	37.968	PK
3		5722.925	47.799	9.841	-69.671	117.470	37.957	PK

Profile: 22A0153R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.100	44.972	6.863	-52.190	97.162	38.109	PK
2		5707.550	45.951	7.969	-61.365	107.316	37.982	PK
3		5722.515	48.528	10.570	-68.007	116.535	37.958	PK

Profile: 22A0153R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.150	46.243	8.130	-52.431	98.675	38.113	PK
2		5707.345	45.388	7.404	-61.871	107.259	37.985	PK
3		5722.925	45.148	7.190	-72.322	117.470	37.957	PK
4		5852.895	46.632	8.222	-68.966	115.598	38.411	PK
5		5864.170	45.829	7.347	-62.401	108.230	38.481	PK
6	*	5885.695	45.118	6.787	-52.141	97.259	38.331	PK

Profile: 22A0153R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:38
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.300	46.806	8.736	-56.405	103.210	38.070	PK
2		5710.625	44.712	6.743	-63.466	108.177	37.968	PK
3		5722.310	45.843	7.885	-70.225	116.068	37.959	PK
4		5852.895	46.275	7.865	-69.323	115.598	38.411	PK
5		5868.270	45.954	7.515	-61.128	107.082	38.439	PK
6	*	5882.210	45.222	6.892	-54.623	99.845	38.330	PK

Profile: 22A0153R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.075	46.398	7.996	-71.070	117.468	38.401	PK
2		5864.580	45.876	7.399	-62.239	108.115	38.478	PK
3	*	5883.235	45.168	6.838	-53.916	99.084	38.330	PK

Profile: 22A0153R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:43
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.895	47.073	8.663	-68.525	115.598	38.411	PK
2		5865.195	44.515	6.044	-63.428	107.943	38.471	PK
3	*	5883.235	45.168	6.838	-53.916	99.084	38.330	PK

Profile: 22A0153R	Page No.: 27
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5681.000	55.025	16.933	-36.153	91.178	38.093	PK
2		5708.750	51.663	13.691	-55.989	107.652	37.972	PK
3		5722.750	51.977	14.019	-65.094	117.071	37.958	PK
4		5851.750	50.671	12.273	-67.537	118.209	38.399	PK
5		5867.500	49.865	11.418	-57.432	107.298	38.447	PK
6		5888.750	45.531	7.199	-49.463	94.994	38.332	PK

Profile: 22A0153R	Page No.: 28
Engineer: RenZhang	
Site: AC5	Time: 2022/10/27 - 00:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 12V
Note: Mode:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5668.750	52.082	14.081	-30.031	82.113	38.001	PK
2		5711.750	53.711	15.743	-54.782	108.492	37.968	PK
3		5722.000	55.160	17.201	-60.202	115.361	37.958	PK
4		5852.000	51.082	12.681	-66.557	117.639	38.401	PK
5		5870.000	48.066	9.644	-58.533	106.598	38.422	PK
6		5892.250	45.538	7.205	-46.862	92.400	38.332	PK

Profile: 22A0153R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.887	-1.118	-21.113	54.000	34.005	AV

Profile: 22A0153R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2381.440	46.939	12.973	-27.061	74.000	33.966	PK
2		2390.000	44.665	10.660	-29.335	74.000	34.005	PK

Profile: 22A0153R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.822	-1.183	-21.178	54.000	34.005	AV

Profile: 22A0153R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	43.974	9.969	-30.026	74.000	34.005	PK

Profile: 22A0153R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	32.981	-1.240	-21.019	54.000	34.221	AV

Profile: 22A0153R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	50.942	16.721	-23.058	74.000	34.221	PK

Profile: 22A0153R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	32.971	-1.250	-21.029	54.000	34.221	AV

Profile: 22A0153R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	52.658	18.437	-21.342	74.000	34.221	PK

Profile: 22A0153R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.583	-1.422	-21.417	54.000	34.005	AV

Profile: 22A0153R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	44.665	10.660	-29.335	74.000	34.005	PK

Profile: 22A0153R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.822	-1.183	-21.178	54.000	34.005	AV

Profile: 22A0153R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	45.402	11.397	-28.598	74.000	34.005	PK

Profile: 22A0153R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	32.928	-1.293	-21.072	54.000	34.221	AV

Profile: 22A0153R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.961	10.740	-29.039	74.000	34.221	PK

Profile: 22A0153R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.087	-1.134	-20.913	54.000	34.221	AV

Profile: 22A0153R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.356	11.135	-28.644	74.000	34.221	PK

Profile: 22A0153R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.819	-1.186	-21.181	54.000	34.005	AV

Profile: 22A0153R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	43.561	9.556	-30.439	74.000	34.005	PK

Profile: 22A0153R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	32.597	-1.408	-21.403	54.000	34.005	AV

Profile: 22A0153R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	44.069	10.064	-29.931	74.000	34.005	PK

Profile: 22A0153R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.078	-1.143	-20.922	54.000	34.221	AV

Profile: 22A0153R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.956	10.735	-29.044	74.000	34.221	PK

Profile: 22A0153R	Page No.: 23
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	33.536	-0.685	-20.464	54.000	34.221	AV

Profile: 22A0153R	Page No.: 24
Engineer: RenZhang	
Site: AC5	Time: 2022/10/28 - 23:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: NTG7Q PREMIUM LF2	Power: DC 5V
Note: Mode:Transmit at 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.877	10.656	-29.123	74.000	34.221	PK

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End