




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE LEVEL



MIMO-Antenna 1

802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE



802.11b HIGH CHANNEL, CARRIER LEVEL




802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL




802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE LEVEL



MIMO-Antenna 2

802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL




802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE



802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE LEVEL



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.156	45.86	9.78	65.67	19.81	Peak	L	Pass
1**	0.156	29.54	9.78	55.67	26.13	AV	L	Pass
2	0.368	38.04	10.68	58.55	20.51	Peak	L	Pass
2**	0.368	25.77	10.68	48.55	22.78	AV	L	Pass
3	0.486	37.10	9.99	56.24	19.14	Peak	L	Pass
3**	0.486	26.65	9.99	46.24	19.59	AV	L	Pass
4	0.812	35.99	10.55	56.00	20.01	Peak	L	Pass
4**	0.812	24.34	10.55	46.00	21.66	AV	L	Pass
5	7.106	40.98	10.33	60.00	19.02	Peak	L	Pass
5**	7.106	30.67	10.33	50.00	19.33	AV	L	Pass
6	22.528	40.85	10.99	60.00	19.15	Peak	L	Pass
6**	22.528	28.71	10.99	50.00	21.29	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.156	45.74	9.78	65.67	19.93	Peak	N	Pass
1**	0.156	30.49	9.78	55.67	25.18	AV	N	Pass
2	0.180	43.89	9.78	64.49	20.60	Peak	N	Pass
2**	0.180	28.81	9.78	54.49	25.68	AV	N	Pass
3	0.364	38.46	10.70	58.64	20.18	Peak	N	Pass
3**	0.364	26.00	10.70	48.64	22.64	AV	N	Pass
4	0.844	35.32	10.61	56.00	20.68	Peak	N	Pass
4**	0.844	24.60	10.61	46.00	21.40	AV	N	Pass
5	6.828	39.52	10.05	60.00	20.48	Peak	N	Pass
5**	6.828	28.71	10.05	50.00	21.29	AV	N	Pass
6	23.824	40.18	10.76	60.00	19.82	Peak	N	Pass
6**	23.824	28.63	10.76	50.00	21.37	AV	N	Pass

A.6 Radiated Emission

Note ¹: The symbol of "--" in the table which means not application.


Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	87.458	19.46	-31.76	29.5	10.04	Peak	10.00	200	Horizontal	Pass
2	163.827	20.87	-26.04	33.0	12.13	Peak	291.00	200	Horizontal	Pass
3	169.645	21.32	-26.01	33.0	11.68	Peak	253.00	200	Horizontal	Pass
4	182.494	24.02	-27.52	33.0	8.98	Peak	117.00	200	Horizontal	Pass
5	189.283	23.22	-28.22	33.0	9.78	Peak	123.00	200	Horizontal	Pass
6	201.890	23.10	-28.78	33.0	9.90	Peak	280.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	79.700	23.42	-30.38	29.5	6.08	Peak	112.00	200	Vertical	Pass
2	87.143	25.11	-31.76	29.5	4.39	Peak	117.00	195	Vertical	N/A
2*	87.143	20.50	-31.76	29.5	9.00	QP	117.00	195	Vertical	Pass
3	157.038	27.00	-25.83	33.0	6.00	Peak	194.00	100	Vertical	Pass
4	169.645	26.58	-26.01	33.0	6.42	Peak	231.00	200	Vertical	Pass
5	181.525	28.42	-27.51	33.0	4.58	Peak	204.00	200	Vertical	Pass
6	188.070	29.15	-28.11	33.0	3.85	Peak	172.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

SISO-Antenna 1

1 GHz to 18 GHz, ANT H 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	40.76	-17.76	74.0	33.24	Peak	106.00	200	Horizontal	Pass
1**	1200.100	36.77	-17.76	54.0	17.23	AV	106.00	200	Horizontal	Pass
2	2413.300	105.56	-10.74	74.0	-31.56	Peak	340.00	200	Horizontal	N/A
2**	2413.300	102.41	-10.74	54.0	-48.41	AV	340.00	200	Horizontal	N/A
3	4824.200	56.05	-2.04	74.0	17.95	Peak	267.00	150	Horizontal	Pass
3**	4824.200	51.77	-2.04	54.0	2.23	AV	267.00	150	Horizontal	Pass
4	6995.800	54.59	1.59	74.0	19.41	Peak	214.00	300	Horizontal	Pass
4**	6995.800	45.76	1.59	54.0	8.24	AV	214.00	300	Horizontal	Pass
5	12914.850	53.66	1.29	74.0	20.34	Peak	231.00	100	Horizontal	Pass
5**	12914.850	44.94	1.29	54.0	9.06	AV	231.00	100	Horizontal	Pass
6	17400.187	56.45	3.18	74.0	17.55	Peak	5.00	400	Horizontal	Pass
6**	17400.187	47.25	3.18	54.0	6.75	AV	5.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	43.16	-17.76	74.0	30.84	Peak	275.00	200	Vertical	Pass
1**	1200.000	40.09	-17.76	54.0	13.91	AV	275.00	200	Vertical	Pass
2	2413.400	99.51	-10.75	74.0	-25.51	Peak	360.00	150	Vertical	N/A
2**	2413.400	96.57	-10.75	54.0	-42.57	AV	360.00	150	Vertical	N/A
3	4824.200	53.23	-2.04	74.0	20.77	Peak	56.00	150	Vertical	Pass
3**	4824.200	50.51	-2.04	54.0	3.49	AV	56.00	150	Vertical	Pass
4	6810.600	54.67	1.45	74.0	19.33	Peak	45.00	400	Vertical	Pass
4**	6810.600	45.32	1.45	54.0	8.68	AV	45.00	400	Vertical	Pass
5	12927.450	53.77	1.11	74.0	20.23	Peak	288.00	300	Vertical	Pass
5**	12927.450	44.03	1.11	54.0	9.97	AV	288.00	300	Vertical	Pass
6	17423.813	56.33	3.65	74.0	17.67	Peak	249.00	400	Vertical	Pass
6**	17423.813	47.72	3.65	54.0	6.28	AV	249.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	41.52	-17.77	74.0	32.48	Peak	112.00	100	Horizontal	Pass
1**	1199.800	38.00	-17.77	54.0	16.00	AV	112.00	100	Horizontal	Pass
2	2435.900	103.37	-12.14	74.0	-29.37	Peak	347.00	150	Horizontal	N/A
2**	2435.900	100.29	-12.14	54.0	-46.29	AV	347.00	150	Horizontal	N/A
3	4874.200	55.49	-2.66	74.0	18.51	Peak	88.00	150	Horizontal	Pass
3**	4874.200	51.29	-2.66	54.0	2.71	AV	88.00	150	Horizontal	Pass
4	7310.500	51.86	-3.68	74.0	22.14	Peak	327.00	150	Horizontal	Pass
4**	7310.500	47.38	-3.68	54.0	6.62	AV	327.00	150	Horizontal	Pass
5	12810.637	53.86	0.85	74.0	20.14	Peak	210.00	400	Horizontal	Pass
5**	12810.637	45.30	0.85	54.0	8.70	AV	210.00	400	Horizontal	Pass
6	13435.388	56.68	0.42	74.0	17.32	Peak	96.00	100	Horizontal	Pass
6**	13435.388	46.57	0.42	54.0	7.43	AV	96.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	43.27	-17.76	74.0	30.73	Peak	291.00	200	Vertical	Pass
1**	1200.000	39.70	-17.76	54.0	14.30	AV	291.00	200	Vertical	Pass
2	2436.100	98.76	-12.13	74.0	-24.76	Peak	360.00	200	Vertical	N/A
2**	2436.100	95.11	-12.13	54.0	-41.11	AV	360.00	200	Vertical	N/A
3	4874.400	52.19	-2.66	74.0	21.81	Peak	183.00	150	Vertical	Pass
3**	4874.400	49.09	-2.66	54.0	4.91	AV	183.00	150	Vertical	Pass
4	7312.800	52.53	-3.53	74.0	21.47	Peak	328.00	150	Vertical	Pass
4**	7312.800	47.30	-3.53	54.0	6.70	AV	328.00	150	Vertical	Pass
5	12997.537	53.84	1.31	74.0	20.16	Peak	238.00	200	Vertical	Pass
5**	12997.537	44.33	1.31	54.0	9.67	AV	238.00	200	Vertical	Pass
6	17416.200	56.87	3.67	74.0	17.13	Peak	132.00	300	Vertical	Pass
6**	17416.200	48.10	3.67	54.0	5.90	AV	132.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.300	42.27	-17.75	74.0	31.73	Peak	106.00	200	Horizontal	Pass
1**	1200.300	37.82	-17.75	54.0	16.18	AV	106.00	200	Horizontal	Pass
2	2463.200	102.23	-11.79	74.0	-28.23	Peak	344.00	100	Horizontal	N/A
2**	2463.200	99.35	-11.79	54.0	-45.35	AV	344.00	100	Horizontal	N/A
3	4924.200	54.52	-2.42	74.0	19.48	Peak	93.00	150	Horizontal	Pass
3**	4924.200	51.25	-2.42	54.0	2.75	AV	93.00	150	Horizontal	Pass
4	7384.675	54.57	-3.68	74.0	19.43	Peak	310.00	150	Horizontal	Pass
4**	7384.675	48.97	-3.68	54.0	5.03	AV	310.00	150	Horizontal	Pass
5	13323.563	56.91	0.92	74.0	17.09	Peak	344.00	150	Horizontal	Pass
5**	13323.563	47.04	0.92	54.0	6.96	AV	344.00	150	Horizontal	Pass
6	16158.825	55.80	0.93	74.0	18.20	Peak	250.00	150	Horizontal	Pass
6**	16158.825	46.38	0.93	54.0	7.62	AV	250.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	43.40	-17.77	74.0	30.60	Peak	268.00	200	Vertical	Pass
1**	1199.900	39.63	-17.77	54.0	14.37	AV	268.00	200	Vertical	Pass
2	2463.100	96.04	-11.78	74.0	-22.04	Peak	343.00	200	Vertical	N/A
2**	2463.100	93.27	-11.78	54.0	-39.27	AV	343.00	200	Vertical	N/A
3	4924.400	51.33	-2.42	74.0	22.67	Peak	264.00	150	Vertical	Pass
3**	4924.400	47.80	-2.42	54.0	6.20	AV	264.00	150	Vertical	Pass
4	7384.963	52.53	-3.73	74.0	21.47	Peak	328.00	150	Vertical	Pass
4**	7384.963	48.44	-3.73	54.0	5.56	AV	328.00	150	Vertical	Pass
5	12918.000	54.07	1.25	74.0	19.93	Peak	325.00	100	Vertical	Pass
5**	12918.000	44.64	1.25	54.0	9.36	AV	325.00	100	Vertical	Pass
6	17427.751	57.30	3.53	74.0	16.70	Peak	59.00	400	Vertical	Pass
6**	17427.751	47.18	3.53	54.0	6.82	AV	59.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	41.83	-17.76	74.0	32.17	Peak	99.00	200	Horizontal	Pass
1**	1200.100	38.70	-17.76	54.0	15.30	AV	99.00	200	Horizontal	Pass
2	2414.700	107.42	-10.95	74.0	-33.42	Peak	357.00	150	Horizontal	N/A
2**	2414.700	100.30	-10.95	54.0	-46.30	AV	357.00	150	Horizontal	N/A
3	4829.200	56.57	-2.55	74.0	17.43	Peak	264.00	150	Horizontal	Pass
3**	4829.200	51.91	-2.55	54.0	2.09	AV	264.00	150	Horizontal	Pass
4	6799.000	55.08	1.28	74.0	18.92	Peak	157.00	200	Horizontal	Pass
4**	6799.000	46.02	1.28	54.0	7.98	AV	157.00	200	Horizontal	Pass
5	12944.250	53.74	0.91	74.0	20.26	Peak	0.00	400	Horizontal	Pass
5**	12944.250	44.22	0.91	54.0	9.78	AV	0.00	400	Horizontal	Pass
6	17424.863	56.57	3.62	74.0	17.43	Peak	211.00	100	Horizontal	Pass
6**	17424.863	48.20	3.62	54.0	5.80	AV	211.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	42.74	-17.77	74.0	31.26	Peak	264.00	100	Vertical	Pass
1**	1199.900	39.69	-17.77	54.0	14.31	AV	264.00	100	Vertical	Pass
2	2414.800	101.92	-10.98	74.0	-27.92	Peak	360.00	150	Vertical	N/A
2**	2414.800	94.84	-10.98	54.0	-40.84	AV	360.00	150	Vertical	N/A
3	4826.200	55.40	-2.60	74.0	18.60	Peak	65.00	150	Vertical	Pass
3**	4826.200	48.06	-2.60	54.0	5.94	AV	65.00	150	Vertical	Pass
4	6546.000	54.56	-0.90	74.0	19.44	Peak	238.00	100	Vertical	Pass
4**	6546.000	44.44	-0.90	54.0	9.56	AV	238.00	100	Vertical	Pass
5	12411.900	53.87	1.43	74.0	20.13	Peak	248.00	400	Vertical	Pass
5**	12411.900	43.26	1.43	54.0	10.74	AV	248.00	400	Vertical	Pass
6	17426.176	57.10	3.58	74.0	16.90	Peak	222.00	400	Vertical	Pass
6**	17426.176	47.96	3.58	54.0	6.04	AV	222.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	41.79	-17.76	74.0	32.21	Peak	114.00	300	Horizontal	Pass
1**	1200.100	38.53	-17.76	54.0	15.47	AV	114.00	300	Horizontal	Pass
2	2435.700	105.80	-12.14	74.0	-31.80	Peak	347.00	100	Horizontal	N/A
2**	2435.700	98.62	-12.14	54.0	-44.62	AV	347.00	100	Horizontal	N/A
3	4869.400	55.65	-2.57	74.0	18.35	Peak	95.00	150	Horizontal	Pass
3**	4869.400	51.51	-2.57	54.0	2.49	AV	95.00	150	Horizontal	Pass
4	7315.388	54.32	-3.38	74.0	19.68	Peak	243.00	150	Horizontal	Pass
4**	7315.388	48.01	-3.38	54.0	5.99	AV	243.00	150	Horizontal	Pass
5	12909.862	53.98	1.38	74.0	20.02	Peak	287.00	100	Horizontal	Pass
5**	12909.862	44.70	1.38	54.0	9.30	AV	287.00	100	Horizontal	Pass
6	17424.337	56.19	3.64	74.0	17.81	Peak	116.00	300	Horizontal	Pass
6**	17424.337	48.11	3.64	54.0	5.89	AV	116.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	43.33	-16.98	74.0	30.67	Peak	104.00	100	Vertical	Pass
1**	1330.600	30.56	-16.98	54.0	23.44	AV	104.00	100	Vertical	Pass
2	2435.800	100.08	-12.14	74.0	-26.08	Peak	61.00	150	Vertical	N/A
2**	2435.800	93.30	-12.14	54.0	-39.30	AV	61.00	150	Vertical	N/A
3	4875.400	54.93	-2.67	74.0	19.07	Peak	61.00	150	Vertical	Pass
3**	4875.400	49.71	-2.67	54.0	4.29	AV	61.00	150	Vertical	Pass
4	7314.812	51.62	-3.37	74.0	22.38	Peak	328.00	150	Vertical	Pass
4**	7314.812	48.48	-3.37	54.0	5.52	AV	328.00	150	Vertical	Pass
5	12332.838	54.03	1.38	74.0	19.97	Peak	181.00	300	Vertical	Pass
5**	12332.838	44.45	1.38	54.0	9.55	AV	181.00	300	Vertical	Pass
6	17396.775	56.53	3.06	74.0	17.47	Peak	342.00	200	Vertical	Pass
6**	17396.775	47.31	3.06	54.0	6.69	AV	342.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	41.64	-17.76	74.0	32.36	Peak	104.00	200	Horizontal	Pass
1**	1200.000	38.26	-17.76	54.0	15.74	AV	104.00	200	Horizontal	Pass
2	2463.100	104.77	-11.78	74.0	-30.77	Peak	347.00	200	Horizontal	N/A
2**	2463.100	97.53	-11.78	54.0	-43.53	AV	347.00	200	Horizontal	N/A
3	4921.400	58.07	-2.49	74.0	15.93	Peak	64.00	150	Horizontal	Pass
3**	4921.400	51.98	-2.49	54.0	2.02	AV	64.00	150	Horizontal	Pass
4	7391.862	55.82	-3.85	74.0	18.18	Peak	90.00	150	Horizontal	Pass
4**	7391.862	50.27	-3.85	54.0	3.73	AV	90.00	150	Horizontal	Pass
5	12311.850	53.68	1.38	74.0	20.32	Peak	165.00	200	Horizontal	Pass
5**	12311.850	44.39	1.38	54.0	9.61	AV	165.00	200	Horizontal	Pass
6	17400.187	57.33	3.18	74.0	16.67	Peak	187.00	300	Horizontal	Pass
6**	17400.187	47.41	3.18	54.0	6.59	AV	187.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.700	43.10	-17.78	74.0	30.90	Peak	242.00	300	Vertical	Pass
1**	1199.700	38.19	-17.78	54.0	15.81	AV	242.00	300	Vertical	Pass
2	2461.500	99.84	-11.99	74.0	-25.84	Peak	4.00	100	Vertical	N/A
2**	2461.500	92.62	-11.99	54.0	-38.62	AV	4.00	100	Vertical	N/A
3	4926.600	55.78	-2.39	74.0	18.22	Peak	264.00	100	Vertical	Pass
3**	4926.600	46.23	-2.39	54.0	7.77	AV	264.00	100	Vertical	Pass
4	7381.800	53.53	-3.37	74.0	20.47	Peak	321.00	150	Vertical	Pass
4**	7381.800	50.11	-3.37	54.0	3.89	AV	321.00	150	Vertical	Pass
5	12800.400	54.03	1.08	74.0	19.97	Peak	217.00	300	Vertical	Pass
5**	12800.400	44.30	1.08	54.0	9.70	AV	217.00	300	Vertical	Pass
6	17413.575	56.32	3.58	74.0	17.68	Peak	321.00	100	Vertical	Pass
6**	17413.575	47.95	3.58	54.0	6.05	AV	321.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	42.31	-17.76	74.0	31.69	Peak	100.00	300	Horizontal	Pass
1**	1200.000	38.62	-17.76	54.0	15.38	AV	100.00	300	Horizontal	Pass
2	2412.900	107.23	-10.72	74.0	-33.23	Peak	356.00	150	Horizontal	N/A
2**	2412.900	100.30	-10.72	54.0	-46.30	AV	356.00	150	Horizontal	N/A
3	4825.800	58.74	-2.54	74.0	15.26	Peak	264.00	150	Horizontal	Pass
3**	4825.800	51.69	-2.54	54.0	2.31	AV	264.00	150	Horizontal	Pass
4	7243.225	52.45	-3.47	74.0	21.55	Peak	174.00	150	Horizontal	Pass
4**	7243.225	41.54	-3.47	54.0	12.46	AV	174.00	150	Horizontal	Pass
5	12843.713	53.87	1.34	74.0	20.13	Peak	90.00	400	Horizontal	Pass
5**	12843.713	44.87	1.34	54.0	9.13	AV	90.00	400	Horizontal	Pass
6	15851.963	56.65	1.28	74.0	17.35	Peak	264.00	300	Horizontal	Pass
6**	15851.963	45.94	1.28	54.0	8.06	AV	264.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.500	49.10	-18.06	74.0	24.90	Peak	312.00	100	Vertical	Pass
1**	1116.500	36.57	-18.06	54.0	17.43	AV	312.00	100	Vertical	Pass
2	2413.600	101.07	-10.75	74.0	-27.07	Peak	0.00	150	Vertical	N/A
2**	2413.600	93.76	-10.75	54.0	-39.76	AV	0.00	150	Vertical	N/A
3	4826.200	54.85	-2.60	74.0	19.15	Peak	155.00	150	Vertical	Pass
3**	4826.200	48.76	-2.60	54.0	5.24	AV	155.00	150	Vertical	Pass
4	6946.200	54.72	-0.17	74.0	19.28	Peak	247.00	100	Vertical	Pass
4**	6946.200	44.44	-0.17	54.0	9.56	AV	247.00	100	Vertical	Pass
5	12810.112	54.64	0.85	74.0	19.36	Peak	131.00	200	Vertical	Pass
5**	12810.112	45.18	0.85	54.0	8.82	AV	131.00	200	Vertical	Pass
6	17377.876	56.40	2.60	74.0	17.60	Peak	299.00	400	Vertical	Pass
6**	17377.876	47.24	2.60	54.0	6.76	AV	299.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	42.13	-17.76	74.0	31.87	Peak	116.00	200	Horizontal	Pass
1**	1200.000	38.84	-17.76	54.0	15.16	AV	116.00	200	Horizontal	Pass
2	2438.400	105.73	-12.23	74.0	-31.73	Peak	345.00	150	Horizontal	N/A
2**	2438.400	98.17	-12.23	54.0	-44.17	AV	345.00	150	Horizontal	N/A
3	4865.800	55.24	-2.58	74.0	18.76	Peak	102.00	150	Horizontal	Pass
3**	4865.800	51.59	-2.58	54.0	2.41	AV	102.00	150	Horizontal	Pass
4	7309.925	52.58	-3.68	74.0	21.42	Peak	246.00	150	Horizontal	Pass
4**	7309.925	47.28	-3.68	54.0	6.72	AV	246.00	150	Horizontal	Pass
5	12915.375	54.56	1.28	74.0	19.44	Peak	248.00	100	Horizontal	Pass
5**	12915.375	44.35	1.28	54.0	9.65	AV	248.00	100	Horizontal	Pass
6	13427.775	56.97	0.40	74.0	17.03	Peak	269.00	100	Horizontal	Pass
6**	13427.775	46.35	0.40	54.0	7.65	AV	269.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	43.25	-17.76	74.0	30.75	Peak	240.00	200	Vertical	Pass
1**	1200.100	40.31	-17.76	54.0	13.69	AV	240.00	200	Vertical	Pass
2	2435.700	100.01	-12.14	74.0	-26.01	Peak	360.00	100	Vertical	N/A
2**	2435.700	92.12	-12.14	54.0	-38.12	AV	360.00	100	Vertical	N/A
3	4877.000	54.50	-2.68	74.0	19.50	Peak	178.00	150	Vertical	Pass
3**	4877.000	47.70	-2.68	54.0	6.30	AV	178.00	150	Vertical	Pass
4	7318.550	50.49	-2.98	74.0	23.51	Peak	348.00	150	Vertical	Pass
4**	7318.550	46.94	-2.98	54.0	7.06	AV	348.00	150	Vertical	Pass
5	12815.887	53.71	0.86	74.0	20.29	Peak	105.00	400	Vertical	Pass
5**	12815.887	44.67	0.86	54.0	9.33	AV	105.00	400	Vertical	Pass
6	17418.824	56.73	3.73	74.0	17.27	Peak	60.00	200	Vertical	Pass
6**	17418.824	48.11	3.73	54.0	5.89	AV	60.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	42.22	-17.76	74.0	31.78	Peak	101.00	300	Horizontal	Pass
1**	1200.100	39.56	-17.76	54.0	14.44	AV	101.00	300	Horizontal	Pass
2	2464.500	104.01	-11.85	74.0	-30.01	Peak	340.00	200	Horizontal	N/A
2**	2464.500	96.91	-11.85	54.0	-42.91	AV	340.00	200	Horizontal	N/A
3	4926.200	55.29	-2.39	74.0	18.71	Peak	63.00	150	Horizontal	Pass
3**	4926.200	51.26	-2.39	54.0	2.74	AV	63.00	150	Horizontal	Pass
4	7390.425	56.78	-3.92	74.0	17.22	Peak	354.00	150	Horizontal	Pass
4**	7390.425	50.62	-3.92	54.0	3.38	AV	354.00	150	Horizontal	Pass
5	12789.112	53.67	1.19	74.0	20.33	Peak	109.00	400	Horizontal	Pass
5**	12789.112	45.37	1.19	54.0	8.63	AV	109.00	400	Horizontal	Pass
6	17404.649	56.58	3.31	74.0	17.42	Peak	0.00	200	Horizontal	Pass
6**	17404.649	47.91	3.31	54.0	6.09	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.300	43.01	-17.75	74.0	30.99	Peak	72.00	200	Vertical	Pass
1**	1200.300	38.94	-17.75	54.0	15.06	AV	72.00	200	Vertical	Pass
2	2463.200	99.30	-11.79	74.0	-25.30	Peak	9.00	100	Vertical	N/A
2**	2463.200	91.85	-11.79	54.0	-37.85	AV	9.00	100	Vertical	N/A
3	4926.800	54.30	-2.39	74.0	19.70	Peak	173.00	150	Vertical	Pass
3**	4926.800	44.37	-2.39	54.0	9.63	AV	173.00	150	Vertical	Pass
4	7393.875	55.13	-3.84	74.0	18.87	Peak	333.00	150	Vertical	Pass
4**	7393.875	50.28	-3.84	54.0	3.72	AV	333.00	150	Vertical	Pass
5	12822.450	54.49	0.98	74.0	19.51	Peak	210.00	100	Vertical	Pass
5**	12822.450	44.94	0.98	54.0	9.06	AV	210.00	100	Vertical	Pass
6	15833.850	56.59	1.46	74.0	17.41	Peak	256.00	300	Vertical	Pass
6**	15833.850	47.21	1.46	54.0	6.79	AV	256.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	40.76	-17.76	74.0	33.24	Peak	91.00	300	Horizontal	Pass
1**	1200.000	36.89	-17.76	54.0	17.11	AV	91.00	300	Horizontal	Pass
2	2410.000	109.07	-10.49	74.0	-35.07	Peak	360.00	150	Horizontal	N/A
2**	2410.000	98.89	-10.49	54.0	-44.89	AV	360.00	150	Horizontal	N/A
3	4820.800	56.63	-2.11	74.0	17.37	Peak	59.00	150	Horizontal	Pass
3**	4820.800	51.64	-2.11	54.0	2.36	AV	59.00	150	Horizontal	Pass
4	6154.800	54.87	0.20	74.0	19.13	Peak	11.00	100	Horizontal	Pass
4**	6154.800	45.28	0.20	54.0	8.72	AV	11.00	100	Horizontal	Pass
5	12880.201	53.59	1.57	74.0	20.41	Peak	143.00	200	Horizontal	Pass
5**	12880.201	44.60	1.57	54.0	9.40	AV	143.00	200	Horizontal	Pass
6	17412.786	57.06	3.55	74.0	16.94	Peak	78.00	100	Horizontal	Pass
6**	17412.786	47.75	3.55	54.0	6.25	AV	78.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.200	44.21	-17.75	74.0	29.79	Peak	53.00	100	Vertical	Pass
1**	1200.200	41.85	-17.75	54.0	12.15	AV	53.00	100	Vertical	Pass
2	2413.300	101.78	-10.74	74.0	-27.78	Peak	334.00	150	Vertical	N/A
2**	2413.300	94.27	-10.74	54.0	-40.27	AV	334.00	150	Vertical	N/A
3	4832.200	58.07	-2.74	74.0	15.93	Peak	61.00	100	Vertical	Pass
3**	4832.200	44.02	-2.74	54.0	9.98	AV	61.00	100	Vertical	Pass
4	6793.200	54.52	1.09	74.0	19.48	Peak	190.00	100	Vertical	Pass
4**	6793.200	45.55	1.09	54.0	8.45	AV	190.00	100	Vertical	Pass
5	12790.950	53.97	1.18	74.0	20.03	Peak	240.00	400	Vertical	Pass
5**	12790.950	44.33	1.18	54.0	9.67	AV	240.00	400	Vertical	Pass
6	17414.887	56.41	3.63	74.0	17.59	Peak	57.00	100	Vertical	Pass
6**	17414.887	47.89	3.63	54.0	6.11	AV	57.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	41.37	-17.76	74.0	32.63	Peak	97.00	100	Horizontal	Pass
1**	1200.100	37.94	-17.76	54.0	16.06	AV	97.00	100	Horizontal	Pass
2	2434.200	107.01	-12.22	74.0	-33.01	Peak	344.00	100	Horizontal	N/A
2**	2434.200	97.39	-12.22	54.0	-43.39	AV	344.00	100	Horizontal	N/A
3	4872.600	57.10	-2.66	74.0	16.90	Peak	261.00	150	Horizontal	Pass
3**	4872.600	51.69	-2.66	54.0	2.31	AV	261.00	150	Horizontal	Pass
4	7313.087	52.62	-3.50	74.0	21.38	Peak	15.00	150	Horizontal	Pass
4**	7313.087	46.52	-3.50	54.0	7.48	AV	15.00	150	Horizontal	Pass
5	12615.737	53.57	1.86	74.0	20.43	Peak	360.00	400	Horizontal	Pass
5**	12615.737	43.83	1.86	54.0	10.17	AV	360.00	400	Horizontal	Pass
6	15841.200	56.23	1.43	74.0	17.77	Peak	279.00	300	Horizontal	Pass
6**	15841.200	46.86	1.43	54.0	7.14	AV	279.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	44.03	-17.77	74.0	29.97	Peak	55.00	100	Vertical	Pass
1**	1199.900	41.52	-17.77	54.0	12.48	AV	55.00	100	Vertical	Pass
2	2439.900	102.88	-12.40	74.0	-28.88	Peak	265.00	200	Vertical	N/A
2**	2439.900	92.28	-12.40	54.0	-38.28	AV	265.00	200	Vertical	N/A
3	4871.000	57.53	-2.71	74.0	16.47	Peak	64.00	200	Vertical	Pass
3**	4871.000	44.59	-2.71	54.0	9.41	AV	64.00	200	Vertical	Pass
4	7316.250	54.55	-3.40	74.0	19.45	Peak	347.00	150	Vertical	Pass
4**	7316.250	45.08	-3.40	54.0	8.92	AV	347.00	150	Vertical	Pass
5	12759.187	54.50	0.99	74.0	19.50	Peak	112.00	300	Vertical	Pass
5**	12759.187	44.55	0.99	54.0	9.45	AV	112.00	300	Vertical	Pass
6	17426.176	56.40	3.58	74.0	17.60	Peak	195.00	400	Vertical	Pass
6**	17426.176	46.95	3.58	54.0	7.05	AV	195.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	41.46	-17.77	74.0	32.54	Peak	99.00	200	Horizontal	Pass
1**	1199.900	37.65	-17.77	54.0	16.35	AV	99.00	200	Horizontal	Pass
2	2464.300	106.61	-11.84	74.0	-32.61	Peak	344.00	200	Horizontal	N/A
2**	2464.300	97.49	-11.84	54.0	-43.49	AV	344.00	200	Horizontal	N/A
3	4923.800	59.10	-2.43	74.0	14.90	Peak	106.00	150	Horizontal	Pass
3**	4923.800	51.61	-2.43	54.0	2.39	AV	106.00	150	Horizontal	Pass
4	7385.538	59.02	-3.82	74.0	14.98	Peak	289.00	150	Horizontal	Pass
4**	7385.538	51.60	-3.82	54.0	2.40	AV	289.00	150	Horizontal	Pass
5	12802.237	53.75	1.02	74.0	20.25	Peak	116.00	300	Horizontal	Pass
5**	12802.237	44.76	1.02	54.0	9.24	AV	116.00	300	Horizontal	Pass
6	15798.938	56.64	2.30	74.0	17.36	Peak	176.00	400	Horizontal	Pass
6**	15798.938	46.40	2.30	54.0	7.60	AV	176.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	43.88	-17.76	74.0	30.12	Peak	50.00	100	Vertical	Pass
1**	1200.000	41.59	-17.76	54.0	12.41	AV	50.00	100	Vertical	Pass
2	2461.900	101.37	-11.94	74.0	-27.37	Peak	258.00	200	Vertical	N/A
2**	2461.900	92.18	-11.94	54.0	-38.18	AV	258.00	200	Vertical	N/A
3	4923.800	58.20	-2.43	74.0	15.80	Peak	178.00	200	Vertical	Pass
3**	4923.800	47.06	-2.43	54.0	6.94	AV	178.00	200	Vertical	Pass
4	7389.850	55.99	-3.94	74.0	18.01	Peak	312.00	150	Vertical	Pass
4**	7389.850	50.31	-3.94	54.0	3.69	AV	312.00	150	Vertical	Pass
5	12895.425	54.26	1.56	74.0	19.74	Peak	215.00	300	Vertical	Pass
5**	12895.425	43.99	1.56	54.0	10.01	AV	215.00	300	Vertical	Pass
6	17420.136	56.68	3.75	74.0	17.32	Peak	295.00	300	Vertical	Pass
6**	17420.136	47.92	3.75	54.0	6.08	AV	295.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	41.90	-17.76	74.0	32.10	Peak	91.00	100	Horizontal	Pass
1**	1200.000	38.70	-17.76	54.0	15.30	AV	91.00	100	Horizontal	Pass
2	2403.400	113.00	-9.69	74.0	-39.00	Peak	336.00	150	Horizontal	N/A
2**	2403.400	107.83	-9.69	54.0	-53.83	AV	336.00	150	Horizontal	N/A
3	4807.400	61.87	-2.31	74.0	12.13	Peak	240.00	150	Horizontal	Pass
3**	4807.400	51.68	-2.31	54.0	2.32	AV	240.00	150	Horizontal	Pass
4	7211.025	56.67	-3.84	74.0	17.33	Peak	71.00	400	Horizontal	Pass
4**	7211.025	43.08	-3.84	54.0	10.92	AV	71.00	400	Horizontal	Pass
5	12791.737	54.12	1.17	74.0	19.88	Peak	16.00	200	Horizontal	Pass
5**	12791.737	44.68	1.17	54.0	9.32	AV	16.00	200	Horizontal	Pass
6	15650.888	56.53	1.18	74.0	17.47	Peak	207.00	100	Horizontal	Pass
6**	15650.888	45.94	1.18	54.0	8.06	AV	207.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	44.43	-17.76	74.0	29.57	Peak	49.00	100	Vertical	Pass
1**	1200.000	41.10	-17.76	54.0	12.90	AV	49.00	100	Vertical	Pass
2	2403.600	109.50	-9.69	74.0	-35.50	Peak	352.00	200	Vertical	N/A
2**	2403.600	102.72	-9.69	54.0	-48.72	AV	352.00	200	Vertical	N/A
3	4806.400	58.67	-2.47	74.0	15.33	Peak	71.00	150	Vertical	Pass
3**	4806.400	45.82	-2.47	54.0	8.18	AV	71.00	150	Vertical	Pass
4	6518.600	54.62	0.02	74.0	19.38	Peak	282.00	100	Vertical	Pass
4**	6518.600	45.58	0.02	54.0	8.42	AV	282.00	100	Vertical	Pass
5	12282.237	53.49	1.79	74.0	20.51	Peak	280.00	200	Vertical	Pass
5**	12282.237	44.24	1.79	54.0	9.76	AV	280.00	200	Vertical	Pass
6	17413.575	56.63	3.58	74.0	17.37	Peak	187.00	300	Vertical	Pass
6**	17413.575	48.05	3.58	54.0	5.95	AV	187.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.800	42.54	-17.06	74.0	31.46	Peak	100.00	100	Horizontal	Pass
1**	1335.800	29.57	-17.06	54.0	24.43	AV	100.00	100	Horizontal	Pass
2	2470.200	109.69	-11.76	74.0	-35.69	Peak	334.00	100	Horizontal	N/A
2**	2470.200	102.44	-11.76	54.0	-48.44	AV	334.00	100	Horizontal	N/A
3	4940.200	58.41	-1.98	74.0	15.59	Peak	144.00	150	Horizontal	Pass
3**	4940.200	50.16	-1.98	54.0	3.84	AV	144.00	150	Horizontal	Pass
4	7412.275	62.79	-3.77	74.0	11.21	Peak	95.00	150	Horizontal	Pass
4**	7412.275	50.93	-3.77	54.0	3.07	AV	95.00	150	Horizontal	Pass
5	12797.513	53.77	1.13	74.0	20.23	Peak	97.00	400	Horizontal	Pass
5**	12797.513	45.44	1.13	54.0	8.56	AV	97.00	400	Horizontal	Pass
6	17369.999	56.24	2.42	74.0	17.76	Peak	155.00	400	Horizontal	Pass
6**	17369.999	47.12	2.42	54.0	6.88	AV	155.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.700	54.41	-17.40	74.0	19.59	Peak	112.00	100	Vertical	Pass
1**	1579.700	29.81	-17.40	54.0	24.19	AV	112.00	100	Vertical	Pass
2	2470.900	104.52	-11.87	74.0	-30.52	Peak	258.00	100	Vertical	N/A
2**	2470.900	96.29	-11.87	54.0	-42.29	AV	258.00	100	Vertical	N/A
3	4940.800	57.93	-1.92	74.0	16.07	Peak	26.00	100	Vertical	Pass
3**	4940.800	45.34	-1.92	54.0	8.66	AV	26.00	100	Vertical	Pass
4	7411.987	56.46	-3.77	74.0	17.54	Peak	360.00	150	Vertical	Pass
4**	7411.987	47.79	-3.77	54.0	6.21	AV	360.00	150	Vertical	Pass
5	12995.438	53.99	1.23	74.0	20.01	Peak	212.00	100	Vertical	Pass
5**	12995.438	44.70	1.23	54.0	9.30	AV	212.00	100	Vertical	Pass
6	16205.813	56.59	1.49	74.0	17.41	Peak	38.00	400	Vertical	Pass
6**	16205.813	46.11	1.49	54.0	7.89	AV	38.00	400	Vertical	Pass

SISO-Antenna 2

1 GHz to 18 GHz, ANT H 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	41.77	-17.77	74.0	32.23	Peak	110.00	400	Horizontal	Pass
1**	1199.800	37.68	-17.77	54.0	16.32	AV	110.00	400	Horizontal	Pass
2	2413.400	105.62	-10.75	74.0	-31.62	Peak	0.00	100	Horizontal	N/A
2**	2413.400	102.65	-10.75	54.0	-48.65	AV	0.00	100	Horizontal	N/A
3	4824.200	55.36	-2.04	74.0	18.64	Peak	175.00	150	Horizontal	Pass
3**	4824.200	51.44	-2.04	54.0	2.56	AV	175.00	150	Horizontal	Pass
4	7237.475	53.44	-3.71	74.0	20.56	Peak	91.00	150	Horizontal	Pass
4**	7237.475	50.15	-3.71	54.0	3.85	AV	91.00	150	Horizontal	Pass
5	12816.412	53.56	0.87	74.0	20.44	Peak	320.00	100	Horizontal	Pass
5**	12816.412	44.61	0.87	54.0	9.39	AV	320.00	100	Horizontal	Pass
6	13357.950	56.92	0.88	74.0	17.08	Peak	360.00	300	Horizontal	Pass
6**	13357.950	46.34	0.88	54.0	7.66	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	43.73	-17.77	74.0	30.27	Peak	55.00	100	Vertical	Pass
1**	1199.900	41.24	-17.77	54.0	12.76	AV	55.00	100	Vertical	Pass
2	2413.100	104.27	-10.73	74.0	-30.27	Peak	91.00	100	Vertical	N/A
2**	2413.100	101.45	-10.73	54.0	-47.45	AV	91.00	100	Vertical	N/A
3	4823.400	52.21	-1.99	74.0	21.79	Peak	360.00	150	Vertical	Pass
3**	4823.400	43.37	-1.99	54.0	10.63	AV	360.00	150	Vertical	Pass
4	6507.200	54.52	-0.82	74.0	19.48	Peak	86.00	100	Vertical	Pass
4**	6507.200	45.31	-0.82	54.0	8.69	AV	86.00	100	Vertical	Pass
5	12612.287	53.48	1.88	74.0	20.52	Peak	15.00	400	Vertical	Pass
5**	12612.287	44.30	1.88	54.0	9.70	AV	15.00	400	Vertical	Pass
6	17402.812	57.09	3.26	74.0	16.91	Peak	200.00	400	Vertical	Pass
6**	17402.812	47.10	3.26	54.0	6.90	AV	200.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.100	42.86	-17.14	74.0	31.14	Peak	162.00	100	Horizontal	Pass
1**	1385.100	29.56	-17.14	54.0	24.44	AV	162.00	100	Horizontal	Pass
2	2438.200	104.42	-12.20	74.0	-30.42	Peak	162.00	200	Horizontal	N/A
2**	2438.200	101.38	-12.20	54.0	-47.38	AV	162.00	200	Horizontal	N/A
3	4874.200	54.80	-2.66	74.0	19.20	Peak	159.00	150	Horizontal	Pass
3**	4874.200	51.14	-2.66	54.0	2.86	AV	159.00	150	Horizontal	Pass
4	7309.925	55.81	-3.68	74.0	18.19	Peak	99.00	150	Horizontal	Pass
4**	7309.925	51.94	-3.68	54.0	2.06	AV	99.00	150	Horizontal	Pass
5	12992.287	53.96	1.16	74.0	20.04	Peak	360.00	300	Horizontal	Pass
5**	12992.287	44.09	1.16	54.0	9.91	AV	360.00	300	Horizontal	Pass
6	16403.474	56.47	1.38	74.0	17.53	Peak	167.00	100	Horizontal	Pass
6**	16403.474	46.63	1.38	54.0	7.37	AV	167.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.300	52.02	-17.72	74.0	21.98	Peak	302.00	200	Vertical	Pass
1**	1215.300	29.54	-17.72	54.0	24.46	AV	302.00	200	Vertical	Pass
2	2437.000	103.53	-12.13	74.0	-29.53	Peak	232.00	100	Vertical	N/A
2**	2437.000	99.24	-12.13	54.0	-45.24	AV	232.00	100	Vertical	N/A
3	4873.600	52.29	-2.66	74.0	21.71	Peak	345.00	150	Vertical	Pass
3**	4873.600	43.53	-2.66	54.0	10.47	AV	345.00	150	Vertical	Pass
4	6980.600	54.73	1.69	74.0	19.27	Peak	250.00	400	Vertical	Pass
4**	6980.600	45.46	1.69	54.0	8.54	AV	250.00	400	Vertical	Pass
5	12818.513	54.01	0.89	74.0	19.99	Peak	91.00	200	Vertical	Pass
5**	12818.513	45.14	0.89	54.0	8.86	AV	91.00	200	Vertical	Pass
6	17466.337	56.51	2.89	74.0	17.49	Peak	72.00	200	Vertical	Pass
6**	17466.337	46.71	2.89	54.0	7.29	AV	72.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	39.99	-17.76	74.0	34.01	Peak	70.00	400	Horizontal	Pass
1**	1200.100	34.60	-17.76	54.0	19.40	AV	70.00	400	Horizontal	Pass
2	2463.200	104.89	-11.79	74.0	-30.89	Peak	127.00	150	Horizontal	N/A
2**	2463.200	101.84	-11.79	54.0	-47.84	AV	127.00	150	Horizontal	N/A
3	4924.200	54.27	-2.42	74.0	19.73	Peak	145.00	150	Horizontal	Pass
3**	4924.200	51.67	-2.42	54.0	2.33	AV	145.00	150	Horizontal	Pass
4	7387.550	54.90	-3.99	74.0	19.10	Peak	79.00	150	Horizontal	Pass
4**	7387.550	50.75	-3.99	54.0	3.25	AV	79.00	150	Horizontal	Pass
5	12331.112	53.96	1.40	74.0	20.04	Peak	265.00	300	Horizontal	Pass
5**	12331.112	44.48	1.40	54.0	9.52	AV	265.00	300	Horizontal	Pass
6	15623.850	56.73	1.70	74.0	17.27	Peak	305.00	300	Horizontal	Pass
6**	15623.850	46.34	1.70	54.0	7.66	AV	305.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	43.83	-17.76	74.0	30.17	Peak	36.00	300	Vertical	Pass
1**	1200.100	41.38	-17.76	54.0	12.62	AV	36.00	300	Vertical	Pass
2	2462.100	103.45	-11.91	74.0	-29.45	Peak	252.00	200	Vertical	N/A
2**	2462.100	99.51	-11.91	54.0	-45.51	AV	252.00	200	Vertical	N/A
3	4916.200	52.20	-2.92	74.0	21.80	Peak	0.00	150	Vertical	Pass
3**	4916.200	41.98	-2.92	54.0	12.02	AV	0.00	150	Vertical	Pass
4	6627.400	54.65	0.18	74.0	19.35	Peak	348.00	100	Vertical	Pass
4**	6627.400	45.91	0.18	54.0	8.09	AV	348.00	100	Vertical	Pass
5	11952.474	54.10	1.28	74.0	19.90	Peak	12.00	100	Vertical	Pass
5**	11952.474	44.19	1.28	54.0	9.81	AV	12.00	100	Vertical	Pass
6	13409.662	56.10	0.51	74.0	17.90	Peak	112.00	400	Vertical	Pass
6**	13409.662	47.63	0.51	54.0	6.37	AV	112.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	40.26	-17.76	74.0	33.74	Peak	109.00	100	Horizontal	Pass
1**	1200.000	36.31	-17.76	54.0	17.69	AV	109.00	100	Horizontal	Pass
2	2413.500	108.52	-10.75	74.0	-34.52	Peak	351.00	100	Horizontal	N/A
2**	2413.500	101.25	-10.75	54.0	-47.25	AV	351.00	100	Horizontal	N/A
3	4823.800	53.08	-1.95	74.0	20.92	Peak	154.00	200	Horizontal	Pass
3**	4823.800	45.21	-1.95	54.0	8.79	AV	154.00	200	Horizontal	Pass
4	7241.212	56.20	-3.42	74.0	17.80	Peak	151.00	150	Horizontal	Pass
4**	7241.212	51.17	-3.42	54.0	2.83	AV	151.00	150	Horizontal	Pass
5	12910.387	53.88	1.37	74.0	20.12	Peak	281.00	100	Horizontal	Pass
5**	12910.387	45.00	1.37	54.0	9.00	AV	281.00	100	Horizontal	Pass
6	17415.676	56.75	3.65	74.0	17.25	Peak	225.00	300	Horizontal	Pass
6**	17415.676	47.44	3.65	54.0	6.56	AV	225.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	44.11	-17.76	74.0	29.89	Peak	54.00	300	Vertical	Pass
1**	1200.000	41.40	-17.76	54.0	12.60	AV	54.00	300	Vertical	Pass
2	2413.500	106.29	-10.75	74.0	-32.29	Peak	71.00	150	Vertical	N/A
2**	2413.500	98.21	-10.75	54.0	-44.21	AV	71.00	150	Vertical	N/A
3	4668.000	51.58	-2.68	74.0	22.42	Peak	246.00	150	Vertical	Pass
3**	4668.000	40.98	-2.68	54.0	13.02	AV	246.00	150	Vertical	Pass
4	6405.800	54.97	-0.57	74.0	19.03	Peak	204.00	400	Vertical	Pass
4**	6405.800	45.04	-0.57	54.0	8.96	AV	204.00	400	Vertical	Pass
5	12811.162	53.90	0.85	74.0	20.10	Peak	148.00	400	Vertical	Pass
5**	12811.162	44.13	0.85	54.0	9.87	AV	148.00	400	Vertical	Pass
6	16486.688	56.43	1.01	74.0	17.57	Peak	54.00	400	Vertical	Pass
6**	16486.688	46.13	1.01	54.0	7.87	AV	54.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.500	47.44	-17.96	74.0	26.56	Peak	28.00	400	Horizontal	Pass
1**	1124.500	34.49	-17.96	54.0	19.51	AV	28.00	400	Horizontal	Pass
2	2432.900	108.50	-12.32	74.0	-34.50	Peak	153.00	150	Horizontal	N/A
2**	2432.900	99.89	-12.32	54.0	-45.89	AV	153.00	150	Horizontal	N/A
3	4878.800	54.48	-2.72	74.0	19.52	Peak	331.00	150	Horizontal	Pass
3**	4878.800	43.91	-2.72	54.0	10.09	AV	331.00	150	Horizontal	Pass
4	7314.237	56.00	-3.36	74.0	18.00	Peak	178.00	150	Horizontal	Pass
4**	7314.237	51.56	-3.36	54.0	2.44	AV	178.00	150	Horizontal	Pass
5	12227.325	53.61	1.31	74.0	20.39	Peak	178.00	100	Horizontal	Pass
5**	12227.325	44.22	1.31	54.0	9.78	AV	178.00	100	Horizontal	Pass
6	16181.137	56.86	1.51	74.0	17.14	Peak	150.00	100	Horizontal	Pass
6**	16181.137	46.65	1.51	54.0	7.35	AV	150.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1003.100	51.04	-17.68	74.0	22.96	Peak	108.00	300	Vertical	Pass
1**	1003.100	39.44	-17.68	54.0	14.56	AV	108.00	300	Vertical	Pass
2	2436.500	107.46	-12.13	74.0	-33.46	Peak	236.00	200	Vertical	N/A
2**	2436.500	99.94	-12.13	54.0	-45.94	AV	236.00	200	Vertical	N/A
3	5054.200	52.85	-1.66	74.0	21.15	Peak	291.00	150	Vertical	Pass
3**	5054.200	43.02	-1.66	54.0	10.98	AV	291.00	150	Vertical	Pass
4	7313.662	51.38	-3.43	74.0	22.62	Peak	313.00	150	Vertical	Pass
4**	7313.662	46.28	-3.43	54.0	7.72	AV	313.00	150	Vertical	Pass
5	12878.625	53.67	1.55	74.0	20.33	Peak	169.00	400	Vertical	Pass
5**	12878.625	45.19	1.55	54.0	8.81	AV	169.00	400	Vertical	Pass
6	17407.011	56.43	3.37	74.0	17.57	Peak	256.00	300	Vertical	Pass
6**	17407.011	47.84	3.37	54.0	6.16	AV	256.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	39.51	-17.76	74.0	34.49	Peak	82.00	200	Horizontal	Pass
1**	1200.000	36.21	-17.76	54.0	17.79	AV	82.00	200	Horizontal	Pass
2	2462.200	107.95	-11.90	74.0	-33.95	Peak	125.00	100	Horizontal	N/A
2**	2462.200	101.18	-11.90	54.0	-47.18	AV	125.00	100	Horizontal	N/A
3	4920.000	54.30	-2.57	74.0	19.70	Peak	64.00	150	Horizontal	Pass
3**	4920.000	43.91	-2.57	54.0	10.09	AV	64.00	150	Horizontal	Pass
4	7383.237	57.64	-3.47	74.0	16.36	Peak	76.00	150	Horizontal	Pass
4**	7383.237	49.92	-3.47	54.0	4.08	AV	76.00	150	Horizontal	Pass
5	12933.750	53.89	0.99	74.0	20.11	Peak	212.00	100	Horizontal	Pass
5**	12933.750	44.17	0.99	54.0	9.83	AV	212.00	100	Horizontal	Pass
6	16011.825	56.56	0.45	74.0	17.44	Peak	360.00	300	Horizontal	Pass
6**	16011.825	46.40	0.45	54.0	7.60	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	44.06	-17.76	74.0	29.94	Peak	48.00	200	Vertical	Pass
1**	1200.100	41.20	-17.76	54.0	12.80	AV	48.00	200	Vertical	Pass
2	2462.700	106.68	-11.83	74.0	-32.68	Peak	181.00	200	Vertical	N/A
2**	2462.700	99.55	-11.83	54.0	-45.55	AV	181.00	200	Vertical	N/A
3	4927.800	52.42	-2.39	74.0	21.58	Peak	241.00	150	Vertical	Pass
3**	4927.800	43.49	-2.39	54.0	10.51	AV	241.00	150	Vertical	Pass
4	6521.200	54.70	0.24	74.0	19.30	Peak	360.00	200	Vertical	Pass
4**	6521.200	45.44	0.24	54.0	8.56	AV	360.00	200	Vertical	Pass
5	12849.750	53.82	1.36	74.0	20.18	Peak	166.00	400	Vertical	Pass
5**	12849.750	45.21	1.36	54.0	8.79	AV	166.00	400	Vertical	Pass
6	15836.474	56.75	1.45	74.0	17.25	Peak	110.00	300	Vertical	Pass
6**	15836.474	46.74	1.45	54.0	7.26	AV	110.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	40.58	-17.00	74.0	33.42	Peak	135.00	400	Horizontal	Pass
1**	1330.000	31.31	-17.00	54.0	22.69	AV	135.00	400	Horizontal	Pass
2	2413.300	108.34	-10.74	74.0	-34.34	Peak	350.00	200	Horizontal	N/A
2**	2413.300	101.13	-10.74	54.0	-47.13	AV	350.00	200	Horizontal	N/A
3	4823.000	53.92	-2.03	74.0	20.08	Peak	167.00	200	Horizontal	Pass
3**	4823.000	45.24	-2.03	54.0	8.76	AV	167.00	200	Horizontal	Pass
4	7231.150	57.57	-3.37	74.0	16.43	Peak	72.00	150	Horizontal	Pass
4**	7231.150	51.20	-3.37	54.0	2.80	AV	72.00	150	Horizontal	Pass
5	12764.174	53.95	1.00	74.0	20.05	Peak	345.00	300	Horizontal	Pass
5**	12764.174	43.91	1.00	54.0	10.09	AV	345.00	300	Horizontal	Pass
6	17397.301	56.66	3.08	74.0	17.34	Peak	164.00	300	Horizontal	Pass
6**	17397.301	47.61	3.08	54.0	6.39	AV	164.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1369.500	52.28	-17.06	74.0	21.72	Peak	8.00	400	Vertical	Pass
1**	1369.500	38.47	-17.06	54.0	15.53	AV	8.00	400	Vertical	Pass
2	2404.300	106.87	-9.92	74.0	-32.87	Peak	240.00	100	Vertical	N/A
2**	2404.300	98.40	-9.92	54.0	-44.40	AV	240.00	100	Vertical	N/A
3	4807.600	51.87	-2.28	74.0	22.13	Peak	120.00	150	Vertical	Pass
3**	4807.600	42.67	-2.28	54.0	11.33	AV	120.00	150	Vertical	Pass
4	7233.737	56.10	-3.35	74.0	17.90	Peak	294.00	100	Vertical	Pass
4**	7233.737	47.57	-3.35	54.0	6.43	AV	294.00	100	Vertical	Pass
5	12244.575	54.10	1.02	74.0	19.90	Peak	12.00	400	Vertical	Pass
5**	12244.575	43.93	1.02	54.0	10.07	AV	12.00	400	Vertical	Pass
6	16061.175	56.44	0.99	74.0	17.56	Peak	344.00	100	Vertical	Pass
6**	16061.175	46.37	0.99	54.0	7.63	AV	344.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.200	40.46	-17.75	74.0	33.54	Peak	247.00	300	Horizontal	Pass
1**	1200.200	36.01	-17.75	54.0	17.99	AV	247.00	300	Horizontal	Pass
2	2444.300	108.08	-12.48	74.0	-34.08	Peak	165.00	100	Horizontal	N/A
2**	2444.300	100.04	-12.48	54.0	-46.04	AV	165.00	100	Horizontal	N/A
3	4875.000	52.51	-2.66	74.0	21.49	Peak	192.00	150	Horizontal	Pass
3**	4875.000	44.16	-2.66	54.0	9.84	AV	192.00	150	Horizontal	Pass
4	7314.237	55.30	-3.36	74.0	18.70	Peak	95.00	150	Horizontal	Pass
4**	7314.237	51.18	-3.36	54.0	2.82	AV	95.00	150	Horizontal	Pass
5	12635.862	53.86	1.24	74.0	20.14	Peak	257.00	100	Horizontal	Pass
5**	12635.862	43.46	1.24	54.0	10.54	AV	257.00	100	Horizontal	Pass
6	15849.338	56.34	1.34	74.0	17.66	Peak	117.00	200	Horizontal	Pass
6**	15849.338	46.98	1.34	54.0	7.02	AV	117.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	45.00	-17.76	74.0	29.00	Peak	54.00	200	Vertical	Pass
1**	1200.100	42.55	-17.76	54.0	11.45	AV	54.00	200	Vertical	Pass
2	2440.600	106.13	-12.39	74.0	-32.13	Peak	237.00	200	Vertical	N/A
2**	2440.600	99.19	-12.39	54.0	-45.19	AV	237.00	200	Vertical	N/A
3	4983.800	52.48	-1.74	74.0	21.52	Peak	137.00	150	Vertical	Pass
3**	4983.800	42.81	-1.74	54.0	11.19	AV	137.00	150	Vertical	Pass
4	7314.525	49.89	-3.36	74.0	24.11	Peak	30.00	150	Vertical	Pass
4**	7314.525	46.19	-3.36	54.0	7.81	AV	30.00	150	Vertical	Pass
5	12906.713	53.83	1.42	74.0	20.17	Peak	195.00	200	Vertical	Pass
5**	12906.713	43.96	1.42	54.0	10.04	AV	195.00	200	Vertical	Pass
6	13391.549	56.20	0.67	74.0	17.80	Peak	250.00	400	Vertical	Pass
6**	13391.549	46.76	0.67	54.0	7.24	AV	250.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	40.14	-17.76	74.0	33.86	Peak	81.00	400	Horizontal	Pass
1**	1200.100	36.39	-17.76	54.0	17.61	AV	81.00	400	Horizontal	Pass
2	2463.200	107.88	-11.79	74.0	-33.88	Peak	141.00	150	Horizontal	N/A
2**	2463.200	100.93	-11.79	54.0	-46.93	AV	141.00	150	Horizontal	N/A
3	4923.800	53.26	-2.43	74.0	20.74	Peak	141.00	150	Horizontal	Pass
3**	4923.800	45.17	-2.43	54.0	8.83	AV	141.00	150	Horizontal	Pass
4	7387.262	54.21	-3.99	74.0	19.79	Peak	94.00	150	Horizontal	Pass
4**	7387.262	49.71	-3.99	54.0	4.29	AV	94.00	150	Horizontal	Pass
5	12336.000	53.82	1.33	74.0	20.18	Peak	71.00	300	Horizontal	Pass
5**	12336.000	44.54	1.33	54.0	9.46	AV	71.00	300	Horizontal	Pass
6	15572.662	56.61	1.41	74.0	17.39	Peak	325.00	100	Horizontal	Pass
6**	15572.662	46.57	1.41	54.0	7.43	AV	325.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	44.64	-17.77	74.0	29.36	Peak	53.00	400	Vertical	Pass
1**	1199.900	41.72	-17.77	54.0	12.28	AV	53.00	400	Vertical	Pass
2	2468.300	106.27	-11.75	74.0	-32.27	Peak	249.00	200	Vertical	N/A
2**	2468.300	98.06	-11.75	54.0	-44.06	AV	249.00	200	Vertical	N/A
3	4934.200	52.36	-2.14	74.0	21.64	Peak	255.00	150	Vertical	Pass
3**	4934.200	43.05	-2.14	54.0	10.95	AV	255.00	150	Vertical	Pass
4	6980.400	54.59	1.70	74.0	19.41	Peak	194.00	150	Vertical	Pass
4**	6980.400	44.58	1.70	54.0	9.42	AV	194.00	150	Vertical	Pass
5	12890.700	54.82	1.58	74.0	19.18	Peak	0.00	400	Vertical	Pass
5**	12890.700	44.71	1.58	54.0	9.29	AV	0.00	400	Vertical	Pass
6	17467.386	56.20	2.90	74.0	17.80	Peak	214.00	400	Vertical	Pass
6**	17467.386	47.35	2.90	54.0	6.65	AV	214.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1391.000	42.90	-17.09	74.0	31.10	Peak	138.00	200	Horizontal	Pass
1**	1391.000	29.33	-17.09	54.0	24.67	AV	138.00	200	Horizontal	Pass
2	2409.600	109.89	-10.44	74.0	-35.89	Peak	360.00	150	Horizontal	N/A
2**	2409.600	99.97	-10.44	54.0	-45.97	AV	360.00	150	Horizontal	N/A
3	4822.400	52.64	-2.10	74.0	21.36	Peak	144.00	150	Horizontal	Pass
3**	4822.400	44.14	-2.10	54.0	9.86	AV	144.00	150	Horizontal	Pass
4	7236.038	56.63	-3.53	74.0	17.37	Peak	75.00	150	Horizontal	Pass
4**	7236.038	51.13	-3.53	54.0	2.87	AV	75.00	150	Horizontal	Pass
5	12831.901	53.72	1.18	74.0	20.28	Peak	360.00	100	Horizontal	Pass
5**	12831.901	44.42	1.18	54.0	9.58	AV	360.00	100	Horizontal	Pass
6	17424.599	56.42	3.63	74.0	17.58	Peak	95.00	400	Horizontal	Pass
6**	17424.599	47.88	3.63	54.0	6.12	AV	95.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.900	47.92	-17.40	74.0	26.08	Peak	16.00	400	Vertical	Pass
1**	1463.900	29.29	-17.40	54.0	24.71	AV	16.00	400	Vertical	Pass
2	2410.700	109.57	-10.56	74.0	-35.57	Peak	241.00	150	Vertical	N/A
2**	2410.700	100.51	-10.56	54.0	-46.51	AV	241.00	150	Vertical	N/A
3	5090.600	52.70	-1.87	74.0	21.30	Peak	202.00	150	Vertical	Pass
3**	5090.600	43.10	-1.87	54.0	10.90	AV	202.00	150	Vertical	Pass
4	7238.050	56.62	-3.72	74.0	17.38	Peak	291.00	200	Vertical	Pass
4**	7238.050	47.79	-3.72	54.0	6.21	AV	291.00	200	Vertical	Pass
5	12320.474	53.90	1.42	74.0	20.10	Peak	95.00	200	Vertical	Pass
5**	12320.474	44.15	1.42	54.0	9.85	AV	95.00	200	Vertical	Pass
6	17394.412	56.11	2.99	74.0	17.89	Peak	325.00	100	Vertical	Pass
6**	17394.412	46.93	2.99	54.0	7.07	AV	325.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.400	43.29	-16.91	74.0	30.71	Peak	16.00	100	Horizontal	Pass
1**	1507.400	30.66	-16.91	54.0	23.34	AV	16.00	100	Horizontal	Pass
2	2436.400	107.42	-12.13	74.0	-33.42	Peak	4.00	150	Horizontal	N/A
2**	2436.400	99.03	-12.13	54.0	-45.03	AV	4.00	150	Horizontal	N/A
3	4814.600	51.67	-2.25	74.0	22.33	Peak	301.00	150	Horizontal	Pass
3**	4814.600	42.51	-2.25	54.0	11.49	AV	301.00	150	Horizontal	Pass
4	6926.400	54.41	0.17	74.0	19.59	Peak	247.00	150	Horizontal	Pass
4**	6926.400	45.10	0.17	54.0	8.90	AV	247.00	150	Horizontal	Pass
5	12798.037	53.46	1.12	74.0	20.54	Peak	119.00	200	Horizontal	Pass
5**	12798.037	44.68	1.12	54.0	9.32	AV	119.00	200	Horizontal	Pass
6	13444.575	56.50	0.56	74.0	17.50	Peak	281.00	200	Horizontal	Pass
6**	13444.575	46.88	0.56	54.0	7.12	AV	281.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	43.88	-17.13	74.0	30.12	Peak	111.00	200	Vertical	Pass
1**	1332.800	29.56	-17.13	54.0	24.44	AV	111.00	200	Vertical	Pass
2	2436.700	107.64	-12.13	74.0	-33.64	Peak	299.00	100	Vertical	N/A
2**	2436.700	99.31	-12.13	54.0	-45.31	AV	299.00	100	Vertical	N/A
3	4490.400	50.29	-3.66	74.0	23.71	Peak	352.00	150	Vertical	Pass
3**	4490.400	40.75	-3.66	54.0	13.25	AV	352.00	150	Vertical	Pass
4	7311.363	49.89	-3.64	74.0	24.11	Peak	352.00	150	Vertical	Pass
4**	7311.363	46.78	-3.64	54.0	7.22	AV	352.00	150	Vertical	Pass
5	12798.300	53.98	1.12	74.0	20.02	Peak	318.00	400	Vertical	Pass
5**	12798.300	44.94	1.12	54.0	9.06	AV	318.00	400	Vertical	Pass
6	17421.713	56.31	3.71	74.0	17.69	Peak	162.00	100	Vertical	Pass
6**	17421.713	47.94	3.71	54.0	6.06	AV	162.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	40.18	-17.77	74.0	33.82	Peak	90.00	300	Horizontal	Pass
1**	1199.800	35.86	-17.77	54.0	18.14	AV	90.00	300	Horizontal	Pass
2	2462.200	108.65	-11.90	74.0	-34.65	Peak	145.00	100	Horizontal	N/A
2**	2462.200	98.99	-11.90	54.0	-44.99	AV	145.00	100	Horizontal	N/A
3	4926.800	52.79	-2.39	74.0	21.21	Peak	128.00	150	Horizontal	Pass
3**	4926.800	43.03	-2.39	54.0	10.97	AV	128.00	150	Horizontal	Pass
4	6154.600	54.59	0.27	74.0	19.41	Peak	273.00	400	Horizontal	Pass
4**	6154.600	45.61	0.27	54.0	8.39	AV	273.00	400	Horizontal	Pass
5	12825.338	53.87	1.05	74.0	20.13	Peak	101.00	400	Horizontal	Pass
5**	12825.338	44.76	1.05	54.0	9.24	AV	101.00	400	Horizontal	Pass
6	16103.175	56.91	1.06	74.0	17.09	Peak	360.00	200	Horizontal	Pass
6**	16103.175	46.75	1.06	54.0	7.25	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.700	53.47	-16.99	74.0	20.53	Peak	21.00	100	Vertical	Pass
1**	1458.700	38.33	-16.99	54.0	15.67	AV	21.00	100	Vertical	Pass
2	2460.800	107.51	-12.05	74.0	-33.51	Peak	283.00	150	Vertical	N/A
2**	2460.800	99.57	-12.05	54.0	-45.57	AV	283.00	150	Vertical	N/A
3	4812.800	52.55	-2.06	74.0	21.45	Peak	227.00	150	Vertical	Pass
3**	4812.800	42.49	-2.06	54.0	11.51	AV	227.00	150	Vertical	Pass
4	5969.200	55.02	0.10	74.0	18.98	Peak	15.00	300	Vertical	Pass
4**	5969.200	46.16	0.10	54.0	7.84	AV	15.00	300	Vertical	Pass
5	12844.500	53.79	1.34	74.0	20.21	Peak	289.00	300	Vertical	Pass
5**	12844.500	44.95	1.34	54.0	9.05	AV	289.00	300	Vertical	Pass
6	17406.224	56.43	3.35	74.0	17.57	Peak	271.00	200	Vertical	Pass
6**	17406.224	47.41	3.35	54.0	6.59	AV	271.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1036.900	57.30	-17.58	74.0	16.70	Peak	108.00	400	Horizontal	Pass
1**	1036.900	33.20	-17.58	54.0	20.80	AV	108.00	400	Horizontal	Pass
2	2403.800	113.19	-9.75	74.0	-39.19	Peak	0.00	100	Horizontal	N/A
2**	2403.800	107.22	-9.75	54.0	-53.22	AV	0.00	100	Horizontal	N/A
3	4806.000	56.16	-2.54	74.0	17.84	Peak	132.00	100	Horizontal	Pass
3**	4806.000	46.87	-2.54	54.0	7.13	AV	132.00	100	Horizontal	Pass
4	7210.163	59.24	-3.76	74.0	14.76	Peak	268.00	150	Horizontal	Pass
4**	7210.163	50.78	-3.76	54.0	3.22	AV	268.00	150	Horizontal	Pass
5	12911.175	53.43	1.36	74.0	20.57	Peak	107.00	300	Horizontal	Pass
5**	12911.175	44.29	1.36	54.0	9.71	AV	107.00	300	Horizontal	Pass
6	15613.350	56.80	1.41	74.0	17.20	Peak	344.00	100	Horizontal	Pass
6**	15613.350	46.06	1.41	54.0	7.94	AV	344.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.100	48.58	-17.33	74.0	25.42	Peak	103.00	300	Vertical	Pass
1**	1526.100	31.89	-17.33	54.0	22.11	AV	103.00	300	Vertical	Pass
2	2403.300	110.75	-9.70	74.0	-36.75	Peak	38.00	200	Vertical	N/A
2**	2403.300	103.28	-9.70	54.0	-49.28	AV	38.00	200	Vertical	N/A
3	7210.737	54.82	-3.81	74.0	19.18	Peak	343.00	150	Vertical	Pass
3**	7210.737	44.02	-3.81	54.0	9.98	AV	343.00	150	Vertical	Pass
4	5316.800	56.95	-2.62	74.0	17.05	Peak	93.00	400	Vertical	Pass
4**	5316.800	42.42	-2.62	54.0	11.58	AV	93.00	400	Vertical	Pass
5	12791.213	54.26	1.17	74.0	19.74	Peak	66.00	200	Vertical	Pass
5**	12791.213	45.15	1.17	54.0	8.85	AV	66.00	200	Vertical	Pass
6	17458.989	56.44	2.84	74.0	17.56	Peak	343.00	200	Vertical	Pass
6**	17458.989	46.43	2.84	54.0	7.57	AV	343.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.600	41.81	-17.78	74.0	32.19	Peak	92.00	300	Horizontal	Pass
1**	1199.600	35.34	-17.78	54.0	18.66	AV	92.00	300	Horizontal	Pass
2	2470.100	111.16	-11.75	74.0	-37.16	Peak	141.00	150	Horizontal	N/A
2**	2470.100	106.67	-11.75	54.0	-52.67	AV	141.00	150	Horizontal	N/A
3	4940.200	58.68	-1.98	74.0	15.32	Peak	270.00	150	Horizontal	Pass
3**	4940.200	46.25	-1.98	54.0	7.75	AV	270.00	150	Horizontal	Pass
4	7412.275	57.59	-3.77	74.0	16.41	Peak	85.00	150	Horizontal	Pass
4**	7412.275	50.92	-3.77	54.0	3.08	AV	85.00	150	Horizontal	Pass
5	11504.838	53.66	-0.07	74.0	20.34	Peak	137.00	100	Horizontal	Pass
5**	11504.838	43.38	-0.07	54.0	10.62	AV	137.00	100	Horizontal	Pass
6	17422.238	56.09	3.70	74.0	17.91	Peak	360.00	400	Horizontal	Pass
6**	17422.238	47.40	3.70	54.0	6.60	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	44.42	-17.76	74.0	29.58	Peak	42.00	400	Vertical	Pass
1**	1200.000	40.84	-17.76	54.0	13.16	AV	42.00	400	Vertical	Pass
2	2470.700	109.84	-11.84	74.0	-35.84	Peak	227.00	100	Vertical	N/A
2**	2470.700	102.39	-11.84	54.0	-48.39	AV	227.00	100	Vertical	N/A
3	4941.000	55.34	-1.98	74.0	18.66	Peak	255.00	150	Vertical	Pass
3**	4941.000	45.03	-1.98	54.0	8.97	AV	255.00	150	Vertical	Pass
4	7411.700	55.12	-3.81	74.0	18.88	Peak	298.00	100	Vertical	Pass
4**	7411.700	43.18	-3.81	54.0	10.82	AV	298.00	100	Vertical	Pass
5	12831.112	54.02	1.16	74.0	19.98	Peak	287.00	400	Vertical	Pass
5**	12831.112	44.09	1.16	54.0	9.91	AV	287.00	400	Vertical	Pass
6	13393.651	56.51	0.65	74.0	17.49	Peak	190.00	200	Vertical	Pass
6**	13393.651	46.66	0.65	54.0	7.34	AV	190.00	200	Vertical	Pass

MIMO

1 GHz to 18 GHz, ANT H 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	40.16	-17.76	74.0	33.84	Peak	93.00	300	Horizontal	Pass
1**	1200.000	36.61	-17.76	54.0	17.39	AV	93.00	300	Horizontal	Pass
2	2412.100	106.03	-10.68	74.0	-32.03	Peak	339.00	100	Horizontal	N/A
2**	2412.100	101.90	-10.68	54.0	-47.90	AV	339.00	100	Horizontal	N/A
3	4824.200	52.79	-2.04	74.0	21.21	Peak	152.00	150	Horizontal	Pass
3**	4824.200	49.06	-2.04	54.0	4.94	AV	152.00	150	Horizontal	Pass
4	6989.400	55.39	1.90	74.0	18.61	Peak	78.00	200	Horizontal	Pass
4**	6989.400	45.11	1.90	54.0	8.89	AV	78.00	200	Horizontal	Pass
5	12912.750	54.61	1.33	74.0	19.39	Peak	177.00	100	Horizontal	Pass
5**	12912.750	44.56	1.33	54.0	9.44	AV	177.00	100	Horizontal	Pass
6	13386.825	56.47	0.65	74.0	17.53	Peak	25.00	400	Horizontal	Pass
6**	13386.825	46.68	0.65	54.0	7.32	AV	25.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	43.65	-17.76	74.0	30.35	Peak	54.00	300	Vertical	Pass
1**	1200.100	40.93	-17.76	54.0	13.07	AV	54.00	300	Vertical	Pass
2	2413.200	100.40	-10.74	74.0	-26.40	Peak	78.00	200	Vertical	N/A
2**	2413.200	97.61	-10.74	54.0	-43.61	AV	78.00	200	Vertical	N/A
3	4824.200	51.74	-2.04	74.0	22.26	Peak	64.00	150	Vertical	Pass
3**	4824.200	48.05	-2.04	54.0	5.95	AV	64.00	150	Vertical	Pass
4	6808.400	55.12	1.69	74.0	18.88	Peak	53.00	200	Vertical	Pass
4**	6808.400	45.49	1.69	54.0	8.51	AV	53.00	200	Vertical	Pass
5	12881.512	54.40	1.56	74.0	19.60	Peak	4.00	400	Vertical	Pass
5**	12881.512	44.45	1.56	54.0	9.55	AV	4.00	400	Vertical	Pass
6	17388.900	56.86	2.84	74.0	17.14	Peak	228.00	400	Vertical	Pass
6**	17388.900	47.40	2.84	54.0	6.60	AV	228.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1297.800	43.22	-17.17	74.0	30.78	Peak	152.00	300	Horizontal	Pass
1**	1297.800	29.13	-17.17	54.0	24.87	AV	152.00	300	Horizontal	Pass
2	2438.200	104.19	-12.20	74.0	-30.19	Peak	345.00	150	Horizontal	N/A
2**	2438.200	101.15	-12.20	54.0	-47.15	AV	345.00	150	Horizontal	N/A
3	4874.200	52.97	-2.66	74.0	21.03	Peak	87.00	150	Horizontal	Pass
3**	4874.200	49.66	-2.66	54.0	4.34	AV	87.00	150	Horizontal	Pass
4	6981.000	54.56	1.64	74.0	19.44	Peak	0.00	150	Horizontal	Pass
4**	6981.000	44.94	1.64	54.0	9.06	AV	0.00	150	Horizontal	Pass
5	12918.000	54.27	1.25	74.0	19.73	Peak	360.00	300	Horizontal	Pass
5**	12918.000	43.94	1.25	54.0	10.06	AV	360.00	300	Horizontal	Pass
6	17401.762	56.67	3.23	74.0	17.33	Peak	360.00	300	Horizontal	Pass
6**	17401.762	48.35	3.23	54.0	5.65	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.200	44.02	-17.75	74.0	29.98	Peak	58.00	400	Vertical	Pass
1**	1200.200	40.88	-17.75	54.0	13.12	AV	58.00	400	Vertical	Pass
2	2435.800	99.13	-12.14	74.0	-25.13	Peak	77.00	100	Vertical	N/A
2**	2435.800	96.15	-12.14	54.0	-42.15	AV	77.00	100	Vertical	N/A
3	5170.600	53.14	-2.01	74.0	20.86	Peak	261.00	150	Vertical	Pass
3**	5170.600	42.92	-2.01	54.0	11.08	AV	261.00	150	Vertical	Pass
4	6811.000	54.86	1.37	74.0	19.14	Peak	195.00	400	Vertical	Pass
4**	6811.000	45.75	1.37	54.0	8.25	AV	195.00	400	Vertical	Pass
5	12922.200	53.66	1.19	74.0	20.34	Peak	97.00	200	Vertical	Pass
5**	12922.200	44.07	1.19	54.0	9.93	AV	97.00	200	Vertical	Pass
6	17428.275	56.37	3.51	74.0	17.63	Peak	283.00	200	Vertical	Pass
6**	17428.275	47.50	3.51	54.0	6.50	AV	283.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	40.87	-17.77	74.0	33.13	Peak	106.00	300	Horizontal	Pass
1**	1199.800	35.06	-17.77	54.0	18.94	AV	106.00	300	Horizontal	Pass
2	2463.200	103.56	-11.79	74.0	-29.56	Peak	318.00	200	Horizontal	N/A
2**	2463.200	100.84	-11.79	54.0	-46.84	AV	318.00	200	Horizontal	N/A
3	4924.400	54.57	-2.42	74.0	19.43	Peak	265.00	150	Horizontal	Pass
3**	4924.400	51.72	-2.42	54.0	2.28	AV	265.00	150	Horizontal	Pass
4	7384.388	50.63	-3.63	74.0	23.37	Peak	301.00	150	Horizontal	Pass
4**	7384.388	46.44	-3.63	54.0	7.56	AV	301.00	150	Horizontal	Pass
5	12517.125	53.75	1.51	74.0	20.25	Peak	79.00	100	Horizontal	Pass
5**	12517.125	44.92	1.51	54.0	9.08	AV	79.00	100	Horizontal	Pass
6	17428.802	56.52	3.49	74.0	17.48	Peak	90.00	300	Horizontal	Pass
6**	17428.802	48.06	3.49	54.0	5.94	AV	90.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	43.89	-17.76	74.0	30.11	Peak	250.00	100	Vertical	Pass
1**	1200.100	40.72	-17.76	54.0	13.28	AV	250.00	100	Vertical	Pass
2	2463.100	101.03	-11.78	74.0	-27.03	Peak	349.00	150	Vertical	N/A
2**	2463.100	98.28	-11.78	54.0	-44.28	AV	349.00	150	Vertical	N/A
3	4924.400	52.30	-2.42	74.0	21.70	Peak	162.00	150	Vertical	Pass
3**	4924.400	48.76	-2.42	54.0	5.24	AV	162.00	150	Vertical	Pass
4	6792.200	54.72	0.96	74.0	19.28	Peak	265.00	300	Vertical	Pass
4**	6792.200	45.51	0.96	54.0	8.49	AV	265.00	300	Vertical	Pass
5	12888.337	54.32	1.58	74.0	19.68	Peak	305.00	400	Vertical	Pass
5**	12888.337	44.51	1.58	54.0	9.49	AV	305.00	400	Vertical	Pass
6	17426.698	57.18	3.56	74.0	16.82	Peak	109.00	100	Vertical	Pass
6**	17426.698	47.51	3.56	54.0	6.49	AV	109.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.100	41.32	-17.99	74.0	32.68	Peak	186.00	400	Horizontal	Pass
1**	1000.100	28.69	-17.99	54.0	25.31	AV	186.00	400	Horizontal	Pass
2	2413.400	107.99	-10.75	74.0	-33.99	Peak	332.00	150	Horizontal	N/A
2**	2413.400	101.07	-10.75	54.0	-47.07	AV	332.00	150	Horizontal	N/A
3	4825.000	57.53	-2.29	74.0	16.47	Peak	231.00	150	Horizontal	Pass
3**	4825.000	50.75	-2.29	54.0	3.25	AV	231.00	150	Horizontal	Pass
4	6631.000	54.51	-0.47	74.0	19.49	Peak	360.00	400	Horizontal	Pass
4**	6631.000	44.87	-0.47	54.0	9.13	AV	360.00	400	Horizontal	Pass
5	12759.975	54.05	0.98	74.0	19.95	Peak	12.00	200	Horizontal	Pass
5**	12759.975	43.70	0.98	54.0	10.30	AV	12.00	200	Horizontal	Pass
6	13304.925	56.91	0.87	74.0	17.09	Peak	203.00	300	Horizontal	Pass
6**	13304.925	47.20	0.87	54.0	6.80	AV	203.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	44.58	-17.77	74.0	29.42	Peak	53.00	300	Vertical	Pass
1**	1199.900	40.35	-17.77	54.0	13.65	AV	53.00	300	Vertical	Pass
2	2414.300	106.04	-10.81	74.0	-32.04	Peak	348.00	200	Vertical	N/A
2**	2414.300	99.03	-10.81	54.0	-45.03	AV	348.00	200	Vertical	N/A
3	4826.600	54.91	-2.60	74.0	19.09	Peak	40.00	150	Vertical	Pass
3**	4826.600	48.47	-2.60	54.0	5.53	AV	40.00	150	Vertical	Pass
4	6156.200	54.48	-0.26	74.0	19.52	Peak	83.00	100	Vertical	Pass
4**	6156.200	45.72	-0.26	54.0	8.28	AV	83.00	100	Vertical	Pass
5	12900.412	54.21	1.47	74.0	19.79	Peak	49.00	400	Vertical	Pass
5**	12900.412	44.22	1.47	54.0	9.78	AV	49.00	400	Vertical	Pass
6	17449.538	56.20	2.83	74.0	17.80	Peak	185.00	200	Vertical	Pass
6**	17449.538	46.31	2.83	54.0	7.69	AV	185.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	40.50	-17.77	74.0	33.50	Peak	28.00	400	Horizontal	Pass
1**	1199.800	34.51	-17.77	54.0	19.49	AV	28.00	400	Horizontal	Pass
2	2437.600	107.99	-12.13	74.0	-33.99	Peak	343.00	150	Horizontal	N/A
2**	2437.600	101.40	-12.13	54.0	-47.40	AV	343.00	150	Horizontal	N/A
3	4875.200	56.79	-2.66	74.0	17.21	Peak	23.00	150	Horizontal	Pass
3**	4875.200	51.44	-2.66	54.0	2.56	AV	23.00	150	Horizontal	Pass
4	7308.200	52.11	-3.39	74.0	21.89	Peak	93.00	150	Horizontal	Pass
4**	7308.200	47.61	-3.39	54.0	6.39	AV	93.00	150	Horizontal	Pass
5	12780.713	54.39	1.23	74.0	19.61	Peak	326.00	400	Horizontal	Pass
5**	12780.713	44.66	1.23	54.0	9.34	AV	326.00	400	Horizontal	Pass
6	17420.663	56.65	3.74	74.0	17.35	Peak	268.00	400	Horizontal	Pass
6**	17420.663	47.99	3.74	54.0	6.01	AV	268.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	43.09	-17.77	74.0	30.91	Peak	127.00	400	Vertical	Pass
1**	1199.900	40.54	-17.77	54.0	13.46	AV	127.00	400	Vertical	Pass
2	2439.500	103.62	-12.37	74.0	-29.62	Peak	181.00	100	Vertical	N/A
2**	2439.500	96.84	-12.37	54.0	-42.84	AV	181.00	100	Vertical	N/A
3	4870.200	54.24	-2.67	74.0	19.76	Peak	174.00	150	Vertical	Pass
3**	4870.200	48.45	-2.67	54.0	5.55	AV	174.00	150	Vertical	Pass
4	7308.200	49.92	-3.39	74.0	24.08	Peak	44.00	150	Vertical	Pass
4**	7308.200	47.00	-3.39	54.0	7.00	AV	44.00	150	Vertical	Pass
5	12882.037	54.01	1.56	74.0	19.99	Peak	84.00	400	Vertical	Pass
5**	12882.037	44.58	1.56	54.0	9.42	AV	84.00	400	Vertical	Pass
6	15802.613	56.70	2.30	74.0	17.30	Peak	289.00	200	Vertical	Pass
6**	15802.613	46.26	2.30	54.0	7.74	AV	289.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	41.39	-17.76	74.0	32.61	Peak	100.00	100	Horizontal	Pass
1**	1200.100	37.95	-17.76	54.0	16.05	AV	100.00	100	Horizontal	Pass
2	2460.700	107.44	-12.04	74.0	-33.44	Peak	336.00	150	Horizontal	N/A
2**	2460.700	101.18	-12.04	54.0	-47.18	AV	336.00	150	Horizontal	N/A
3	4922.400	58.33	-2.46	74.0	15.67	Peak	342.00	150	Horizontal	Pass
3**	4922.400	51.65	-2.46	54.0	2.35	AV	342.00	150	Horizontal	Pass
4	7385.825	56.07	-3.87	74.0	17.93	Peak	339.00	150	Horizontal	Pass
4**	7385.825	51.20	-3.87	54.0	2.80	AV	339.00	150	Horizontal	Pass
5	12288.562	54.11	1.70	74.0	19.89	Peak	242.00	100	Horizontal	Pass
5**	12288.562	43.90	1.70	54.0	10.10	AV	242.00	100	Horizontal	Pass
6	17404.649	56.40	3.31	74.0	17.60	Peak	173.00	300	Horizontal	Pass
6**	17404.649	47.39	3.31	54.0	6.61	AV	173.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	43.53	-17.77	74.0	30.47	Peak	133.00	300	Vertical	Pass
1**	1199.900	40.23	-17.77	54.0	13.77	AV	133.00	300	Vertical	Pass
2	2461.000	103.42	-12.06	74.0	-29.42	Peak	81.00	100	Vertical	N/A
2**	2461.000	95.10	-12.06	54.0	-41.10	AV	81.00	100	Vertical	N/A
3	4922.200	55.61	-2.46	74.0	18.39	Peak	173.00	150	Vertical	Pass
3**	4922.200	46.53	-2.46	54.0	7.47	AV	173.00	150	Vertical	Pass
4	7390.712	58.42	-3.91	74.0	15.58	Peak	318.00	150	Vertical	Pass
4**	7390.712	51.54	-3.91	54.0	2.46	AV	318.00	150	Vertical	Pass
5	12888.075	53.41	1.58	74.0	20.59	Peak	39.00	200	Vertical	Pass
5**	12888.075	44.25	1.58	54.0	9.75	AV	39.00	200	Vertical	Pass
6	17434.575	56.63	3.28	74.0	17.37	Peak	173.00	400	Vertical	Pass
6**	17434.575	47.36	3.28	54.0	6.64	AV	173.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	41.10	-17.76	74.0	32.90	Peak	94.00	200	Horizontal	Pass
1**	1200.100	36.55	-17.76	54.0	17.45	AV	94.00	200	Horizontal	Pass
2	2413.900	107.70	-10.77	74.0	-33.70	Peak	323.00	200	Horizontal	N/A
2**	2413.900	100.79	-10.77	54.0	-46.79	AV	323.00	200	Horizontal	N/A
3	4830.400	55.92	-2.52	74.0	18.08	Peak	263.00	150	Horizontal	Pass
3**	4830.400	50.84	-2.52	54.0	3.16	AV	263.00	150	Horizontal	Pass
4	6397.800	54.57	-1.07	74.0	19.43	Peak	62.00	400	Horizontal	Pass
4**	6397.800	44.70	-1.07	54.0	9.30	AV	62.00	400	Horizontal	Pass
5	12883.088	53.64	1.56	74.0	20.36	Peak	167.00	200	Horizontal	Pass
5**	12883.088	45.06	1.56	54.0	8.94	AV	167.00	200	Horizontal	Pass
6	17393.625	57.17	2.96	74.0	16.83	Peak	35.00	300	Horizontal	Pass
6**	17393.625	46.78	2.96	54.0	7.22	AV	35.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	47.09	-17.05	74.0	26.91	Peak	201.00	300	Vertical	Pass
1**	1537.800	30.31	-17.05	54.0	23.69	AV	201.00	300	Vertical	Pass
2	2414.300	106.15	-10.81	74.0	-32.15	Peak	347.00	150	Vertical	N/A
2**	2414.300	99.94	-10.81	54.0	-45.94	AV	347.00	150	Vertical	N/A
3	4824.200	56.80	-2.04	74.0	17.20	Peak	62.00	150	Vertical	Pass
3**	4824.200	49.06	-2.04	54.0	4.94	AV	62.00	150	Vertical	Pass
4	6695.800	54.74	-0.88	74.0	19.26	Peak	18.00	400	Vertical	Pass
4**	6695.800	44.18	-0.88	54.0	9.82	AV	18.00	400	Vertical	Pass
5	12332.838	53.86	1.38	74.0	20.14	Peak	329.00	100	Vertical	Pass
5**	12332.838	44.98	1.38	54.0	9.02	AV	329.00	100	Vertical	Pass
6	17413.313	56.35	3.57	74.0	17.65	Peak	110.00	200	Vertical	Pass
6**	17413.313	47.94	3.57	54.0	6.06	AV	110.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1082.600	42.02	-18.25	74.0	31.98	Peak	307.00	300	Horizontal	Pass
1**	1082.600	27.82	-18.25	54.0	26.18	AV	307.00	300	Horizontal	Pass
2	2439.500	107.20	-12.37	74.0	-33.20	Peak	360.00	200	Horizontal	N/A
2**	2439.500	100.41	-12.37	54.0	-46.41	AV	360.00	200	Horizontal	N/A
3	4876.000	56.09	-2.67	74.0	17.91	Peak	85.00	150	Horizontal	Pass
3**	4876.000	51.42	-2.67	54.0	2.58	AV	85.00	150	Horizontal	Pass
4	7310.213	58.26	-3.69	74.0	15.74	Peak	326.00	100	Horizontal	Pass
4**	7310.213	45.90	-3.69	54.0	8.10	AV	326.00	100	Horizontal	Pass
5	12814.838	53.60	0.85	74.0	20.40	Peak	360.00	200	Horizontal	Pass
5**	12814.838	44.95	0.85	54.0	9.05	AV	360.00	200	Horizontal	Pass
6	17430.114	56.53	3.45	74.0	17.47	Peak	232.00	100	Horizontal	Pass
6**	17430.114	47.41	3.45	54.0	6.59	AV	232.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1270.300	49.97	-17.11	74.0	24.03	Peak	30.00	200	Vertical	Pass
1**	1270.300	29.41	-17.11	54.0	24.59	AV	30.00	200	Vertical	Pass
2	2436.300	102.58	-12.13	74.0	-28.58	Peak	192.00	200	Vertical	N/A
2**	2436.300	95.65	-12.13	54.0	-41.65	AV	192.00	200	Vertical	N/A
3	4870.400	56.68	-2.69	74.0	17.32	Peak	158.00	100	Vertical	Pass
3**	4870.400	44.69	-2.69	54.0	9.31	AV	158.00	100	Vertical	Pass
4	7319.125	55.98	-3.01	74.0	18.02	Peak	311.00	200	Vertical	Pass
4**	7319.125	44.07	-3.01	54.0	9.93	AV	311.00	200	Vertical	Pass
5	12843.713	53.51	1.34	74.0	20.49	Peak	16.00	200	Vertical	Pass
5**	12843.713	43.49	1.34	54.0	10.51	AV	16.00	200	Vertical	Pass
6	17419.614	56.83	3.75	74.0	17.17	Peak	16.00	200	Vertical	Pass
6**	17419.614	47.76	3.75	54.0	6.24	AV	16.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.400	45.49	-17.20	74.0	28.51	Peak	132.00	200	Horizontal	Pass
1**	1565.400	29.32	-17.20	54.0	24.68	AV	132.00	200	Horizontal	Pass
2	2464.200	106.51	-11.84	74.0	-32.51	Peak	354.00	150	Horizontal	N/A
2**	2464.200	98.94	-11.84	54.0	-44.94	AV	354.00	150	Horizontal	N/A
3	4925.800	56.68	-2.39	74.0	17.32	Peak	70.00	150	Horizontal	Pass
3**	4925.800	50.82	-2.39	54.0	3.18	AV	70.00	150	Horizontal	Pass
4	7385.250	55.45	-3.78	74.0	18.55	Peak	100.00	150	Horizontal	Pass
4**	7385.250	51.68	-3.78	54.0	2.32	AV	100.00	150	Horizontal	Pass
5	12881.250	53.82	1.56	74.0	20.18	Peak	120.00	200	Horizontal	Pass
5**	12881.250	44.79	1.56	54.0	9.21	AV	120.00	200	Horizontal	Pass
6	17423.813	56.63	3.65	74.0	17.37	Peak	175.00	400	Horizontal	Pass
6**	17423.813	48.45	3.65	54.0	5.55	AV	175.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	43.69	-17.77	74.0	30.31	Peak	138.00	400	Vertical	Pass
1**	1199.800	39.83	-17.77	54.0	14.17	AV	138.00	400	Vertical	Pass
2	2461.400	101.42	-12.00	74.0	-27.42	Peak	358.00	150	Vertical	N/A
2**	2461.400	93.70	-12.00	54.0	-39.70	AV	358.00	150	Vertical	N/A
3	4923.400	55.42	-2.44	74.0	18.58	Peak	152.00	150	Vertical	Pass
3**	4923.400	45.48	-2.44	54.0	8.52	AV	152.00	150	Vertical	Pass
4	7386.687	56.77	-3.99	74.0	17.23	Peak	327.00	150	Vertical	Pass
4**	7386.687	51.51	-3.99	54.0	2.49	AV	327.00	150	Vertical	Pass
5	12912.750	53.74	1.33	74.0	20.26	Peak	302.00	300	Vertical	Pass
5**	12912.750	44.69	1.33	54.0	9.31	AV	302.00	300	Vertical	Pass
6	13382.362	56.61	0.64	74.0	17.39	Peak	0.00	200	Vertical	Pass
6**	13382.362	47.57	0.64	54.0	6.43	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.100	41.54	-17.76	74.0	32.46	Peak	110.00	400	Horizontal	Pass
1**	1200.100	37.11	-17.76	54.0	16.89	AV	110.00	400	Horizontal	Pass
2	2410.900	108.89	-10.58	74.0	-34.89	Peak	349.00	100	Horizontal	N/A
2**	2410.900	100.65	-10.58	54.0	-46.65	AV	349.00	100	Horizontal	N/A
3	4824.200	59.44	-2.04	74.0	14.56	Peak	265.00	150	Horizontal	Pass
3**	4824.200	51.52	-2.04	54.0	2.48	AV	265.00	150	Horizontal	Pass
4	7236.900	56.91	-3.64	74.0	17.09	Peak	168.00	200	Horizontal	Pass
4**	7236.900	43.54	-3.64	54.0	10.46	AV	168.00	200	Horizontal	Pass
5	12812.213	54.44	0.85	74.0	19.56	Peak	265.00	200	Horizontal	Pass
5**	12812.213	44.81	0.85	54.0	9.19	AV	265.00	200	Horizontal	Pass
6	17395.200	56.66	3.01	74.0	17.34	Peak	187.00	400	Horizontal	Pass
6**	17395.200	47.29	3.01	54.0	6.71	AV	187.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	43.40	-17.07	74.0	30.60	Peak	120.00	300	Vertical	Pass
1**	1328.800	31.00	-17.07	54.0	23.00	AV	120.00	300	Vertical	Pass
2	2414.800	107.02	-10.98	74.0	-33.02	Peak	280.00	200	Vertical	N/A
2**	2414.800	98.64	-10.98	54.0	-44.64	AV	280.00	200	Vertical	N/A
3	4824.200	58.42	-2.04	74.0	15.58	Peak	342.00	100	Vertical	Pass
3**	4824.200	45.47	-2.04	54.0	8.53	AV	342.00	100	Vertical	Pass
4	6807.400	54.83	2.02	74.0	19.17	Peak	316.00	200	Vertical	Pass
4**	6807.400	45.93	2.02	54.0	8.07	AV	316.00	200	Vertical	Pass
5	12778.350	53.82	1.19	74.0	20.18	Peak	270.00	200	Vertical	Pass
5**	12778.350	44.43	1.19	54.0	9.57	AV	270.00	200	Vertical	Pass
6	17423.286	56.51	3.67	74.0	17.49	Peak	120.00	200	Vertical	Pass
6**	17423.286	47.84	3.67	54.0	6.16	AV	120.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	40.93	-17.77	74.0	33.07	Peak	89.00	400	Horizontal	Pass
1**	1199.800	36.22	-17.77	54.0	17.78	AV	89.00	400	Horizontal	Pass
2	2435.600	108.63	-12.14	74.0	-34.63	Peak	0.00	100	Horizontal	N/A
2**	2435.600	100.60	-12.14	54.0	-46.60	AV	0.00	100	Horizontal	N/A
3	4871.600	55.91	-2.69	74.0	18.09	Peak	270.00	150	Horizontal	Pass
3**	4871.600	50.23	-2.69	54.0	3.77	AV	270.00	150	Horizontal	Pass
4	6806.400	54.54	2.33	74.0	19.46	Peak	360.00	300	Horizontal	Pass
4**	6806.400	46.30	2.33	54.0	7.70	AV	360.00	300	Horizontal	Pass
5	12283.388	53.86	1.78	74.0	20.14	Peak	53.00	400	Horizontal	Pass
5**	12283.388	44.37	1.78	54.0	9.63	AV	53.00	400	Horizontal	Pass
6	13325.924	55.72	0.93	74.0	18.28	Peak	35.00	100	Horizontal	Pass
6**	13325.924	46.30	0.93	54.0	7.70	AV	35.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.200	43.85	-17.75	74.0	30.15	Peak	128.00	200	Vertical	Pass
1**	1200.200	40.48	-17.75	54.0	13.52	AV	128.00	200	Vertical	Pass
2	2439.300	104.58	-12.34	74.0	-30.58	Peak	350.00	100	Vertical	N/A
2**	2439.300	95.83	-12.34	54.0	-41.83	AV	350.00	100	Vertical	N/A
3	4868.400	56.11	-2.46	74.0	17.89	Peak	185.00	200	Vertical	Pass
3**	4868.400	44.36	-2.46	54.0	9.64	AV	185.00	200	Vertical	Pass
4	7316.250	54.71	-3.40	74.0	19.29	Peak	311.00	400	Vertical	Pass
4**	7316.250	44.55	-3.40	54.0	9.45	AV	311.00	400	Vertical	Pass
5	12634.713	53.98	1.28	74.0	20.02	Peak	311.00	300	Vertical	Pass
5**	12634.713	43.40	1.28	54.0	10.60	AV	311.00	300	Vertical	Pass
6	15625.687	56.41	1.72	74.0	17.59	Peak	15.00	400	Vertical	Pass
6**	15625.687	47.00	1.72	54.0	7.00	AV	15.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.800	40.57	-17.77	74.0	33.43	Peak	108.00	400	Horizontal	Pass
1**	1199.800	36.86	-17.77	54.0	17.14	AV	108.00	400	Horizontal	Pass
2	2463.200	107.84	-11.79	74.0	-33.84	Peak	353.00	150	Horizontal	N/A
2**	2463.200	100.41	-11.79	54.0	-46.41	AV	353.00	150	Horizontal	N/A
3	4923.200	60.39	-2.44	74.0	13.61	Peak	74.00	150	Horizontal	Pass
3**	4923.200	51.45	-2.44	54.0	2.55	AV	74.00	150	Horizontal	Pass
4	7388.125	57.41	-3.98	74.0	16.59	Peak	292.00	150	Horizontal	Pass
4**	7388.125	49.97	-3.98	54.0	4.03	AV	292.00	150	Horizontal	Pass
5	12234.512	53.77	1.17	74.0	20.23	Peak	356.00	200	Horizontal	Pass
5**	12234.512	43.83	1.17	54.0	10.17	AV	356.00	200	Horizontal	Pass
6	17433.000	56.92	3.34	74.0	17.08	Peak	0.00	150	Horizontal	Pass
6**	17433.000	48.49	3.34	54.0	5.51	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	43.35	-17.09	74.0	30.65	Peak	115.00	300	Vertical	Pass
1**	1328.100	31.76	-17.09	54.0	22.24	AV	115.00	300	Vertical	Pass
2	2464.800	102.86	-11.87	74.0	-28.86	Peak	291.00	100	Vertical	N/A
2**	2464.800	94.96	-11.87	54.0	-40.96	AV	291.00	100	Vertical	N/A
3	4925.400	54.44	-2.40	74.0	19.56	Peak	162.00	150	Vertical	Pass
3**	4925.400	45.05	-2.40	54.0	8.95	AV	162.00	150	Vertical	Pass
4	7388.125	57.86	-3.98	74.0	16.14	Peak	338.00	200	Vertical	Pass
4**	7388.125	46.37	-3.98	54.0	7.63	AV	338.00	200	Vertical	Pass
5	12800.663	54.19	1.07	74.0	19.81	Peak	139.00	400	Vertical	Pass
5**	12800.663	44.69	1.07	54.0	9.31	AV	139.00	400	Vertical	Pass
6	15507.562	56.26	1.36	74.0	17.74	Peak	234.00	100	Vertical	Pass
6**	15507.562	46.13	1.36	54.0	7.87	AV	234.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.300	41.35	-17.75	74.0	32.65	Peak	98.00	200	Horizontal	Pass
1**	1200.300	37.54	-17.75	54.0	16.46	AV	98.00	200	Horizontal	Pass
2	2402.900	113.38	-9.71	74.0	-39.38	Peak	360.00	200	Horizontal	N/A
2**	2402.900	107.07	-9.71	54.0	-53.07	AV	360.00	200	Horizontal	N/A
3	4808.200	57.01	-2.20	74.0	16.99	Peak	148.00	150	Horizontal	Pass
3**	4808.200	51.28	-2.20	54.0	2.72	AV	148.00	150	Horizontal	Pass
4	7212.463	53.64	-3.93	74.0	20.36	Peak	144.00	150	Horizontal	Pass
4**	7212.463	48.98	-3.93	54.0	5.02	AV	144.00	150	Horizontal	Pass
5	12804.338	53.47	0.95	74.0	20.53	Peak	166.00	400	Horizontal	Pass
5**	12804.338	44.49	0.95	54.0	9.51	AV	166.00	400	Horizontal	Pass
6	17391.262	56.19	2.90	74.0	17.81	Peak	360.00	200	Horizontal	Pass
6**	17391.262	47.74	2.90	54.0	6.26	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	43.63	-17.76	74.0	30.37	Peak	33.00	200	Vertical	Pass
1**	1200.000	40.59	-17.76	54.0	13.41	AV	33.00	200	Vertical	Pass
2	2403.900	111.02	-9.79	74.0	-37.02	Peak	0.00	150	Vertical	N/A
2**	2403.900	102.89	-9.79	54.0	-48.89	AV	0.00	150	Vertical	N/A
3	4807.000	55.74	-2.36	74.0	18.26	Peak	251.00	100	Vertical	Pass
3**	4807.000	44.80	-2.36	54.0	9.20	AV	251.00	100	Vertical	Pass
4	6826.000	55.37	0.11	74.0	18.63	Peak	92.00	300	Vertical	Pass
4**	6826.000	44.97	0.11	54.0	9.03	AV	92.00	300	Vertical	Pass
5	12607.688	53.78	1.90	74.0	20.22	Peak	29.00	100	Vertical	Pass
5**	12607.688	44.12	1.90	54.0	9.88	AV	29.00	100	Vertical	Pass
6	17419.350	56.32	3.74	74.0	17.68	Peak	74.00	100	Vertical	Pass
6**	17419.350	47.81	3.74	54.0	6.19	AV	74.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1310.900	45.67	-17.01	74.0	28.33	Peak	113.00	200	Horizontal	Pass
1**	1310.900	29.90	-17.01	54.0	24.10	AV	113.00	200	Horizontal	Pass
2	2469.800	110.43	-11.70	74.0	-36.43	Peak	350.00	150	Horizontal	N/A
2**	2469.800	103.56	-11.70	54.0	-49.56	AV	350.00	150	Horizontal	N/A
3	4942.000	58.15	-2.27	74.0	15.85	Peak	252.00	150	Horizontal	Pass
3**	4942.000	50.09	-2.27	54.0	3.91	AV	252.00	150	Horizontal	Pass
4	7412.562	54.41	-3.77	74.0	19.59	Peak	239.00	150	Horizontal	Pass
4**	7412.562	46.00	-3.77	54.0	8.00	AV	239.00	150	Horizontal	Pass
5	12907.500	53.87	1.41	74.0	20.13	Peak	241.00	100	Horizontal	Pass
5**	12907.500	44.39	1.41	54.0	9.61	AV	241.00	100	Horizontal	Pass
6	17387.850	56.35	2.81	74.0	17.65	Peak	222.00	200	Horizontal	Pass
6**	17387.850	46.94	2.81	54.0	7.06	AV	222.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.900	43.69	-17.77	74.0	30.31	Peak	57.00	400	Vertical	Pass
1**	1199.900	40.26	-17.77	54.0	13.74	AV	57.00	400	Vertical	Pass
2	2470.700	107.09	-11.84	74.0	-33.09	Peak	39.00	100	Vertical	N/A
2**	2470.700	98.61	-11.84	54.0	-44.61	AV	39.00	100	Vertical	N/A
3	2660.200	55.09	-11.15	74.0	18.91	Peak	62.00	200	Vertical	Pass
3**	2660.200	41.44	-11.15	54.0	12.56	AV	62.00	200	Vertical	Pass
4	5315.000	55.90	-2.39	74.0	18.10	Peak	93.00	300	Vertical	Pass
4**	5315.000	43.23	-2.39	54.0	10.77	AV	93.00	300	Vertical	Pass
5	12812.474	53.76	0.85	74.0	20.24	Peak	150.00	100	Vertical	Pass
5**	12812.474	44.54	0.85	54.0	9.46	AV	150.00	100	Vertical	Pass
6	17414.099	56.19	3.60	74.0	17.81	Peak	18.00	400	Vertical	Pass
6**	17414.099	48.37	3.60	54.0	5.63	AV	18.00	400	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


SISO-Antenna 1

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.100	56.50	-1.37	74.0	17.50	Peak	0.00	150	Horizontal	Pass
1**	2386.100	46.21	-1.37	54.0	7.79	AV	0.00	150	Horizontal	Pass
2	2389.950	54.34	-1.82	74.0	19.66	Peak	0.00	100	Horizontal	Pass
2**	2389.950	45.07	-1.82	54.0	8.93	AV	0.00	100	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	57.40	-1.09	74.0	16.60	Peak	18.00	200	Horizontal	Pass
1**	2483.560	46.48	-1.09	54.0	7.52	AV	18.00	200	Horizontal	Pass
2	2483.860	58.66	-1.04	74.0	15.34	Peak	0.00	150	Horizontal	Pass
2**	2483.860	46.40	-1.04	54.0	7.60	AV	0.00	150	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	67.56	-1.75	74.0	6.44	Peak	0.00	100	Horizontal	Pass
1**	2389.650	50.66	-1.75	54.0	3.34	AV	0.00	100	Horizontal	Pass
2	2389.950	68.54	-1.82	74.0	5.46	Peak	360.00	100	Horizontal	Pass
2**	2389.950	50.71	-1.82	54.0	3.29	AV	360.00	100	Horizontal	Pass
3	2389.700	65.56	-1.76	74.0	8.44	Peak	360.00	100	Horizontal	Pass
3**	2389.700	51.59	-1.76	54.0	2.41	AV	360.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.78	-1.10	74.0	8.22	Peak	342.00	200	Horizontal	Pass
1**	2483.500	50.00	-1.10	54.0	4.00	AV	342.00	200	Horizontal	Pass
2	2483.890	67.99	-1.03	74.0	6.01	Peak	3.00	200	Horizontal	Pass
2**	2483.890	49.04	-1.03	54.0	4.96	AV	3.00	200	Horizontal	Pass
3	2483.590	65.64	-1.09	74.0	8.36	Peak	360.00	200	Horizontal	Pass
3**	2483.590	50.97	-1.09	54.0	3.03	AV	360.00	200	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	68.55	-1.78	74.0	5.45	Peak	0.00	150	Horizontal	Pass
1**	2389.800	51.19	-1.78	54.0	2.81	AV	0.00	150	Horizontal	Pass
2	2389.950	67.01	-1.82	74.0	6.99	Peak	0.00	150	Horizontal	Pass
2**	2389.950	51.58	-1.82	54.0	2.42	AV	0.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.29	-1.10	74.0	6.71	Peak	5.00	200	Horizontal	Pass
1**	2483.500	50.18	-1.10	54.0	3.82	AV	5.00	200	Horizontal	Pass
2	2484.025	70.88	-1.07	74.0	3.12	Peak	335.00	200	Horizontal	Pass
2**	2484.025	50.31	-1.07	54.0	3.69	AV	335.00	200	Horizontal	Pass
3	2483.815	63.65	-1.04	74.0	10.35	Peak	322.00	200	Horizontal	Pass
3**	2483.815	51.92	-1.04	54.0	2.08	AV	322.00	200	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	69.32	-1.75	74.0	4.68	Peak	357.00	200	Horizontal	Pass
1**	2389.500	50.93	-1.75	54.0	3.07	AV	357.00	200	Horizontal	Pass
2	2389.950	65.40	-1.82	74.0	8.60	Peak	17.00	200	Horizontal	Pass
2**	2389.950	50.50	-1.82	54.0	3.50	AV	17.00	200	Horizontal	Pass
3	2388.850	63.94	-1.85	74.0	10.06	Peak	357.00	200	Horizontal	Pass
3**	2388.850	51.37	-1.85	54.0	2.63	AV	357.00	200	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.32	-1.10	74.0	5.68	Peak	360.00	100	Horizontal	Pass
1**	2483.500	51.77	-1.10	54.0	2.23	AV	360.00	100	Horizontal	Pass
2	2484.130	69.51	-1.11	74.0	4.49	Peak	360.00	150	Horizontal	Pass
2**	2484.130	49.81	-1.11	54.0	4.19	AV	360.00	150	Horizontal	Pass


802.11ax20(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.350	70.61	1.91	74.0	3.39	Peak	335.00	200	Horizontal	Pass
1**	2389.350	49.27	1.91	54.0	4.73	AV	335.00	200	Horizontal	Pass
2	2389.950	69.58	1.92	74.0	4.42	Peak	342.00	100	Horizontal	Pass
2**	2389.950	50.24	1.92	54.0	3.76	AV	342.00	100	Horizontal	Pass
3	2386.250	62.79	2.41	74.0	11.21	Peak	344.00	150	Horizontal	Pass
3**	2386.250	51.00	2.41	54.0	3.00	AV	344.00	150	Horizontal	Pass

802.11ax20(RU26) HIGH CHANNEL


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	71.61	2.11	74.0	2.39	Peak	341.00	100	Horizontal	Pass
1**	2483.560	48.74	2.11	54.0	5.26	AV	341.00	100	Horizontal	Pass
2	2484.100	71.28	2.13	74.0	2.72	Peak	345.00	150	Horizontal	Pass
2**	2484.100	49.30	2.13	54.0	4.70	AV	345.00	150	Horizontal	Pass
3	2483.575	71.05	2.11	74.0	2.95	Peak	342.00	150	Horizontal	Pass
3**	2483.575	51.88	2.11	54.0	2.12	AV	342.00	150	Horizontal	Pass


SISO-Antenna 2

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	58.80	-1.75	74.0	15.20	Peak	33.00	100	Horizontal	Pass
1**	2389.650	50.69	-1.75	54.0	3.31	AV	33.00	100	Horizontal	Pass
2	2389.950	57.75	-1.82	74.0	16.25	Peak	33.00	150	Horizontal	Pass
2**	2389.950	50.90	-1.82	54.0	3.10	AV	33.00	150	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.69	-1.09	74.0	15.31	Peak	179.00	200	Horizontal	Pass
1**	2483.545	51.68	-1.09	54.0	2.32	AV	179.00	200	Horizontal	Pass
2	2483.935	59.35	-1.04	74.0	14.65	Peak	172.00	100	Horizontal	Pass
2**	2483.935	49.61	-1.04	54.0	4.39	AV	172.00	100	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	67.26	-1.75	74.0	6.74	Peak	44.00	150	Horizontal	Pass
1**	2389.500	50.97	-1.75	54.0	3.03	AV	44.00	150	Horizontal	Pass
2	2389.950	66.60	-1.82	74.0	7.40	Peak	66.00	100	Horizontal	Pass
2**	2389.950	49.98	-1.82	54.0	4.02	AV	66.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	67.62	-1.09	74.0	6.38	Peak	174.00	150	Horizontal	Pass
1**	2483.545	50.94	-1.09	54.0	3.06	AV	174.00	150	Horizontal	Pass
2	2484.265	69.13	-1.16	74.0	4.87	Peak	171.00	150	Horizontal	Pass
2**	2484.265	50.05	-1.16	54.0	3.95	AV	171.00	150	Horizontal	Pass
3	2483.560	66.47	-1.09	74.0	7.53	Peak	178.00	150	Horizontal	Pass
3**	2483.560	51.99	-1.09	54.0	2.01	AV	178.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	71.63	-1.73	74.0	2.37	Peak	68.00	150	Horizontal	Pass
1**	2389.550	50.57	-1.73	54.0	3.43	AV	68.00	150	Horizontal	Pass
2	2389.950	71.94	-1.82	74.0	2.06	Peak	29.00	150	Horizontal	Pass
2**	2389.950	51.61	-1.82	54.0	2.39	AV	29.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	69.84	-1.09	74.0	4.16	Peak	37.00	150	Horizontal	Pass
1**	2483.560	50.05	-1.09	54.0	3.95	AV	37.00	150	Horizontal	Pass
2	2483.950	72.11	-1.04	74.0	1.89	Peak	166.00	100	Horizontal	Pass
2**	2483.950	50.70	-1.04	54.0	3.30	AV	166.00	100	Horizontal	Pass
3	2483.965	63.76	-1.05	74.0	10.24	Peak	49.00	100	Horizontal	Pass
3**	2483.965	51.89	-1.05	54.0	2.11	AV	49.00	100	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.300	69.74	-1.81	74.0	4.26	Peak	176.00	200	Horizontal	Pass
1**	2388.300	50.11	-1.81	54.0	3.89	AV	176.00	200	Horizontal	Pass
2	2389.950	65.58	-1.82	74.0	8.42	Peak	182.00	200	Horizontal	Pass
2**	2389.950	51.93	-1.82	54.0	2.07	AV	182.00	200	Horizontal	Pass