



802.11ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.55	-1.10	74.0	6.45	Peak	178.00	150	Horizontal	Pass
1**	2483.500	50.91	-1.10	54.0	3.09	AV	178.00	150	Horizontal	Pass
2	2484.070	68.30	-1.08	74.0	5.70	Peak	178.00	150	Horizontal	Pass
2**	2484.070	51.98	-1.08	54.0	2.02	AV	178.00	150	Horizontal	Pass

802.11ax20(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	70.75	1.92	74.0	3.25	Peak	0.00	200	Horizontal	Pass
1**	2389.650	48.20	1.92	54.0	5.80	AV	0.00	200	Horizontal	Pass
2	2389.950	63.07	1.92	74.0	10.93	Peak	344.00	100	Horizontal	Pass
2**	2389.950	49.67	1.92	54.0	4.33	AV	344.00	100	Horizontal	Pass
3	2389.700	65.02	1.92	74.0	8.98	Peak	32.00	150	Horizontal	Pass
3**	2389.700	50.56	1.92	54.0	3.44	AV	32.00	150	Horizontal	Pass


802.11ax20(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	70.95	2.11	74.0	3.05	Peak	151.00	150	Horizontal	Pass
1**	2483.530	48.93	2.11	54.0	5.07	AV	151.00	150	Horizontal	Pass
2	2483.935	70.97	2.12	74.0	3.03	Peak	142.00	200	Horizontal	Pass
2**	2483.935	49.43	2.12	54.0	4.57	AV	142.00	200	Horizontal	Pass
3	2483.950	68.54	2.12	74.0	5.46	Peak	142.00	150	Horizontal	Pass
3**	2483.950	51.01	2.12	54.0	2.99	AV	142.00	150	Horizontal	Pass


MIMO

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2373.550	56.32	-1.57	74.0	17.68	Peak	6.00	150	Horizontal	Pass
1**	2373.550	43.63	-1.57	54.0	10.37	AV	6.00	150	Horizontal	Pass
2	2389.950	53.01	-1.82	74.0	20.99	Peak	360.00	100	Horizontal	Pass
2**	2389.950	44.08	-1.82	54.0	9.92	AV	360.00	100	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	57.22	-1.09	74.0	16.78	Peak	360.00	150	Horizontal	Pass
1**	2483.575	46.82	-1.09	54.0	7.18	AV	360.00	150	Horizontal	Pass
2	2489.125	57.42	-0.90	74.0	16.58	Peak	359.00	100	Horizontal	Pass
2**	2489.125	46.74	-0.90	54.0	7.26	AV	359.00	100	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	65.27	-1.89	74.0	8.73	Peak	345.00	150	Horizontal	Pass
1**	2389.150	48.33	-1.89	54.0	5.67	AV	345.00	150	Horizontal	Pass
2	2389.950	66.21	-1.82	74.0	7.79	Peak	335.00	150	Horizontal	Pass
2**	2389.950	50.08	-1.82	54.0	3.92	AV	335.00	150	Horizontal	Pass
3	2390.000	66.45	-1.83	74.0	7.55	Peak	332.00	150	Horizontal	Pass
3**	2390.000	51.03	-1.83	54.0	2.97	AV	332.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	64.65	-1.09	74.0	9.35	Peak	10.00	100	Horizontal	Pass
1**	2483.560	49.92	-1.09	54.0	4.08	AV	10.00	100	Horizontal	Pass
2	2483.725	68.22	-1.06	74.0	5.78	Peak	10.00	100	Horizontal	Pass
2**	2483.725	49.65	-1.06	54.0	4.35	AV	10.00	100	Horizontal	Pass
3	2483.740	62.13	-1.06	74.0	11.87	Peak	193.00	100	Horizontal	Pass
3**	2483.740	51.67	-1.06	54.0	2.33	AV	193.00	100	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	70.03	-1.83	74.0	3.97	Peak	18.00	200	Horizontal	Pass
1**	2389.300	51.82	-1.83	54.0	2.18	AV	18.00	200	Horizontal	Pass
2	2389.950	67.33	-1.82	74.0	6.67	Peak	360.00	150	Horizontal	Pass
2**	2389.950	51.68	-1.82	54.0	2.32	AV	360.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	65.32	-1.09	74.0	8.68	Peak	0.00	100	Horizontal	Pass
1**	2483.590	48.69	-1.09	54.0	5.31	AV	0.00	100	Horizontal	Pass
2	2483.830	71.15	-1.04	74.0	2.85	Peak	360.00	100	Horizontal	Pass
2**	2483.830	48.98	-1.04	54.0	5.02	AV	360.00	100	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.100	69.13	-1.72	74.0	4.87	Peak	347.00	200	Horizontal	Pass
1**	2388.100	50.61	-1.72	54.0	3.39	AV	347.00	200	Horizontal	Pass
2	2389.950	65.83	-1.82	74.0	8.17	Peak	354.00	100	Horizontal	Pass
2**	2389.950	51.80	-1.82	54.0	2.20	AV	354.00	100	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	65.49	-1.09	74.0	8.51	Peak	357.00	100	Horizontal	Pass
1**	2483.545	48.85	-1.09	54.0	5.15	AV	357.00	100	Horizontal	Pass
2	2483.860	67.86	-1.04	74.0	6.14	Peak	15.00	200	Horizontal	Pass
2**	2483.860	49.39	-1.04	54.0	4.61	AV	15.00	200	Horizontal	Pass
3	2483.875	62.94	-1.03	74.0	11.06	Peak	17.00	200	Horizontal	Pass
3**	2483.875	51.86	-1.03	54.0	2.14	AV	17.00	200	Horizontal	Pass


802.11ax20(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.000	68.69	2.31	74.0	5.31	Peak	331.00	200	Horizontal	Pass
1**	2387.000	50.61	2.31	54.0	3.39	AV	331.00	200	Horizontal	Pass
2	2389.950	65.45	1.92	74.0	8.55	Peak	314.00	150	Horizontal	Pass
2**	2389.950	48.58	1.92	54.0	5.42	AV	314.00	150	Horizontal	Pass
3	2386.800	64.59	2.36	74.0	9.41	Peak	326.00	150	Horizontal	Pass
3**	2386.800	51.63	2.36	54.0	2.37	AV	326.00	150	Horizontal	Pass

802.11ax20(RU26) HIGH CHANNEL

Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	68.10	2.11	74.0	5.90	Peak	355.00	100	Horizontal	Pass
1**	2483.560	48.56	2.11	54.0	5.44	AV	355.00	100	Horizontal	Pass
2	2483.815	70.18	2.12	74.0	3.82	Peak	357.00	150	Horizontal	Pass
2**	2483.815	49.38	2.12	54.0	4.62	AV	357.00	150	Horizontal	Pass
3	2484.025	67.55	2.13	74.0	6.45	Peak	360.00	150	Horizontal	Pass
3**	2484.025	50.78	2.13	54.0	3.22	AV	360.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

SISO-Antenna 1

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.17	8
Middle	-10.12	8
High	-11.41	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.00	8
Middle	-11.08	8
High	-12.27	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.80	8
Middle	-10.02	8
High	-11.49	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.10	8
Middle	-12.31	8
High	-12.81	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	26	-3.42	8
	52	-5.60	8
	106	-8.83	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Middle	26	-5.60	8
	52	-7.16	8
	106	-9.56	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
High	26	-8.83	8
	52	-10.41	8
	106	-14.66	8

SISO-Antenna 2

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.44	8
Middle	-2.71	8
High	-4.48	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.13	8
Middle	-5.74	8
High	-9.69	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.14	8
Middle	-5.68	8
High	-9.74	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.40	8
Middle	-8.32	8
High	-11.69	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	26	-1.23	8
	52	-6.01	8
	106	-9.67	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Middle	26	-3.07	8
	52	-4.91	8
	106	-9.74	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
High	26	-5.05	8
	52	-6.18	8
	106	-10.27	8

MIMO-Antenna 1

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.30	8
Middle	-10.24	8
High	-11.21	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.36	8
Middle	-9.62	8
High	-10.52	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.61	8
Middle	-11.09	8
High	-10.60	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.12	8
Middle	-10.01	8
High	-11.44	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	26	-5.66	8
	52	-8.41	8
	106	-12.04	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Middle	26	-5.71	8
	52	-8.52	8
	106	-12.54	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
High	26	-11.68	8
	52	-12.80	8
	106	-16.59	8

MIMO-Antenna 2

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.80	8
Middle	-10.53	8
High	-12.32	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.02	8
Middle	-9.32	8
High	-11.41	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.19	8
Middle	-9.75	8
High	-9.58	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.00	8
Middle	-10.67	8
High	-12.61	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	26	-5.51	8
	52	-8.55	8
	106	-10.54	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Middle	26	-5.89	8
	52	-7.71	8
	106	-10.55	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
High	26	-11.04	8
	52	-12.24	8
	106	-17.25	8

MIMO

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.03	8
Middle	-7.37	8
High	-8.72	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.48	8
Middle	-6.45	8
High	-7.93	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.83	8
Middle	-7.36	8
High	-7.05	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.95	8
Middle	-7.32	8
High	-8.98	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	26	-2.57	8
	52	0.59	8
	106	0.26	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Middle	26	-2.79	8
	52	0.57	8
	106	0.24	8

802.11ax-20 MHz(RU) Mode:

Channel	RU Config	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
High	26	-8.33	8
	52	0.22	8
	106	0.09	8

Test Plots

SISO-Antenna 1

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL



802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL



802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL



802.11ax-20 MHz(RU52) MIDDLE CHANNEL



802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL



802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



SISO-Antenna 2

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL



802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL



802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL



802.11ax-20 MHz(RU52) MIDDLE CHANNEL



802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL



802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



MIMO-Antenna 1

802.11b LOW CHANNEL



802.11b MIDDLE CHANNEL



802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL



802.11g HIGH CHANNEL



802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL



802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL



802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



MIMO-Antenna 2

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL



802.11ax-20 MHz(RU26) MIDDLE CHANNEL



802.11ax-20 MHz(RU26) HIGH CHANNEL



802.11ax-20 MHz(RU52) LOW CHANNEL



802.11ax-20 MHz(RU52) MIDDLE CHANNEL



802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL



802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2410372-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2410372-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2410372-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--