

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.400	38.89	-17.26	74.0	35.11	Peak	87.00	300	Horizontal	Pass
1**	1546.400	29.43	-17.26	54.0	24.57	AV	87.00	300	Horizontal	Pass
2	4396.600	50.33	-4.00	74.0	23.67	Peak	348.00	100	Horizontal	Pass
2**	4396.600	42.51	-4.00	54.0	11.49	AV	348.00	100	Horizontal	Pass
3	5784.000	110.34	-1.57	--	--	Peak	162.00	150	Horizontal	N/A
3**	5784.000	103.23	-1.57	--	--	AV	162.00	150	Horizontal	N/A
4	7365.125	50.09	-3.36	74.0	23.91	Peak	344.00	200	Horizontal	Pass
4**	7365.125	41.43	-3.36	54.0	12.57	AV	344.00	200	Horizontal	Pass
5	12275.338	53.34	1.63	74.0	20.66	Peak	156.00	100	Horizontal	Pass
5**	12275.338	44.31	1.63	54.0	9.69	AV	156.00	100	Horizontal	Pass
6	16081.912	56.13	1.60	74.0	17.87	Peak	17.00	400	Horizontal	Pass
6**	16081.912	47.75	1.60	54.0	6.25	AV	17.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	39.09	-17.57	74.0	34.91	Peak	85.00	100	Vertical	Pass
1**	1600.000	32.94	-17.57	54.0	21.06	AV	85.00	100	Vertical	Pass
2	4125.000	50.27	-5.00	74.0	23.73	Peak	119.00	200	Vertical	Pass
2**	4125.000	40.34	-5.00	54.0	13.66	AV	119.00	200	Vertical	Pass
3	5786.000	105.69	-1.65	--	--	Peak	355.00	200	Vertical	N/A
3**	5786.000	97.79	-1.65	--	--	AV	355.00	200	Vertical	N/A
4	7338.675	49.87	-2.91	74.0	24.13	Peak	191.00	300	Vertical	Pass
4**	7338.675	41.41	-2.91	54.0	12.59	AV	191.00	300	Vertical	Pass
5	12398.675	53.93	1.58	74.0	20.07	Peak	208.00	200	Vertical	Pass
5**	12398.675	43.59	1.58	54.0	10.41	AV	208.00	200	Vertical	Pass
6	16175.625	56.01	1.35	74.0	17.99	Peak	189.00	200	Vertical	Pass
6**	16175.625	45.73	1.35	54.0	8.27	AV	189.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.700	38.52	-16.96	74.0	35.48	Peak	162.00	200	Horizontal	Pass
1**	1507.700	29.28	-16.96	54.0	24.72	AV	162.00	200	Horizontal	Pass
2	4377.600	50.52	-3.51	74.0	23.48	Peak	155.00	200	Horizontal	Pass
2**	4377.600	40.99	-3.51	54.0	13.01	AV	155.00	200	Horizontal	Pass
3	5826.000	109.96	-2.05	--	--	Peak	155.00	200	Horizontal	N/A
3**	5826.000	102.79	-2.05	--	--	AV	155.00	200	Horizontal	N/A
4	7686.263	49.76	-1.94	74.0	24.24	Peak	347.00	100	Horizontal	Pass
4**	7686.263	42.12	-1.94	54.0	11.88	AV	347.00	100	Horizontal	Pass
5	12430.300	53.57	1.56	74.0	20.43	Peak	0.00	150	Horizontal	Pass
5**	12430.300	44.26	1.56	54.0	9.74	AV	0.00	150	Horizontal	Pass
6	16120.762	56.07	0.64	74.0	17.93	Peak	356.00	100	Horizontal	Pass
6**	16120.762	46.33	0.64	54.0	7.67	AV	356.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.600	39.17	-17.59	74.0	34.83	Peak	36.00	100	Vertical	Pass
1**	1600.600	30.98	-17.59	54.0	23.02	AV	36.00	100	Vertical	Pass
2	4124.200	50.51	-4.96	74.0	23.49	Peak	172.00	100	Vertical	Pass
2**	4124.200	40.11	-4.96	54.0	13.89	AV	172.00	100	Vertical	Pass
3	5826.200	105.15	-2.03	--	--	Peak	355.00	100	Vertical	N/A
3**	5826.200	98.50	-2.03	--	--	AV	355.00	100	Vertical	N/A
4	7501.112	49.90	-3.17	74.0	24.10	Peak	0.00	300	Vertical	Pass
4**	7501.112	39.99	-3.17	54.0	14.01	AV	0.00	300	Vertical	Pass
5	12234.800	54.17	1.16	74.0	19.83	Peak	124.00	200	Vertical	Pass
5**	12234.800	44.24	1.16	54.0	9.76	AV	124.00	200	Vertical	Pass
6	16194.787	56.04	1.59	74.0	17.96	Peak	355.00	100	Vertical	Pass
6**	16194.787	46.17	1.59	54.0	7.83	AV	355.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.300	39.68	-17.40	74.0	34.32	Peak	88.00	100	Horizontal	Pass
1**	1549.300	29.33	-17.40	54.0	24.67	AV	88.00	100	Horizontal	Pass
2	4380.400	50.50	-3.39	74.0	23.50	Peak	251.00	200	Horizontal	Pass
2**	4380.400	41.48	-3.39	54.0	12.52	AV	251.00	200	Horizontal	Pass
3	5743.800	110.28	-2.07	--	--	Peak	161.00	100	Horizontal	N/A
3**	5743.800	102.57	-2.07	--	--	AV	161.00	100	Horizontal	N/A
4	7504.850	49.98	-3.04	74.0	24.02	Peak	19.00	100	Horizontal	Pass
4**	7504.850	40.92	-3.04	54.0	13.08	AV	19.00	100	Horizontal	Pass
5	12289.138	53.31	1.68	74.0	20.69	Peak	157.00	200	Horizontal	Pass
5**	12289.138	44.48	1.68	54.0	9.52	AV	157.00	200	Horizontal	Pass
6	15811.800	56.22	2.13	74.0	17.78	Peak	317.00	100	Horizontal	Pass
6**	15811.800	46.43	2.13	54.0	7.57	AV	317.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.700	48.29	-17.44	74.0	25.71	Peak	360.00	100	Vertical	Pass
1**	1577.700	29.52	-17.44	54.0	24.48	AV	360.00	100	Vertical	Pass
2	4390.200	50.67	-3.31	74.0	23.33	Peak	271.00	200	Vertical	Pass
2**	4390.200	42.88	-3.31	54.0	11.12	AV	271.00	200	Vertical	Pass
3	5744.200	104.24	-2.07	--	--	Peak	349.00	100	Vertical	N/A
3**	5744.200	98.00	-2.07	--	--	AV	349.00	100	Vertical	N/A
4	7380.362	50.05	-3.46	74.0	23.95	Peak	344.00	100	Vertical	Pass
4**	7380.362	40.63	-3.46	54.0	13.37	AV	344.00	100	Vertical	Pass
5	12288.562	53.46	1.70	74.0	20.54	Peak	291.00	100	Vertical	Pass
5**	12288.562	44.51	1.70	54.0	9.49	AV	291.00	100	Vertical	Pass
6	15833.062	56.02	1.47	74.0	17.98	Peak	360.00	300	Vertical	Pass
6**	15833.062	46.61	1.47	54.0	7.39	AV	360.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.300	39.08	-16.75	74.0	34.92	Peak	11.00	200	Horizontal	Pass
1**	1489.300	30.12	-16.75	54.0	23.88	AV	11.00	200	Horizontal	Pass
2	4385.600	50.24	-3.36	74.0	23.76	Peak	244.00	100	Horizontal	Pass
2**	4385.600	42.18	-3.36	54.0	11.82	AV	244.00	100	Horizontal	Pass
3	5783.600	109.32	-1.51	--	--	Peak	153.00	150	Horizontal	N/A
3**	5783.600	102.17	-1.51	--	--	AV	153.00	150	Horizontal	N/A
4	7333.212	50.28	-3.14	74.0	23.72	Peak	284.00	200	Horizontal	Pass
4**	7333.212	40.80	-3.14	54.0	13.20	AV	284.00	200	Horizontal	Pass
5	12502.750	53.73	1.67	74.0	20.27	Peak	122.00	100	Horizontal	Pass
5**	12502.750	43.92	1.67	54.0	10.08	AV	122.00	100	Horizontal	Pass
6	15824.663	55.84	1.66	74.0	18.16	Peak	1.00	100	Horizontal	Pass
6**	15824.663	46.98	1.66	54.0	7.02	AV	1.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.100	50.01	-17.19	74.0	23.99	Peak	172.00	100	Vertical	Pass
1**	1479.100	29.42	-17.19	54.0	24.58	AV	172.00	100	Vertical	Pass
2	4379.800	50.64	-3.28	74.0	23.36	Peak	92.00	300	Vertical	Pass
2**	4379.800	42.37	-3.28	54.0	11.63	AV	92.00	300	Vertical	Pass
3	5784.000	105.07	-1.57	--	--	Peak	355.00	150	Vertical	N/A
3**	5784.000	97.46	-1.57	--	--	AV	355.00	150	Vertical	N/A
4	7397.613	50.26	-4.11	74.0	23.74	Peak	200.00	400	Vertical	Pass
4**	7397.613	39.79	-4.11	54.0	14.21	AV	200.00	400	Vertical	Pass
5	12271.313	53.92	1.49	74.0	20.08	Peak	88.00	200	Vertical	Pass
5**	12271.313	44.35	1.49	54.0	9.65	AV	88.00	200	Vertical	Pass
6	15856.950	56.35	1.09	74.0	17.65	Peak	129.00	100	Vertical	Pass
6**	15856.950	46.50	1.09	54.0	7.50	AV	129.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.900	39.42	-16.76	74.0	34.58	Peak	196.00	300	Horizontal	Pass
1**	1486.900	29.28	-16.76	54.0	24.72	AV	196.00	300	Horizontal	Pass
2	4388.600	50.25	-3.39	74.0	23.75	Peak	328.00	400	Horizontal	Pass
2**	4388.600	41.04	-3.39	54.0	12.96	AV	328.00	400	Horizontal	Pass
3	5826.200	108.96	-2.03	--	--	Peak	160.00	150	Horizontal	N/A
3**	5826.200	101.07	-2.03	--	--	AV	160.00	150	Horizontal	N/A
4	7504.850	50.04	-3.04	74.0	23.96	Peak	0.00	100	Horizontal	Pass
4**	7504.850	40.96	-3.04	54.0	13.04	AV	0.00	100	Horizontal	Pass
5	12307.537	53.77	1.38	74.0	20.23	Peak	72.00	150	Horizontal	Pass
5**	12307.537	44.55	1.38	54.0	9.45	AV	72.00	150	Horizontal	Pass
6	15833.588	55.95	1.46	74.0	18.05	Peak	115.00	300	Horizontal	Pass
6**	15833.588	46.85	1.46	54.0	7.15	AV	115.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.700	44.54	-17.40	74.0	29.46	Peak	1.00	300	Vertical	Pass
1**	1592.700	29.06	-17.40	54.0	24.94	AV	1.00	300	Vertical	Pass
2	4386.400	50.22	-3.29	74.0	23.78	Peak	318.00	100	Vertical	Pass
2**	4386.400	41.16	-3.29	54.0	12.84	AV	318.00	100	Vertical	Pass
3	5823.400	103.91	-2.13	--	--	Peak	360.00	100	Vertical	N/A
3**	5823.400	97.15	-2.13	--	--	AV	360.00	100	Vertical	N/A
4	7338.675	50.55	-2.91	74.0	23.45	Peak	24.00	400	Vertical	Pass
4**	7338.675	41.25	-2.91	54.0	12.75	AV	24.00	400	Vertical	Pass
5	12232.500	53.90	1.23	74.0	20.10	Peak	7.00	150	Vertical	Pass
5**	12232.500	44.02	1.23	54.0	9.98	AV	7.00	150	Vertical	Pass
6	15854.588	56.30	1.20	74.0	17.70	Peak	15.00	300	Vertical	Pass
6**	15854.588	46.65	1.20	54.0	7.35	AV	15.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.100	38.65	-16.84	74.0	35.35	Peak	18.00	300	Horizontal	Pass
1**	1505.100	29.32	-16.84	54.0	24.68	AV	18.00	300	Horizontal	Pass
2	4392.400	50.59	-3.55	74.0	23.41	Peak	83.00	200	Horizontal	Pass
2**	4392.400	41.28	-3.55	54.0	12.72	AV	83.00	200	Horizontal	Pass
3	5823.800	108.67	-2.13	--	--	Peak	160.00	100	Horizontal	N/A
3**	5823.800	101.13	-2.13	--	--	AV	160.00	100	Horizontal	N/A
4	7452.525	49.90	-3.18	74.0	24.10	Peak	176.00	200	Horizontal	Pass
4**	7452.525	41.54	-3.18	54.0	12.46	AV	176.00	200	Horizontal	Pass
5	12335.713	53.36	1.34	74.0	20.64	Peak	176.00	200	Horizontal	Pass
5**	12335.713	44.26	1.34	54.0	9.74	AV	176.00	200	Horizontal	Pass
6	16132.050	56.93	1.04	74.0	17.07	Peak	117.00	300	Horizontal	Pass
6**	16132.050	48.04	1.04	54.0	5.96	AV	117.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.200	39.02	-17.23	74.0	34.98	Peak	0.00	300	Vertical	Pass
1**	1595.200	30.01	-17.23	54.0	23.99	AV	0.00	300	Vertical	Pass
2	4388.400	51.07	-3.40	74.0	22.93	Peak	314.00	300	Vertical	Pass
2**	4388.400	41.28	-3.40	54.0	12.72	AV	314.00	300	Vertical	Pass
3	5824.000	103.87	-2.13	--	--	Peak	347.00	150	Vertical	N/A
3**	5824.000	96.42	-2.13	--	--	AV	347.00	150	Vertical	N/A
4	7336.375	50.13	-3.12	74.0	23.87	Peak	9.00	200	Vertical	Pass
4**	7336.375	41.16	-3.12	54.0	12.84	AV	9.00	200	Vertical	Pass
5	12285.975	53.47	1.75	74.0	20.53	Peak	43.00	150	Vertical	Pass
5**	12285.975	44.01	1.75	54.0	9.99	AV	43.00	150	Vertical	Pass
6	16060.650	55.74	0.97	74.0	18.26	Peak	192.00	100	Vertical	Pass
6**	16060.650	46.54	0.97	54.0	7.46	AV	192.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.200	38.75	-16.90	74.0	35.25	Peak	360.00	400	Horizontal	Pass
1**	1504.200	29.84	-16.90	54.0	24.16	AV	360.00	400	Horizontal	Pass
2	4297.800	50.18	-4.03	74.0	23.82	Peak	128.00	400	Horizontal	Pass
2**	4297.800	40.95	-4.03	54.0	13.05	AV	128.00	400	Horizontal	Pass
3	5826.200	108.85	-2.03	--	--	Peak	162.00	100	Horizontal	N/A
3**	5826.200	101.70	-2.03	--	--	AV	162.00	100	Horizontal	N/A
4	7622.725	50.03	-3.06	74.0	23.97	Peak	330.00	400	Horizontal	Pass
4**	7622.725	40.31	-3.06	54.0	13.69	AV	330.00	400	Horizontal	Pass
5	12613.724	53.41	1.88	74.0	20.59	Peak	360.00	100	Horizontal	Pass
5**	12613.724	44.59	1.88	54.0	9.41	AV	360.00	100	Horizontal	Pass
6	15849.600	56.04	1.33	74.0	17.96	Peak	360.00	100	Horizontal	Pass
6**	15849.600	46.99	1.33	54.0	7.01	AV	360.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.800	38.90	-17.24	74.0	35.10	Peak	95.00	200	Vertical	Pass
1**	1513.800	28.83	-17.24	54.0	25.17	AV	95.00	200	Vertical	Pass
2	4380.200	50.38	-3.35	74.0	23.62	Peak	7.00	100	Vertical	Pass
2**	4380.200	41.64	-3.35	54.0	12.36	AV	7.00	100	Vertical	Pass
3	5826.400	103.96	-2.02	--	--	Peak	341.00	150	Vertical	N/A
3**	5826.400	96.55	-2.02	--	--	AV	341.00	150	Vertical	N/A
4	7340.975	50.26	-3.07	74.0	23.74	Peak	263.00	400	Vertical	Pass
4**	7340.975	42.36	-3.07	54.0	11.64	AV	263.00	400	Vertical	Pass
5	12292.588	53.60	1.62	74.0	20.40	Peak	0.00	150	Vertical	Pass
5**	12292.588	43.99	1.62	54.0	10.01	AV	0.00	150	Vertical	Pass
6	15810.750	56.60	2.15	74.0	17.40	Peak	338.00	100	Vertical	Pass
6**	15810.750	47.63	2.15	54.0	6.37	AV	338.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.200	38.99	-16.81	74.0	35.01	Peak	181.00	300	Horizontal	Pass
1**	1488.200	30.15	-16.81	54.0	23.85	AV	181.00	300	Horizontal	Pass
2	4390.800	50.34	-3.35	74.0	23.66	Peak	108.00	300	Horizontal	Pass
2**	4390.800	41.36	-3.35	54.0	12.64	AV	108.00	300	Horizontal	Pass
3	5742.400	108.60	-2.21	--	--	Peak	163.00	100	Horizontal	N/A
3**	5742.400	99.39	-2.21	--	--	AV	163.00	100	Horizontal	N/A
4	7608.925	49.48	-2.99	74.0	24.52	Peak	262.00	300	Horizontal	Pass
4**	7608.925	39.54	-2.99	54.0	14.46	AV	262.00	300	Horizontal	Pass
5	11957.650	53.58	1.04	74.0	20.42	Peak	90.00	150	Horizontal	Pass
5**	11957.650	44.03	1.04	54.0	9.97	AV	90.00	150	Horizontal	Pass
6	15820.724	56.33	1.84	74.0	17.67	Peak	74.00	300	Horizontal	Pass
6**	15820.724	46.60	1.84	54.0	7.40	AV	74.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.700	39.16	-17.13	74.0	34.84	Peak	132.00	300	Vertical	Pass
1**	1450.700	30.18	-17.13	54.0	23.82	AV	132.00	300	Vertical	Pass
2	4380.200	50.80	-3.35	74.0	23.20	Peak	179.00	400	Vertical	Pass
2**	4380.200	41.73	-3.35	54.0	12.27	AV	179.00	400	Vertical	Pass
3	5746.200	102.06	-2.21	--	--	Peak	346.00	150	Vertical	N/A
3**	5746.200	94.65	-2.21	--	--	AV	346.00	150	Vertical	N/A
4	7591.963	50.47	-3.03	74.0	23.53	Peak	280.00	100	Vertical	Pass
4**	7591.963	40.11	-3.03	54.0	13.89	AV	280.00	100	Vertical	Pass
5	12417.362	53.54	1.40	74.0	20.46	Peak	142.00	150	Vertical	Pass
5**	12417.362	43.25	1.40	54.0	10.75	AV	142.00	150	Vertical	Pass
6	15506.775	56.57	1.34	74.0	17.43	Peak	255.00	200	Vertical	Pass
6**	15506.775	46.79	1.34	54.0	7.21	AV	255.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.800	39.07	-16.72	74.0	34.93	Peak	77.00	200	Horizontal	Pass
1**	1489.800	30.03	-16.72	54.0	23.97	AV	77.00	200	Horizontal	Pass
2	4390.400	50.46	-3.30	74.0	23.54	Peak	180.00	400	Horizontal	Pass
2**	4390.400	42.21	-3.30	54.0	11.79	AV	180.00	400	Horizontal	Pass
3	5782.600	107.09	-1.38	--	--	Peak	158.00	150	Horizontal	N/A
3**	5782.600	98.95	-1.38	--	--	AV	158.00	150	Horizontal	N/A
4	7342.125	49.84	-3.19	74.0	24.16	Peak	0.00	200	Horizontal	Pass
4**	7342.125	41.57	-3.19	54.0	12.43	AV	0.00	200	Horizontal	Pass
5	12271.600	53.43	1.50	74.0	20.57	Peak	144.00	200	Horizontal	Pass
5**	12271.600	44.29	1.50	54.0	9.71	AV	144.00	200	Horizontal	Pass
6	15861.151	56.01	0.90	74.0	17.99	Peak	348.00	200	Horizontal	Pass
6**	15861.151	46.08	0.90	54.0	7.92	AV	348.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.200	42.75	-17.23	74.0	31.25	Peak	42.00	400	Vertical	Pass
1**	1595.200	28.84	-17.23	54.0	25.16	AV	42.00	400	Vertical	Pass
2	4391.000	50.24	-3.38	74.0	23.76	Peak	74.00	400	Vertical	Pass
2**	4391.000	42.19	-3.38	54.0	11.81	AV	74.00	400	Vertical	Pass
3	5786.200	102.42	-1.65	--	--	Peak	339.00	200	Vertical	N/A
3**	5786.200	95.06	-1.65	--	--	AV	339.00	200	Vertical	N/A
4	7620.137	49.98	-2.58	74.0	24.02	Peak	109.00	300	Vertical	Pass
4**	7620.137	40.53	-2.58	54.0	13.47	AV	109.00	300	Vertical	Pass
5	12603.950	53.63	1.91	74.0	20.37	Peak	92.00	150	Vertical	Pass
5**	12603.950	44.35	1.91	54.0	9.65	AV	92.00	150	Vertical	Pass
6	16080.862	55.67	1.62	74.0	18.33	Peak	114.00	400	Vertical	Pass
6**	16080.862	46.96	1.62	54.0	7.04	AV	114.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.400	38.34	-17.20	74.0	35.66	Peak	225.00	200	Horizontal	Pass
1**	1477.400	29.09	-17.20	54.0	24.91	AV	225.00	200	Horizontal	Pass
2	4390.400	50.48	-3.30	74.0	23.52	Peak	255.00	100	Horizontal	Pass
2**	4390.400	42.26	-3.30	54.0	11.74	AV	255.00	100	Horizontal	Pass
3	5826.400	106.29	-2.02	--	--	Peak	163.00	200	Horizontal	N/A
3**	5826.400	99.38	-2.02	--	--	AV	163.00	200	Horizontal	N/A
4	7721.337	49.54	-2.70	74.0	24.46	Peak	292.00	100	Horizontal	Pass
4**	7721.337	41.29	-2.70	54.0	12.71	AV	292.00	100	Horizontal	Pass
5	11515.475	53.31	-0.34	74.0	20.69	Peak	142.00	200	Horizontal	Pass
5**	11515.475	43.71	-0.34	54.0	10.29	AV	142.00	200	Horizontal	Pass
6	15677.138	56.22	1.56	74.0	17.78	Peak	230.00	400	Horizontal	Pass
6**	15677.138	47.21	1.56	54.0	6.79	AV	230.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.600	39.46	-17.34	74.0	34.54	Peak	234.00	200	Vertical	Pass
1**	1598.600	29.07	-17.34	54.0	24.93	AV	234.00	200	Vertical	Pass
2	4379.400	50.00	-3.32	74.0	24.00	Peak	173.00	300	Vertical	Pass
2**	4379.400	41.21	-3.32	54.0	12.79	AV	173.00	300	Vertical	Pass
3	5826.400	102.06	-2.02	--	--	Peak	353.00	100	Vertical	N/A
3**	5826.400	94.97	-2.02	--	--	AV	353.00	100	Vertical	N/A
4	7718.462	49.56	-2.81	74.0	24.44	Peak	126.00	400	Vertical	Pass
4**	7718.462	40.25	-2.81	54.0	13.75	AV	126.00	400	Vertical	Pass
5	12400.975	53.61	1.56	74.0	20.39	Peak	74.00	100	Vertical	Pass
5**	12400.975	44.20	1.56	54.0	9.80	AV	74.00	100	Vertical	Pass
6	15801.825	56.29	2.31	74.0	17.71	Peak	290.00	200	Vertical	Pass
6**	15801.825	47.16	2.31	54.0	6.84	AV	290.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.100	38.87	-17.17	74.0	35.13	Peak	260.00	400	Horizontal	Pass
1**	1575.100	29.62	-17.17	54.0	24.38	AV	260.00	400	Horizontal	Pass
2	4390.000	49.96	-3.32	74.0	24.04	Peak	267.00	300	Horizontal	Pass
2**	4390.000	41.59	-3.32	54.0	12.41	AV	267.00	300	Horizontal	Pass
3	5743.400	101.79	-2.11	--	--	Peak	165.00	100	Horizontal	N/A
3**	5743.400	93.84	-2.11	--	--	AV	165.00	100	Horizontal	N/A
4	7673.900	50.30	-2.34	74.0	23.70	Peak	30.00	400	Horizontal	Pass
4**	7673.900	40.53	-2.34	54.0	13.47	AV	30.00	400	Horizontal	Pass
5	12404.712	53.06	1.49	74.0	20.94	Peak	100.00	100	Horizontal	Pass
5**	12404.712	44.06	1.49	54.0	9.94	AV	100.00	100	Horizontal	Pass
6	15806.026	56.76	2.25	74.0	17.24	Peak	16.00	100	Horizontal	Pass
6**	15806.026	47.76	2.25	54.0	6.24	AV	16.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.800	39.07	-16.78	74.0	34.93	Peak	292.00	100	Vertical	Pass
1**	1488.800	29.74	-16.78	54.0	24.26	AV	292.00	100	Vertical	Pass
2	4383.400	50.82	-3.64	74.0	23.18	Peak	63.00	300	Vertical	Pass
2**	4383.400	41.52	-3.64	54.0	12.48	AV	63.00	300	Vertical	Pass
3	5752.200	97.09	-1.96	--	--	Peak	341.00	200	Vertical	N/A
3**	5752.200	88.88	-1.96	--	--	AV	341.00	200	Vertical	N/A
4	7391.862	49.87	-3.85	74.0	24.13	Peak	90.00	400	Vertical	Pass
4**	7391.862	40.84	-3.85	54.0	13.16	AV	90.00	400	Vertical	Pass
5	12317.312	53.87	1.41	74.0	20.13	Peak	244.00	100	Vertical	Pass
5**	12317.312	43.77	1.41	54.0	10.23	AV	244.00	100	Vertical	Pass
6	15807.337	56.66	2.22	74.0	17.34	Peak	360.00	200	Vertical	Pass
6**	15807.337	47.83	2.22	54.0	6.17	AV	360.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.600	38.90	-16.78	74.0	35.10	Peak	218.00	400	Horizontal	Pass
1**	1490.600	30.06	-16.78	54.0	23.94	AV	218.00	400	Horizontal	Pass
2	4297.400	50.46	-4.00	74.0	23.54	Peak	0.00	100	Horizontal	Pass
2**	4297.400	40.73	-4.00	54.0	13.27	AV	0.00	100	Horizontal	Pass
3	5789.600	102.27	-1.80	--	--	Peak	155.00	150	Horizontal	N/A
3**	5789.600	93.32	-1.80	--	--	AV	155.00	150	Horizontal	N/A
4	7632.787	50.01	-2.90	74.0	23.99	Peak	70.00	100	Horizontal	Pass
4**	7632.787	40.44	-2.90	54.0	13.56	AV	70.00	100	Horizontal	Pass
5	12328.526	54.19	1.42	74.0	19.81	Peak	151.00	200	Horizontal	Pass
5**	12328.526	44.06	1.42	54.0	9.94	AV	151.00	200	Horizontal	Pass
6	15512.287	56.21	1.42	74.0	17.79	Peak	323.00	200	Horizontal	Pass
6**	15512.287	46.29	1.42	54.0	7.71	AV	323.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.000	39.13	-16.97	74.0	34.87	Peak	0.00	300	Vertical	Pass
1**	1559.000	29.22	-16.97	54.0	24.78	AV	0.00	300	Vertical	Pass
2	4346.600	50.83	-4.32	74.0	23.17	Peak	298.00	200	Vertical	Pass
2**	4346.600	40.70	-4.32	54.0	13.30	AV	298.00	200	Vertical	Pass
3	5786.800	97.46	-1.67	--	--	Peak	342.00	150	Vertical	N/A
3**	5786.800	88.63	-1.67	--	--	AV	342.00	150	Vertical	N/A
4	7713.575	49.91	-2.35	74.0	24.09	Peak	192.00	300	Vertical	Pass
4**	7713.575	41.08	-2.35	54.0	12.92	AV	192.00	300	Vertical	Pass
5	12292.300	53.14	1.62	74.0	20.86	Peak	294.00	150	Vertical	Pass
5**	12292.300	45.00	1.62	54.0	9.00	AV	294.00	150	Vertical	Pass
6	16124.963	56.36	0.80	74.0	17.64	Peak	271.00	300	Vertical	Pass
6**	16124.963	45.89	0.80	54.0	8.11	AV	271.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	39.47	-17.30	74.0	34.53	Peak	63.00	100	Horizontal	Pass
1**	1437.600	29.03	-17.30	54.0	24.97	AV	63.00	100	Horizontal	Pass
2	4365.600	49.97	-3.89	74.0	24.03	Peak	62.00	300	Horizontal	Pass
2**	4365.600	41.74	-3.89	54.0	12.26	AV	62.00	300	Horizontal	Pass
3	5758.000	98.74	-1.67	--	--	Peak	164.00	150	Horizontal	N/A
3**	5758.000	91.67	-1.67	--	--	AV	164.00	150	Horizontal	N/A
4	7350.462	50.26	-3.61	74.0	23.74	Peak	78.00	200	Horizontal	Pass
4**	7350.462	40.92	-3.61	54.0	13.08	AV	78.00	200	Horizontal	Pass
5	12336.862	53.76	1.32	74.0	20.24	Peak	260.00	150	Horizontal	Pass
5**	12336.862	43.94	1.32	54.0	10.06	AV	260.00	150	Horizontal	Pass
6	15824.663	56.97	1.66	74.0	17.03	Peak	138.00	400	Horizontal	Pass
6**	15824.663	46.74	1.66	54.0	7.26	AV	138.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.000	39.02	-17.10	74.0	34.98	Peak	317.00	200	Vertical	Pass
1**	1457.000	29.41	-17.10	54.0	24.59	AV	317.00	200	Vertical	Pass
2	4326.800	49.96	-4.35	74.0	24.04	Peak	256.00	400	Vertical	Pass
2**	4326.800	40.48	-4.35	54.0	13.52	AV	256.00	400	Vertical	Pass
3	5782.000	93.60	-1.37	--	--	Peak	346.00	150	Vertical	N/A
3**	5782.000	86.64	-1.37	--	--	AV	346.00	150	Vertical	N/A
4	7444.188	49.56	-3.24	74.0	24.44	Peak	360.00	200	Vertical	Pass
4**	7444.188	41.12	-3.24	54.0	12.88	AV	360.00	200	Vertical	Pass
5	12614.300	53.58	1.88	74.0	20.42	Peak	293.00	100	Vertical	Pass
5**	12614.300	43.95	1.88	54.0	10.05	AV	293.00	100	Vertical	Pass
6	15984.787	55.97	0.28	74.0	18.03	Peak	63.00	400	Vertical	Pass
6**	15984.787	45.70	0.28	54.0	8.30	AV	63.00	400	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.400	38.83	-17.19	74.0	35.17	Peak	72.00	200	Horizontal	Pass
1**	1515.400	28.71	-17.19	54.0	25.29	AV	72.00	200	Horizontal	Pass
2	4384.200	50.31	-3.61	74.0	23.69	Peak	324.00	200	Horizontal	Pass
2**	4384.200	40.70	-3.61	54.0	13.30	AV	324.00	200	Horizontal	Pass
3	5746.600	108.88	-2.21	--	--	Peak	168.00	100	Horizontal	N/A
3**	5746.600	100.23	-2.21	--	--	AV	168.00	100	Horizontal	N/A
4	7278.587	49.91	-3.21	74.0	24.09	Peak	195.00	300	Horizontal	Pass
4**	7278.587	40.34	-3.21	54.0	13.66	AV	195.00	300	Horizontal	Pass
5	12249.463	53.48	0.96	74.0	20.52	Peak	111.00	200	Horizontal	Pass
5**	12249.463	43.89	0.96	54.0	10.11	AV	111.00	200	Horizontal	Pass
6	15664.275	56.63	1.33	74.0	17.37	Peak	190.00	200	Horizontal	Pass
6**	15664.275	46.47	1.33	54.0	7.53	AV	190.00	200	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.000	38.63	-17.19	74.0	35.37	Peak	360.00	400	Vertical	Pass
1**	1530.000	29.44	-17.19	54.0	24.56	AV	360.00	400	Vertical	Pass
2	4062.800	50.65	-4.82	74.0	23.35	Peak	207.00	100	Vertical	Pass
2**	4062.800	39.47	-4.82	54.0	14.53	AV	207.00	100	Vertical	Pass
3	5743.600	103.27	-2.09	--	--	Peak	340.00	100	Vertical	N/A
3**	5743.600	94.20	-2.09	--	--	AV	340.00	100	Vertical	N/A
4	7451.663	49.79	-3.17	74.0	24.21	Peak	82.00	100	Vertical	Pass
4**	7451.663	42.12	-3.17	54.0	11.88	AV	82.00	100	Vertical	Pass
5	12233.075	53.76	1.21	74.0	20.24	Peak	259.00	100	Vertical	Pass
5**	12233.075	43.53	1.21	54.0	10.47	AV	259.00	100	Vertical	Pass
6	16174.312	56.55	1.30	74.0	17.45	Peak	360.00	300	Vertical	Pass
6**	16174.312	46.70	1.30	54.0	7.30	AV	360.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.300	43.96	-17.29	74.0	30.04	Peak	333.00	300	Horizontal	Pass
1**	1436.300	32.48	-17.29	54.0	21.52	AV	333.00	300	Horizontal	Pass
2	4389.400	50.36	-3.35	74.0	23.64	Peak	85.00	200	Horizontal	Pass
2**	4389.400	41.38	-3.35	54.0	12.62	AV	85.00	200	Horizontal	Pass
3	5785.200	107.13	-1.63	--	--	Peak	163.00	200	Horizontal	N/A
3**	5785.200	98.69	-1.63	--	--	AV	163.00	200	Horizontal	N/A
4	7337.812	50.29	-2.88	74.0	23.71	Peak	313.00	100	Horizontal	Pass
4**	7337.812	41.81	-2.88	54.0	12.19	AV	313.00	100	Horizontal	Pass
5	11342.401	53.31	0.19	74.0	20.69	Peak	330.00	150	Horizontal	Pass
5**	11342.401	43.90	0.19	54.0	10.10	AV	330.00	150	Horizontal	Pass
6	15806.026	56.46	2.25	74.0	17.54	Peak	0.00	300	Horizontal	Pass
6**	15806.026	47.06	2.25	54.0	6.94	AV	0.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	39.70	-17.53	74.0	34.30	Peak	21.00	100	Vertical	Pass
1**	1599.800	31.95	-17.53	54.0	22.05	AV	21.00	100	Vertical	Pass
2	4373.000	50.87	-3.89	74.0	23.13	Peak	358.00	100	Vertical	Pass
2**	4373.000	40.71	-3.89	54.0	13.29	AV	358.00	100	Vertical	Pass
3	5784.200	103.31	-1.59	--	--	Peak	345.00	200	Vertical	N/A
3**	5784.200	94.58	-1.59	--	--	AV	345.00	200	Vertical	N/A
4	7596.562	49.68	-2.97	74.0	24.32	Peak	306.00	100	Vertical	Pass
4**	7596.562	40.32	-2.97	54.0	13.68	AV	306.00	100	Vertical	Pass
5	11674.750	53.39	0.26	74.0	20.61	Peak	288.00	100	Vertical	Pass
5**	11674.750	42.89	0.26	54.0	11.11	AV	288.00	100	Vertical	Pass
6	16080.075	56.41	1.64	74.0	17.59	Peak	0.00	300	Vertical	Pass
6**	16080.075	46.96	1.64	54.0	7.04	AV	0.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.900	47.92	-17.15	74.0	26.08	Peak	17.00	100	Horizontal	Pass
1**	1567.900	28.98	-17.15	54.0	25.02	AV	17.00	100	Horizontal	Pass
2	4395.000	50.54	-3.90	74.0	23.46	Peak	53.00	400	Horizontal	Pass
2**	4395.000	40.95	-3.90	54.0	13.05	AV	53.00	400	Horizontal	Pass
3	5825.000	106.65	-2.11	--	--	Peak	156.00	200	Horizontal	N/A
3**	5825.000	98.55	-2.11	--	--	AV	156.00	200	Horizontal	N/A
4	7443.612	50.00	-3.28	74.0	24.00	Peak	26.00	100	Horizontal	Pass
4**	7443.612	40.57	-3.28	54.0	13.43	AV	26.00	100	Horizontal	Pass
5	12344.625	53.14	1.28	74.0	20.86	Peak	61.00	150	Horizontal	Pass
5**	12344.625	43.66	1.28	54.0	10.34	AV	61.00	150	Horizontal	Pass
6	15841.200	56.32	1.43	74.0	17.68	Peak	249.00	200	Horizontal	Pass
6**	15841.200	46.98	1.43	54.0	7.02	AV	249.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.300	39.22	-17.56	74.0	34.78	Peak	150.00	300	Vertical	Pass
1**	1619.300	29.18	-17.56	54.0	24.82	AV	150.00	300	Vertical	Pass
2	4386.600	50.56	-3.30	74.0	23.44	Peak	62.00	300	Vertical	Pass
2**	4386.600	41.19	-3.30	54.0	12.81	AV	62.00	300	Vertical	Pass
3	5823.400	102.36	-2.13	--	--	Peak	360.00	100	Vertical	N/A
3**	5823.400	93.98	-2.13	--	--	AV	360.00	100	Vertical	N/A
4	7346.725	49.97	-3.60	74.0	24.03	Peak	236.00	200	Vertical	Pass
4**	7346.725	40.80	-3.60	54.0	13.20	AV	236.00	200	Vertical	Pass
5	12388.612	53.08	1.55	74.0	20.92	Peak	309.00	100	Vertical	Pass
5**	12388.612	44.41	1.55	54.0	9.59	AV	309.00	100	Vertical	Pass
6	15850.387	56.44	1.32	74.0	17.56	Peak	360.00	300	Vertical	Pass
6**	15850.387	46.71	1.32	54.0	7.29	AV	360.00	300	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.200	39.31	-17.20	74.0	34.69	Peak	97.00	100	Horizontal	Pass
1**	1515.200	29.47	-17.20	54.0	24.53	AV	97.00	100	Horizontal	Pass
2	4347.400	49.97	-4.24	74.0	24.03	Peak	145.00	200	Horizontal	Pass
2**	4347.400	40.98	-4.24	54.0	13.02	AV	145.00	200	Horizontal	Pass
3	5744.800	104.65	-2.12	--	--	Peak	157.00	200	Horizontal	N/A
3**	5744.800	94.71	-2.12	--	--	AV	157.00	200	Horizontal	N/A
4	7337.812	49.99	-2.88	74.0	24.01	Peak	115.00	300	Horizontal	Pass
4**	7337.812	41.28	-2.88	54.0	12.72	AV	115.00	300	Horizontal	Pass
5	12601.938	53.42	1.91	74.0	20.58	Peak	327.00	200	Horizontal	Pass
5**	12601.938	44.37	1.91	54.0	9.63	AV	327.00	200	Horizontal	Pass
6	15850.912	56.47	1.31	74.0	17.53	Peak	360.00	400	Horizontal	Pass
6**	15850.912	47.24	1.31	54.0	6.76	AV	360.00	400	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.700	39.42	-16.86	74.0	34.58	Peak	64.00	400	Vertical	Pass
1**	1491.700	29.53	-16.86	54.0	24.47	AV	64.00	400	Vertical	Pass
2	4390.400	50.46	-3.30	74.0	23.54	Peak	360.00	400	Vertical	Pass
2**	4390.400	42.14	-3.30	54.0	11.86	AV	360.00	400	Vertical	Pass
3	5739.800	99.13	-2.09	--	--	Peak	349.00	100	Vertical	N/A
3**	5739.800	89.77	-2.09	--	--	AV	349.00	100	Vertical	N/A
4	7503.125	50.82	-3.06	74.0	23.18	Peak	221.00	300	Vertical	Pass
4**	7503.125	40.51	-3.06	54.0	13.49	AV	221.00	300	Vertical	Pass
5	12406.150	53.36	1.47	74.0	20.64	Peak	70.00	150	Vertical	Pass
5**	12406.150	43.65	1.47	54.0	10.35	AV	70.00	150	Vertical	Pass
6	15835.950	56.21	1.45	74.0	17.79	Peak	273.00	100	Vertical	Pass
6**	15835.950	47.19	1.45	54.0	6.81	AV	273.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.500	43.13	-17.26	74.0	30.87	Peak	44.00	100	Horizontal	Pass
1**	1590.500	29.04	-17.26	54.0	24.96	AV	44.00	100	Horizontal	Pass
2	4390.200	50.46	-3.31	74.0	23.54	Peak	198.00	300	Horizontal	Pass
2**	4390.200	41.49	-3.31	54.0	12.51	AV	198.00	300	Horizontal	Pass
3	5804.600	103.37	-1.92	--	--	Peak	167.00	150	Horizontal	N/A
3**	5804.600	96.25	-1.92	--	--	AV	167.00	150	Horizontal	N/A
4	7420.900	50.57	-3.30	74.0	23.43	Peak	137.00	200	Horizontal	Pass
4**	7420.900	40.14	-3.30	54.0	13.86	AV	137.00	200	Horizontal	Pass
5	12283.099	53.82	1.79	74.0	20.18	Peak	315.00	200	Horizontal	Pass
5**	12283.099	44.90	1.79	54.0	9.10	AV	315.00	200	Horizontal	Pass
6	15620.700	56.49	1.64	74.0	17.51	Peak	263.00	400	Horizontal	Pass
6**	15620.700	46.00	1.64	54.0	8.00	AV	263.00	400	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.900	40.32	-17.17	74.0	33.68	Peak	236.00	200	Vertical	Pass
1**	1479.900	30.56	-17.17	54.0	23.44	AV	236.00	200	Vertical	Pass
2	4385.600	50.47	-3.36	74.0	23.53	Peak	266.00	400	Vertical	Pass
2**	4385.600	40.75	-3.36	54.0	13.25	AV	266.00	400	Vertical	Pass
3	5782.600	101.34	-1.38	--	--	Peak	351.00	100	Vertical	N/A
3**	5782.600	89.97	-1.38	--	--	AV	351.00	100	Vertical	N/A
4	7330.625	50.04	-3.43	74.0	23.96	Peak	360.00	400	Vertical	Pass
4**	7330.625	40.49	-3.43	54.0	13.51	AV	360.00	400	Vertical	Pass
5	12238.537	53.74	1.09	74.0	20.26	Peak	360.00	150	Vertical	Pass
5**	12238.537	43.81	1.09	54.0	10.19	AV	360.00	150	Vertical	Pass
6	15786.338	56.30	1.86	74.0	17.70	Peak	337.00	400	Vertical	Pass
6**	15786.338	46.43	1.86	54.0	7.57	AV	337.00	400	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.200	39.47	-17.29	74.0	34.53	Peak	41.00	100	Horizontal	Pass
1**	1618.200	29.34	-17.29	54.0	24.66	AV	41.00	100	Horizontal	Pass
2	4379.000	50.09	-3.36	74.0	23.91	Peak	100.00	400	Horizontal	Pass
2**	4379.000	41.57	-3.36	54.0	12.43	AV	100.00	400	Horizontal	Pass
3	5765.000	102.82	-1.53	--	--	Peak	162.00	200	Horizontal	N/A
3**	5765.000	91.34	-1.53	--	--	AV	162.00	200	Horizontal	N/A
4	7341.550	50.31	-3.12	74.0	23.69	Peak	331.00	200	Horizontal	Pass
4**	7341.550	42.11	-3.12	54.0	11.89	AV	331.00	200	Horizontal	Pass
5	11958.513	53.49	0.99	74.0	20.51	Peak	250.00	150	Horizontal	Pass
5**	11958.513	43.64	0.99	54.0	10.36	AV	250.00	150	Horizontal	Pass
6	16076.925	56.29	1.58	74.0	17.71	Peak	163.00	100	Horizontal	Pass
6**	16076.925	47.01	1.58	54.0	6.99	AV	163.00	100	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.100	39.22	-17.33	74.0	34.78	Peak	47.00	100	Vertical	Pass
1**	1435.100	29.64	-17.33	54.0	24.36	AV	47.00	100	Vertical	Pass
2	4366.800	50.15	-3.83	74.0	23.85	Peak	263.00	100	Vertical	Pass
2**	4366.800	40.71	-3.83	54.0	13.29	AV	263.00	100	Vertical	Pass
3	5795.200	96.94	-1.65	--	--	Peak	360.00	150	Vertical	N/A
3**	5795.200	85.87	-1.65	--	--	AV	360.00	150	Vertical	N/A
4	7560.050	49.82	-3.09	74.0	24.18	Peak	328.00	100	Vertical	Pass
4**	7560.050	39.18	-3.09	54.0	14.82	AV	328.00	100	Vertical	Pass
5	12233.362	53.21	1.21	74.0	20.79	Peak	196.00	100	Vertical	Pass
5**	12233.362	43.83	1.21	54.0	10.17	AV	196.00	100	Vertical	Pass
6	15967.725	55.61	0.33	74.0	18.39	Peak	149.00	100	Vertical	Pass
6**	15967.725	45.80	0.33	54.0	8.20	AV	149.00	100	Vertical	Pass

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.000	38.82	-17.02	74.0	35.18	Peak	0.00	400	Horizontal	Pass
1**	1503.000	29.48	-17.02	54.0	24.52	AV	0.00	400	Horizontal	Pass
2	4393.400	50.79	-3.70	74.0	23.21	Peak	289.00	400	Horizontal	Pass
2**	4393.400	41.81	-3.70	54.0	12.19	AV	289.00	400	Horizontal	Pass
3	5181.600	104.31	-2.63	--	--	Peak	247.00	200	Horizontal	N/A
3**	5181.600	97.25	-2.63	--	--	AV	247.00	200	Horizontal	N/A
4	7361.675	49.87	-3.82	74.0	24.13	Peak	198.00	200	Horizontal	Pass
4**	7361.675	40.22	-3.82	54.0	13.78	AV	198.00	200	Horizontal	Pass
5	12030.963	53.66	0.78	74.0	20.34	Peak	0.00	150	Horizontal	Pass
5**	12030.963	44.92	0.78	54.0	9.08	AV	0.00	150	Horizontal	Pass
6	15674.250	56.26	1.52	74.0	17.74	Peak	247.00	200	Horizontal	Pass
6**	15674.250	47.37	1.52	54.0	6.63	AV	247.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.500	39.57	-16.93	74.0	34.43	Peak	0.00	100	Vertical	Pass
1**	1507.500	29.89	-16.93	54.0	24.11	AV	0.00	100	Vertical	Pass
2	4368.200	50.57	-3.86	74.0	23.43	Peak	341.00	400	Vertical	Pass
2**	4368.200	40.72	-3.86	54.0	13.28	AV	341.00	400	Vertical	Pass
3	5179.200	100.84	-2.56	--	--	Peak	17.00	100	Vertical	N/A
3**	5179.200	93.79	-2.56	--	--	AV	17.00	100	Vertical	N/A
4	7723.638	51.07	-2.50	74.0	22.93	Peak	84.00	100	Vertical	Pass
4**	7723.638	40.73	-2.50	54.0	13.27	AV	84.00	100	Vertical	Pass
5	12403.276	54.17	1.51	74.0	19.83	Peak	198.00	150	Vertical	Pass
5**	12403.276	44.12	1.51	54.0	9.88	AV	198.00	150	Vertical	Pass
6	15809.175	57.29	2.18	74.0	16.71	Peak	0.00	100	Vertical	Pass
6**	15809.175	47.31	2.18	54.0	6.69	AV	0.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.500	38.71	-17.06	74.0	35.29	Peak	87.00	100	Horizontal	Pass
1**	1541.500	29.67	-17.06	54.0	24.33	AV	87.00	100	Horizontal	Pass
2	4279.800	50.14	-4.53	74.0	23.86	Peak	143.00	200	Horizontal	Pass
2**	4279.800	40.36	-4.53	54.0	13.64	AV	143.00	200	Horizontal	Pass
3	5221.400	105.47	-2.68	--	--	Peak	237.00	100	Horizontal	N/A
3**	5221.400	98.91	-2.68	--	--	AV	237.00	100	Horizontal	N/A
4	7604.325	49.76	-2.86	74.0	24.24	Peak	288.00	300	Horizontal	Pass
4**	7604.325	40.40	-2.86	54.0	13.60	AV	288.00	300	Horizontal	Pass
5	12392.350	53.53	1.58	74.0	20.47	Peak	139.00	150	Horizontal	Pass
5**	12392.350	43.80	1.58	54.0	10.20	AV	139.00	150	Horizontal	Pass
6	16072.463	56.60	1.44	74.0	17.40	Peak	221.00	100	Horizontal	Pass
6**	16072.463	46.69	1.44	54.0	7.31	AV	221.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.200	49.14	-16.89	74.0	24.86	Peak	47.00	400	Vertical	Pass
1**	1492.200	37.92	-16.89	54.0	16.08	AV	47.00	400	Vertical	Pass
2	4390.000	50.63	-3.32	74.0	23.37	Peak	203.00	200	Vertical	Pass
2**	4390.000	42.43	-3.32	54.0	11.57	AV	203.00	200	Vertical	Pass
3	5219.000	101.52	-2.88	--	--	Peak	30.00	100	Vertical	N/A
3**	5219.000	94.40	-2.88	--	--	AV	30.00	100	Vertical	N/A
4	7402.500	50.07	-3.80	74.0	23.93	Peak	143.00	100	Vertical	Pass
4**	7402.500	40.08	-3.80	54.0	13.92	AV	143.00	100	Vertical	Pass
5	12620.338	53.13	1.78	74.0	20.87	Peak	210.00	100	Vertical	Pass
5**	12620.338	43.77	1.78	54.0	10.23	AV	210.00	100	Vertical	Pass
6	15664.800	56.55	1.34	74.0	17.45	Peak	0.00	400	Vertical	Pass
6**	15664.800	46.69	1.34	54.0	7.31	AV	0.00	400	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.600	39.16	-17.36	74.0	34.84	Peak	259.00	300	Horizontal	Pass
1**	1602.600	29.57	-17.36	54.0	24.43	AV	259.00	300	Horizontal	Pass
2	4379.000	50.66	-3.36	74.0	23.34	Peak	6.00	300	Horizontal	Pass
2**	4379.000	42.98	-3.36	54.0	11.02	AV	6.00	300	Horizontal	Pass
3	5241.600	105.02	-2.54	--	--	Peak	244.00	200	Horizontal	N/A
3**	5241.600	97.28	-2.54	--	--	AV	244.00	200	Horizontal	N/A
4	7377.775	50.06	-3.50	74.0	23.94	Peak	0.00	300	Horizontal	Pass
4**	7377.775	40.54	-3.50	54.0	13.46	AV	0.00	300	Horizontal	Pass
5	12336.575	53.14	1.33	74.0	20.86	Peak	282.00	200	Horizontal	Pass
5**	12336.575	43.85	1.33	54.0	10.15	AV	282.00	200	Horizontal	Pass
6	15814.950	56.28	2.06	74.0	17.72	Peak	311.00	400	Horizontal	Pass
6**	15814.950	47.46	2.06	54.0	6.54	AV	311.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.000	39.15	-16.98	74.0	34.85	Peak	238.00	400	Vertical	Pass
1**	1623.000	29.87	-16.98	54.0	24.13	AV	238.00	400	Vertical	Pass
2	4379.600	50.95	-3.30	74.0	23.05	Peak	22.00	100	Vertical	Pass
2**	4379.600	41.80	-3.30	54.0	12.20	AV	22.00	100	Vertical	Pass
3	5238.600	99.85	-2.59	--	--	Peak	53.00	150	Vertical	N/A
3**	5238.600	92.66	-2.59	--	--	AV	53.00	150	Vertical	N/A
4	7367.425	50.22	-3.78	74.0	23.78	Peak	60.00	400	Vertical	Pass
4**	7367.425	40.72	-3.78	54.0	13.28	AV	60.00	400	Vertical	Pass
5	12318.750	53.29	1.42	74.0	20.71	Peak	204.00	100	Vertical	Pass
5**	12318.750	44.86	1.42	54.0	9.14	AV	204.00	100	Vertical	Pass
6	15405.975	55.36	0.79	74.0	18.64	Peak	346.00	100	Vertical	Pass
6**	15405.975	44.59	0.79	54.0	9.41	AV	346.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.700	39.19	-17.09	74.0	34.81	Peak	149.00	400	Horizontal	Pass
1**	1541.700	30.09	-17.09	54.0	23.91	AV	149.00	400	Horizontal	Pass
2	4389.800	50.33	-3.33	74.0	23.67	Peak	169.00	400	Horizontal	Pass
2**	4389.800	42.19	-3.33	54.0	11.81	AV	169.00	400	Horizontal	Pass
3	5179.000	100.78	-2.54	--	--	Peak	128.00	200	Horizontal	N/A
3**	5179.000	96.10	-2.54	--	--	AV	128.00	200	Horizontal	N/A
4	7338.962	50.17	-2.92	74.0	23.83	Peak	104.00	400	Horizontal	Pass
4**	7338.962	40.89	-2.92	54.0	13.11	AV	104.00	400	Horizontal	Pass
5	12322.775	53.27	1.42	74.0	20.73	Peak	45.00	200	Horizontal	Pass
5**	12322.775	44.10	1.42	54.0	9.90	AV	45.00	200	Horizontal	Pass
6	15845.662	57.21	1.36	74.0	16.79	Peak	270.00	100	Horizontal	Pass
6**	15845.662	47.26	1.36	54.0	6.74	AV	270.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.800	39.14	-17.25	74.0	34.86	Peak	0.00	200	Vertical	Pass
1**	1512.800	30.03	-17.25	54.0	23.97	AV	0.00	200	Vertical	Pass
2	4296.400	50.35	-4.13	74.0	23.65	Peak	42.00	100	Vertical	Pass
2**	4296.400	41.44	-4.13	54.0	12.56	AV	42.00	100	Vertical	Pass
3	5178.800	98.57	-2.53	--	--	Peak	53.00	100	Vertical	N/A
3**	5178.800	93.25	-2.53	--	--	AV	53.00	100	Vertical	N/A
4	7339.825	49.65	-2.95	74.0	24.35	Peak	118.00	200	Vertical	Pass
4**	7339.825	41.07	-2.95	54.0	12.93	AV	118.00	200	Vertical	Pass
5	12278.500	53.33	1.75	74.0	20.67	Peak	82.00	100	Vertical	Pass
5**	12278.500	44.97	1.75	54.0	9.03	AV	82.00	100	Vertical	Pass
6	15798.412	55.81	2.28	74.0	18.19	Peak	0.00	100	Vertical	Pass
6**	15798.412	47.32	2.28	54.0	6.68	AV	0.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.400	39.28	-16.72	74.0	34.72	Peak	195.00	200	Horizontal	Pass
1**	1486.400	29.62	-16.72	54.0	24.38	AV	195.00	200	Horizontal	Pass
2	4385.600	50.34	-3.36	74.0	23.66	Peak	323.00	400	Horizontal	Pass
2**	4385.600	42.02	-3.36	54.0	11.98	AV	323.00	400	Horizontal	Pass
3	5222.400	102.41	-2.70	--	--	Peak	238.00	200	Horizontal	N/A
3**	5222.400	96.29	-2.70	--	--	AV	238.00	200	Horizontal	N/A
4	7329.187	49.48	-3.56	74.0	24.52	Peak	12.00	200	Horizontal	Pass
4**	7329.187	41.03	-3.56	54.0	12.97	AV	12.00	200	Horizontal	Pass
5	12286.838	53.45	1.73	74.0	20.55	Peak	239.00	150	Horizontal	Pass
5**	12286.838	43.85	1.73	54.0	10.15	AV	239.00	150	Horizontal	Pass
6	16148.588	56.22	1.00	74.0	17.78	Peak	272.00	300	Horizontal	Pass
6**	16148.588	46.41	1.00	54.0	7.59	AV	272.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	39.33	-17.57	74.0	34.67	Peak	93.00	400	Vertical	Pass
1**	1600.000	32.73	-17.57	54.0	21.27	AV	93.00	400	Vertical	Pass
2	4378.800	50.41	-3.38	74.0	23.59	Peak	360.00	100	Vertical	Pass
2**	4378.800	41.52	-3.38	54.0	12.48	AV	360.00	100	Vertical	Pass
3	5218.600	97.59	-2.84	--	--	Peak	42.00	200	Vertical	N/A
3**	5218.600	92.14	-2.84	--	--	AV	42.00	200	Vertical	N/A
4	7339.250	49.81	-2.93	74.0	24.19	Peak	360.00	400	Vertical	Pass
4**	7339.250	42.57	-2.93	54.0	11.43	AV	360.00	400	Vertical	Pass
5	12600.212	53.74	1.90	74.0	20.26	Peak	61.00	150	Vertical	Pass
5**	12600.212	43.49	1.90	54.0	10.51	AV	61.00	150	Vertical	Pass
6	16112.362	55.97	0.73	74.0	18.03	Peak	47.00	300	Vertical	Pass
6**	16112.362	46.58	0.73	54.0	7.42	AV	47.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.400	39.40	-16.84	74.0	34.60	Peak	65.00	400	Horizontal	Pass
1**	1505.400	29.94	-16.84	54.0	24.06	AV	65.00	400	Horizontal	Pass
2	4372.800	51.46	-3.94	74.0	22.54	Peak	62.00	300	Horizontal	Pass
2**	4372.800	41.67	-3.94	54.0	12.33	AV	62.00	300	Horizontal	Pass
3	5242.400	102.28	-2.41	--	--	Peak	166.00	100	Horizontal	N/A
3**	5242.400	94.44	-2.41	--	--	AV	166.00	100	Horizontal	N/A
4	7330.050	50.24	-3.48	74.0	23.76	Peak	76.00	300	Horizontal	Pass
4**	7330.050	40.19	-3.48	54.0	13.81	AV	76.00	300	Horizontal	Pass
5	12396.662	53.83	1.59	74.0	20.17	Peak	13.00	200	Horizontal	Pass
5**	12396.662	43.81	1.59	54.0	10.19	AV	13.00	200	Horizontal	Pass
6	15851.437	55.56	1.29	74.0	18.44	Peak	160.00	300	Horizontal	Pass
6**	15851.437	47.35	1.29	54.0	6.65	AV	160.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.100	42.85	-16.91	74.0	31.15	Peak	284.00	400	Vertical	Pass
1**	1504.100	29.39	-16.91	54.0	24.61	AV	284.00	400	Vertical	Pass
2	4379.000	50.61	-3.36	74.0	23.39	Peak	135.00	300	Vertical	Pass
2**	4379.000	42.84	-3.36	54.0	11.16	AV	135.00	300	Vertical	Pass
3	5239.600	96.32	-2.68	--	--	Peak	360.00	200	Vertical	N/A
3**	5239.600	86.74	-2.68	--	--	AV	360.00	200	Vertical	N/A
4	7344.138	49.87	-3.45	74.0	24.13	Peak	172.00	100	Vertical	Pass
4**	7344.138	40.90	-3.45	54.0	13.10	AV	172.00	100	Vertical	Pass
5	11800.100	53.29	0.87	74.0	20.71	Peak	221.00	150	Vertical	Pass
5**	11800.100	43.19	0.87	54.0	10.81	AV	221.00	150	Vertical	Pass
6	15791.588	56.43	2.06	74.0	17.57	Peak	61.00	100	Vertical	Pass
6**	15791.588	46.56	2.06	54.0	7.44	AV	61.00	100	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.700	47.84	-17.27	74.0	26.16	Peak	122.00	300	Horizontal	Pass
1**	1436.700	33.64	-17.27	54.0	20.36	AV	122.00	300	Horizontal	Pass
2	4373.600	49.98	-3.85	74.0	24.02	Peak	210.00	400	Horizontal	Pass
2**	4373.600	41.23	-3.85	54.0	12.77	AV	210.00	400	Horizontal	Pass
3	5177.800	100.47	-2.52	--	--	Peak	136.00	150	Horizontal	N/A
3**	5177.800	93.99	-2.52	--	--	AV	136.00	150	Horizontal	N/A
4	7365.700	49.56	-3.41	74.0	24.44	Peak	139.00	400	Horizontal	Pass
4**	7365.700	40.72	-3.41	54.0	13.28	AV	139.00	400	Horizontal	Pass
5	12499.588	53.66	1.65	74.0	20.34	Peak	360.00	150	Horizontal	Pass
5**	12499.588	43.79	1.65	54.0	10.21	AV	360.00	150	Horizontal	Pass
6	15809.700	56.26	2.17	74.0	17.74	Peak	289.00	100	Horizontal	Pass
6**	15809.700	47.73	2.17	54.0	6.27	AV	289.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.400	39.16	-17.14	74.0	34.84	Peak	271.00	300	Vertical	Pass
1**	1625.400	29.19	-17.14	54.0	24.81	AV	271.00	300	Vertical	Pass
2	4237.000	50.60	-4.13	74.0	23.40	Peak	347.00	300	Vertical	Pass
2**	4237.000	39.86	-4.13	54.0	14.14	AV	347.00	300	Vertical	Pass
3	5205.200	94.14	-2.29	--	--	Peak	38.00	100	Vertical	N/A
3**	5205.200	87.83	-2.29	--	--	AV	38.00	100	Vertical	N/A
4	7334.938	49.78	-3.24	74.0	24.22	Peak	297.00	200	Vertical	Pass
4**	7334.938	41.52	-3.24	54.0	12.48	AV	297.00	200	Vertical	Pass
5	11948.738	53.24	1.43	74.0	20.76	Peak	360.00	100	Vertical	Pass
5**	11948.738	43.94	1.43	54.0	10.06	AV	360.00	100	Vertical	Pass
6	16085.588	56.46	1.52	74.0	17.54	Peak	112.00	100	Vertical	Pass
6**	16085.588	47.02	1.52	54.0	6.98	AV	112.00	100	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.400	38.97	-17.23	74.0	35.03	Peak	280.00	400	Horizontal	Pass
1**	1545.400	29.01	-17.23	54.0	24.99	AV	280.00	400	Horizontal	Pass
2	4389.200	50.66	-3.36	74.0	23.34	Peak	336.00	300	Horizontal	Pass
2**	4389.200	41.59	-3.36	54.0	12.41	AV	336.00	300	Horizontal	Pass
3	5239.400	97.78	-2.66	--	--	Peak	242.00	200	Horizontal	N/A
3**	5239.400	90.85	-2.66	--	--	AV	242.00	200	Horizontal	N/A
4	7630.488	49.94	-2.93	74.0	24.06	Peak	330.00	100	Horizontal	Pass
4**	7630.488	40.77	-2.93	54.0	13.23	AV	330.00	100	Horizontal	Pass
5	11505.700	53.57	-0.10	74.0	20.43	Peak	134.00	200	Horizontal	Pass
5**	11505.700	44.44	-0.10	54.0	9.56	AV	134.00	200	Horizontal	Pass
6	15664.800	56.15	1.34	74.0	17.85	Peak	55.00	100	Horizontal	Pass
6**	15664.800	47.18	1.34	54.0	6.82	AV	55.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	39.00	-16.85	74.0	35.00	Peak	101.00	100	Vertical	Pass
1**	1495.500	29.18	-16.85	54.0	24.82	AV	101.00	100	Vertical	Pass
2	4343.600	50.60	-3.66	74.0	23.40	Peak	182.00	400	Vertical	Pass
2**	4343.600	41.44	-3.66	54.0	12.56	AV	182.00	400	Vertical	Pass
3	5222.000	93.75	-2.69	--	--	Peak	335.00	200	Vertical	N/A
3**	5222.000	87.03	-2.69	--	--	AV	335.00	200	Vertical	N/A
4	7446.488	50.50	-3.15	74.0	23.50	Peak	103.00	400	Vertical	Pass
4**	7446.488	40.84	-3.15	54.0	13.16	AV	103.00	400	Vertical	Pass
5	12236.526	53.46	1.13	74.0	20.54	Peak	218.00	200	Vertical	Pass
5**	12236.526	44.57	1.13	54.0	9.43	AV	218.00	200	Vertical	Pass
6	16064.062	56.46	1.11	74.0	17.54	Peak	360.00	300	Vertical	Pass
6**	16064.062	46.30	1.11	54.0	7.70	AV	360.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.800	41.41	-17.21	74.0	32.59	Peak	204.00	100	Horizontal	Pass
1**	1530.800	29.48	-17.21	54.0	24.52	AV	204.00	100	Horizontal	Pass
2	4385.800	50.74	-3.33	74.0	23.26	Peak	218.00	300	Horizontal	Pass
2**	4385.800	41.24	-3.33	54.0	12.76	AV	218.00	300	Horizontal	Pass
3	5182.400	100.29	-2.58	--	--	Peak	242.00	200	Horizontal	N/A
3**	5182.400	92.93	-2.58	--	--	AV	242.00	200	Horizontal	N/A
4	7721.913	49.76	-2.67	74.0	24.24	Peak	12.00	300	Horizontal	Pass
4**	7721.913	41.26	-2.67	54.0	12.74	AV	12.00	300	Horizontal	Pass
5	12297.187	53.03	1.53	74.0	20.97	Peak	229.00	100	Horizontal	Pass
5**	12297.187	45.34	1.53	54.0	8.66	AV	229.00	100	Horizontal	Pass
6	15845.137	57.61	1.37	74.0	16.39	Peak	360.00	200	Horizontal	Pass
6**	15845.137	46.54	1.37	54.0	7.46	AV	360.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.300	39.70	-16.89	74.0	34.30	Peak	36.00	200	Vertical	Pass
1**	1504.300	29.79	-16.89	54.0	24.21	AV	36.00	200	Vertical	Pass
2	4391.600	49.87	-3.45	74.0	24.13	Peak	8.00	400	Vertical	Pass
2**	4391.600	41.48	-3.45	54.0	12.52	AV	8.00	400	Vertical	Pass
3	5174.600	96.77	-2.32	--	--	Peak	30.00	200	Vertical	N/A
3**	5174.600	89.77	-2.32	--	--	AV	30.00	200	Vertical	N/A
4	7391.000	50.04	-3.89	74.0	23.96	Peak	347.00	200	Vertical	Pass
4**	7391.000	40.81	-3.89	54.0	13.19	AV	347.00	200	Vertical	Pass
5	11658.937	53.18	0.09	74.0	20.82	Peak	84.00	200	Vertical	Pass
5**	11658.937	43.44	0.09	54.0	10.56	AV	84.00	200	Vertical	Pass
6	15806.026	56.60	2.25	74.0	17.40	Peak	43.00	400	Vertical	Pass
6**	15806.026	47.14	2.25	54.0	6.86	AV	43.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.300	39.32	-17.20	74.0	34.68	Peak	265.00	400	Horizontal	Pass
1**	1510.300	29.57	-17.20	54.0	24.43	AV	265.00	400	Horizontal	Pass
2	4389.200	50.64	-3.36	74.0	23.36	Peak	282.00	300	Horizontal	Pass
2**	4389.200	41.83	-3.36	54.0	12.17	AV	282.00	300	Horizontal	Pass
3	5221.200	101.02	-2.69	--	--	Peak	238.00	200	Horizontal	N/A
3**	5221.200	93.52	-2.69	--	--	AV	238.00	200	Horizontal	N/A
4	7667.863	51.02	-2.78	74.0	22.98	Peak	330.00	100	Horizontal	Pass
4**	7667.863	39.74	-2.78	54.0	14.26	AV	330.00	100	Horizontal	Pass
5	12318.463	54.13	1.42	74.0	19.87	Peak	168.00	150	Horizontal	Pass
5**	12318.463	45.79	1.42	54.0	8.21	AV	168.00	150	Horizontal	Pass
6	16103.175	56.94	1.06	74.0	17.06	Peak	231.00	300	Horizontal	Pass
6**	16103.175	47.83	1.06	54.0	6.17	AV	231.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.900	47.15	-17.20	74.0	26.85	Peak	352.00	200	Vertical	Pass
1**	1514.900	37.23	-17.20	54.0	16.77	AV	352.00	200	Vertical	Pass
2	4285.600	49.81	-4.28	74.0	24.19	Peak	351.00	100	Vertical	Pass
2**	4285.600	41.07	-4.28	54.0	12.93	AV	351.00	100	Vertical	Pass
3	5220.800	97.36	-2.72	--	--	Peak	351.00	200	Vertical	N/A
3**	5220.800	88.88	-2.72	--	--	AV	351.00	200	Vertical	N/A
4	7336.950	50.34	-3.01	74.0	23.66	Peak	165.00	400	Vertical	Pass
4**	7336.950	41.41	-3.01	54.0	12.59	AV	165.00	400	Vertical	Pass
5	12511.950	53.51	1.58	74.0	20.49	Peak	296.00	100	Vertical	Pass
5**	12511.950	43.79	1.58	54.0	10.21	AV	296.00	100	Vertical	Pass
6	15808.388	56.73	2.20	74.0	17.27	Peak	166.00	400	Vertical	Pass
6**	15808.388	46.87	2.20	54.0	7.13	AV	166.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.300	38.72	-16.89	74.0	35.28	Peak	268.00	400	Horizontal	Pass
1**	1492.300	29.82	-16.89	54.0	24.18	AV	268.00	400	Horizontal	Pass
2	3999.600	50.28	-4.56	74.0	23.72	Peak	29.00	300	Horizontal	Pass
2**	3999.600	40.17	-4.56	54.0	13.83	AV	29.00	300	Horizontal	Pass
3	5238.600	101.06	-2.59	--	--	Peak	241.00	200	Horizontal	N/A
3**	5238.600	92.89	-2.59	--	--	AV	241.00	200	Horizontal	N/A
4	7439.587	49.73	-3.54	74.0	24.27	Peak	65.00	400	Horizontal	Pass
4**	7439.587	39.91	-3.54	54.0	14.09	AV	65.00	400	Horizontal	Pass
5	12605.674	53.90	1.91	74.0	20.10	Peak	133.00	200	Horizontal	Pass
5**	12605.674	43.52	1.91	54.0	10.48	AV	133.00	200	Horizontal	Pass
6	16172.213	56.66	1.23	74.0	17.34	Peak	325.00	400	Horizontal	Pass
6**	16172.213	46.80	1.23	54.0	7.20	AV	325.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	39.78	-17.18	74.0	34.22	Peak	71.00	300	Vertical	Pass
1**	1498.700	31.09	-17.18	54.0	22.91	AV	71.00	300	Vertical	Pass
2	4387.600	50.28	-3.37	74.0	23.72	Peak	0.00	100	Vertical	Pass
2**	4387.600	42.25	-3.37	54.0	11.75	AV	0.00	100	Vertical	Pass
3	5240.000	95.93	-2.71	--	--	Peak	49.00	150	Vertical	N/A
3**	5240.000	89.84	-2.71	--	--	AV	49.00	150	Vertical	N/A
4	7347.300	50.25	-3.66	74.0	23.75	Peak	162.00	400	Vertical	Pass
4**	7347.300	40.89	-3.66	54.0	13.11	AV	162.00	400	Vertical	Pass
5	11506.562	53.32	-0.12	74.0	20.68	Peak	146.00	100	Vertical	Pass
5**	11506.562	44.49	-0.12	54.0	9.51	AV	146.00	100	Vertical	Pass
6	15680.287	56.02	1.57	74.0	17.98	Peak	263.00	200	Vertical	Pass
6**	15680.287	46.20	1.57	54.0	7.80	AV	263.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.700	39.25	-17.08	74.0	34.75	Peak	8.00	300	Horizontal	Pass
1**	1610.700	30.12	-17.08	54.0	23.88	AV	8.00	300	Horizontal	Pass
2	4387.600	50.47	-3.37	74.0	23.53	Peak	28.00	400	Horizontal	Pass
2**	4387.600	42.32	-3.37	54.0	11.68	AV	28.00	400	Horizontal	Pass
3	5175.000	95.53	-2.36	--	--	Peak	144.00	150	Horizontal	N/A
3**	5175.000	87.58	-2.36	--	--	AV	144.00	150	Horizontal	N/A
4	7279.162	49.69	-3.12	74.0	24.31	Peak	265.00	100	Horizontal	Pass
4**	7279.162	39.85	-3.12	54.0	14.15	AV	265.00	100	Horizontal	Pass
5	12432.312	53.40	1.62	74.0	20.60	Peak	232.00	200	Horizontal	Pass
5**	12432.312	43.79	1.62	54.0	10.21	AV	232.00	200	Horizontal	Pass
6	16076.925	56.26	1.58	74.0	17.74	Peak	128.00	300	Horizontal	Pass
6**	16076.925	46.30	1.58	54.0	7.70	AV	128.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	39.90	-17.53	74.0	34.10	Peak	89.00	400	Vertical	Pass
1**	1599.800	33.32	-17.53	54.0	20.68	AV	89.00	400	Vertical	Pass
2	4386.800	50.77	-3.31	74.0	23.23	Peak	325.00	200	Vertical	Pass
2**	4386.800	41.79	-3.31	54.0	12.21	AV	325.00	200	Vertical	Pass
3	5195.400	89.67	-2.38	--	--	Peak	360.00	100	Vertical	N/A
3**	5195.400	81.54	-2.38	--	--	AV	360.00	100	Vertical	N/A
4	7317.975	50.49	-3.10	74.0	23.51	Peak	231.00	100	Vertical	Pass
4**	7317.975	41.72	-3.10	54.0	12.28	AV	231.00	100	Vertical	Pass
5	12233.075	54.12	1.21	74.0	19.88	Peak	315.00	200	Vertical	Pass
5**	12233.075	44.48	1.21	54.0	9.52	AV	315.00	200	Vertical	Pass
6	16043.325	56.51	0.76	74.0	17.49	Peak	345.00	100	Vertical	Pass
6**	16043.325	46.51	0.76	54.0	7.49	AV	345.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.800	39.22	-17.33	74.0	34.78	Peak	309.00	400	Horizontal	Pass
1**	1549.800	29.77	-17.33	54.0	24.23	AV	309.00	400	Horizontal	Pass
2	4387.000	50.32	-3.33	74.0	23.68	Peak	359.00	400	Horizontal	Pass
2**	4387.000	42.27	-3.33	54.0	11.73	AV	359.00	400	Horizontal	Pass
3	5241.800	94.70	-2.51	--	--	Peak	246.00	100	Horizontal	N/A
3**	5241.800	88.11	-2.51	--	--	AV	246.00	100	Horizontal	N/A
4	7341.837	50.26	-3.15	74.0	23.74	Peak	260.00	400	Horizontal	Pass
4**	7341.837	41.80	-3.15	54.0	12.20	AV	260.00	400	Horizontal	Pass
5	11973.750	53.25	0.81	74.0	20.75	Peak	277.00	200	Horizontal	Pass
5**	11973.750	44.50	0.81	54.0	9.50	AV	277.00	200	Horizontal	Pass
6	15846.450	56.17	1.36	74.0	17.83	Peak	269.00	200	Horizontal	Pass
6**	15846.450	48.26	1.36	54.0	5.74	AV	269.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	39.47	-16.87	74.0	34.53	Peak	59.00	300	Vertical	Pass
1**	1494.600	29.60	-16.87	54.0	24.40	AV	59.00	300	Vertical	Pass
2	4386.600	50.35	-3.30	74.0	23.65	Peak	254.00	400	Vertical	Pass
2**	4386.600	41.69	-3.30	54.0	12.31	AV	254.00	400	Vertical	Pass
3	5236.400	90.25	-2.51	--	--	Peak	331.00	100	Vertical	N/A
3**	5236.400	83.18	-2.51	--	--	AV	331.00	100	Vertical	N/A
4	7334.362	50.42	-3.19	74.0	23.58	Peak	311.00	400	Vertical	Pass
4**	7334.362	41.57	-3.19	54.0	12.43	AV	311.00	400	Vertical	Pass
5	12279.363	53.75	1.78	74.0	20.25	Peak	122.00	100	Vertical	Pass
5**	12279.363	44.60	1.78	54.0	9.40	AV	122.00	100	Vertical	Pass
6	16091.888	56.52	1.39	74.0	17.48	Peak	334.00	300	Vertical	Pass
6**	16091.888	46.44	1.39	54.0	7.56	AV	334.00	300	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	39.28	-17.52	74.0	34.72	Peak	214.00	300	Horizontal	Pass
1**	1599.700	29.98	-17.52	54.0	24.02	AV	214.00	300	Horizontal	Pass
2	4316.400	50.16	-4.08	74.0	23.84	Peak	188.00	200	Horizontal	Pass
2**	4316.400	40.94	-4.08	54.0	13.06	AV	188.00	200	Horizontal	Pass
3	5213.200	91.45	-2.23	--	--	Peak	145.00	150	Horizontal	N/A
3**	5213.200	83.69	-2.23	--	--	AV	145.00	150	Horizontal	N/A
4	7680.513	49.80	-2.50	74.0	24.20	Peak	0.00	200	Horizontal	Pass
4**	7680.513	40.38	-2.50	54.0	13.62	AV	0.00	200	Horizontal	Pass
5	12344.912	53.60	1.28	74.0	20.40	Peak	38.00	100	Horizontal	Pass
5**	12344.912	44.17	1.28	54.0	9.83	AV	38.00	100	Horizontal	Pass
6	15815.213	56.20	2.05	74.0	17.80	Peak	0.00	400	Horizontal	Pass
6**	15815.213	46.55	2.05	54.0	7.45	AV	0.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	39.34	-17.53	74.0	34.66	Peak	87.00	300	Vertical	Pass
1**	1599.800	33.48	-17.53	54.0	20.52	AV	87.00	300	Vertical	Pass
2	4386.200	51.08	-3.27	74.0	22.92	Peak	299.00	200	Vertical	Pass
2**	4386.200	41.69	-3.27	54.0	12.31	AV	299.00	200	Vertical	Pass
3	5224.000	88.02	-2.66	--	--	Peak	30.00	200	Vertical	N/A
3**	5224.000	80.15	-2.66	--	--	AV	30.00	200	Vertical	N/A
4	7364.263	49.95	-3.56	74.0	24.05	Peak	170.00	200	Vertical	Pass
4**	7364.263	40.90	-3.56	54.0	13.10	AV	170.00	200	Vertical	Pass
5	11786.588	53.20	1.06	74.0	20.80	Peak	204.00	150	Vertical	Pass
5**	11786.588	43.33	1.06	54.0	10.67	AV	204.00	150	Vertical	Pass
6	15665.588	56.46	1.35	74.0	17.54	Peak	137.00	400	Vertical	Pass
6**	15665.588	46.35	1.35	54.0	7.65	AV	137.00	400	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.000	38.88	-17.19	74.0	35.12	Peak	174.00	100	Horizontal	Pass
1**	1479.000	29.47	-17.19	54.0	24.53	AV	174.00	100	Horizontal	Pass
2	4386.000	50.27	-3.30	74.0	23.73	Peak	294.00	300	Horizontal	Pass
2**	4386.000	40.99	-3.30	54.0	13.01	AV	294.00	300	Horizontal	Pass
3	5181.200	101.20	-2.66	--	--	Peak	239.00	200	Horizontal	N/A
3**	5181.200	92.86	-2.66	--	--	AV	239.00	200	Horizontal	N/A
4	7713.000	50.18	-2.31	74.0	23.82	Peak	75.00	100	Horizontal	Pass
4**	7713.000	40.75	-2.31	54.0	13.25	AV	75.00	100	Horizontal	Pass
5	12340.025	53.04	1.29	74.0	20.96	Peak	0.00	200	Horizontal	Pass
5**	12340.025	43.54	1.29	54.0	10.46	AV	0.00	200	Horizontal	Pass
6	15815.213	56.28	2.05	74.0	17.72	Peak	272.00	200	Horizontal	Pass
6**	15815.213	46.57	2.05	54.0	7.43	AV	272.00	200	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	39.45	-17.53	74.0	34.55	Peak	86.00	300	Vertical	Pass
1**	1599.800	34.00	-17.53	54.0	20.00	AV	86.00	300	Vertical	Pass
2	4210.200	50.82	-4.45	74.0	23.18	Peak	269.00	400	Vertical	Pass
2**	4210.200	41.96	-4.45	54.0	12.04	AV	269.00	400	Vertical	Pass
3	5182.400	98.28	-2.58	--	--	Peak	30.00	200	Vertical	N/A
3**	5182.400	88.30	-2.58	--	--	AV	30.00	200	Vertical	N/A
4	7443.325	50.26	-3.30	74.0	23.74	Peak	211.00	200	Vertical	Pass
4**	7443.325	40.15	-3.30	54.0	13.85	AV	211.00	200	Vertical	Pass
5	11940.112	53.89	1.68	74.0	20.11	Peak	109.00	100	Vertical	Pass
5**	11940.112	44.19	1.68	54.0	9.81	AV	109.00	100	Vertical	Pass
6	15801.562	55.96	2.31	74.0	18.04	Peak	16.00	400	Vertical	Pass
6**	15801.562	47.26	2.31	54.0	6.74	AV	16.00	400	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.500	39.09	-16.87	74.0	34.91	Peak	320.00	100	Horizontal	Pass
1**	1494.500	29.58	-16.87	54.0	24.42	AV	320.00	100	Horizontal	Pass
2	4373.600	50.65	-3.85	74.0	23.35	Peak	0.00	200	Horizontal	Pass
2**	4373.600	40.48	-3.85	54.0	13.52	AV	0.00	200	Horizontal	Pass
3	5221.000	101.82	-2.71	--	--	Peak	171.00	100	Horizontal	N/A
3**	5221.000	94.80	-2.71	--	--	AV	171.00	100	Horizontal	N/A
4	7514.050	50.03	-3.39	74.0	23.97	Peak	0.00	100	Horizontal	Pass
4**	7514.050	39.79	-3.39	54.0	14.21	AV	0.00	100	Horizontal	Pass
5	12013.138	53.25	1.09	74.0	20.75	Peak	8.00	100	Horizontal	Pass
5**	12013.138	43.30	1.09	54.0	10.70	AV	8.00	100	Horizontal	Pass
6	16082.700	56.59	1.58	74.0	17.41	Peak	194.00	300	Horizontal	Pass
6**	16082.700	47.56	1.58	54.0	6.44	AV	194.00	300	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	39.52	-17.61	74.0	34.48	Peak	35.00	200	Vertical	Pass
1**	1600.500	33.21	-17.61	54.0	20.79	AV	35.00	200	Vertical	Pass
2	3999.600	50.27	-4.56	74.0	23.73	Peak	155.00	200	Vertical	Pass
2**	3999.600	39.80	-4.56	54.0	14.20	AV	155.00	200	Vertical	Pass
3	5219.200	99.44	-2.88	--	--	Peak	54.00	150	Vertical	N/A
3**	5219.200	88.75	-2.88	--	--	AV	54.00	150	Vertical	N/A
4	7339.537	49.90	-2.93	74.0	24.10	Peak	345.00	300	Vertical	Pass
4**	7339.537	41.55	-2.93	54.0	12.45	AV	345.00	300	Vertical	Pass
5	12348.650	53.72	1.24	74.0	20.28	Peak	0.00	100	Vertical	Pass
5**	12348.650	44.61	1.24	54.0	9.39	AV	0.00	100	Vertical	Pass
6	15850.912	56.57	1.31	74.0	17.43	Peak	257.00	100	Vertical	Pass
6**	15850.912	46.63	1.31	54.0	7.37	AV	257.00	100	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.600	39.11	-17.10	74.0	34.89	Peak	147.00	100	Horizontal	Pass
1**	1624.600	30.47	-17.10	54.0	23.53	AV	147.00	100	Horizontal	Pass
2	4398.800	50.30	-4.65	74.0	23.70	Peak	177.00	100	Horizontal	Pass
2**	4398.800	40.67	-4.65	54.0	13.33	AV	177.00	100	Horizontal	Pass
3	5242.200	103.12	-2.44	--	--	Peak	155.00	100	Horizontal	N/A
3**	5242.200	92.82	-2.44	--	--	AV	155.00	100	Horizontal	N/A
4	7450.225	50.02	-3.20	74.0	23.98	Peak	142.00	200	Horizontal	Pass
4**	7450.225	40.84	-3.20	54.0	13.16	AV	142.00	200	Horizontal	Pass
5	11974.901	54.18	0.81	74.0	19.82	Peak	25.00	150	Horizontal	Pass
5**	11974.901	43.21	0.81	54.0	10.79	AV	25.00	150	Horizontal	Pass
6	16012.613	56.16	0.46	74.0	17.84	Peak	133.00	400	Horizontal	Pass
6**	16012.613	45.86	0.46	54.0	8.14	AV	133.00	400	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.500	40.05	-17.18	74.0	33.95	Peak	44.00	400	Vertical	Pass
1**	1568.500	28.79	-17.18	54.0	25.21	AV	44.00	400	Vertical	Pass
2	4211.400	50.59	-4.45	74.0	23.41	Peak	218.00	200	Vertical	Pass
2**	4211.400	40.97	-4.45	54.0	13.03	AV	218.00	200	Vertical	Pass
3	5242.400	97.48	-2.41	--	--	Peak	63.00	200	Vertical	N/A
3**	5242.400	88.88	-2.41	--	--	AV	63.00	200	Vertical	N/A
4	7338.100	50.03	-2.89	74.0	23.97	Peak	91.00	400	Vertical	Pass
4**	7338.100	41.71	-2.89	54.0	12.29	AV	91.00	400	Vertical	Pass
5	12627.526	53.83	1.51	74.0	20.17	Peak	244.00	150	Vertical	Pass
5**	12627.526	44.45	1.51	54.0	9.55	AV	244.00	150	Vertical	Pass
6	15793.950	56.42	2.13	74.0	17.58	Peak	16.00	200	Vertical	Pass
6**	15793.950	46.86	2.13	54.0	7.14	AV	16.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.700	38.64	-17.15	74.0	35.36	Peak	321.00	300	Horizontal	Pass
1**	1625.700	30.41	-17.15	54.0	23.59	AV	321.00	300	Horizontal	Pass
2	4342.800	50.54	-4.06	74.0	23.46	Peak	285.00	400	Horizontal	Pass
2**	4342.800	40.59	-4.06	54.0	13.41	AV	285.00	400	Horizontal	Pass
3	5192.800	95.74	-2.34	--	--	Peak	142.00	200	Horizontal	N/A
3**	5192.800	86.63	-2.34	--	--	AV	142.00	200	Horizontal	N/A
4	7441.600	50.07	-3.41	74.0	23.93	Peak	176.00	300	Horizontal	Pass
4**	7441.600	40.59	-3.41	54.0	13.41	AV	176.00	300	Horizontal	Pass
5	12699.112	53.63	0.84	74.0	20.37	Peak	294.00	100	Horizontal	Pass
5**	12699.112	43.81	0.84	54.0	10.19	AV	294.00	100	Horizontal	Pass
6	15822.562	56.18	1.76	74.0	17.82	Peak	113.00	400	Horizontal	Pass
6**	15822.562	46.58	1.76	54.0	7.42	AV	113.00	400	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.900	43.25	-17.20	74.0	30.75	Peak	14.00	400	Vertical	Pass
1**	1444.900	32.18	-17.20	54.0	21.82	AV	14.00	400	Vertical	Pass
2	4395.800	50.56	-3.95	74.0	23.44	Peak	321.00	200	Vertical	Pass
2**	4395.800	41.08	-3.95	54.0	12.92	AV	321.00	200	Vertical	Pass
3	5187.200	91.97	-2.38	--	--	Peak	20.00	200	Vertical	N/A
3**	5187.200	84.35	-2.38	--	--	AV	20.00	200	Vertical	N/A
4	7339.537	50.10	-2.93	74.0	23.90	Peak	220.00	400	Vertical	Pass
4**	7339.537	41.36	-2.93	54.0	12.64	AV	220.00	400	Vertical	Pass
5	12539.550	53.15	1.28	74.0	20.85	Peak	0.00	100	Vertical	Pass
5**	12539.550	43.30	1.28	54.0	10.70	AV	0.00	100	Vertical	Pass
6	16090.313	56.25	1.43	74.0	17.75	Peak	162.00	200	Vertical	Pass
6**	16090.313	47.05	1.43	54.0	6.95	AV	162.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.400	39.57	-17.10	74.0	34.43	Peak	189.00	100	Horizontal	Pass
1**	1588.400	29.43	-17.10	54.0	24.57	AV	189.00	100	Horizontal	Pass
2	4302.800	50.22	-4.32	74.0	23.78	Peak	162.00	400	Horizontal	Pass
2**	4302.800	40.39	-4.32	54.0	13.61	AV	162.00	400	Horizontal	Pass
3	5245.800	97.38	-2.43	--	--	Peak	240.00	150	Horizontal	N/A
3**	5245.800	87.72	-2.43	--	--	AV	240.00	150	Horizontal	N/A
4	7686.837	50.56	-2.03	74.0	23.44	Peak	295.00	200	Horizontal	Pass
4**	7686.837	40.85	-2.03	54.0	13.15	AV	295.00	200	Horizontal	Pass
5	12103.700	53.67	0.59	74.0	20.33	Peak	330.00	200	Horizontal	Pass
5**	12103.700	43.51	0.59	54.0	10.49	AV	330.00	200	Horizontal	Pass
6	15851.175	56.10	1.30	74.0	17.90	Peak	315.00	100	Horizontal	Pass
6**	15851.175	47.40	1.30	54.0	6.60	AV	315.00	100	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.500	42.07	-16.95	74.0	31.93	Peak	313.00	300	Vertical	Pass
1**	1584.500	29.58	-16.95	54.0	24.42	AV	313.00	300	Vertical	Pass
2	4314.200	50.91	-4.25	74.0	23.09	Peak	215.00	300	Vertical	Pass
2**	4314.200	40.61	-4.25	54.0	13.39	AV	215.00	300	Vertical	Pass
3	5234.600	91.81	-2.74	--	--	Peak	204.00	100	Vertical	N/A
3**	5234.600	83.56	-2.74	--	--	AV	204.00	100	Vertical	N/A
4	7334.938	50.37	-3.24	74.0	23.63	Peak	150.00	400	Vertical	Pass
4**	7334.938	40.79	-3.24	54.0	13.21	AV	150.00	400	Vertical	Pass
5	12334.562	53.37	1.35	74.0	20.63	Peak	98.00	150	Vertical	Pass
5**	12334.562	44.08	1.35	54.0	9.92	AV	98.00	150	Vertical	Pass
6	16067.474	56.20	1.24	74.0	17.80	Peak	265.00	100	Vertical	Pass
6**	16067.474	47.20	1.24	54.0	6.80	AV	265.00	100	Vertical	Pass

11x80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.900	39.15	-17.07	74.0	34.85	Peak	211.00	400	Horizontal	Pass
1**	1623.900	29.46	-17.07	54.0	24.54	AV	211.00	400	Horizontal	Pass
2	4397.200	49.94	-4.14	74.0	24.06	Peak	279.00	300	Horizontal	Pass
2**	4397.200	41.50	-4.14	54.0	12.50	AV	279.00	300	Horizontal	Pass
3	5238.600	94.14	-2.59	--	--	Peak	171.00	150	Horizontal	N/A
3**	5238.600	85.31	-2.59	--	--	AV	171.00	150	Horizontal	N/A
4	7365.412	50.40	-3.34	74.0	23.60	Peak	174.00	100	Horizontal	Pass
4**	7365.412	40.77	-3.34	54.0	13.23	AV	174.00	100	Horizontal	Pass
5	12227.325	53.36	1.31	74.0	20.64	Peak	303.00	150	Horizontal	Pass
5**	12227.325	43.60	1.31	54.0	10.40	AV	303.00	150	Horizontal	Pass
6	15657.450	57.06	1.23	74.0	16.94	Peak	251.00	200	Horizontal	Pass
6**	15657.450	46.61	1.23	54.0	7.39	AV	251.00	200	Horizontal	Pass

11x80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	39.68	-17.50	74.0	34.32	Peak	89.00	400	Vertical	Pass
1**	1599.600	32.21	-17.50	54.0	21.79	AV	89.00	400	Vertical	Pass
2	4386.600	50.84	-3.30	74.0	23.16	Peak	260.00	100	Vertical	Pass
2**	4386.600	41.74	-3.30	54.0	12.26	AV	260.00	100	Vertical	Pass
3	5228.600	89.88	-2.68	--	--	Peak	336.00	100	Vertical	N/A
3**	5228.600	79.73	-2.68	--	--	AV	336.00	100	Vertical	N/A
4	7274.850	49.76	-2.92	74.0	24.24	Peak	360.00	200	Vertical	Pass
4**	7274.850	39.72	-2.92	54.0	14.28	AV	360.00	200	Vertical	Pass
5	12348.937	53.40	1.23	74.0	20.60	Peak	41.00	150	Vertical	Pass
5**	12348.937	43.93	1.23	54.0	10.07	AV	41.00	150	Vertical	Pass
6	15810.224	55.94	2.16	74.0	18.06	Peak	93.00	400	Vertical	Pass
6**	15810.224	46.61	2.16	54.0	7.39	AV	93.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.200	38.84	-17.39	74.0	35.16	Peak	307.00	300	Horizontal	Pass
1**	1603.200	28.80	-17.39	54.0	25.20	AV	307.00	300	Horizontal	Pass
2	4379.800	50.54	-3.28	74.0	23.46	Peak	149.00	400	Horizontal	Pass
2**	4379.800	41.40	-3.28	54.0	12.60	AV	149.00	400	Horizontal	Pass
3	5746.400	107.53	-2.21	--	--	Peak	235.00	150	Horizontal	N/A
3**	5746.400	100.84	-2.21	--	--	AV	235.00	150	Horizontal	N/A
4	7276.287	49.71	-3.06	74.0	24.29	Peak	296.00	300	Horizontal	Pass
4**	7276.287	39.74	-3.06	54.0	14.26	AV	296.00	300	Horizontal	Pass
5	11949.312	53.36	1.42	74.0	20.64	Peak	129.00	200	Horizontal	Pass
5**	11949.312	43.69	1.42	54.0	10.31	AV	129.00	200	Horizontal	Pass
6	15493.387	55.65	1.01	74.0	18.35	Peak	156.00	100	Horizontal	Pass
6**	15493.387	46.50	1.01	54.0	7.50	AV	156.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.600	39.73	-17.14	74.0	34.27	Peak	255.00	400	Vertical	Pass
1**	1611.600	29.65	-17.14	54.0	24.35	AV	255.00	400	Vertical	Pass
2	4380.200	50.30	-3.35	74.0	23.70	Peak	59.00	300	Vertical	Pass
2**	4380.200	41.71	-3.35	54.0	12.29	AV	59.00	300	Vertical	Pass
3	5743.400	101.94	-2.11	--	--	Peak	355.00	100	Vertical	N/A
3**	5743.400	93.99	-2.11	--	--	AV	355.00	100	Vertical	N/A
4	7588.800	50.13	-3.23	74.0	23.87	Peak	194.00	100	Vertical	Pass
4**	7588.800	40.39	-3.23	54.0	13.61	AV	194.00	100	Vertical	Pass
5	12632.700	53.57	1.34	74.0	20.43	Peak	346.00	100	Vertical	Pass
5**	12632.700	43.28	1.34	54.0	10.72	AV	346.00	100	Vertical	Pass
6	16098.713	55.92	1.23	74.0	18.08	Peak	211.00	200	Vertical	Pass
6**	16098.713	46.73	1.23	54.0	7.27	AV	211.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.000	38.92	-17.15	74.0	35.08	Peak	196.00	200	Horizontal	Pass
1**	1539.000	29.25	-17.15	54.0	24.75	AV	196.00	200	Horizontal	Pass
2	4379.400	50.70	-3.32	74.0	23.30	Peak	54.00	400	Horizontal	Pass
2**	4379.400	41.64	-3.32	54.0	12.36	AV	54.00	400	Horizontal	Pass
3	5786.400	107.52	-1.65	--	--	Peak	257.00	150	Horizontal	N/A
3**	5786.400	100.25	-1.65	--	--	AV	257.00	150	Horizontal	N/A
4	7383.813	50.33	-3.55	74.0	23.67	Peak	0.00	100	Horizontal	Pass
4**	7383.813	41.21	-3.55	54.0	12.79	AV	0.00	100	Horizontal	Pass
5	12319.325	53.60	1.42	74.0	20.40	Peak	68.00	100	Horizontal	Pass
5**	12319.325	43.89	1.42	54.0	10.11	AV	68.00	100	Horizontal	Pass
6	15664.800	56.45	1.34	74.0	17.55	Peak	319.00	100	Horizontal	Pass
6**	15664.800	46.62	1.34	54.0	7.38	AV	319.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	39.46	-17.58	74.0	34.54	Peak	95.00	400	Vertical	Pass
1**	1600.100	34.44	-17.58	54.0	19.56	AV	95.00	400	Vertical	Pass
2	4331.200	50.01	-4.72	74.0	23.99	Peak	260.00	400	Vertical	Pass
2**	4331.200	39.81	-4.72	54.0	14.19	AV	260.00	400	Vertical	Pass
3	5783.000	101.35	-1.43	--	--	Peak	360.00	150	Vertical	N/A
3**	5783.000	93.23	-1.43	--	--	AV	360.00	150	Vertical	N/A
4	7672.750	50.36	-2.36	74.0	23.64	Peak	0.00	100	Vertical	Pass
4**	7672.750	40.86	-2.36	54.0	13.14	AV	0.00	100	Vertical	Pass
5	12631.838	53.42	1.37	74.0	20.58	Peak	19.00	100	Vertical	Pass
5**	12631.838	43.45	1.37	54.0	10.55	AV	19.00	100	Vertical	Pass
6	16093.725	55.98	1.35	74.0	18.02	Peak	262.00	400	Vertical	Pass
6**	16093.725	47.17	1.35	54.0	6.83	AV	262.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.600	39.05	-16.79	74.0	34.95	Peak	207.00	400	Horizontal	Pass
1**	1561.600	29.83	-16.79	54.0	24.17	AV	207.00	400	Horizontal	Pass
2	4355.400	50.48	-4.20	74.0	23.52	Peak	192.00	300	Horizontal	Pass
2**	4355.400	40.51	-4.20	54.0	13.49	AV	192.00	300	Horizontal	Pass
3	5826.000	107.26	-2.05	--	--	Peak	240.00	200	Horizontal	N/A
3**	5826.000	101.01	-2.05	--	--	AV	240.00	200	Horizontal	N/A
4	7451.663	49.33	-3.17	74.0	24.67	Peak	327.00	300	Horizontal	Pass
4**	7451.663	40.37	-3.17	54.0	13.63	AV	327.00	300	Horizontal	Pass
5	12646.500	53.50	1.05	74.0	20.50	Peak	186.00	150	Horizontal	Pass
5**	12646.500	43.59	1.05	54.0	10.41	AV	186.00	150	Horizontal	Pass
6	15511.763	56.17	1.43	74.0	17.83	Peak	261.00	400	Horizontal	Pass
6**	15511.763	46.65	1.43	54.0	7.35	AV	261.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.700	40.94	-17.01	74.0	33.06	Peak	302.00	100	Vertical	Pass
1**	1557.700	29.26	-17.01	54.0	24.74	AV	302.00	100	Vertical	Pass
2	4385.200	50.33	-3.43	74.0	23.67	Peak	42.00	100	Vertical	Pass
2**	4385.200	41.31	-3.43	54.0	12.69	AV	42.00	100	Vertical	Pass
3	5823.600	102.51	-2.13	--	--	Peak	347.00	100	Vertical	N/A
3**	5823.600	96.10	-2.13	--	--	AV	347.00	100	Vertical	N/A
4	7331.200	49.98	-3.38	74.0	24.02	Peak	1.00	200	Vertical	Pass
4**	7331.200	40.71	-3.38	54.0	13.29	AV	1.00	200	Vertical	Pass
5	12284.826	53.44	1.78	74.0	20.56	Peak	346.00	100	Vertical	Pass
5**	12284.826	44.17	1.78	54.0	9.83	AV	346.00	100	Vertical	Pass
6	15809.700	56.20	2.17	74.0	17.80	Peak	256.00	200	Vertical	Pass
6**	15809.700	46.93	2.17	54.0	7.07	AV	256.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.01	-16.90	74.0	34.99	Peak	42.00	100	Horizontal	Pass
1**	1500.200	29.97	-16.90	54.0	24.03	AV	42.00	100	Horizontal	Pass
2	4395.400	50.61	-3.93	74.0	23.39	Peak	296.00	400	Horizontal	Pass
2**	4395.400	41.17	-3.93	54.0	12.83	AV	296.00	400	Horizontal	Pass
3	5746.400	104.07	-2.21	--	--	Peak	262.00	100	Horizontal	N/A
3**	5746.400	96.89	-2.21	--	--	AV	262.00	100	Horizontal	N/A
4	7673.325	50.39	-2.29	74.0	23.61	Peak	74.00	300	Horizontal	Pass
4**	7673.325	41.08	-2.29	54.0	12.92	AV	74.00	300	Horizontal	Pass
5	12252.625	53.29	0.97	74.0	20.71	Peak	175.00	150	Horizontal	Pass
5**	12252.625	43.80	0.97	54.0	10.20	AV	175.00	150	Horizontal	Pass
6	15798.674	56.80	2.29	74.0	17.20	Peak	260.00	300	Horizontal	Pass
6**	15798.674	46.86	2.29	54.0	7.14	AV	260.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	39.73	-17.57	74.0	34.27	Peak	91.00	100	Vertical	Pass
1**	1600.000	34.11	-17.57	54.0	19.89	AV	91.00	100	Vertical	Pass
2	4309.600	50.19	-4.34	74.0	23.81	Peak	358.00	100	Vertical	Pass
2**	4309.600	40.34	-4.34	54.0	13.66	AV	358.00	100	Vertical	Pass
3	5743.600	98.37	-2.09	--	--	Peak	360.00	200	Vertical	N/A
3**	5743.600	92.45	-2.09	--	--	AV	360.00	200	Vertical	N/A
4	7328.037	50.09	-3.47	74.0	23.91	Peak	87.00	300	Vertical	Pass
4**	7328.037	40.46	-3.47	54.0	13.54	AV	87.00	300	Vertical	Pass
5	12275.338	53.50	1.63	74.0	20.50	Peak	226.00	100	Vertical	Pass
5**	12275.338	44.53	1.63	54.0	9.47	AV	226.00	100	Vertical	Pass
6	15836.213	55.93	1.45	74.0	18.07	Peak	360.00	100	Vertical	Pass
6**	15836.213	47.28	1.45	54.0	6.72	AV	360.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.700	39.33	-16.90	74.0	34.67	Peak	287.00	200	Horizontal	Pass
1**	1562.700	29.44	-16.90	54.0	24.56	AV	287.00	200	Horizontal	Pass
2	4392.200	50.32	-3.53	74.0	23.68	Peak	19.00	300	Horizontal	Pass
2**	4392.200	41.14	-3.53	54.0	12.86	AV	19.00	300	Horizontal	Pass
3	5783.800	103.58	-1.54	--	--	Peak	274.00	200	Horizontal	N/A
3**	5783.800	96.53	-1.54	--	--	AV	274.00	200	Horizontal	N/A
4	7670.162	49.97	-2.62	74.0	24.03	Peak	311.00	200	Horizontal	Pass
4**	7670.162	39.83	-2.62	54.0	14.17	AV	311.00	200	Horizontal	Pass
5	12273.613	53.86	1.57	74.0	20.14	Peak	16.00	150	Horizontal	Pass
5**	12273.613	43.95	1.57	54.0	10.05	AV	16.00	150	Horizontal	Pass
6	16085.588	56.65	1.52	74.0	17.35	Peak	257.00	300	Horizontal	Pass
6**	16085.588	46.56	1.52	54.0	7.44	AV	257.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	40.10	-17.55	74.0	33.90	Peak	55.00	200	Vertical	Pass
1**	1599.900	34.52	-17.55	54.0	19.48	AV	55.00	200	Vertical	Pass
2	4230.000	50.50	-3.85	74.0	23.50	Peak	0.00	200	Vertical	Pass
2**	4230.000	40.54	-3.85	54.0	13.46	AV	0.00	200	Vertical	Pass
3	5783.400	98.51	-1.48	--	--	Peak	0.00	200	Vertical	N/A
3**	5783.400	93.11	-1.48	--	--	AV	0.00	200	Vertical	N/A
4	7321.138	50.00	-3.15	74.0	24.00	Peak	345.00	100	Vertical	Pass
4**	7321.138	40.38	-3.15	54.0	13.62	AV	345.00	100	Vertical	Pass
5	12318.750	53.47	1.42	74.0	20.53	Peak	0.00	150	Vertical	Pass
5**	12318.750	44.54	1.42	54.0	9.46	AV	0.00	150	Vertical	Pass
6	16087.425	56.30	1.48	74.0	17.70	Peak	357.00	200	Vertical	Pass
6**	16087.425	47.39	1.48	54.0	6.61	AV	357.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.700	38.63	-17.08	74.0	35.37	Peak	75.00	300	Horizontal	Pass
1**	1583.700	30.11	-17.08	54.0	23.89	AV	75.00	300	Horizontal	Pass
2	4373.200	50.32	-3.85	74.0	23.68	Peak	274.00	100	Horizontal	Pass
2**	4373.200	41.20	-3.85	54.0	12.80	AV	274.00	100	Horizontal	Pass
3	5823.800	103.63	-2.13	--	--	Peak	252.00	100	Horizontal	N/A
3**	5823.800	95.90	-2.13	--	--	AV	252.00	100	Horizontal	N/A
4	7714.150	50.13	-2.41	74.0	23.87	Peak	360.00	200	Horizontal	Pass
4**	7714.150	40.09	-2.41	54.0	13.91	AV	360.00	200	Horizontal	Pass
5	12286.838	54.16	1.73	74.0	19.84	Peak	67.00	100	Horizontal	Pass
5**	12286.838	44.58	1.73	54.0	9.42	AV	67.00	100	Horizontal	Pass
6	15641.962	56.77	1.31	74.0	17.23	Peak	121.00	300	Horizontal	Pass
6**	15641.962	46.91	1.31	54.0	7.09	AV	121.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.700	39.66	-16.90	74.0	34.34	Peak	39.00	100	Vertical	Pass
1**	1536.700	29.75	-16.90	54.0	24.25	AV	39.00	100	Vertical	Pass
2	4145.200	50.43	-4.91	74.0	23.57	Peak	233.00	100	Vertical	Pass
2**	4145.200	40.52	-4.91	54.0	13.48	AV	233.00	100	Vertical	Pass
3	5823.600	99.57	-2.13	--	--	Peak	358.00	200	Vertical	N/A
3**	5823.600	94.35	-2.13	--	--	AV	358.00	200	Vertical	N/A
4	7619.850	50.07	-2.61	74.0	23.93	Peak	35.00	400	Vertical	Pass
4**	7619.850	40.99	-2.61	54.0	13.01	AV	35.00	400	Vertical	Pass
5	11665.838	53.93	0.18	74.0	20.07	Peak	173.00	100	Vertical	Pass
5**	11665.838	43.64	0.18	54.0	10.36	AV	173.00	100	Vertical	Pass
6	16040.700	55.74	0.79	74.0	18.26	Peak	178.00	300	Vertical	Pass
6**	16040.700	46.79	0.79	54.0	7.21	AV	178.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.500	39.29	-16.74	74.0	34.71	Peak	183.00	200	Horizontal	Pass
1**	1489.500	29.75	-16.74	54.0	24.25	AV	183.00	200	Horizontal	Pass
2	4393.800	51.47	-3.76	74.0	22.53	Peak	215.00	400	Horizontal	Pass
2**	4393.800	41.73	-3.76	54.0	12.27	AV	215.00	400	Horizontal	Pass
3	5823.600	104.67	-2.13	--	--	Peak	248.00	150	Horizontal	N/A
3**	5823.600	97.46	-2.13	--	--	AV	248.00	150	Horizontal	N/A
4	7336.950	50.07	-3.01	74.0	23.93	Peak	276.00	200	Horizontal	Pass
4**	7336.950	40.86	-3.01	54.0	13.14	AV	276.00	200	Horizontal	Pass
5	12348.363	53.55	1.24	74.0	20.45	Peak	242.00	200	Horizontal	Pass
5**	12348.363	43.74	1.24	54.0	10.26	AV	242.00	200	Horizontal	Pass
6	16198.725	56.14	1.59	74.0	17.86	Peak	360.00	400	Horizontal	Pass
6**	16198.725	46.89	1.59	54.0	7.11	AV	360.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	39.89	-17.53	74.0	34.11	Peak	80.00	100	Vertical	Pass
1**	1599.800	33.32	-17.53	54.0	20.68	AV	80.00	100	Vertical	Pass
2	4391.800	51.13	-3.48	74.0	22.87	Peak	87.00	100	Vertical	Pass
2**	4391.800	41.40	-3.48	54.0	12.60	AV	87.00	100	Vertical	Pass
3	5824.400	99.59	-2.13	--	--	Peak	342.00	100	Vertical	N/A
3**	5824.400	92.97	-2.13	--	--	AV	342.00	100	Vertical	N/A
4	7686.550	50.27	-1.99	74.0	23.73	Peak	258.00	300	Vertical	Pass
4**	7686.550	41.51	-1.99	54.0	12.49	AV	258.00	300	Vertical	Pass
5	10941.338	53.20	-0.08	74.0	20.80	Peak	152.00	100	Vertical	Pass
5**	10941.338	43.93	-0.08	54.0	10.07	AV	152.00	100	Vertical	Pass
6	15805.237	56.39	2.27	74.0	17.61	Peak	360.00	200	Vertical	Pass
6**	15805.237	46.95	2.27	54.0	7.05	AV	360.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	38.89	-16.85	74.0	35.11	Peak	344.00	200	Horizontal	Pass
1**	1495.700	30.10	-16.85	54.0	23.90	AV	344.00	200	Horizontal	Pass
2	4396.400	50.45	-3.99	74.0	23.55	Peak	210.00	300	Horizontal	Pass
2**	4396.400	41.34	-3.99	54.0	12.66	AV	210.00	300	Horizontal	Pass
3	5826.400	104.84	-2.02	--	--	Peak	251.00	200	Horizontal	N/A
3**	5826.400	97.56	-2.02	--	--	AV	251.00	200	Horizontal	N/A
4	7314.237	49.96	-3.36	74.0	24.04	Peak	360.00	200	Horizontal	Pass
4**	7314.237	40.24	-3.36	54.0	13.76	AV	360.00	200	Horizontal	Pass
5	12400.975	53.77	1.56	74.0	20.23	Peak	0.00	150	Horizontal	Pass
5**	12400.975	43.65	1.56	54.0	10.35	AV	0.00	150	Horizontal	Pass
6	15843.037	56.72	1.40	74.0	17.28	Peak	291.00	200	Horizontal	Pass
6**	15843.037	47.19	1.40	54.0	6.81	AV	291.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.000	39.78	-16.87	74.0	34.22	Peak	98.00	400	Vertical	Pass
1**	1494.000	29.93	-16.87	54.0	24.07	AV	98.00	400	Vertical	Pass
2	4276.600	50.04	-4.77	74.0	23.96	Peak	31.00	200	Vertical	Pass
2**	4276.600	40.51	-4.77	54.0	13.49	AV	31.00	200	Vertical	Pass
3	5823.800	99.56	-2.13	--	--	Peak	8.00	200	Vertical	N/A
3**	5823.800	94.26	-2.13	--	--	AV	8.00	200	Vertical	N/A
4	7351.612	49.60	-3.74	74.0	24.40	Peak	346.00	200	Vertical	Pass
4**	7351.612	40.83	-3.74	54.0	13.17	AV	346.00	200	Vertical	Pass
5	12314.438	53.56	1.40	74.0	20.44	Peak	346.00	200	Vertical	Pass
5**	12314.438	44.08	1.40	54.0	9.92	AV	346.00	200	Vertical	Pass
6	15631.462	56.22	1.66	74.0	17.78	Peak	177.00	300	Vertical	Pass
6**	15631.462	46.82	1.66	54.0	7.18	AV	177.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.500	38.85	-16.97	74.0	35.15	Peak	327.00	400	Horizontal	Pass
1**	1503.500	29.98	-16.97	54.0	24.02	AV	327.00	400	Horizontal	Pass
2	4373.400	50.26	-3.81	74.0	23.74	Peak	7.00	100	Horizontal	Pass
2**	4373.400	41.11	-3.81	54.0	12.89	AV	7.00	100	Horizontal	Pass
3	5746.600	102.78	-2.21	--	--	Peak	247.00	200	Horizontal	N/A
3**	5746.600	96.81	-2.21	--	--	AV	247.00	200	Horizontal	N/A
4	7629.050	50.47	-2.95	74.0	23.53	Peak	172.00	300	Horizontal	Pass
4**	7629.050	41.43	-2.95	54.0	12.57	AV	172.00	300	Horizontal	Pass
5	12307.250	53.26	1.38	74.0	20.74	Peak	241.00	100	Horizontal	Pass
5**	12307.250	43.85	1.38	54.0	10.15	AV	241.00	100	Horizontal	Pass
6	16080.338	56.36	1.63	74.0	17.64	Peak	194.00	400	Horizontal	Pass
6**	16080.338	46.69	1.63	54.0	7.31	AV	194.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	39.31	-17.55	74.0	34.69	Peak	98.00	300	Vertical	Pass
1**	1599.900	34.15	-17.55	54.0	19.85	AV	98.00	300	Vertical	Pass
2	4284.200	51.38	-4.14	74.0	22.62	Peak	229.00	300	Vertical	Pass
2**	4284.200	40.94	-4.14	54.0	13.06	AV	229.00	300	Vertical	Pass
3	5743.200	94.27	-2.13	--	--	Peak	7.00	100	Vertical	N/A
3**	5743.200	86.78	-2.13	--	--	AV	7.00	100	Vertical	N/A
4	7340.687	49.95	-3.04	74.0	24.05	Peak	0.00	300	Vertical	Pass
4**	7340.687	41.28	-3.04	54.0	12.72	AV	0.00	300	Vertical	Pass
5	12611.138	53.61	1.89	74.0	20.39	Peak	190.00	150	Vertical	Pass
5**	12611.138	44.13	1.89	54.0	9.87	AV	190.00	150	Vertical	Pass
6	16084.013	56.33	1.55	74.0	17.67	Peak	161.00	100	Vertical	Pass
6**	16084.013	47.14	1.55	54.0	6.86	AV	161.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	38.72	-16.87	74.0	35.28	Peak	259.00	300	Horizontal	Pass
1**	1500.700	30.14	-16.87	54.0	23.86	AV	259.00	300	Horizontal	Pass
2	4297.600	50.25	-4.02	74.0	23.75	Peak	88.00	300	Horizontal	Pass
2**	4297.600	41.56	-4.02	54.0	12.44	AV	88.00	300	Horizontal	Pass
3	5783.600	102.14	-1.51	--	--	Peak	258.00	150	Horizontal	N/A
3**	5783.600	94.69	-1.51	--	--	AV	258.00	150	Horizontal	N/A
4	7447.638	49.87	-3.23	74.0	24.13	Peak	326.00	100	Horizontal	Pass
4**	7447.638	40.88	-3.23	54.0	13.12	AV	326.00	100	Horizontal	Pass
5	12398.675	53.81	1.58	74.0	20.19	Peak	150.00	100	Horizontal	Pass
5**	12398.675	44.38	1.58	54.0	9.62	AV	150.00	100	Horizontal	Pass
6	15803.400	56.29	2.29	74.0	17.71	Peak	80.00	400	Horizontal	Pass
6**	15803.400	46.67	2.29	54.0	7.33	AV	80.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	39.95	-17.55	74.0	34.05	Peak	31.00	400	Vertical	Pass
1**	1599.900	34.41	-17.55	54.0	19.59	AV	31.00	400	Vertical	Pass
2	4380.000	51.88	-3.32	74.0	22.12	Peak	121.00	300	Vertical	Pass
2**	4380.000	41.38	-3.32	54.0	12.62	AV	121.00	300	Vertical	Pass
3	5785.800	97.43	-1.64	--	--	Peak	335.00	150	Vertical	N/A
3**	5785.800	87.82	-1.64	--	--	AV	335.00	150	Vertical	N/A
4	7336.375	49.91	-3.12	74.0	24.09	Peak	327.00	200	Vertical	Pass
4**	7336.375	40.48	-3.12	54.0	13.52	AV	327.00	200	Vertical	Pass
5	11950.175	53.64	1.39	74.0	20.36	Peak	171.00	100	Vertical	Pass
5**	11950.175	44.25	1.39	54.0	9.75	AV	171.00	100	Vertical	Pass
6	15853.275	56.22	1.24	74.0	17.78	Peak	340.00	200	Vertical	Pass
6**	15853.275	47.94	1.24	54.0	6.06	AV	340.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.600	38.88	-17.01	74.0	35.12	Peak	316.00	400	Horizontal	Pass
1**	1451.600	29.94	-17.01	54.0	24.06	AV	316.00	400	Horizontal	Pass
2	4271.000	50.34	-5.12	74.0	23.66	Peak	333.00	200	Horizontal	Pass
2**	4271.000	39.64	-5.12	54.0	14.36	AV	333.00	200	Horizontal	Pass
3	5823.800	102.02	-2.13	--	--	Peak	245.00	100	Horizontal	N/A
3**	5823.800	94.84	-2.13	--	--	AV	245.00	100	Horizontal	N/A
4	7333.500	50.27	-3.12	74.0	23.73	Peak	40.00	300	Horizontal	Pass
4**	7333.500	40.74	-3.12	54.0	13.26	AV	40.00	300	Horizontal	Pass
5	11785.437	53.81	1.08	74.0	20.19	Peak	193.00	100	Horizontal	Pass
5**	11785.437	43.82	1.08	54.0	10.18	AV	193.00	100	Horizontal	Pass
6	15634.088	56.62	1.58	74.0	17.38	Peak	350.00	300	Horizontal	Pass
6**	15634.088	47.02	1.58	54.0	6.98	AV	350.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.900	39.71	-17.03	74.0	34.29	Peak	320.00	200	Vertical	Pass
1**	1502.900	30.70	-17.03	54.0	23.30	AV	320.00	200	Vertical	Pass
2	4384.200	50.28	-3.61	74.0	23.72	Peak	109.00	400	Vertical	Pass
2**	4384.200	41.58	-3.61	54.0	12.42	AV	109.00	400	Vertical	Pass
3	5823.600	96.33	-2.13	--	--	Peak	360.00	200	Vertical	N/A
3**	5823.600	89.44	-2.13	--	--	AV	360.00	200	Vertical	N/A
4	7500.825	51.14	-3.26	74.0	22.86	Peak	193.00	400	Vertical	Pass
4**	7500.825	40.29	-3.26	54.0	13.71	AV	193.00	400	Vertical	Pass
5	11909.063	53.54	1.54	74.0	20.46	Peak	346.00	200	Vertical	Pass
5**	11909.063	43.48	1.54	54.0	10.52	AV	346.00	200	Vertical	Pass
6	16009.201	56.77	0.42	74.0	17.23	Peak	136.00	200	Vertical	Pass
6**	16009.201	46.19	0.42	54.0	7.81	AV	136.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	42.26	-17.38	74.0	31.74	Peak	360.00	200	Horizontal	Pass
1**	1612.800	28.92	-17.38	54.0	25.08	AV	360.00	200	Horizontal	Pass
2	4360.600	50.10	-4.00	74.0	23.90	Peak	222.00	100	Horizontal	Pass
2**	4360.600	41.59	-4.00	54.0	12.41	AV	222.00	100	Horizontal	Pass
3	5761.200	98.52	-1.74	--	--	Peak	232.00	100	Horizontal	N/A
3**	5761.200	91.10	-1.74	--	--	AV	232.00	100	Horizontal	N/A
4	7400.487	49.86	-3.99	74.0	24.14	Peak	292.00	400	Horizontal	Pass
4**	7400.487	39.96	-3.99	54.0	14.04	AV	292.00	400	Horizontal	Pass
5	11959.088	53.70	0.96	74.0	20.30	Peak	162.00	200	Horizontal	Pass
5**	11959.088	43.69	0.96	54.0	10.31	AV	162.00	200	Horizontal	Pass
6	15808.388	56.16	2.20	74.0	17.84	Peak	267.00	100	Horizontal	Pass
6**	15808.388	46.63	2.20	54.0	7.37	AV	267.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	39.42	-17.58	74.0	34.58	Peak	52.00	300	Vertical	Pass
1**	1600.100	33.95	-17.58	54.0	20.05	AV	52.00	300	Vertical	Pass
2	4319.000	50.40	-4.15	74.0	23.60	Peak	143.00	300	Vertical	Pass
2**	4319.000	39.89	-4.15	54.0	14.11	AV	143.00	300	Vertical	Pass
3	5739.600	92.37	-2.08	--	--	Peak	332.00	150	Vertical	N/A
3**	5739.600	84.27	-2.08	--	--	AV	332.00	150	Vertical	N/A
4	7338.387	49.62	-2.90	74.0	24.38	Peak	305.00	200	Vertical	Pass
4**	7338.387	40.90	-2.90	54.0	13.10	AV	305.00	200	Vertical	Pass
5	11543.937	54.01	-0.55	74.0	19.99	Peak	174.00	150	Vertical	Pass
5**	11543.937	43.34	-0.55	54.0	10.66	AV	174.00	150	Vertical	Pass
6	15663.487	56.98	1.32	74.0	17.02	Peak	231.00	300	Vertical	Pass
6**	15663.487	46.75	1.32	54.0	7.25	AV	231.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.100	39.72	-16.84	74.0	34.28	Peak	0.00	200	Horizontal	Pass
1**	1505.100	30.48	-16.84	54.0	23.52	AV	0.00	200	Horizontal	Pass
2	4368.400	51.10	-3.86	74.0	22.90	Peak	67.00	100	Horizontal	Pass
2**	4368.400	42.12	-3.86	54.0	11.88	AV	67.00	100	Horizontal	Pass
3	5781.400	97.74	-1.49	--	--	Peak	233.00	100	Horizontal	N/A
3**	5781.400	90.35	-1.49	--	--	AV	233.00	100	Horizontal	N/A
4	7455.688	49.79	-3.64	74.0	24.21	Peak	146.00	400	Horizontal	Pass
4**	7455.688	40.58	-3.64	54.0	13.42	AV	146.00	400	Horizontal	Pass
5	12226.750	53.30	1.31	74.0	20.70	Peak	300.00	200	Horizontal	Pass
5**	12226.750	44.68	1.31	54.0	9.32	AV	300.00	200	Horizontal	Pass
6	16081.125	56.50	1.62	74.0	17.50	Peak	285.00	100	Horizontal	Pass
6**	16081.125	46.77	1.62	54.0	7.23	AV	285.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.500	39.05	-16.90	74.0	34.95	Peak	177.00	300	Vertical	Pass
1**	1586.500	29.47	-16.90	54.0	24.53	AV	177.00	300	Vertical	Pass
2	4380.600	50.56	-3.42	74.0	23.44	Peak	269.00	200	Vertical	Pass
2**	4380.600	42.47	-3.42	54.0	11.53	AV	269.00	200	Vertical	Pass
3	5780.400	91.29	-1.70	--	--	Peak	321.00	200	Vertical	N/A
3**	5780.400	83.26	-1.70	--	--	AV	321.00	200	Vertical	N/A
4	7499.962	50.05	-3.55	74.0	23.95	Peak	337.00	200	Vertical	Pass
4**	7499.962	39.71	-3.55	54.0	14.29	AV	337.00	200	Vertical	Pass
5	12409.026	53.31	1.45	74.0	20.69	Peak	159.00	100	Vertical	Pass
5**	12409.026	43.92	1.45	54.0	10.08	AV	159.00	100	Vertical	Pass
6	16087.162	56.24	1.49	74.0	17.76	Peak	288.00	200	Vertical	Pass
6**	16087.162	46.99	1.49	54.0	7.01	AV	288.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.000	39.03	-17.18	74.0	34.97	Peak	260.00	100	Horizontal	Pass
1**	1516.000	29.57	-17.18	54.0	24.43	AV	260.00	100	Horizontal	Pass
2	4369.800	50.45	-4.01	74.0	23.55	Peak	24.00	300	Horizontal	Pass
2**	4369.800	41.97	-4.01	54.0	12.03	AV	24.00	300	Horizontal	Pass
3	5811.600	95.15	-1.85	--	--	Peak	229.00	200	Horizontal	N/A
3**	5811.600	88.07	-1.85	--	--	AV	229.00	200	Horizontal	N/A
4	7681.950	50.25	-2.69	74.0	23.75	Peak	360.00	400	Horizontal	Pass
4**	7681.950	40.57	-2.69	54.0	13.43	AV	360.00	400	Horizontal	Pass
5	12229.913	53.54	1.30	74.0	20.46	Peak	270.00	200	Horizontal	Pass
5**	12229.913	43.78	1.30	54.0	10.22	AV	270.00	200	Horizontal	Pass
6	15817.575	56.90	1.97	74.0	17.10	Peak	138.00	200	Horizontal	Pass
6**	15817.575	47.24	1.97	54.0	6.76	AV	138.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.900	39.72	-17.27	74.0	34.28	Peak	305.00	200	Vertical	Pass
1**	1575.900	29.98	-17.27	54.0	24.02	AV	305.00	200	Vertical	Pass
2	4385.600	51.17	-3.36	74.0	22.83	Peak	0.00	400	Vertical	Pass
2**	4385.600	42.20	-3.36	54.0	11.80	AV	0.00	400	Vertical	Pass
3	5739.000	89.00	-2.10	--	--	Peak	0.00	150	Vertical	N/A
3**	5739.000	82.27	-2.10	--	--	AV	0.00	150	Vertical	N/A
4	7338.387	50.27	-2.90	74.0	23.73	Peak	357.00	300	Vertical	Pass
4**	7338.387	40.78	-2.90	54.0	13.22	AV	357.00	300	Vertical	Pass
5	12524.888	53.28	1.37	74.0	20.72	Peak	341.00	200	Vertical	Pass
5**	12524.888	43.65	1.37	54.0	10.35	AV	341.00	200	Vertical	Pass
6	15672.150	57.08	1.47	74.0	16.92	Peak	0.00	100	Vertical	Pass
6**	15672.150	46.83	1.47	54.0	7.17	AV	0.00	100	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.700	38.95	-17.31	74.0	35.05	Peak	204.00	200	Horizontal	Pass
1**	1435.700	28.89	-17.31	54.0	25.11	AV	204.00	200	Horizontal	Pass
2	4385.000	50.65	-3.47	74.0	23.35	Peak	154.00	300	Horizontal	Pass
2**	4385.000	42.16	-3.47	54.0	11.84	AV	154.00	300	Horizontal	Pass
3	5745.800	104.41	-2.19	--	--	Peak	219.00	150	Horizontal	N/A
3**	5745.800	96.81	-2.19	--	--	AV	219.00	150	Horizontal	N/A
4	7318.263	49.89	-3.04	74.0	24.11	Peak	315.00	300	Horizontal	Pass
4**	7318.263	40.43	-3.04	54.0	13.57	AV	315.00	300	Horizontal	Pass
5	12492.401	53.12	1.66	74.0	20.88	Peak	145.00	150	Horizontal	Pass
5**	12492.401	43.52	1.66	54.0	10.48	AV	145.00	150	Horizontal	Pass
6	15674.250	56.35	1.52	74.0	17.65	Peak	343.00	300	Horizontal	Pass
6**	15674.250	46.75	1.52	54.0	7.25	AV	343.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.500	38.65	-16.73	74.0	35.35	Peak	127.00	100	Vertical	Pass
1**	1486.500	29.93	-16.73	54.0	24.07	AV	127.00	100	Vertical	Pass
2	4381.000	51.00	-3.49	74.0	23.00	Peak	352.00	400	Vertical	Pass
2**	4381.000	41.81	-3.49	54.0	12.19	AV	352.00	400	Vertical	Pass
3	5742.600	98.72	-2.19	--	--	Peak	310.00	150	Vertical	N/A
3**	5742.600	90.59	-2.19	--	--	AV	310.00	150	Vertical	N/A
4	7504.275	50.62	-3.04	74.0	23.38	Peak	93.00	200	Vertical	Pass
4**	7504.275	41.02	-3.04	54.0	12.98	AV	93.00	200	Vertical	Pass
5	12328.813	53.32	1.42	74.0	20.68	Peak	142.00	100	Vertical	Pass
5**	12328.813	43.85	1.42	54.0	10.15	AV	142.00	100	Vertical	Pass
6	15843.826	57.32	1.39	74.0	16.68	Peak	50.00	300	Vertical	Pass
6**	15843.826	47.47	1.39	54.0	6.53	AV	50.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.400	40.03	-17.06	74.0	33.97	Peak	63.00	200	Horizontal	Pass
1**	1497.400	29.33	-17.06	54.0	24.67	AV	63.00	200	Horizontal	Pass
2	4387.000	50.97	-3.33	74.0	23.03	Peak	256.00	300	Horizontal	Pass
2**	4387.000	42.42	-3.33	54.0	11.58	AV	256.00	300	Horizontal	Pass
3	5782.200	104.72	-1.33	--	--	Peak	212.00	200	Horizontal	N/A
3**	5782.200	94.37	-1.33	--	--	AV	212.00	200	Horizontal	N/A
4	7442.462	49.50	-3.35	74.0	24.50	Peak	169.00	200	Horizontal	Pass
4**	7442.462	40.55	-3.35	54.0	13.45	AV	169.00	200	Horizontal	Pass
5	11951.901	54.05	1.31	74.0	19.95	Peak	118.00	100	Horizontal	Pass
5**	11951.901	44.41	1.31	54.0	9.59	AV	118.00	100	Horizontal	Pass
6	15669.787	56.56	1.42	74.0	17.44	Peak	360.00	100	Horizontal	Pass
6**	15669.787	47.53	1.42	54.0	6.47	AV	360.00	100	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	39.59	-16.85	74.0	34.41	Peak	113.00	400	Vertical	Pass
1**	1495.600	29.63	-16.85	54.0	24.37	AV	113.00	400	Vertical	Pass
2	4396.200	51.17	-3.97	74.0	22.83	Peak	73.00	300	Vertical	Pass
2**	4396.200	41.24	-3.97	54.0	12.76	AV	73.00	300	Vertical	Pass
3	5786.400	98.28	-1.65	--	--	Peak	342.00	200	Vertical	N/A
3**	5786.400	88.42	-1.65	--	--	AV	342.00	200	Vertical	N/A
4	7728.525	49.93	-2.53	74.0	24.07	Peak	0.00	400	Vertical	Pass
4**	7728.525	40.10	-2.53	54.0	13.90	AV	0.00	400	Vertical	Pass
5	12288.562	53.58	1.70	74.0	20.42	Peak	145.00	200	Vertical	Pass
5**	12288.562	43.98	1.70	54.0	10.02	AV	145.00	200	Vertical	Pass
6	15808.125	55.97	2.20	74.0	18.03	Peak	248.00	400	Vertical	Pass
6**	15808.125	47.08	2.20	54.0	6.92	AV	248.00	400	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	39.31	-17.57	74.0	34.69	Peak	176.00	100	Horizontal	Pass
1**	1600.000	31.02	-17.57	54.0	22.98	AV	176.00	100	Horizontal	Pass
2	4382.400	50.37	-3.64	74.0	23.63	Peak	280.00	100	Horizontal	Pass
2**	4382.400	41.64	-3.64	54.0	12.36	AV	280.00	100	Horizontal	Pass
3	5825.400	103.64	-2.08	--	--	Peak	229.00	100	Horizontal	N/A
3**	5825.400	94.73	-2.08	--	--	AV	229.00	100	Horizontal	N/A
4	7444.763	49.96	-3.20	74.0	24.04	Peak	60.00	200	Horizontal	Pass
4**	7444.763	40.98	-3.20	54.0	13.02	AV	60.00	200	Horizontal	Pass
5	12359.287	53.80	1.17	74.0	20.20	Peak	75.00	100	Horizontal	Pass
5**	12359.287	44.09	1.17	54.0	9.91	AV	75.00	100	Horizontal	Pass
6	15672.412	56.21	1.48	74.0	17.79	Peak	133.00	300	Horizontal	Pass
6**	15672.412	46.50	1.48	54.0	7.50	AV	133.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.400	39.64	-17.14	74.0	34.36	Peak	324.00	400	Vertical	Pass
1**	1625.400	29.62	-17.14	54.0	24.38	AV	324.00	400	Vertical	Pass
2	4380.600	50.15	-3.42	74.0	23.85	Peak	94.00	100	Vertical	Pass
2**	4380.600	42.17	-3.42	54.0	11.83	AV	94.00	100	Vertical	Pass
3	5824.400	97.36	-2.13	--	--	Peak	352.00	200	Vertical	N/A
3**	5824.400	89.52	-2.13	--	--	AV	352.00	200	Vertical	N/A
4	7332.063	49.64	-3.27	74.0	24.36	Peak	337.00	100	Vertical	Pass
4**	7332.063	40.34	-3.27	54.0	13.66	AV	337.00	100	Vertical	Pass
5	11543.075	54.21	-0.56	74.0	19.79	Peak	223.00	100	Vertical	Pass
5**	11543.075	43.96	-0.56	54.0	10.04	AV	223.00	100	Vertical	Pass
6	16030.987	56.30	0.72	74.0	17.70	Peak	65.00	200	Vertical	Pass
6**	16030.987	46.71	0.72	54.0	7.29	AV	65.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.100	39.06	-16.96	74.0	34.94	Peak	360.00	400	Horizontal	Pass
1**	1536.100	29.01	-16.96	54.0	24.99	AV	360.00	400	Horizontal	Pass
2	4210.000	50.57	-4.45	74.0	23.43	Peak	346.00	400	Horizontal	Pass
2**	4210.000	40.41	-4.45	54.0	13.59	AV	346.00	400	Horizontal	Pass
3	5758.200	101.99	-1.64	--	--	Peak	224.00	100	Horizontal	N/A
3**	5758.200	91.25	-1.64	--	--	AV	224.00	100	Horizontal	N/A
4	7337.238	49.80	-2.96	74.0	24.20	Peak	180.00	100	Horizontal	Pass
4**	7337.238	40.95	-2.96	54.0	13.05	AV	180.00	100	Horizontal	Pass
5	12241.700	54.13	1.05	74.0	19.87	Peak	63.00	100	Horizontal	Pass
5**	12241.700	46.07	1.05	54.0	7.93	AV	63.00	100	Horizontal	Pass
6	15662.701	56.36	1.31	74.0	17.64	Peak	132.00	100	Horizontal	Pass
6**	15662.701	46.73	1.31	54.0	7.27	AV	132.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.600	38.89	-17.19	74.0	35.11	Peak	221.00	400	Vertical	Pass
1**	1478.600	30.88	-17.19	54.0	23.12	AV	221.00	400	Vertical	Pass
2	4297.000	50.94	-3.98	74.0	23.06	Peak	104.00	400	Vertical	Pass
2**	4297.000	41.19	-3.98	54.0	12.81	AV	104.00	400	Vertical	Pass
3	5759.600	93.25	-1.63	--	--	Peak	0.00	100	Vertical	N/A
3**	5759.600	85.07	-1.63	--	--	AV	0.00	100	Vertical	N/A
4	7336.375	49.41	-3.12	74.0	24.59	Peak	112.00	400	Vertical	Pass
4**	7336.375	40.59	-3.12	54.0	13.41	AV	112.00	400	Vertical	Pass
5	12282.812	53.73	1.79	74.0	20.27	Peak	280.00	200	Vertical	Pass
5**	12282.812	45.32	1.79	54.0	8.68	AV	280.00	200	Vertical	Pass
6	15784.762	55.78	1.79	74.0	18.22	Peak	360.00	200	Vertical	Pass
6**	15784.762	46.09	1.79	54.0	7.91	AV	360.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.200	45.03	-17.20	74.0	28.97	Peak	84.00	300	Horizontal	Pass
1**	1511.200	30.34	-17.20	54.0	23.66	AV	84.00	300	Horizontal	Pass
2	4289.600	49.83	-4.49	74.0	24.17	Peak	47.00	400	Horizontal	Pass
2**	4289.600	40.78	-4.49	54.0	13.22	AV	47.00	400	Horizontal	Pass
3	5790.400	99.40	-1.87	--	--	Peak	221.00	100	Horizontal	N/A
3**	5790.400	90.06	-1.87	--	--	AV	221.00	100	Horizontal	N/A
4	7447.350	51.24	-3.21	74.0	22.76	Peak	12.00	400	Horizontal	Pass
4**	7447.350	41.16	-3.21	54.0	12.84	AV	12.00	400	Horizontal	Pass
5	12284.826	53.35	1.78	74.0	20.65	Peak	238.00	150	Horizontal	Pass
5**	12284.826	44.78	1.78	54.0	9.22	AV	238.00	150	Horizontal	Pass
6	15840.938	55.96	1.43	74.0	18.04	Peak	101.00	400	Horizontal	Pass
6**	15840.938	47.46	1.43	54.0	6.54	AV	101.00	400	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.600	38.87	-17.59	74.0	35.13	Peak	88.00	100	Vertical	Pass
1**	1600.600	31.22	-17.59	54.0	22.78	AV	88.00	100	Vertical	Pass
2	4380.200	50.03	-3.35	74.0	23.97	Peak	199.00	400	Vertical	Pass
2**	4380.200	41.63	-3.35	54.0	12.37	AV	199.00	400	Vertical	Pass
3	5802.000	94.46	-1.90	--	--	Peak	360.00	100	Vertical	N/A
3**	5802.000	84.36	-1.90	--	--	AV	360.00	100	Vertical	N/A
4	7445.625	50.02	-3.14	74.0	23.98	Peak	360.00	100	Vertical	Pass
4**	7445.625	40.82	-3.14	54.0	13.18	AV	360.00	100	Vertical	Pass
5	12316.738	53.30	1.41	74.0	20.70	Peak	236.00	150	Vertical	Pass
5**	12316.738	44.07	1.41	54.0	9.93	AV	236.00	150	Vertical	Pass
6	15788.963	55.78	1.97	74.0	18.22	Peak	143.00	400	Vertical	Pass
6**	15788.963	46.52	1.97	54.0	7.48	AV	143.00	400	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.000	38.93	-17.29	74.0	35.07	Peak	30.00	300	Horizontal	Pass
1**	1550.000	29.86	-17.29	54.0	24.14	AV	30.00	300	Horizontal	Pass
2	3709.800	50.08	-4.91	74.0	23.92	Peak	101.00	100	Horizontal	Pass
2**	3709.800	40.02	-4.91	54.0	13.98	AV	101.00	100	Horizontal	Pass
3	5784.000	97.68	-1.57	--	--	Peak	241.00	200	Horizontal	N/A
3**	5784.000	88.09	-1.57	--	--	AV	241.00	200	Horizontal	N/A
4	7402.500	50.48	-3.80	74.0	23.52	Peak	47.00	200	Horizontal	Pass
4**	7402.500	40.61	-3.80	54.0	13.39	AV	47.00	200	Horizontal	Pass
5	12310.125	54.01	1.37	74.0	19.99	Peak	360.00	200	Horizontal	Pass
5**	12310.125	45.16	1.37	54.0	8.84	AV	360.00	200	Horizontal	Pass
6	15843.562	56.48	1.39	74.0	17.52	Peak	125.00	200	Horizontal	Pass
6**	15843.562	46.72	1.39	54.0	7.28	AV	125.00	200	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	39.98	-17.60	74.0	34.02	Peak	114.00	100	Vertical	Pass
1**	1600.200	32.92	-17.60	54.0	21.08	AV	114.00	100	Vertical	Pass
2	4396.800	50.37	-4.02	74.0	23.63	Peak	97.00	300	Vertical	Pass
2**	4396.800	42.00	-4.02	54.0	12.00	AV	97.00	300	Vertical	Pass
3	5782.800	93.08	-1.40	--	--	Peak	331.00	150	Vertical	N/A
3**	5782.800	82.90	-1.40	--	--	AV	331.00	150	Vertical	N/A
4	7708.112	49.56	-2.39	74.0	24.44	Peak	322.00	400	Vertical	Pass
4**	7708.112	39.59	-2.39	54.0	14.41	AV	322.00	400	Vertical	Pass
5	11944.138	54.09	1.56	74.0	19.91	Peak	120.00	100	Vertical	Pass
5**	11944.138	44.58	1.56	54.0	9.42	AV	120.00	100	Vertical	Pass
6	16081.651	55.87	1.60	74.0	18.13	Peak	325.00	100	Vertical	Pass
6**	16081.651	46.98	1.60	54.0	7.02	AV	325.00	100	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	

		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass

Test Data and Plots


SISO-Antenna 1

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	56.74	2.85	74.0	17.26	Peak	271.00	100	Horizontal	Pass
1**	5149.675	46.06	2.85	54.0	7.94	AV	271.00	100	Horizontal	Pass
2	5150.000	55.59	2.86	74.0	18.41	Peak	335.00	200	Horizontal	Pass
2**	5150.000	46.13	2.86	54.0	7.87	AV	335.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.91	3.30	74.0	18.09	Peak	85.00	200	Horizontal	Pass
1**	5350.055	46.34	3.30	54.0	7.66	AV	85.00	200	Horizontal	Pass
2	5405.165	57.74	3.25	74.0	16.26	Peak	273.00	100	Horizontal	Pass
2**	5405.165	46.01	3.25	54.0	7.99	AV	273.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	56.86	2.93	74.0	17.14	Peak	13.00	100	Horizontal	Pass
1**	5146.100	45.30	2.93	54.0	8.70	AV	13.00	100	Horizontal	Pass
2	5150.000	56.08	2.86	74.0	17.92	Peak	307.00	200	Horizontal	Pass
2**	5150.000	45.82	2.86	54.0	8.18	AV	307.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.90	3.30	74.0	18.10	Peak	273.00	200	Horizontal	Pass
1**	5350.055	46.35	3.30	54.0	7.65	AV	273.00	200	Horizontal	Pass
2	5374.805	57.86	2.95	74.0	16.14	Peak	252.00	200	Horizontal	Pass
2**	5374.805	46.44	2.95	54.0	7.56	AV	252.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	63.76	2.85	74.0	10.24	Peak	305.00	200	Horizontal	Pass
1**	5149.675	50.93	2.85	54.0	3.07	AV	305.00	200	Horizontal	Pass
2	5150.000	66.73	2.86	74.0	7.27	Peak	302.00	150	Horizontal	Pass
2**	5150.000	51.17	2.86	54.0	2.83	AV	302.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.24	3.32	74.0	17.76	Peak	254.00	200	Horizontal	Pass
1**	5350.000	46.59	3.32	54.0	7.41	AV	254.00	200	Horizontal	Pass
2	5372.495	57.84	3.03	74.0	16.16	Peak	155.00	150	Horizontal	Pass
2**	5372.495	46.60	3.03	54.0	7.40	AV	155.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	58.61	2.87	74.0	15.39	Peak	322.00	150	Horizontal	Pass
1**	5149.025	46.05	2.87	54.0	7.95	AV	322.00	150	Horizontal	Pass
2	5150.000	56.23	2.86	74.0	17.77	Peak	254.00	150	Horizontal	Pass
2**	5150.000	46.19	2.86	54.0	7.81	AV	254.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.84	3.30	74.0	17.16	Peak	291.00	100	Horizontal	Pass
1**	5350.055	46.23	3.30	54.0	7.77	AV	291.00	100	Horizontal	Pass
2	5379.975	58.18	3.25	74.0	15.82	Peak	260.00	200	Horizontal	Pass
2**	5379.975	46.28	3.25	54.0	7.72	AV	260.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	59.08	3.00	74.0	14.92	Peak	268.00	150	Horizontal	Pass
1**	5147.075	47.17	3.00	54.0	6.83	AV	268.00	150	Horizontal	Pass
2	5150.000	57.21	2.86	74.0	16.79	Peak	14.00	100	Horizontal	Pass
2**	5150.000	47.56	2.86	54.0	6.44	AV	14.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.80	3.30	74.0	18.20	Peak	279.00	100	Horizontal	Pass
1**	5350.055	46.28	3.30	54.0	7.72	AV	279.00	100	Horizontal	Pass
2	5384.155	57.47	2.97	74.0	16.53	Peak	235.00	100	Horizontal	Pass
2**	5384.155	46.48	2.97	54.0	7.52	AV	235.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.275	56.83	2.81	74.0	17.17	Peak	328.00	150	Horizontal	Pass
1**	5139.275	45.22	2.81	54.0	8.78	AV	328.00	150	Horizontal	Pass
2	5150.000	55.09	2.86	74.0	18.91	Peak	5.00	150	Horizontal	Pass
2**	5150.000	45.41	2.86	54.0	8.59	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.37	3.32	74.0	17.63	Peak	286.00	200	Horizontal	Pass
1**	5350.000	46.23	3.32	54.0	7.77	AV	286.00	200	Horizontal	Pass
2	5378.380	58.88	3.23	74.0	15.12	Peak	360.00	100	Horizontal	Pass
2**	5378.380	46.46	3.23	54.0	7.54	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.04	2.85	74.0	15.96	Peak	326.00	100	Horizontal	Pass
1**	5149.350	46.02	2.85	54.0	7.98	AV	326.00	100	Horizontal	Pass
2	5150.000	55.93	2.86	74.0	18.07	Peak	11.00	200	Horizontal	Pass
2**	5150.000	45.89	2.86	54.0	8.11	AV	11.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.21	3.30	74.0	17.79	Peak	12.00	200	Horizontal	Pass
1**	5350.055	46.29	3.30	54.0	7.71	AV	12.00	200	Horizontal	Pass
2	5352.585	57.79	3.11	74.0	16.21	Peak	110.00	200	Horizontal	Pass
2**	5352.585	46.15	3.11	54.0	7.85	AV	110.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.875	59.02	2.78	74.0	14.98	Peak	294.00	100	Horizontal	Pass
1**	5141.875	45.40	2.78	54.0	8.60	AV	294.00	100	Horizontal	Pass
2	5150.000	55.91	2.86	74.0	18.09	Peak	272.00	200	Horizontal	Pass
2**	5150.000	47.66	2.86	54.0	6.34	AV	272.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.12	3.30	74.0	16.88	Peak	120.00	200	Horizontal	Pass
1**	5350.055	46.21	3.30	54.0	7.79	AV	120.00	200	Horizontal	Pass
2	5355.170	57.64	2.94	74.0	16.36	Peak	174.00	150	Horizontal	Pass
2**	5355.170	46.36	2.94	54.0	7.64	AV	174.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	56.87	3.40	74.0	17.13	Peak	190.00	100	Horizontal	Pass
1**	5127.900	45.66	3.40	54.0	8.34	AV	190.00	100	Horizontal	Pass
2	5150.000	54.99	2.86	74.0	19.01	Peak	302.00	100	Horizontal	Pass
2**	5150.000	45.49	2.86	54.0	8.51	AV	302.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.49	3.32	74.0	18.51	Peak	254.00	100	Horizontal	Pass
1**	5350.000	46.07	3.32	54.0	7.93	AV	254.00	100	Horizontal	Pass
2	5350.220	57.93	3.22	74.0	16.07	Peak	357.00	200	Horizontal	Pass
2**	5350.220	46.37	3.22	54.0	7.63	AV	357.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.025	58.29	2.43	74.0	15.71	Peak	276.00	100	Horizontal	Pass
1**	5136.025	46.10	2.43	54.0	7.90	AV	276.00	100	Horizontal	Pass
2	5149.675	54.87	2.07	74.0	19.13	Peak	243.00	150	Horizontal	Pass
2**	5149.675	46.21	2.07	54.0	7.79	AV	243.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.51	1.93	74.0	17.49	Peak	56.00	150	Horizontal	Pass
1**	5350.055	45.61	1.93	54.0	8.39	AV	56.00	150	Horizontal	Pass
2	5386.905	57.54	2.37	74.0	16.46	Peak	276.00	150	Horizontal	Pass
2**	5386.905	46.23	2.37	54.0	7.77	AV	276.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4842.550	57.50	1.99	74.0	16.50	Peak	323.00	200	Horizontal	Pass
1**	4842.550	45.77	1.99	54.0	8.23	AV	323.00	200	Horizontal	Pass
2	5149.675	55.78	2.07	74.0	18.22	Peak	344.00	200	Horizontal	Pass
2**	5149.675	45.91	2.07	54.0	8.09	AV	344.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.66	1.93	74.0	18.34	Peak	42.00	200	Horizontal	Pass
1**	5350.000	45.91	1.93	54.0	8.09	AV	42.00	200	Horizontal	Pass
2	5419.960	57.80	2.44	74.0	16.20	Peak	146.00	150	Horizontal	Pass
2**	5419.960	46.99	2.44	54.0	7.01	AV	146.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.200	57.89	2.43	74.0	16.11	Peak	198.00	100	Horizontal	Pass
1**	5142.200	46.48	2.43	54.0	7.52	AV	198.00	100	Horizontal	Pass
2	5149.675	55.61	2.07	74.0	18.39	Peak	80.00	200	Horizontal	Pass
2**	5149.675	46.11	2.07	54.0	7.89	AV	80.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.42	1.93	74.0	17.58	Peak	40.00	150	Horizontal	Pass
1**	5350.000	46.18	1.93	54.0	7.82	AV	40.00	150	Horizontal	Pass
2	5455.930	58.10	2.39	74.0	15.90	Peak	264.00	200	Horizontal	Pass
2**	5455.930	46.15	2.39	54.0	7.85	AV	264.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.437	56.83	3.53	68.2	11.37	Peak	0.00	150	Horizontal	Pass
2	5650.000	55.75	3.72	68.2	12.45	Peak	1.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.07	3.42	68.3	13.23	Peak	302.00	100	Horizontal	Pass
2	5932.725	57.36	3.68	68.2	10.84	Peak	163.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.625	58.02	3.42	68.2	10.18	Peak	340.00	100	Horizontal	Pass
2	5650.000	55.44	3.72	68.2	12.76	Peak	90.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.86	3.42	68.3	12.44	Peak	347.00	150	Horizontal	Pass
2	5996.175	57.06	4.54	68.2	11.14	Peak	164.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.000	58.15	3.45	68.2	10.05	Peak	267.00	150	Horizontal	Pass
2	5650.000	56.14	3.72	68.2	12.06	Peak	122.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.84	3.42	68.3	13.46	Peak	66.00	100	Horizontal	Pass
2	5940.675	57.83	3.60	68.2	10.37	Peak	205.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.562	56.67	3.34	68.2	11.53	Peak	119.00	200	Horizontal	Pass
2	5650.000	55.50	3.72	68.2	12.70	Peak	128.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.07	3.42	68.3	14.23	Peak	3.00	100	Horizontal	Pass
2	5990.550	56.59	4.71	68.2	11.61	Peak	0.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.187	57.08	3.55	68.2	11.12	Peak	258.00	100	Horizontal	Pass
2	5650.000	55.99	3.72	68.2	12.21	Peak	200.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.69	3.42	68.3	13.61	Peak	360.00	150	Horizontal	Pass
2	5999.400	57.52	4.85	68.2	10.68	Peak	285.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.125	56.82	3.43	68.2	11.38	Peak	137.00	100	Horizontal	Pass
2	5650.000	55.64	3.72	68.2	12.56	Peak	252.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.77	3.42	68.3	12.53	Peak	66.00	150	Horizontal	Pass
2	5996.550	58.17	4.73	68.2	10.03	Peak	272.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.250	56.95	3.44	68.2	11.25	Peak	328.00	100	Horizontal	Pass
2	5650.000	54.90	3.72	68.2	13.30	Peak	42.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	53.27	3.42	68.3	15.03	Peak	360.00	200	Horizontal	Pass
2	5998.950	56.52	5.06	68.2	11.68	Peak	360.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.375	57.71	3.56	68.2	10.49	Peak	237.00	100	Horizontal	Pass
2	5650.000	55.59	3.72	68.2	12.61	Peak	295.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.92	3.42	68.3	13.38	Peak	169.00	200	Horizontal	Pass
2	5991.975	57.60	4.60	68.2	10.60	Peak	277.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.375	57.43	3.59	68.2	10.77	Peak	271.00	150	Horizontal	Pass
2	5650.000	55.94	3.72	68.2	12.26	Peak	210.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.83	3.42	68.3	13.47	Peak	335.00	100	Horizontal	Pass
2	5984.325	57.68	4.24	68.2	10.52	Peak	280.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.700	58.94	2.48	68.2	9.26	Peak	325.00	150	Horizontal	Pass
2	5650.000	56.84	2.54	68.2	11.36	Peak	244.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.33	2.32	68.2	11.87	Peak	234.00	150	Horizontal	Pass
2	5948.800	58.52	2.63	68.2	9.68	Peak	142.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.800	58.16	2.20	68.2	10.04	Peak	22.00	100	Horizontal	Pass
2	5650.000	56.78	2.54	68.2	11.42	Peak	310.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.41	2.32	68.2	11.79	Peak	243.00	150	Horizontal	Pass
2	5949.850	58.83	2.52	68.2	9.37	Peak	73.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.650	58.30	2.47	68.2	9.90	Peak	288.00	100	Horizontal	Pass
2	5650.000	56.28	2.54	68.2	11.92	Peak	16.00	200	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.04	2.32	68.2	12.16	Peak	25.00	150	Horizontal	Pass
2	5931.300	58.54	2.49	68.2	9.66	Peak	110.00	200	Horizontal	Pass


SISO-Antenna 2

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	65.36	2.85	74.0	8.64	Peak	174.00	200	Horizontal	Pass
1**	5149.350	50.17	2.85	54.0	3.83	AV	174.00	200	Horizontal	Pass
2	5150.000	65.83	2.86	74.0	8.17	Peak	184.00	150	Horizontal	Pass
2**	5150.000	50.84	2.86	54.0	3.16	AV	184.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.82	3.32	74.0	17.18	Peak	335.00	150	Horizontal	Pass
1**	5350.000	46.77	3.32	54.0	7.23	AV	335.00	150	Horizontal	Pass
2	5364.355	59.33	2.72	74.0	14.67	Peak	196.00	100	Horizontal	Pass
2**	5364.355	46.58	2.72	54.0	7.42	AV	196.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	68.99	2.85	74.0	5.01	Peak	185.00	200	Horizontal	Pass
1**	5149.675	50.63	2.85	54.0	3.37	AV	185.00	200	Horizontal	Pass
2	5150.000	66.33	2.86	74.0	7.67	Peak	175.00	200	Horizontal	Pass
2**	5150.000	50.68	2.86	54.0	3.32	AV	175.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.32	3.32	74.0	17.68	Peak	173.00	200	Horizontal	Pass
1**	5350.000	46.82	3.32	54.0	7.18	AV	173.00	200	Horizontal	Pass
2	5377.445	59.11	3.11	74.0	14.89	Peak	196.00	150	Horizontal	Pass
2**	5377.445	46.92	3.11	54.0	7.08	AV	196.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	64.98	2.85	74.0	9.02	Peak	176.00	100	Horizontal	Pass
1**	5149.350	51.99	2.85	54.0	2.01	AV	176.00	100	Horizontal	Pass
2	5150.000	64.23	2.86	74.0	9.77	Peak	179.00	200	Horizontal	Pass
2**	5150.000	51.98	2.86	54.0	2.02	AV	179.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.07	3.32	74.0	16.93	Peak	198.00	100	Horizontal	Pass
1**	5350.000	46.70	3.32	54.0	7.30	AV	198.00	100	Horizontal	Pass
2	5384.705	58.78	3.13	74.0	15.22	Peak	96.00	100	Horizontal	Pass
2**	5384.705	46.52	3.13	54.0	7.48	AV	96.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	64.27	2.94	74.0	9.73	Peak	188.00	100	Horizontal	Pass
1**	5147.400	46.12	2.94	54.0	7.88	AV	188.00	100	Horizontal	Pass
2	5150.000	61.11	2.86	74.0	12.89	Peak	164.00	100	Horizontal	Pass
2**	5150.000	46.77	2.86	54.0	7.23	AV	164.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.86	3.32	74.0	17.14	Peak	163.00	150	Horizontal	Pass
1**	5350.000	46.89	3.32	54.0	7.11	AV	163.00	150	Horizontal	Pass
2	5373.100	58.94	2.80	74.0	15.06	Peak	180.00	150	Horizontal	Pass
2**	5373.100	46.71	2.80	54.0	7.29	AV	180.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4922.500	56.42	2.42	74.0	17.58	Peak	149.00	150	Horizontal	Pass
1**	4922.500	44.26	2.42	54.0	9.74	AV	149.00	150	Horizontal	Pass
2	5150.000	54.26	2.86	74.0	19.74	Peak	133.00	200	Horizontal	Pass
2**	5150.000	44.70	2.86	54.0	9.30	AV	133.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.88	3.30	74.0	17.12	Peak	245.00	150	Horizontal	Pass
1**	5350.055	46.78	3.30	54.0	7.22	AV	245.00	150	Horizontal	Pass
2	5363.145	59.04	2.51	74.0	14.96	Peak	188.00	150	Horizontal	Pass
2**	5363.145	46.33	2.51	54.0	7.67	AV	188.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.250	64.40	2.94	74.0	9.60	Peak	171.00	150	Horizontal	Pass
1**	5140.250	50.52	2.94	54.0	3.48	AV	171.00	150	Horizontal	Pass
2	5150.000	61.78	2.86	74.0	12.22	Peak	181.00	200	Horizontal	Pass
2**	5150.000	50.29	2.86	54.0	3.71	AV	181.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	3.32	74.0	17.96	Peak	181.00	150	Horizontal	Pass
1**	5350.000	46.53	3.32	54.0	7.47	AV	181.00	150	Horizontal	Pass
2	5370.790	59.33	2.78	74.0	14.67	Peak	200.00	150	Horizontal	Pass
2**	5370.790	47.15	2.78	54.0	6.85	AV	200.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.83	2.85	74.0	15.17	Peak	360.00	150	Horizontal	Pass
1**	5149.350	44.63	2.85	54.0	9.37	AV	360.00	150	Horizontal	Pass
2	5150.000	59.95	2.86	74.0	14.05	Peak	360.00	100	Horizontal	Pass
2**	5150.000	44.89	2.86	54.0	9.11	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.74	3.32	74.0	18.26	Peak	98.00	100	Horizontal	Pass
1**	5350.000	46.43	3.32	54.0	7.57	AV	98.00	100	Horizontal	Pass
2	5354.290	58.53	3.11	74.0	15.47	Peak	174.00	150	Horizontal	Pass
2**	5354.290	47.00	3.11	54.0	7.00	AV	174.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5013.175	55.87	2.95	74.0	18.13	Peak	80.00	150	Horizontal	Pass
1**	5013.175	44.41	2.95	54.0	9.59	AV	80.00	150	Horizontal	Pass
2	5150.000	54.08	2.86	74.0	19.92	Peak	183.00	150	Horizontal	Pass
2**	5150.000	44.59	2.86	54.0	9.41	AV	183.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.20	3.32	74.0	17.80	Peak	254.00	100	Horizontal	Pass
1**	5350.000	46.72	3.32	54.0	7.28	AV	254.00	100	Horizontal	Pass
2	5369.580	59.36	2.79	74.0	14.64	Peak	180.00	150	Horizontal	Pass
2**	5369.580	47.00	2.79	54.0	7.00	AV	180.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	65.86	3.04	74.0	8.14	Peak	188.00	150	Horizontal	Pass
1**	5146.750	49.48	3.04	54.0	4.52	AV	188.00	150	Horizontal	Pass
2	5150.000	61.64	2.86	74.0	12.36	Peak	181.00	150	Horizontal	Pass
2**	5150.000	49.12	2.86	54.0	4.88	AV	181.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.82	3.32	74.0	17.18	Peak	189.00	100	Horizontal	Pass
1**	5350.000	46.73	3.32	54.0	7.27	AV	189.00	100	Horizontal	Pass
2	5378.930	59.24	3.23	74.0	14.76	Peak	196.00	100	Horizontal	Pass
2**	5378.930	47.13	3.23	54.0	6.87	AV	196.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4629.675	62.95	1.09	74.0	11.05	Peak	129.00	150	Horizontal	Pass
1**	4629.675	44.41	1.09	54.0	9.59	AV	129.00	150	Horizontal	Pass
2	5149.675	56.74	2.07	74.0	17.26	Peak	187.00	200	Horizontal	Pass
2**	5149.675	46.87	2.07	54.0	7.13	AV	187.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.61	1.93	74.0	18.39	Peak	193.00	150	Horizontal	Pass
1**	5350.000	46.02	1.93	54.0	7.98	AV	193.00	150	Horizontal	Pass
2	5441.575	57.86	2.29	74.0	16.14	Peak	149.00	200	Horizontal	Pass
2**	5441.575	46.10	2.29	54.0	7.90	AV	149.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4629.350	62.44	1.10	74.0	11.56	Peak	93.00	100	Horizontal	Pass
1**	4629.350	44.26	1.10	54.0	9.74	AV	93.00	100	Horizontal	Pass
2	5149.675	55.91	2.07	74.0	18.09	Peak	48.00	150	Horizontal	Pass
2**	5149.675	45.86	2.07	54.0	8.14	AV	48.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.47	1.93	74.0	18.53	Peak	171.00	200	Horizontal	Pass
1**	5350.055	45.98	1.93	54.0	8.02	AV	171.00	200	Horizontal	Pass
2	5420.015	57.94	2.44	74.0	16.06	Peak	166.00	100	Horizontal	Pass
2**	5420.015	46.65	2.44	54.0	7.35	AV	166.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.975	58.37	2.39	74.0	15.63	Peak	330.00	100	Horizontal	Pass
1**	5137.975	46.35	2.39	54.0	7.65	AV	330.00	100	Horizontal	Pass
2	5149.675	57.00	2.07	74.0	17.00	Peak	44.00	100	Horizontal	Pass
2**	5149.675	45.97	2.07	54.0	8.03	AV	44.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.62	1.93	74.0	18.38	Peak	197.00	100	Horizontal	Pass
1**	5350.055	45.68	1.93	54.0	8.32	AV	197.00	100	Horizontal	Pass
2	5426.230	58.20	2.43	74.0	15.80	Peak	252.00	150	Horizontal	Pass
2**	5426.230	46.42	2.43	54.0	7.58	AV	252.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.938	57.34	3.35	68.2	10.86	Peak	360.00	150	Horizontal	Pass
2	5650.000	54.92	3.72	68.2	13.28	Peak	201.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.58	3.42	68.3	12.72	Peak	198.00	150	Horizontal	Pass
2	5990.250	57.41	4.56	68.2	10.79	Peak	13.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	57.25	3.54	68.2	10.95	Peak	220.00	100	Horizontal	Pass
2	5650.000	56.05	3.72	68.2	12.15	Peak	101.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.05	3.42	68.3	13.25	Peak	261.00	200	Horizontal	Pass
2	5992.200	57.30	4.72	68.2	10.90	Peak	332.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.312	57.94	3.29	68.2	10.26	Peak	225.00	200	Horizontal	Pass
2	5650.000	57.19	3.72	68.2	11.01	Peak	222.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.99	3.42	68.3	12.31	Peak	284.00	100	Horizontal	Pass
2	5933.250	57.45	3.67	68.2	10.75	Peak	111.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.688	57.00	3.49	68.2	11.20	Peak	312.00	150	Horizontal	Pass
2	5650.000	55.05	3.72	68.2	13.15	Peak	360.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.91	3.42	68.3	13.39	Peak	237.00	200	Horizontal	Pass
2	5998.575	57.29	4.76	68.2	10.91	Peak	6.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.625	57.72	3.44	68.2	10.48	Peak	225.00	150	Horizontal	Pass
2	5650.000	54.91	3.72	68.2	13.29	Peak	161.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.23	3.42	68.3	14.07	Peak	251.00	150	Horizontal	Pass
2	5995.200	56.86	4.71	68.2	11.34	Peak	251.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.812	57.07	3.50	68.2	11.13	Peak	244.00	200	Horizontal	Pass
2	5650.000	56.45	3.72	68.2	11.75	Peak	225.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.14	3.42	68.3	13.16	Peak	237.00	100	Horizontal	Pass
2	5971.725	57.70	3.88	68.2	10.50	Peak	249.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.187	57.41	3.41	68.2	10.79	Peak	320.00	200	Horizontal	Pass
2	5650.000	55.61	3.72	68.2	12.59	Peak	67.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.87	3.42	68.3	12.43	Peak	47.00	150	Horizontal	Pass
2	5981.475	57.32	3.97	68.2	10.88	Peak	174.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.500	56.91	3.58	68.2	11.29	Peak	197.00	100	Horizontal	Pass
2	5650.000	55.40	3.72	68.2	12.80	Peak	242.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	53.87	3.42	68.3	14.43	Peak	333.00	200	Horizontal	Pass
2	5953.350	56.70	3.25	68.2	11.50	Peak	333.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.313	58.45	3.71	68.2	9.75	Peak	162.00	150	Horizontal	Pass
2	5650.000	56.18	3.72	68.2	12.02	Peak	159.00	200	Horizontal	Pass