



U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.41	3.42	68.3	12.89	Peak	188.00	100	Horizontal	Pass
2	5974.275	58.23	3.88	68.2	9.97	Peak	200.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.100	58.02	2.52	68.2	10.18	Peak	313.00	200	Horizontal	Pass
2	5650.000	56.10	2.54	68.2	12.10	Peak	34.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.94	2.32	68.2	12.26	Peak	4.00	150	Horizontal	Pass
2	5941.150	58.69	2.78	68.2	9.51	Peak	267.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.700	58.21	2.03	68.2	9.99	Peak	325.00	200	Horizontal	Pass
2	5650.000	55.89	2.54	68.2	12.31	Peak	259.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.24	2.32	68.2	11.96	Peak	355.00	150	Horizontal	Pass
2	5929.300	58.36	2.67	68.2	9.84	Peak	251.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.800	57.59	2.21	68.2	10.61	Peak	188.00	100	Horizontal	Pass
2	5650.000	56.24	2.54	68.2	11.96	Peak	304.00	200	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.84	2.32	68.2	11.36	Peak	217.00	200	Horizontal	Pass
2	5943.150	58.61	2.58	68.2	9.59	Peak	114.00	200	Horizontal	Pass


MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	64.46	2.84	74.0	9.54	Peak	180.00	100	Horizontal	Pass
1**	5148.700	46.34	2.84	54.0	7.66	AV	180.00	100	Horizontal	Pass
2	5150.000	63.02	2.86	74.0	10.98	Peak	173.00	100	Horizontal	Pass
2**	5150.000	48.60	2.86	54.0	5.40	AV	173.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.09	3.30	74.0	17.91	Peak	3.00	100	Horizontal	Pass
1**	5350.055	46.15	3.30	54.0	7.85	AV	3.00	100	Horizontal	Pass
2	5390.425	58.06	2.97	74.0	15.94	Peak	305.00	150	Horizontal	Pass
2**	5390.425	45.93	2.97	54.0	8.07	AV	305.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	56.67	3.40	74.0	17.33	Peak	42.00	100	Horizontal	Pass
1**	5127.900	45.68	3.40	54.0	8.32	AV	42.00	100	Horizontal	Pass
2	5150.000	54.02	2.86	74.0	19.98	Peak	271.00	150	Horizontal	Pass
2**	5150.000	45.18	2.86	54.0	8.82	AV	271.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.20	3.32	74.0	17.80	Peak	4.00	200	Horizontal	Pass
1**	5350.000	46.19	3.32	54.0	7.81	AV	4.00	200	Horizontal	Pass
2	5370.680	58.21	2.78	74.0	15.79	Peak	35.00	150	Horizontal	Pass
2**	5370.680	46.17	2.78	54.0	7.83	AV	35.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.89	2.96	74.0	15.11	Peak	273.00	100	Horizontal	Pass
1**	5146.425	46.85	2.96	54.0	7.15	AV	273.00	100	Horizontal	Pass
2	5150.000	57.30	2.86	74.0	16.70	Peak	297.00	150	Horizontal	Pass
2**	5150.000	47.44	2.86	54.0	6.56	AV	297.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.27	3.32	74.0	17.73	Peak	8.00	100	Horizontal	Pass
1**	5350.000	46.22	3.32	54.0	7.78	AV	8.00	100	Horizontal	Pass
2	5377.665	57.56	3.11	74.0	16.44	Peak	40.00	200	Horizontal	Pass
2**	5377.665	46.34	3.11	54.0	7.66	AV	40.00	200	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.900	56.89	2.67	74.0	17.11	Peak	106.00	150	Horizontal	Pass
1**	5114.900	44.61	2.67	54.0	9.39	AV	106.00	150	Horizontal	Pass
2	5150.000	54.33	2.86	74.0	19.67	Peak	203.00	100	Horizontal	Pass
2**	5150.000	44.96	2.86	54.0	9.04	AV	203.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.55	3.32	74.0	17.45	Peak	298.00	100	Horizontal	Pass
1**	5350.000	45.81	3.32	54.0	8.19	AV	298.00	100	Horizontal	Pass
2	5352.915	57.47	3.22	74.0	16.53	Peak	323.00	150	Horizontal	Pass
2**	5352.915	46.11	3.22	54.0	7.89	AV	323.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	58.66	2.84	74.0	15.34	Peak	325.00	100	Horizontal	Pass
1**	5148.700	47.06	2.84	54.0	6.94	AV	325.00	100	Horizontal	Pass
2	5150.000	56.95	2.86	74.0	17.05	Peak	325.00	200	Horizontal	Pass
2**	5150.000	47.44	2.86	54.0	6.56	AV	325.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.53	3.30	74.0	17.47	Peak	203.00	150	Horizontal	Pass
1**	5350.055	46.11	3.30	54.0	7.89	AV	203.00	150	Horizontal	Pass
2	5374.145	57.27	2.96	74.0	16.73	Peak	315.00	150	Horizontal	Pass
2**	5374.145	46.27	2.96	54.0	7.73	AV	315.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	56.16	2.94	74.0	17.84	Peak	48.00	150	Horizontal	Pass
1**	5101.250	44.84	2.94	54.0	9.16	AV	48.00	150	Horizontal	Pass
2	5150.000	54.81	2.86	74.0	19.19	Peak	253.00	200	Horizontal	Pass
2**	5150.000	44.77	2.86	54.0	9.23	AV	253.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.95	3.32	74.0	17.05	Peak	79.00	100	Horizontal	Pass
1**	5350.000	46.07	3.32	54.0	7.93	AV	79.00	100	Horizontal	Pass
2	5378.545	57.70	3.24	74.0	16.30	Peak	172.00	200	Horizontal	Pass
2**	5378.545	46.33	3.24	54.0	7.67	AV	172.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	56.56	2.85	74.0	17.44	Peak	175.00	100	Horizontal	Pass
1**	5149.350	44.93	2.85	54.0	9.07	AV	175.00	100	Horizontal	Pass
2	5150.000	56.78	2.86	74.0	17.22	Peak	173.00	200	Horizontal	Pass
2**	5150.000	45.39	2.86	54.0	8.61	AV	173.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.76	3.32	74.0	17.24	Peak	225.00	100	Horizontal	Pass
1**	5350.000	46.20	3.32	54.0	7.80	AV	225.00	100	Horizontal	Pass
2	5385.200	57.72	3.11	74.0	16.28	Peak	97.00	150	Horizontal	Pass
2**	5385.200	45.90	3.11	54.0	8.10	AV	97.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.70	2.85	74.0	16.30	Peak	21.00	200	Horizontal	Pass
1**	5149.675	46.21	2.85	54.0	7.79	AV	21.00	200	Horizontal	Pass
2	5150.000	55.22	2.86	74.0	18.78	Peak	11.00	150	Horizontal	Pass
2**	5150.000	46.61	2.86	54.0	7.39	AV	11.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.52	3.32	74.0	18.48	Peak	278.00	100	Horizontal	Pass
1**	5350.000	46.54	3.32	54.0	7.46	AV	278.00	100	Horizontal	Pass
2	5378.490	57.53	3.24	74.0	16.47	Peak	360.00	100	Horizontal	Pass
2**	5378.490	46.26	3.24	54.0	7.74	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.300	56.43	3.19	74.0	17.57	Peak	144.00	200	Horizontal	Pass
1**	5125.300	45.08	3.19	54.0	8.92	AV	144.00	200	Horizontal	Pass
2	5150.000	54.44	2.86	74.0	19.56	Peak	68.00	200	Horizontal	Pass
2**	5150.000	44.74	2.86	54.0	9.26	AV	68.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.54	3.32	74.0	18.46	Peak	0.00	200	Horizontal	Pass
1**	5350.000	46.32	3.32	54.0	7.68	AV	0.00	200	Horizontal	Pass
2	5378.765	57.45	3.24	74.0	16.55	Peak	264.00	100	Horizontal	Pass
2**	5378.765	46.50	3.24	54.0	7.50	AV	264.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.650	57.69	2.40	74.0	16.31	Peak	355.00	100	Horizontal	Pass
1**	5137.650	45.94	2.40	54.0	8.06	AV	355.00	100	Horizontal	Pass
2	5149.675	55.71	2.07	74.0	18.29	Peak	246.00	100	Horizontal	Pass
2**	5149.675	46.28	2.07	54.0	7.72	AV	246.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.82	1.93	74.0	17.18	Peak	187.00	200	Horizontal	Pass
1**	5350.000	45.90	1.93	54.0	8.10	AV	187.00	200	Horizontal	Pass
2	5457.250	58.16	2.51	74.0	15.84	Peak	218.00	200	Horizontal	Pass
2**	5457.250	46.55	2.51	54.0	7.45	AV	218.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	57.65	1.96	74.0	16.35	Peak	80.00	200	Horizontal	Pass
1**	5128.225	45.65	1.96	54.0	8.35	AV	80.00	200	Horizontal	Pass
2	5149.675	55.28	2.07	74.0	18.72	Peak	169.00	150	Horizontal	Pass
2**	5149.675	45.86	2.07	54.0	8.14	AV	169.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.88	1.93	74.0	17.12	Peak	62.00	100	Horizontal	Pass
1**	5350.055	46.18	1.93	54.0	7.82	AV	62.00	100	Horizontal	Pass
2	5421.115	58.45	2.43	74.0	15.55	Peak	169.00	200	Horizontal	Pass
2**	5421.115	46.46	2.43	54.0	7.54	AV	169.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.750	60.39	2.40	74.0	13.61	Peak	142.00	100	Horizontal	Pass
1**	5133.750	47.74	2.40	54.0	6.26	AV	142.00	100	Horizontal	Pass
2	5149.675	55.61	2.07	74.0	18.39	Peak	157.00	100	Horizontal	Pass
2**	5149.675	45.90	2.07	54.0	8.10	AV	157.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.20	1.93	74.0	17.80	Peak	319.00	200	Horizontal	Pass
1**	5350.000	46.07	1.93	54.0	7.93	AV	319.00	200	Horizontal	Pass
2	5434.920	58.02	2.06	74.0	15.98	Peak	283.00	200	Horizontal	Pass
2**	5434.920	46.66	2.06	54.0	7.34	AV	283.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.875	56.96	3.65	68.2	11.24	Peak	343.00	150	Horizontal	Pass
2	5650.000	55.96	3.72	68.2	12.24	Peak	270.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.91	3.42	68.3	13.39	Peak	0.00	100	Horizontal	Pass
2	5997.675	58.25	5.06	68.2	9.95	Peak	126.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.438	56.61	3.35	68.2	11.59	Peak	360.00	100	Horizontal	Pass
2	5650.000	55.12	3.72	68.2	13.08	Peak	360.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	53.65	3.42	68.3	14.65	Peak	360.00	150	Horizontal	Pass
2	5982.450	57.09	4.24	68.2	11.11	Peak	347.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.375	57.18	3.34	68.2	11.02	Peak	276.00	100	Horizontal	Pass
2	5650.000	56.37	3.72	68.2	11.83	Peak	189.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.73	3.42	68.3	13.57	Peak	80.00	200	Horizontal	Pass
2	5984.550	57.01	4.24	68.2	11.19	Peak	300.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.313	56.43	3.82	68.2	11.77	Peak	360.00	100	Horizontal	Pass
2	5650.000	53.80	3.72	68.2	14.40	Peak	360.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.05	3.42	68.3	14.25	Peak	0.00	150	Horizontal	Pass
2	5965.350	57.15	3.76	68.2	11.05	Peak	0.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.375	56.69	3.60	68.2	11.51	Peak	332.00	200	Horizontal	Pass
2	5650.000	55.75	3.72	68.2	12.45	Peak	307.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.77	3.42	68.3	13.53	Peak	157.00	100	Horizontal	Pass
2	5969.100	57.52	4.08	68.2	10.68	Peak	11.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.125	57.13	3.67	68.2	11.07	Peak	263.00	200	Horizontal	Pass
2	5650.000	55.44	3.72	68.2	12.76	Peak	3.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.24	3.42	68.3	13.06	Peak	87.00	100	Horizontal	Pass
2	5995.575	57.75	4.76	68.2	10.45	Peak	250.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.062	56.28	3.34	68.2	11.92	Peak	20.00	100	Horizontal	Pass
2	5650.000	54.12	3.72	68.2	14.08	Peak	30.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.74	3.42	68.3	13.56	Peak	0.00	100	Horizontal	Pass
2	5998.650	56.36	4.82	68.2	11.84	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.875	57.21	3.53	68.2	10.99	Peak	62.00	100	Horizontal	Pass
2	5650.000	55.04	3.72	68.2	13.16	Peak	271.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.65	3.42	68.3	12.65	Peak	357.00	200	Horizontal	Pass
2	5997.825	57.24	4.97	68.2	10.96	Peak	324.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.500	57.02	3.33	68.2	11.18	Peak	343.00	150	Horizontal	Pass
2	5650.000	55.10	3.72	68.2	13.10	Peak	0.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.15	3.42	68.3	13.15	Peak	266.00	100	Horizontal	Pass
2	5990.700	57.61	4.55	68.2	10.59	Peak	359.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.000	57.75	2.69	68.2	10.45	Peak	99.00	200	Horizontal	Pass
2	5650.000	55.89	2.54	68.2	12.31	Peak	204.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.02	2.32	68.2	12.18	Peak	222.00	150	Horizontal	Pass
2	5943.300	58.06	2.55	68.2	10.14	Peak	176.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.250	57.67	2.57	68.2	10.53	Peak	32.00	200	Horizontal	Pass
2	5650.000	56.03	2.54	68.2	12.17	Peak	239.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.84	2.32	68.2	12.36	Peak	63.00	150	Horizontal	Pass
2	5948.700	58.84	2.64	68.2	9.36	Peak	112.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.600	57.88	2.36	68.2	10.32	Peak	241.00	150	Horizontal	Pass
2	5650.000	56.68	2.54	68.2	11.52	Peak	214.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.69	2.32	68.2	10.51	Peak	156.00	150	Horizontal	Pass
2	5941.750	58.51	2.87	68.2	9.69	Peak	219.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2410372-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2410372-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2410372-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--