



Appendix D

RF Test Data for 5.2GWIFI(Conducted Measurement)

Product Name: SEI700CCOAS

Test Model: SN8BKFF

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





D.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	24.834	---	Pass
NVNT	a	5200	Ant1	23.978	---	Pass
NVNT	a	5240	Ant1	23.471	---	Pass
NVNT	n20	5180	Ant1	26.308	---	Pass
NVNT	n20	5200	Ant1	24.933	---	Pass
NVNT	n20	5240	Ant1	25.493	---	Pass
NVNT	n40	5190	Ant1	43.978	---	Pass
NVNT	n40	5230	Ant1	48.061	---	Pass
NVNT	ac20	5180	Ant1	29.073	---	Pass
NVNT	ac20	5200	Ant1	29.564	---	Pass
NVNT	ac20	5240	Ant1	28.527	---	Pass
NVNT	ac40	5190	Ant1	42.778	---	Pass
NVNT	ac40	5230	Ant1	43.824	---	Pass
NVNT	ac80	5210	Ant1	83.464	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity








-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1






-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	23.86	---	Pass
NVNT	a	5200	Ant2	25.476	---	Pass
NVNT	a	5240	Ant2	22.204	---	Pass
NVNT	n20	5180	Ant2	25.952	---	Pass
NVNT	n20	5200	Ant2	23.362	---	Pass
NVNT	n20	5240	Ant2	26.181	---	Pass
NVNT	n40	5190	Ant2	39.879	---	Pass
NVNT	n40	5230	Ant2	39.638	---	Pass
NVNT	ac20	5180	Ant2	27.195	---	Pass
NVNT	ac20	5200	Ant2	26.547	---	Pass
NVNT	ac20	5240	Ant2	26.113	---	Pass
NVNT	ac40	5190	Ant2	43.446	---	Pass
NVNT	ac40	5230	Ant2	43.855	---	Pass
NVNT	ac80	5210	Ant2	81.526	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2



-26dB Bandwidth NVNT a 5200MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant2



-26dB Bandwidth NVNT n20 5180MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity





-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2








-26dB Bandwidth NVNT ac20 5180MHz Ant2



-26dB Bandwidth NVNT ac20 5200MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant2



-26dB Bandwidth NVNT ac40 5190MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant2





D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.44	0.24	12.68	24	Pass
NVNT	a	5200	Ant1	12.18	0.24	12.42	24	Pass
NVNT	a	5240	Ant1	12.85	0.24	13.09	24	Pass
NVNT	n20	5180	Ant1	11.18	0.28	11.46	24	Pass
NVNT	n20	5200	Ant1	11.76	0.28	12.04	24	Pass
NVNT	n20	5240	Ant1	11.28	0.28	11.56	24	Pass
NVNT	n40	5190	Ant1	10.76	0.38	11.14	24	Pass
NVNT	n40	5230	Ant1	10.72	0.38	11.1	24	Pass
NVNT	ac20	5180	Ant1	11.24	0.28	11.52	24	Pass
NVNT	ac20	5200	Ant1	11.28	0.28	11.56	24	Pass
NVNT	ac20	5240	Ant1	11.74	0.28	12.02	24	Pass
NVNT	ac40	5190	Ant1	9.95	0.37	10.32	24	Pass
NVNT	ac40	5230	Ant1	9.35	0.38	9.73	24	Pass
NVNT	ac80	5210	Ant1	9.19	0.47	9.66	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	11.33	0.24	11.57	24	Pass
NVNT	a	5200	Ant2	11.05	0.24	11.29	24	Pass
NVNT	a	5240	Ant2	11.85	0.24	12.09	24	Pass
NVNT	n20	5180	Ant2	10.73	0.28	11.01	24	Pass
NVNT	n20	5200	Ant2	10.5	0.28	10.78	24	Pass
NVNT	n20	5240	Ant2	10.2	0.28	10.48	24	Pass
NVNT	n40	5190	Ant2	9.31	0.33	9.64	24	Pass
NVNT	n40	5230	Ant2	9.66	0.33	9.99	24	Pass
NVNT	ac20	5180	Ant2	10.73	0.28	11.01	24	Pass
NVNT	ac20	5200	Ant2	10.43	0.28	10.71	24	Pass
NVNT	ac20	5240	Ant2	10.47	0.28	10.75	24	Pass
NVNT	ac40	5190	Ant2	9.3	0.33	9.63	24	Pass
NVNT	ac40	5230	Ant2	9.72	0.33	10.05	24	Pass
NVNT	ac80	5210	Ant2	8.37	0.47	8.84	24	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	11.46	11.01	14.25	24	Pass
NVNT	n20	5200	12.04	10.78	14.47	24	Pass
NVNT	n20	5240	11.56	10.48	14.06	24	Pass
NVNT	n40	5190	11.14	9.64	13.46	24	Pass
NVNT	n40	5230	11.1	9.99	13.59	24	Pass
NVNT	ac20	5180	11.52	11.01	14.28	24	Pass
NVNT	ac20	5200	11.56	10.71	14.17	24	Pass
NVNT	ac20	5240	12.02	10.75	14.44	24	Pass
NVNT	ac40	5190	10.32	9.63	13.00	24	Pass
NVNT	ac40	5230	9.73	10.05	12.90	24	Pass
NVNT	ac80	5210	9.66	8.84	12.28	24	Pass





D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD(dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.77	0.24	2.01	11	Pass
NVNT	a	5200	Ant1	1.72	0.24	1.96	11	Pass
NVNT	a	5240	Ant1	2.43	0.24	2.67	11	Pass
NVNT	n20	5180	Ant1	0.47	0.28	0.75	11	Pass
NVNT	n20	5200	Ant1	1.07	0.28	1.35	11	Pass
NVNT	n20	5240	Ant1	0.73	0.28	1.01	11	Pass
NVNT	n40	5190	Ant1	-2.54	0.38	-2.16	11	Pass
NVNT	n40	5230	Ant1	-2.8	0.38	-2.42	11	Pass
NVNT	ac20	5180	Ant1	0.78	0.28	1.06	11	Pass
NVNT	ac20	5200	Ant1	0.55	0.28	0.83	11	Pass
NVNT	ac20	5240	Ant1	0.93	0.28	1.21	11	Pass
NVNT	ac40	5190	Ant1	-3.78	0.37	-3.41	11	Pass
NVNT	ac40	5230	Ant1	-4.1	0.38	-3.72	11	Pass
NVNT	ac80	5210	Ant1	-6.9	0.47	-6.43	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	0.8	0.24	1.04	11	Pass
NVNT	a	5200	Ant2	0.86	0.24	1.1	11	Pass
NVNT	a	5240	Ant2	1.71	0.24	1.95	11	Pass
NVNT	n20	5180	Ant2	0.11	0.28	0.39	11	Pass
NVNT	n20	5200	Ant2	-0.28	0.28	0	11	Pass
NVNT	n20	5240	Ant2	-0.38	0.28	-0.1	11	Pass
NVNT	n40	5190	Ant2	-4.62	0.33	-4.29	11	Pass
NVNT	n40	5230	Ant2	-3.92	0.33	-3.59	11	Pass
NVNT	ac20	5180	Ant2	-0.17	0.28	0.11	11	Pass
NVNT	ac20	5200	Ant2	-0.21	0.28	0.07	11	Pass
NVNT	ac20	5240	Ant2	-0.1	0.28	0.18	11	Pass
NVNT	ac40	5190	Ant2	-4.52	0.33	-4.19	11	Pass
NVNT	ac40	5230	Ant2	-4.1	0.33	-3.77	11	Pass
NVNT	ac80	5210	Ant2	-8.04	0.47	-7.57	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	0.75	0.39	3.58	11	Pass
NVNT	n20	5200	1.35	0	3.74	11	Pass
NVNT	n20	5240	1.01	-0.1	3.50	11	Pass
NVNT	n40	5190	-2.16	-4.29	-0.09	11	Pass
NVNT	n40	5230	-2.42	-3.59	0.04	11	Pass
NVNT	ac20	5180	1.06	0.11	3.62	11	Pass
NVNT	ac20	5200	0.83	0.07	3.48	11	Pass
NVNT	ac20	5240	1.21	0.18	3.74	11	Pass
NVNT	ac40	5190	-3.41	-4.19	-0.77	11	Pass
NVNT	ac40	5230	-3.72	-3.77	-0.73	11	Pass
NVNT	ac80	5210	-6.43	-7.57	-3.95	11	Pass






Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1










PSD NVNT a 5240MHz Ant1







PSD NVNT n20 5180MHz Ant1





















Test Graphs



PSD NVNT a 5180MHz Ant2







PSD NVNT a 5200MHz Ant2





















D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	4500	-49.91	2	-	47.32	Peak	68.2	Pass
NVNT	a	5180	4500	-57.14	2	0.24	40.33	Average	54	Pass
NVNT	a	5180	5148.9	-38.72	2	-	58.51	Peak	68.2	Pass
NVNT	a	5180	5148.2	-53.34	2	0.24	44.13	Average	54	Pass
NVNT	a	5180	5150	-41.44	2	-	55.79	Peak	68.2	Pass
NVNT	a	5180	5150	-52.29	2	0.24	45.18	Average	54	Pass
NVNT	a	5240	5350	-49.15	2	-	48.08	Peak	68.2	Pass
NVNT	a	5240	5350	-56.33	2	0.24	41.14	Average	54	Pass
NVNT	a	5240	5350.8	-45.8	2	-	51.43	Peak	68.2	Pass
NVNT	a	5240	5350.8	-55.61	2	0.24	41.86	Average	54	Pass
NVNT	a	5240	5460	-48.76	2	-	48.47	Peak	68.2	Pass
NVNT	a	5240	5460	-57.14	2	0.24	40.33	Average	54	Pass
NVNT	n20mimo	5180	4500	-48.48	2	-	48.75	Peak	68.2	Pass
NVNT	n20mimo	5180	4500	-57.32	2	0.28	40.19	Average	54	Pass
NVNT	n20mimo	5180	5148.2	-37.47	2	-	59.76	Peak	68.2	Pass
NVNT	n20mimo	5180	5148.9	-51.98	2	0.28	45.53	Average	54	Pass
NVNT	n20mimo	5180	5150	-41.56	2	-	55.67	Peak	68.2	Pass
NVNT	n20mimo	5180	5150	-51.39	2	0.28	46.12	Average	54	Pass
NVNT	n20mimo	5240	5350	-49.93	2	-	47.3	Peak	68.2	Pass
NVNT	n20mimo	5240	5350	-56.84	2	0.28	40.67	Average	54	Pass
NVNT	n20mimo	5240	5352.72	-45.85	2	-	51.38	Peak	68.2	Pass
NVNT	n20mimo	5240	5351.76	-56.08	2	0.28	41.43	Average	54	Pass
NVNT	n20mimo	5240	5460	-49.51	2	-	47.72	Peak	68.2	Pass
NVNT	n20mimo	5240	5460	-57.7	2	0.28	39.81	Average	54	Pass
NVNT	n40mimo	5190	4500	-47.85	2	-	49.38	Peak	68.2	Pass
NVNT	n40mimo	5190	4500	-56.8	2	0.38	40.81	Average	54	Pass
NVNT	n40mimo	5190	5148.24	-37.99	2	-	59.24	Peak	68.2	Pass
NVNT	n40mimo	5190	5149.7	-53.19	2	0.38	44.42	Average	54	Pass
NVNT	n40mimo	5190	5150	-44.6	2	-	52.63	Peak	68.2	Pass
NVNT	n40mimo	5190	5150	-53.19	2	0.38	44.42	Average	54	Pass
NVNT	n40mimo	5230	5350	-50.1	2	-	47.13	Peak	68.2	Pass
NVNT	n40mimo	5230	5350	-56.55	2	0.38	41.06	Average	54	Pass
NVNT	n40mimo	5230	5423.01	-45.47	2	-	51.76	Peak	68.2	Pass
NVNT	n40mimo	5230	5372.79	-56.05	2	0.38	41.56	Average	54	Pass
NVNT	n40mimo	5230	5460	-48.3	2	-	48.93	Peak	68.2	Pass
NVNT	n40mimo	5230	5460	-57.27	2	0.38	40.34	Average	54	Pass
NVNT	ac20mimo	5180	4500	-48.13	2	-	49.1	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20mimo	5180	4500	-58.13	2	0.28	39.38	Average	54	Pass
NVNT	ac20mimo	5180	5148.2	-40.37	2	-	56.86	Peak	68.2	Pass
NVNT	ac20mimo	5180	5149.6	-53.09	2	0.28	44.42	Average	54	Pass
NVNT	ac20mimo	5180	5150	-41.27	2	-	55.96	Peak	68.2	Pass
NVNT	ac20mimo	5180	5150	-51.95	2	0.28	45.56	Average	54	Pass
NVNT	ac20mimo	5240	5350	-48.01	2	-	49.22	Peak	68.2	Pass
NVNT	ac20mimo	5240	5350	-56.41	2	0.28	41.1	Average	54	Pass
NVNT	ac20mimo	5240	5429.28	-46.51	2	-	50.72	Peak	68.2	Pass
NVNT	ac20mimo	5240	5372.16	-56.35	2	0.28	41.16	Average	54	Pass
NVNT	ac20mimo	5240	5460	-49.1	2	-	48.13	Peak	68.2	Pass
NVNT	ac20mimo	5240	5460	-56.63	2	0.28	40.88	Average	54	Pass
NVNT	ac40mimo	5190	4500	-48.71	2	-	48.52	Peak	68.2	Pass
NVNT	ac40mimo	5190	4500	-57.26	2	0.37	40.34	Average	54	Pass
NVNT	ac40mimo	5190	5149.7	-39.79	2	-	57.44	Peak	68.2	Pass
NVNT	ac40mimo	5190	5148.97	-51.05	2	0.37	46.55	Average	54	Pass
NVNT	ac40mimo	5190	5150	-39.79	2	-	57.44	Peak	68.2	Pass
NVNT	ac40mimo	5190	5150	-51.31	2	0.37	46.29	Average	54	Pass
NVNT	ac40mimo	5230	5350	-48.86	2	-	48.37	Peak	68.2	Pass
NVNT	ac40mimo	5230	5350	-56.47	2	0.38	41.14	Average	54	Pass
NVNT	ac40mimo	5230	5356.86	-45.27	2	-	51.96	Peak	68.2	Pass
NVNT	ac40mimo	5230	5364.15	-56.24	2	0.38	41.37	Average	54	Pass
NVNT	ac40mimo	5230	5460	-49.38	2	-	47.85	Peak	68.2	Pass
NVNT	ac40mimo	5230	5460	-57.23	2	0.38	40.38	Average	54	Pass
NVNT	ac80mimo	5210	5350	-47.7	2	-	49.53	Peak	68.2	Pass
NVNT	ac80mimo	5210	5350	-56.84	2	0.47	40.86	Average	54	Pass
NVNT	ac80mimo	5210	5411.82	-45.22	2	-	52.01	Peak	68.2	Pass
NVNT	ac80mimo	5210	5437.89	-55.23	2	0.47	42.47	Average	54	Pass
NVNT	ac80mimo	5210	5460	-45.92	2	-	51.31	Peak	68.2	Pass
NVNT	ac80mimo	5210	5460	-56.2	2	0.47	41.5	Average	54	Pass
NVNT	ac80mimo	5210	4500	-48.68	2	-	48.55	Peak	68.2	Pass
NVNT	ac80mimo	5210	4500	-57.45	2	0.47	40.25	Average	54	Pass
NVNT	ac80mimo	5210	5147.8	-40.14	2	-	57.09	Peak	68.2	Pass
NVNT	ac80mimo	5210	5147.8	-54.07	2	0.47	43.63	Average	54	Pass
NVNT	ac80mimo	5210	5150	-40.65	2	-	56.58	Peak	68.2	Pass
NVNT	ac80mimo	5210	5150	-53.8	2	0.47	43.9	Average	54	Pass

Note: 802.11a mode, only show the worst set of antenna1 data.




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Peak




Restrict Band NVNT a 5180MHz Average






Restrict Band NVNT a 5240MHz Peak




Restrict Band NVNT a 5240MHz Average






Restrict Band NVNT n20 5180MHz Peak




Restrict Band NVNT n20 5180MHz Average






Restrict Band NVNT n20 5240MHz Peak



Restrict Band NVNT n20 5240MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5190MHz Peak




Restrict Band NVNT n40 5190MHz Average






Restrict Band NVNT n40 5230MHz Peak



Restrict Band NVNT n40 5230MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Peak




Restrict Band NVNT ac20 5180MHz Average






Restrict Band NVNT ac20 5240MHz Peak




Restrict Band NVNT ac20 5240MHz Average








Restrict Band NVNT ac40 5190MHz Peak



Restrict Band NVNT ac40 5190MHz Average





Test Graphs

Restrict Band NVNT ac80 5210MHz Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity