

Appendix Test Data for RLAN(5.8G) (Conducted Measurement)

Product Name: 4K Set Top Box

Trade Mark: Homatics

Test Model: SX6BHET

FCC ID: 2AOVU-SX6BHET

Environmental Conditions

Temperature:	23.4℃
Relative Humidity:	49%
ATM Pressure:	100.0 kPa
Test Engneer:	Anna Hu
Supervised by:	Hugo Chen
NOTE	N/A


Appendix A: Min emission bandwidth


Test Result

TestMode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.320	5736.840	5753.160	0.5	PASS
	Ant2	5745	16.240	5736.880	5753.120	0.5	PASS
	Ant1	5785	16.280	5776.840	5793.120	0.5	PASS
	Ant2	5785	16.320	5776.840	5793.160	0.5	PASS
	Ant1	5825	16.280	5816.880	5833.160	0.5	PASS
	Ant2	5825	16.320	5816.840	5833.160	0.5	PASS
11N20MIMO	Ant1	5745	17.680	5736.160	5753.840	0.5	PASS
	Ant2	5745	17.680	5736.160	5753.840	0.5	PASS
	Ant1	5785	17.680	5776.160	5793.840	0.5	PASS
	Ant2	5785	17.720	5776.160	5793.880	0.5	PASS
	Ant1	5825	17.680	5816.160	5833.840	0.5	PASS
	Ant2	5825	17.680	5816.160	5833.840	0.5	PASS
11N40MIMO	Ant1	5755	36.480	5736.760	5773.240	0.5	PASS
	Ant2	5755	36.480	5736.760	5773.240	0.5	PASS
	Ant1	5795	36.480	5776.760	5813.240	0.5	PASS
	Ant2	5795	36.400	5776.760	5813.160	0.5	PASS
11AC20MIMO	Ant1	5745	17.760	5736.120	5753.880	0.5	PASS
	Ant2	5745	17.720	5736.160	5753.880	0.5	PASS
	Ant1	5785	17.720	5776.120	5793.840	0.5	PASS
	Ant2	5785	17.720	5776.160	5793.880	0.5	PASS
	Ant1	5825	17.720	5816.160	5833.880	0.5	PASS
	Ant2	5825	17.720	5816.160	5833.880	0.5	PASS
11AC40MIMO	Ant1	5755	36.400	5736.760	5773.160	0.5	PASS
	Ant2	5755	36.400	5736.840	5773.240	0.5	PASS
	Ant1	5795	36.480	5776.760	5813.240	0.5	PASS
	Ant2	5795	36.400	5776.760	5813.160	0.5	PASS


11AC80MIMO	Ant1	5775	76.320	5736.760	5813.080	0.5	PASS
	Ant2	5775	76.320	5736.760	5813.080	0.5	PASS
11AX20MIMO	Ant1	5745	19.040	5735.440	5754.480	0.5	PASS
	Ant2	5745	19.040	5735.480	5754.520	0.5	PASS
	Ant1	5785	19.040	5775.480	5794.520	0.5	PASS
	Ant2	5785	19.040	5775.480	5794.520	0.5	PASS
	Ant1	5825	19.040	5815.480	5834.520	0.5	PASS
	Ant2	5825	19.000	5815.520	5834.520	0.5	PASS
11AX40MIMO	Ant1	5755	37.520	5736.120	5773.640	0.5	PASS
	Ant2	5755	37.840	5736.040	5773.880	0.5	PASS
	Ant1	5795	37.440	5776.040	5813.480	0.5	PASS
	Ant2	5795	37.520	5776.200	5813.720	0.5	PASS
11AX80MIMO	Ant1	5775	77.600	5735.960	5813.560	0.5	PASS
	Ant2	5775	77.440	5736.120	5813.560	0.5	PASS

Test Graphs







11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785




11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775



Appendix B: Maximum conducted output power

Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5745	11.28	≤30.00	PASS
	Ant2	5745	8.53	≤30.00	PASS
	Ant1	5785	11.01	≤30.00	PASS
	Ant2	5785	8.02	≤30.00	PASS
	Ant1	5825	11.06	≤30.00	PASS
	Ant2	5825	8.27	≤30.00	PASS
11N20MIMO	Ant1	5745	11.35	≤30.00	PASS
	Ant2	5745	8.65	≤30.00	PASS
	total	5745	13.22	≤28.5	PASS
	Ant1	5785	11.00	≤30.00	PASS
	Ant2	5785	8.01	≤30.00	PASS
	total	5785	12.77	≤28.5	PASS
	Ant1	5825	11.18	≤30.00	PASS
	Ant2	5825	7.40	≤30.00	PASS
	total	5825	12.70	≤28.5	PASS
11N40MIMO	Ant1	5755	10.12	≤30.00	PASS
	Ant2	5755	8.02	≤30.00	PASS
	total	5755	12.21	≤28.5	PASS
	Ant1	5795	10.15	≤30.00	PASS
	Ant2	5795	7.76	≤30.00	PASS
	total	5795	12.13	≤28.5	PASS
11AC20MIMO	Ant1	5745	11.29	≤30.00	PASS
	Ant2	5745	8.76	≤30.00	PASS
	total	5745	13.22	≤28.5	PASS
	Ant1	5785	10.92	≤30.00	PASS
	Ant2	5785	8.16	≤30.00	PASS
	total	5785	12.77	≤28.5	PASS
	Ant1	5825	11.14	≤30.00	PASS
	Ant2	5825	7.53	≤30.00	PASS
	total	5825	12.71	≤28.5	PASS
11AC40MIMO	Ant1	5755	10.21	≤30.00	PASS
	Ant2	5755	8.49	≤30.00	PASS
	total	5755	12.44	≤28.5	PASS
	Ant1	5795	10.11	≤30.00	PASS
	Ant2	5795	8.09	≤30.00	PASS
	total	5795	12.23	≤28.5	PASS
11AC80MIMO	Ant1	5775	10.51	≤30.00	PASS
	Ant2	5775	7.76	≤30.00	PASS
	total	5775	12.36	≤28.5	PASS
11AX20MIMO	Ant1	5745	11.57	≤30.00	PASS
	Ant2	5745	8.87	≤30.00	PASS

	total	5745	13.44	≤28.5	PASS
	Ant1	5785	11.03	≤30.00	PASS
	Ant2	5785	8.50	≤30.00	PASS
	total	5785	12.96	≤28.5	PASS
	Ant1	5825	11.25	≤30.00	PASS
	Ant2	5825	7.75	≤30.00	PASS
	total	5825	12.85	≤28.5	PASS
11AX40MIMO	Ant1	5755	10.29	≤30.00	PASS
	Ant2	5755	7.97	≤30.00	PASS
	total	5755	12.29	≤28.5	PASS
	Ant1	5795	10.35	≤30.00	PASS
	Ant2	5795	7.89	≤30.00	PASS
	total	5795	12.30	≤28.5	PASS
11AX80MIMO	Ant1	5775	10.92	≤30.00	PASS
	Ant2	5775	8.78	≤30.00	PASS
	total	5775	12.99	≤28.5	PASS

Note: The Duty Cycle Factor is compensated in the test result.

Appendix C: Maximum power spectral density

Test Result


TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5745	5.09	≤30.00	PASS
	Ant2	5745	2	≤30.00	PASS
	Ant1	5785	4.34	≤30.00	PASS
	Ant2	5785	1.79	≤30.00	PASS
	Ant1	5825	4.92	≤30.00	PASS
	Ant2	5825	1.82	≤30.00	PASS
11N20MIMO	Ant1	5745	6.13	≤30.00	PASS
	Ant2	5745	3.86	≤30.00	PASS
	total	5745	8.15	≤28.5	PASS
	Ant1	5785	5.7	≤30.00	PASS
	Ant2	5785	2.46	≤30.00	PASS
	total	5785	7.39	≤28.5	PASS
	Ant1	5825	5.71	≤30.00	PASS
	Ant2	5825	2.91	≤30.00	PASS
	total	5825	7.54	≤28.5	PASS
11N40MIMO	Ant1	5755	2.67	≤30.00	PASS
	Ant2	5755	0.88	≤30.00	PASS
	total	5755	4.88	≤28.5	PASS
	Ant1	5795	3	≤30.00	PASS
	Ant2	5795	0.46	≤30.00	PASS
	total	5795	4.92	≤28.5	PASS
11AC20MIMO	Ant1	5745	5.15	≤30.00	PASS
	Ant2	5745	2.59	≤30.00	PASS
	total	5745	7.07	≤28.5	PASS
	Ant1	5785	4.48	≤30.00	PASS
	Ant2	5785	2.1	≤30.00	PASS
	total	5785	6.46	≤28.5	PASS
	Ant1	5825	5.41	≤30.00	PASS
	Ant2	5825	0.77	≤30.00	PASS
	total	5825	6.69	≤28.5	PASS
11AC40MIMO	Ant1	5755	4	≤30.00	PASS
	Ant2	5755	2.6	≤30.00	PASS
	total	5755	6.37	≤28.5	PASS
	Ant1	5795	2.98	≤30.00	PASS
	Ant2	5795	1.76	≤30.00	PASS
	total	5795	5.42	≤28.5	PASS
11AC80MIMO	Ant1	5775	0.83	≤30.00	PASS
	Ant2	5775	-1.98	≤30.00	PASS
	total	5775	2.66	≤28.5	PASS
11AX20MIMO	Ant1	5745	7.39	≤30.00	PASS
	Ant2	5745	4.52	≤30.00	PASS


	total	5745	9.20	≤ 28.5	PASS
	Ant1	5785	6.34	≤ 30.00	PASS
	Ant2	5785	4.35	≤ 30.00	PASS
	total	5785	8.47	≤ 28.5	PASS
	Ant1	5825	6.96	≤ 30.00	PASS
	Ant2	5825	3.37	≤ 30.00	PASS
	total	5825	8.54	≤ 28.5	PASS
11AX40MIMO	Ant1	5755	3.12	≤ 30.00	PASS
	Ant2	5755	1.24	≤ 30.00	PASS
	total	5755	5.29	≤ 28.5	PASS
	Ant1	5795	5.24	≤ 30.00	PASS
	Ant2	5795	1.23	≤ 30.00	PASS
	total	5795	6.69	≤ 28.5	PASS
11AX80MIMO	Ant1	5775	0.51	≤ 30.00	PASS
	Ant2	5775	-1.4	≤ 30.00	PASS
	total	5775	2.67	≤ 28.5	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs







11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785




11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775



Appendix D: Band edge measurements

Test Result





TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-41.58	≤-8.06	PASS
				5700~5720	-41.19	≤14.47	PASS
				5720~5725	-38.67	≤26.83	PASS
				5760~5650	-43.71	≤-27	PASS
	Ant2	Low	5745	5650~5700	-42.07	≤-7.64	PASS
				5700~5720	-41.89	≤10.09	PASS
				5720~5725	-40.07	≤19.75	PASS
				5760~5650	-43.22	≤-27	PASS
	Ant1	High	5825	5850~5855	-41.71	≤25.03	PASS
				5855~5875	-40.33	≤13.73	PASS
				5875~5925	-41.99	≤-2.58	PASS
				5925~5935	-42.24	≤-27	PASS
	Ant2	High	5825	5850~5855	-41.61	≤24.41	PASS
				5855~5875	-41.45	≤10.55	PASS
				5875~5925	-41.06	≤-8.27	PASS
				5925~5935	-42.33	≤-27	PASS
11N20MI MO	Ant1	Low	5745	5650~5700	-41.88	≤-9.51	PASS
				5700~5720	-40.07	≤15.47	PASS
				5720~5725	-35.61	≤26.04	PASS
				5760~5650	-43.9	≤-27	PASS
	Ant2	Low	5745	5650~5700	-42.3	≤6.74	PASS
				5700~5720	-42.36	≤15.50	PASS
				5720~5725	-39.27	≤26.57	PASS
				5760~5650	-43.97	≤-27	PASS
	Ant1	High	5825	5850~5855	-40.93	≤26.26	PASS
				5855~5875	-41.05	≤11.50	PASS
				5875~5925	-42.24	≤-22.86	PASS
				5925~5935	-42.73	≤-27	PASS
	Ant2	High	5825	5850~5855	-41.75	≤19.49	PASS
				5855~5875	-41.69	≤12.25	PASS
				5875~5925	-41.94	≤-26.46	PASS
				5925~5935	-42.38	≤-27	PASS
11N40MI MO	Ant1	Low	5755	5650~5700	-41.37	≤-15.32	PASS
				5700~5720	-32.87	≤14.90	PASS
				5720~5725	-33.12	≤21.28	PASS
				5780~5650	-42.85	≤-27	PASS
	Ant2	Low	5755	5650~5700	-41.06	≤8.86	PASS
				5700~5720	-37.11	≤14.75	PASS
				5720~5725	-35.74	≤24.66	PASS
				5780~5650	-43.91	≤-27	PASS


	Ant1	High	5795	5850~5855	-42.38	≤23.93	PASS
				5855~5875	-42.05	≤10.46	PASS
				5875~5925	-41.96	≤-25.82	PASS
				5925~5935	-42.13	≤-27	PASS
	Ant2	High	5795	5850~5855	-41.69	≤16.03	PASS
				5855~5875	-41.38	≤12.63	PASS
				5875~5925	-41.41	≤-15.32	PASS
				5925~5935	-41.88	≤-27	PASS
11AC20M IMO	Ant1	Low	5745	5650~5700	-42.89	≤2.66	PASS
				5700~5720	-41.76	≤14.53	PASS
				5720~5725	-37.93	≤24.73	PASS
				5760~5650	-43.59	≤-27	PASS
	Ant2	Low	5745	5650~5700	-42.61	≤-5.08	PASS
				5700~5720	-40.46	≤15.56	PASS
				5720~5725	-35.8	≤25.52	PASS
				5760~5650	-43.58	≤-27	PASS
	Ant1	High	5825	5850~5855	-41.79	≤18.56	PASS
				5855~5875	-41.22	≤15.09	PASS
				5875~5925	-41.44	≤-10.37	PASS
				5925~5935	-42	≤-27	PASS
	Ant2	High	5825	5850~5855	-42.2	≤18.87	PASS
				5855~5875	-41.29	≤14.67	PASS
				5875~5925	-41.42	≤-26.26	PASS
				5925~5935	-42.49	≤-27	PASS
11AC40M IMO	Ant1	Low	5755	5650~5700	-41.16	≤8.16	PASS
				5700~5720	-33.6	≤14.90	PASS
				5720~5725	-33.41	≤21.28	PASS
				5780~5650	-42.13	≤-27	PASS
	Ant2	Low	5755	5650~5700	-42.04	≤8.46	PASS
				5700~5720	-38.34	≤14.90	PASS
				5720~5725	-37.33	≤23.43	PASS
				5780~5650	-43.99	≤-27	PASS
	Ant1	High	5795	5850~5855	-42.6	≤17.54	PASS
				5855~5875	-41.79	≤11.66	PASS
				5875~5925	-41.83	≤-21.43	PASS
				5925~5935	-42.45	≤-27	PASS
	Ant2	High	5795	5850~5855	-41.93	≤21.30	PASS
				5855~5875	-42.15	≤11.93	PASS
				5875~5925	-41.71	≤-20.21	PASS
				5925~5935	-41.93	≤-27	PASS
11AC80M IMO	Ant1	Low	5775	5650~5700	-38.61	≤-2.94	PASS
				5700~5720	-37.23	≤15.56	PASS
				5720~5725	-35.33	≤21.30	PASS
				5800~5650	-42.95	≤-27	PASS
		High	5775	5850~5855	-38.94	≤15.79	PASS
				5855~5875	-39.61	≤14.89	PASS

				5875~5925	-41.57	≤1.11	PASS
				5925~5935	-42.49	≤-27	PASS
	Ant2	Low	5775	5650~5700	-41.51	≤9.33	PASS
				5700~5720	-40.54	≤10.57	PASS
				5720~5725	-40.53	≤17.41	PASS
				5800~5650	-43.28	≤-27	PASS
		High	5775	5850~5855	-41.49	≤16.64	PASS
				5855~5875	-41.89	≤12.82	PASS
				5875~5925	-41.47	≤0.01	PASS
				5925~5935	-42.2	≤-27	PASS
11AX20M IMO	Ant1	Low	5745	5650~5700	-41.94	≤7.17	PASS
				5700~5720	-39.01	≤15.37	PASS
				5720~5725	-34.44	≤23.94	PASS
				5760~5650	-43.54	≤-27	PASS
	Ant2	Low	5745	5650~5700	-41.42	≤9.51	PASS
				5700~5720	-42.07	≤15.53	PASS
				5720~5725	-37.21	≤23.68	PASS
				5760~5650	-43.56	≤-27	PASS
	Ant1	High	5825	5850~5855	-37.36	≤15.79	PASS
				5855~5875	-41.01	≤11.01	PASS
				5875~5925	-40.7	≤-26.36	PASS
				5925~5935	-41.83	≤-27	PASS
	Ant2	High	5825	5850~5855	-41.13	≤25.34	PASS
				5855~5875	-41.62	≤13.27	PASS
				5875~5925	-41.66	≤-11.97	PASS
				5925~5935	-40.3	≤-27	PASS
11AX40M IMO	Ant1	Low	5755	5650~5700	-40.88	≤-19.91	PASS
				5700~5720	-32.26	≤14.90	PASS
				5720~5725	-33.56	≤21.28	PASS
				5780~5650	-43.05	≤-27	PASS
	Ant2	Low	5755	5650~5700	-42.24	≤-4.13	PASS
				5700~5720	-39.27	≤15.16	PASS
				5720~5725	-36.48	≤17.89	PASS
				5780~5650	-43.05	≤-27	PASS
	Ant1	High	5795	5850~5855	-42.21	≤22.80	PASS
				5855~5875	-41.98	≤12.30	PASS
				5875~5925	-41.17	≤-16.54	PASS
				5925~5935	-43.04	≤-27	PASS
	Ant2	High	5795	5850~5855	-41.43	≤15.66	PASS
				5855~5875	-42.09	≤11.98	PASS
				5875~5925	-40.85	≤-4.94	PASS
				5925~5935	-42.93	≤-27	PASS
11AX80M IMO	Ant1	Low	5775	5650~5700	-38.71	≤-2.25	PASS
				5700~5720	-37.35	≤14.91	PASS
				5720~5725	-36.25	≤15.65	PASS
				5800~5650	-43.35	≤-27	PASS


		High	5775	5850~5855	-40.08	≤17.90	PASS
				5855~5875	-39.55	≤14.89	PASS
				5875~5925	-41.17	≤-26.13	PASS
				5925~5935	-41.44	≤-27	PASS
	Ant2	Low	5775	5650~5700	-40.53	≤8.53	PASS
				5700~5720	-38.42	≤14.22	PASS
				5720~5725	-37.74	≤25.89	PASS
				5800~5650	-42.76	≤-27	PASS
		High	5775	5850~5855	-40.83	≤22.12	PASS
				5855~5875	-40.87	≤12.46	PASS
				5875~5925	-41.78	≤-12.03	PASS
				5925~5935	-40.57	≤-27	PASS

Test Graphs







11N20MIMO_Ant1_Low_5745




11N20MIMO_Ant2_Low_5745




11N20MIMO_Ant1_High_5825



11N20MIMO_Ant2_High_5825



11N40MIMO_Ant1_Low_5755



11N40MIMO_Ant2_Low_5755