















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-32.52	-27	Pass
NVNT	ac20	5180	Ant2	-32.5	-27	Pass
NVNT	ac20	5200	Ant1	-34.19	-27	Pass
NVNT	ac20	5200	Ant2	-34.92	-27	Pass
NVNT	ac20	5240	Ant1	-33.54	-27	Pass
NVNT	ac20	5240	Ant2	-32.9	-27	Pass
NVNT	ac40	5190	Ant1	-32.92	-27	Pass
NVNT	ac40	5190	Ant2	-33.24	-27	Pass
NVNT	ac40	5230	Ant1	-33.19	-27	Pass
NVNT	ac40	5230	Ant2	-33.81	-27	Pass
NVNT	ac80	5210	Ant1	-33.6	-27	Pass
NVNT	ac80	5210	Ant2	-32.64	-27	Pass
NVNT	ax20	5180	Ant1	-33.19	-27	Pass
NVNT	ax20	5180	Ant2	-33.65	-27	Pass
NVNT	ax20	5200	Ant1	-33.26	-27	Pass
NVNT	ax20	5200	Ant2	-33.25	-27	Pass
NVNT	ax20	5240	Ant1	-33.5	-27	Pass
NVNT	ax20	5240	Ant2	-33.28	-27	Pass
NVNT	ax40	5190	Ant1	-33.47	-27	Pass
NVNT	ax40	5190	Ant2	-33.58	-27	Pass
NVNT	ax40	5230	Ant1	-33.52	-27	Pass
NVNT	ax40	5230	Ant2	-33.22	-27	Pass
NVNT	ax80	5210	Ant1	-32.87	-27	Pass
NVNT	ax80	5210	Ant2	-33.36	-27	Pass
NVNT	n20	5180	Ant1	-33.79	-27	Pass
NVNT	n20	5180	Ant2	-33.23	-27	Pass
NVNT	n20	5200	Ant1	-33.34	-27	Pass
NVNT	n20	5200	Ant2	-27.23	-27	Pass
NVNT	n20	5240	Ant1	-33.11	-27	Pass
NVNT	n20	5240	Ant2	-33.12	-27	Pass
NVNT	n40	5190	Ant1	-33.8	-27	Pass
NVNT	n40	5190	Ant2	-28.32	-27	Pass
NVNT	n40	5230	Ant1	-33.28	-27	Pass
NVNT	n40	5230	Ant2	-33.67	-27	Pass















































WIFI 5.8G:

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	97	0.13	0.71
NVNT	a	5785	Ant1	96.88	0.14	0.72
NVNT	a	5825	Ant1	98.79	0.05	∞
NVNT	a	5745	Ant2	96.99	0.13	0.72
NVNT	a	5785	Ant2	96.97	0.13	0.72
NVNT	a	5825	Ant2	96.89	0.14	0.72
NVNT	n20	5745	Ant1	96.81	0.14	0.77
NVNT	n20	5785	Ant1	96.85	0.14	0.76
NVNT	n20	5825	Ant1	98.65	0.06	0.37
NVNT	n20	5745	Ant2	96.88	0.14	0.77
NVNT	n20	5785	Ant2	96.84	0.14	0.76
NVNT	n20	5825	Ant2	96.89	0.14	0.76
NVNT	n40	5755	Ant1	96.81	0.14	1.49
NVNT	n40	5795	Ant1	97.33	0.12	1.49
NVNT	n40	5755	Ant2	94.28	0.26	1.54
NVNT	n40	5795	Ant2	93.49	0.29	1.56
NVNT	ac20	5745	Ant1	78.63	1.04	6.67
NVNT	ac20	5785	Ant1	78.64	1.04	6.67
NVNT	ac20	5825	Ant1	100	0	0
NVNT	ac20	5745	Ant2	96.9	0.14	0.76
NVNT	ac20	5785	Ant2	96.82	0.14	0.77
NVNT	ac20	5825	Ant2	96.89	0.14	0.76
NVNT	ac40	5755	Ant1	70.86	1.5	11.11
NVNT	ac40	5795	Ant1	70.89	1.49	11.11
NVNT	ac40	5755	Ant2	94.03	0.27	1.54
NVNT	ac40	5795	Ant2	94.03	0.27	1.54
NVNT	ac80	5775	Ant1	63.18	1.99	16.67
NVNT	ac80	5775	Ant2	88.6	0.53	3.03
NVNT	ax20	5745	Ant1	77.45	1.11	7.69
NVNT	ax20	5785	Ant1	77.4	1.11	7.69
NVNT	ax20	5825	Ant1	77.44	1.11	7.14
NVNT	ax20	5745	Ant2	96.05	0.18	0.98
NVNT	ax20	5785	Ant2	96.04	0.18	0.99
NVNT	ax20	5825	Ant2	96.05	0.18	0.98
NVNT	ax40	5755	Ant1	71.72	1.44	11.11
NVNT	ax40	5795	Ant1	71.7	1.44	11.11

NVNT	ax40	5755	Ant2	92.72	0.33	1.89
NVNT	ax40	5795	Ant2	92.82	0.32	1.89
NVNT	ax80	5775	Ant1	68.15	1.67	12.5
NVNT	ax80	5775	Ant2	88.24	0.54	3.45

