






## Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.261
NVNT	a	5200	Ant1	16.261
NVNT	a	5240	Ant1	16.189
NVNT	a	5180	Ant2	16.303
NVNT	a	5200	Ant2	16.273
NVNT	a	5240	Ant2	16.288
NVNT	n20	5180	Ant1	17.425
NVNT	n20	5200	Ant1	17.383
NVNT	n20	5240	Ant1	17.38
NVNT	n20	5180	Ant2	17.416
NVNT	n20	5200	Ant2	17.401
NVNT	n20	5240	Ant2	17.401
NVNT	n40	5190	Ant1	35.888
NVNT	n40	5230	Ant1	35.816
NVNT	n40	5190	Ant2	35.906
NVNT	n40	5230	Ant2	35.894
NVNT	ac20	5180	Ant1	17.428
NVNT	ac20	5200	Ant1	17.431
NVNT	ac20	5240	Ant1	17.407
NVNT	ac20	5180	Ant2	17.416
NVNT	ac20	5200	Ant2	17.35
NVNT	ac20	5240	Ant2	17.422
NVNT	ac40	5190	Ant1	35.936
NVNT	ac40	5230	Ant1	35.9
NVNT	ac40	5190	Ant2	35.924
NVNT	ac40	5230	Ant2	35.918
NVNT	ac80	5210	Ant1	75.34
NVNT	ac80	5210	Ant2	75.376
NVNT	ax20	5180	Ant1	18.712
NVNT	ax20	5200	Ant1	18.751
NVNT	ax20	5240	Ant1	18.769
NVNT	ax20	5180	Ant2	18.805
NVNT	ax20	5200	Ant2	18.79
NVNT	ax20	5240	Ant2	18.724
NVNT	ax40	5190	Ant1	37.598
NVNT	ax40	5230	Ant1	37.55
NVNT	ax40	5190	Ant2	37.598
NVNT	ax40	5230	Ant2	37.592
NVNT	ax80	5210	Ant1	76.912
NVNT	ax80	5210	Ant2	77.008















































































## Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.56	0.14	-0.42	11	Pass
NVNT	a	5200	Ant1	-0.17	0.14	-0.03	11	Pass
NVNT	a	5240	Ant1	-0.1	0.13	0.03	11	Pass
NVNT	a	5180	Ant2	0.64	0.12	0.76	11	Pass
NVNT	a	5200	Ant2	0.26	0.13	0.39	11	Pass
NVNT	a	5240	Ant2	1.13	0.12	1.25	11	Pass
NVNT	n20	5180	Ant1	-0.59	0.14	-0.45	11	Pass
NVNT	n20	5200	Ant1	-0.39	0.14	-0.25	11	Pass
NVNT	n20	5240	Ant1	-0.43	0.14	-0.29	11	Pass
NVNT	n20	5180	Ant2	1.02	0.14	1.16	11	Pass
NVNT	n20	5200	Ant2	-0.01	0.14	0.13	11	Pass
NVNT	n20	5240	Ant2	0.29	0.14	0.43	11	Pass
NVNT	n40	5190	Ant1	-4.26	0.32	-3.94	11	Pass
NVNT	n40	5230	Ant1	-5.13	0.25	-4.88	11	Pass
NVNT	n40	5190	Ant2	-4.5	0.26	-4.24	11	Pass
NVNT	n40	5230	Ant2	-3.53	0.26	-3.27	11	Pass
NVNT	ac20	5180	Ant1	-0.64	0.14	-0.5	11	Pass
NVNT	ac20	5200	Ant1	-1.33	0.14	-1.19	11	Pass
NVNT	ac20	5240	Ant1	0.33	0.14	0.47	11	Pass
NVNT	ac20	5180	Ant2	-0.6	0.14	-0.46	11	Pass
NVNT	ac20	5200	Ant2	0.23	0.14	0.37	11	Pass
NVNT	ac20	5240	Ant2	0.29	0.14	0.43	11	Pass
NVNT	ac40	5190	Ant1	-4.49	0.27	-4.22	11	Pass
NVNT	ac40	5230	Ant1	-2.93	0.27	-2.66	11	Pass
NVNT	ac40	5190	Ant2	-3.99	0.27	-3.72	11	Pass
NVNT	ac40	5230	Ant2	-3.61	0.27	-3.34	11	Pass
NVNT	ac80	5210	Ant1	-8.75	0.53	-8.22	11	Pass
NVNT	ac80	5210	Ant2	-9.65	0.69	-8.96	11	Pass
NVNT	ax20	5180	Ant1	1.37	0.18	1.55	11	Pass
NVNT	ax20	5200	Ant1	1.11	0.18	1.29	11	Pass
NVNT	ax20	5240	Ant1	1.64	0.18	1.82	11	Pass
NVNT	ax20	5180	Ant2	-0.51	0.18	-0.33	11	Pass
NVNT	ax20	5200	Ant2	0.26	0.18	0.44	11	Pass
NVNT	ax20	5240	Ant2	-0.24	0.18	-0.06	11	Pass
NVNT	ax40	5190	Ant1	-3.48	0.33	-3.15	11	Pass
NVNT	ax40	5230	Ant1	-3.22	0.33	-2.89	11	Pass
NVNT	ax40	5190	Ant2	-5.26	0.42	-4.84	11	Pass
NVNT	ax40	5230	Ant2	-4.05	0.33	-3.72	11	Pass
NVNT	ax80	5210	Ant1	-8.07	0.69	-7.38	11	Pass
NVNT	ax80	5210	Ant2	-10.62	0.54	-10.08	11	Pass

