

SECURE DRIVE
BLUETOOTH



USER MANUAL

Contents

SecureDrive-BT Overview 3

Safety Information 3

SecureDrive-BT Features 5

Icon Interpretations 6

Installing the Accompanying App 6

Passwords and Procedures 7

Password Requirements 7

Procedural Conventions 7

Adding the Drive to the App (Pairing) 7

Unlocking the Drive 8

Disconnecting the Drive from Your Computer 8

Locking without Unplugging from the Computer 9

Setting Options 10

Entering Settings Mode 10

Password Options 10

Locking Options and Access Options 11

Managing the Drive 13

Removing a Drive 13

Brute Force Hacking Detection 14

Resetting (Deleting) the Drive 14

Creating a Password after a Reset (Blank Drive) 15

Reformatting the Drive 16

Technical Support 21

Contact Information 21

Troubleshooting 22

Warranty and RMA Information 22

SecureDrive-BT Overview

Thank you for purchasing the SecureDrive™-BT Model ('Drive' hereafter). It's an easy to use, hardware encrypted USB 3.0, password activated external Drive. This Bluetooth®-capable model uses an application via wireless user-authentication on a smartphone—iOS and Android. (Apple iOS includes Apple watch and iPad.)

The Drive uses military grade XTS-AES 256-bit hardware encryption, which encrypts all data stored on it in real-time. It works on all computer and embedded systems that support standard USB protocol.

Should your Drive get lost or stolen, rest assured that all data on it is protected by military grade encryption and cannot be accessed without entering the password via the DataLock App.

NOTE: For extra security with multiple users, the Remote Manager Model allows a User and an Admin password as well as allowing the admin to remotely make settings to Users' Drives. This makes it perfect for corporate and government deployment (not covered in this manual.)

Your drive may have Cloud Backup and built-in Antivirus features installed. For more information, please contact Support at SecureData™.


REQUIREMENTS

The Drive must be connected to a computer for use. It works on Windows, Mac, Android, Linux, or Chrome operating system, or any host such as an embedded system. The computer/host must have a USB 2.0 port, minimum.

WHAT'S INCLUDED?

- 1 SecureDrive
- 1 Quick Start Guide
- 1 USB 3.0 cable

Safety Information

This icon  indicates important information regarding the safety of the product (Cautions). Please be mindful of these messages. Contact [support](#) if you have questions.

PRECAUTIONS

- Do not expose the Drive to water or moisture.
- Resetting the Drive will delete all stored data as well as all passwords.
- Forgetting your password will render the Drive inaccessible. There is no 'backdoor.'
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the device.

EMI CAUTIONS

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



CAUTION: Risk of loss of use. Changes or modifications not expressly approved by the party responsible could void the user's authority to operate this device.

The normal function of the product may be disturbed by strong Electro Magnetic Interference. If so, simply reset the product to resume normal operation by following the instruction manual. In case the function could not resume, please use the product in other location.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

RF Exposure statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

SecureDrive-BT Features











Figure 1: SecureDrive BT layout showing LEDs and ID numbers.











Icon Interpretations

ON THE DRIVE

LEDs on the Drive are represented here by colored icons.

LED	Meaning
   (one blink)	Plugged into computer; LED test
 = Red solid	Powered and locked <i>but not</i> BT-connected
 = Red blinking	Powered and locked <i>and</i> BT-connected
 Blue solid  Blue blinking	The Drive is unlocked and accessed (Drive is transferring data). NOTE: The blue LED may be on or blinking during any procedure after the Drive is unlocked.
 = Green solid	Powered and Unlocked. Settings operation was successful.

ON THE APP

App Icon	Meaning
	Drive is locked
	Drive is unlocked
	Drive is blank such as when not formatted
	The Drive is BT-connected to the app and Authenticated. If you don't see this icon, the Drive is BT-connected but not Authenticated which means that if the Drive is unlocked you can access your files but cannot access the Settings Menu or swipe right to lock.
	Change the password
	App will remember the password
	Inactivity AutoLock
	Step-away AutoLock
	Read-Only Mode
	Reset the Drive (erase all data and settings)

Installing the Accompanying App

The app, named DataLock®, for your new Drive must be installed on an iOS or Android device to control all the Drive's functions. Only one app is required to control multiple Drives.

Download the app for an iOS device from the Apple App Store or for an Android device from Google Play. It can be installed just like any other app, clicking Download then Install.



Download the DataLock App and then install it.

Passwords and Procedures

The SecureDrive–BT Model is shipped with password 11223344. We strongly suggest changing the password for security.



CAUTION: Risk of loss of data. If you forget your password all data will be inaccessible and reformatting will be required. There is not 'backdoor.'

Password Requirements

Your password must:









- be 7-15 characters in length, letters or numbers. Special characters okay.
- not contain only repetitive numbers or letters, e.g. (3333333) or (ccccccc)
- not contain only consecutive numbers or letters, e.g. (1234567), (78901234), (7654321), (abcdefg)

Procedural Conventions

All actions require the Drive to be connected to a computer with the USB cable. The procedures in this manual show LED status that you should see after performing each step. Next to it is what the app displays at some point during the procedure.

Adding the Drive to the App (Pairing)

The eight-digit Device ID is required; is it printed on the drive.

















Adding the Drive	LED	APP
1. Connect the Drive to a computer with the USB cable.	   (one blink) Then 	
2. Start the DataLock App on your device. NOTE: Ensure your device is BT enabled.		
3. Tap  and select the drive and follow the app instructions.		

Unlocking the Drive



CAUTION: Possible loss of data. After ten failed attempts to unlock the Drive, the password, all data, and the formatting will be deleted. Refer to *Brute Force Hacking Detection* on page 14.

NOTE: Until the Drive is unlocked it does not display in your computer's File Manager (Explorer or Finder).

Unlock the Drive	LED	APP
A. WHEN NOT CONNECTED: 1. Connect the Drive to a computer with the USB cable.	   (one blink) Then 	
2. Start the DataLock App on your device. NOTE: Ensure your device is BT enabled.		
3. Tap the Drive name.		
4. Type in the password ¹ and tap Unlock .		
B. AFTER WAKING FROM SLEEP <i>(i.e., 'not authenticated' which is caused when some OS's sleep).</i>		
1. Open the app.	 or 	
2. Tap the Drive name.		
3. Type in the password ¹ .		
4. Tap Unlock .		

¹ The password on new Drives is 11223344.

We strongly suggest changing the password after unlocking.

Refer to Changing the Password on page 10.

NOTE: If the Drive still doesn't appear in your computer's file manager, refer to *Troubleshooting* on page 22.

Disconnecting the Drive from Your Computer












Generally, you can just unplug the USB cable.

NOTE: Some computer systems may require clicking the Safely Remove Hardware/Eject icon on your system prior to unplugging the cable from the computer. Wait for the

red LED to come on indicating it is locked and ready to disconnect from the computer.

Locking without Unplugging from the Computer

The two methods shown below (A & B) allow for the two states the app could be in: Authenticated (logged in) or not.



Lock without Unplugging	LED	APP
<p>A. If the App is still BT-connected to the Drive and unlocked:</p> <ol style="list-style-type: none"> In the app, swipe the desired drive name to the left. <p>If it does not swipe left, it needs to be authenticated. See B below.</p>		
<ol style="list-style-type: none"> Tap Lock. The Drive locks. 		
<p>B. If the App is still BT-connected to the Drive but not Authenticated (this  does not appear):</p> <ol style="list-style-type: none"> In the app, tap the desired drive name. NOTE: If <i>Remember Password</i> is on, skip the next step. 		
<ol style="list-style-type: none"> Type in the password and tap Re-Authenticate. 		
<ol style="list-style-type: none"> Lock the Drive—refer to the steps in part A above. 		

Setting Options

The following headings describe enabling options and features.

For Remote Management options and corporate administrators, see our website for the Remote Management BT Model.

NOTE: All actions require the Drive to be connected to a computer with the USB cable.

NOTE: Unless otherwise noted, procedures listed below assume the Drive has already been unlocked  and authenticated. 

Entering Settings Mode

The Settings Mode allows functions such as enabling and disabling the *Read-Only* feature and an automatic *Step-away AutoLock*. Access the Settings Mode by tapping the desired Drive name anytime it's unlocked and authenticated.









Figure 2: The Settings Menu, partial view. ⇨

Password Options

CHANGING THE PASSWORD

With your Drive connected to a computer, follow these steps to change an existing password.

Change the Password	LED	APP
1. With the Drive unlocked, tap the desired drive name.		
2. Tap Change Password and enter your <i>current</i> password.		Refer to Figure 2: above.
3. Enter your old password, then new password and retype it into the Confirm field.		
4. Tap Change Password .		

NOTE: If a mistake was made while defining a new password or the procedure was not completed, the Drive will retain the old password.

SETTING TO REMEMBER PASSWORD

To skip entering your password every time, you can have the password field auto-fill.



CAUTION: Security risk. The application will not require a password to unlock your Drive. With this setting we strongly suggest that you enable a passcode on your iOS/Android device.

Also, if the *Step-away AutoLock* feature is on, the Drive will authenticate and unlock automatically as soon as the app is opened and within BT range.

Remember Password	LED	App
1. With the Drive unlocked and authenticated (logged in), tap the desired drive name.		
2. Tap the Remember Password button to the ON position (green).		
3. Tap Yes to confirm.		





Locking Options and Access Options

Below are the three features for locking or restricting usage (and undoing them).

ENABLING READ-ONLY

Once Read-Only is set, access prevents writing or changing data and saving or deleting files until Read/Write is enabled.






Enable Read-Only	LED	App
1. With the Drive unlocked and authenticated, tap the desired drive name.		

2. Tap the Read Only button to the ON position (green).		
3. Tap Lock Now to the message about relocking.		

The Drive will be in R-O Mode when unlocked.

ENABLING READ/WRITE

Read-Only can be turned off restoring read and write access.





Enable Read/Write	LED	App
1. With the Drive unlocked and authenticated (logged in), tap the desired drive name.		
2. Tap the Read Only button to the OFF position (not green).		
3. Tap Lock Now to confirm disabling Read-Only.		

The Drive will be in Read/Write mode when unlocked.

SETTING THE INACTIVITY LOCK



To protect against unauthorized access when the Drive is connected to a host computer and unattended, the Drive can be set to automatically lock after a pre-set amount of time.



The default state of the Inactivity Lock is OFF. This feature can be set to activate (lock) at predefined times between 1 and 60 minutes.

Enable Inactivity Lock	LED	App
1. With the Drive unlocked and authenticated, tap the desired drive name.		
2. Tap Inactivity Lock .		
3. Tap the desired inactivity interval after which time the Drive will automatically lock.		A checkmark displays. ✓

The Inactivity Lock is now set for subsequent Drive use, until changed. When it locks, the red Drive LED lights.

DISABLING THE INACTIVITY LOCK






Disable the Inactivity Lock	LED	App
1. With the Drive unlocked and authenticated, tap the desired drive name.		

2. Tap Inactivity Lock .		
3. Tap Never .		A checkmark displays. ✓

The Inactivity Lock is now disabled.

SETTING THE STEP-AWAY AUTOLOCK ON AND OFF

The Step-away AutoLock will lock the Drive (disappear from the File Explorer/Finder) when the iOS/Android device is moved about 3m away from the Drive for longer than 5 seconds. When returned to the Drive vicinity, the Drive unlocks automatically when Remember Password option is ON (see *Setting to Remember Password* on page 11).

Set the Step-away AutoLock	LED	App
1. With the Drive unlocked and authenticated, tap the desired drive name.		
2. Tap the Step-away AutoLock button to the ON position (green).		
3. Tap Yes to confirm.		


The Step-away AutoLock is now on.

To disable the Step-away AutoLock, tap the Step-away AutoLock button OFF (not green).

Managing the Drive

The following headings discuss important, though less common, actions for managing your Drive.










Removing a Drive

If you don't want to use a previously paired Drive with your smartphone app, you can remove this Drive from the app. You can always add it back again by clicking  at the Home window. To add a Drive, see *Adding the Drive to the App (Pairing)* on page 7.



CAUTION: Risk of unprotected data. Removing the Drive from your device when it's unlocked will leave the Drive unlocked. Anyone will be able to

access your data without a password until it is unplugged from the computer which will lock it.

Remove a Drive	LED	App
1. With the Drive locked or unlocked, touch the desired drive name and swipe <i>right</i> . (If unlocked, see the caution message above.)	 or 	 or 
2. Tap Remove.		
3. Tap Remove to confirm.	 or 	 or 

Brute Force Hacking Detection



Entering an incorrect password ten consecutive times, the Drive brute force hacking detection triggers and **the password, all data, and format will be deleted**. To re-use the Drive see *Creating a Password after a Reset (Blank Drive)* on page 15. The data is not recoverable.







Resetting (Deleting) the Drive



CAUTION: Resetting the Drive will delete all data stored on it including password and formatting. After resetting it, the Drive must be formatted. See *Creating a Password after a Reset (Blank Drive)* on page 15.

If your password has been forgotten, or you want to delete all data stored on the Drive including the password, you can perform the following Reset function. It also removes the encryption, requiring the Drive to be reformatted to generate new encryption. To reformat the Drive after resetting it, see the heading *Reformatting the Drive* on page 16.










Reset the Drive	LED	App
1. With the Drive unlocked and authenticated (logged in), tap the desired drive name.		





2. Tap Reset Drive .		
3. Tap Reset Drive .		
4. Tap Reset to confirm.		
5. Type in the Device ID (find it next to the USB port) and tap OK .		

All data is now removed from the Drive.

Creating a Password after a Reset (Blank Drive)

Perform this procedure after has been reset. This password procedure is required to format the Drive must be performed after the app has been installed on your phone (or other device) to use the Drive.

Create a Password	LED	App
1. Connect the Drive to a computer with the USB cable.	 (one blink) then 	
2. Start the app.		
3. If the Drive name doesn't appear, tap  (upper left) and then tap the drive name.		 NOTE: If the Drive is not blank you'll see  . Refer to page 13.
4. Tap the drive name.		

5. Type in password and confirm it.		
6. Tap Create Password .		
To continue, your Drive now requires formatting. See <i>Reformatting the Drive</i> below.		



CAUTION: If a mistake was made while defining a new password or the procedure was not completed, the red LED will come on. The Drive is unusable without a password.

Reformatting the Drive

In the event that hacking detection has been triggered or the Drive has been reset, all data on the Drive has been deleted. The Drive must then be initialized and reformatted.

To initialize your SecureDrive, do the following:

FOR A WINDOWS OS

Admin permissions for the PC is required for this procedure.

1. Connect the Drive to your computer with the USB cable.
2. Create User Password if you have not already done so (see *Creating a Password after a Reset* (Blank Drive) on page 15).
3. Open Explorer.
4. Right-click This PC > Left-click Manage.
5. In the Computer Management dialog's left column, click Storage > Disk Management and wait for it to populate.
6. If Initialize Disk dialog doesn't popup, R-click the 'Unknown' disk, usually Disk 1, and click Initialize disk.




Figure 3: Initializing the SecureDrive disk (shown here as Disk 1).

7. Make sure GPT is selected and then click OK.




Figure 4: The SecureDrive is shown here as Disk 1. It is Online but not yet allocated. (Windows 10 shown here.)

8. After Unknown changes to Online, right-click near Unallocated > New Simple Volume.
9. Follow the Wizard prompts. Select a drive letter (it generally defaults to the next available letter) and then follow the prompts in the Wizard.
10. At the Format Removable Disk dialog, select a Volume Label, and select NTFS.

11. Continue to follow the prompts.

While the SecureDrive is formatting the blue LED blinks.

12. Click Finish to end and close the Wizard.




Figure 5: The SecureDrive is displayed here as “Disk 1.” It is Online and allocated (Healthy) and ready for use.

13. Close the Computer Management dialog if it's still open.

When finished the New Volume (usually E) reads Healthy and a second Explorer window opens to display the drive contents. The SATA blue LED lights.

FOR MAC OS

1. Connect to a Mac computer's USB port.
2. Click Initialize in the popup message (shown below). The Disk Utility Dialog displays.





Figure 6: The Disk Utility Dialog.

3. Click Erase to open the dialog box.
4. Ensure your drive displays in the Name field and click Erase. The system begins erasing the external Drive and renaming it SECUREDRIVE.






Figure 7: *SecureDrive* displays under the list of External Drive when done (as well as on the desktop).

5. Click Done in the message dialog when available.
SecureDrive is now displayed under External in the left column.
6. Close the Disk Utility.

Technical Support

This section covers contact information and information that SecureData, Inc. may require to quickly assist you. Our website is also a great resource.

www.securedrive.com

Contact Information


Technical Support email: help@securedrive.com

Phone	Mailing Address
USA: 1-800-875-3230 International: +1-323-944-0822	SecureData, Inc. 3255 Cahuenga Blvd. West #301 Los Angeles, CA 90068-1178


NOTE: Prior to contacting SecureData Inc., please have the following information ready.

- The Drive Firmware Version Number (refer to the next heading)
- The Software Version Number (refer to the next heading)
- Serial Number (S/N) on the back of the device

FINDING THE VERSION NUMBERS



The drive *firmware version number* is at the bottom of the Settings window. Unlock the Drive and tap the drive name to display the Settings window.



The *App (software) version number* is displayed in a dialog by tapping the [?] for Help.

Troubleshooting

- After unlocking the drive, your computer shows that the external drive is connected (icon displays) but you cannot access the drive data (it doesn't display in Explorer (Windows) or Finder (Mac).
 - The drive is not initialized and needs to be formatted—no data exists. It may have been reset. To format, see *Reformatting the Drive* on page 16.
- I can't swipe right to lock the drive in the DataLock App even though the drive name and unlock-icon display.
 - The drive is not authenticated (🔒 does not display). Simply tap the drive name, enter the password and tap Re-Authenticate.
- Tapping the drive name in the app doesn't do anything.
 - If you've used a different drive prior to the current one, that old one may still display in the app. With the drive plugged in, and with Bluetooth on your iOS/Android device turned on, tap the plus sign (+) to add your current SecureDrive. You'll need the drive Device ID number.
- If you think your keypad is faulty, contact *Technical Support*, page 21.

Warranty and RMA Information

(Returned Merchandise Authorization)

TWO YEAR LIMITED WARRANTY

As explained below, SecureData, Inc. offers a two-year limited warranty on the SecureDrive™ against defects in materials and workmanship under normal use. The limited warranty period is effective from the date of purchase either directly from SecureData, Inc. or an authorized reseller.

DISCLAIMER AND TERMS OF WARRANTY

THIS LIMITED WARRANTY BECOMES EFFECTIVE ON THE DATE OF PURCHASE AND MUST BE VERIFIED WITH YOUR SALES RECEIPT OR INVOICE CLEARLY DISPLAYING THE DATE AND SOURCE OF PRODUCT PURCHASE. SECUREDATA, INC. WILL, AT NO ADDITIONAL CHARGE (EXCEPT FOR ANY DELIVERY CHARGES, WHICH REMAIN THE CUSTOMER'S RESPONSIBILITY), REPAIR OR REPLACE DEFECTIVE PARTS WITH NEW PARTS OR SERVICEABLE USED PARTS THAT ARE EQUIVALENT TO NEW IN PERFORMANCE. SECUREDATA, INC. SHALL HAVE SOLE AND COMPLETE DISCRETION ON WHETHER TO USE NEW PARTS OR SERVICEABLE USED PARTS. ALL EXCHANGED PARTS AND PRODUCTS REPLACED UNDER THIS WARRANTY WILL BECOME THE PROPERTY OF SECUREDATA, INC.

THIS WARRANTY DOES NOT EXTEND TO ANY PRODUCT NOT PURCHASED DIRECTLY FROM SECUREDATA, INC. OR AN AUTHORIZED RESELLER OR TO ANY PRODUCT THAT HAS BEEN DAMAGED OR RENDERED DEFECTIVE: 1. AS A RESULT OF ACCIDENT, MISUSE, NEGLIGENCE, ABUSE OR FAILURE AND/OR INABILITY TO FOLLOW THE WRITTEN INSTRUCTIONS PROVIDED IN THIS INSTRUCTION GUIDE; 2. BY THE USE OF PARTS NOT MANUFACTURED OR SOLD BY SECUREDATA, INC.; 3. BY MODIFICATION OF THE PRODUCT; OR 4. AS A RESULT OF SERVICE, ALTERATION OR REPAIR BY ANYONE OTHER THAN SECUREDATA, INC. IN THE EVENT OF ANY OF THESE SITUATIONS, THIS WARRANTY SHALL BE VOID. THIS WARRANTY DOES NOT COVER NORMAL WEAR AND TEAR.

EXCEPT AS EXPRESSLY PROVIDED ABOVE, NO OTHER WARRANTY, EITHER EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, HAS BEEN OR WILL BE MADE BY OR ON BEHALF OF SECUREDATA, INC. OR BY OPERATION OF LAW WITH RESPECT TO THE PRODUCT OR ITS INSTALLATION, USE, OPERATION, REPLACEMENT OR REPAIR.

LIMITATION OF LIABILITY

SECUREDATA, INC. SHALL NOT BE LIABLE BY VIRTUE OF ANY WARRANTY, PROMISE OR OTHERWISE, FOR ANY INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR PUNITIVE OR MULTIPLE DAMAGES, INCLUDING WITHOUT LIMITATION ANY DAMAGES RESULTING FROM ANY LOSS OF DATA RESULTING FROM THE USE OR OPERATION OF THE PRODUCT, LOSS OF USE, LOSS OF BUSINESS, LOSS OF REVENUE, OR LOSS OF PROFITS, WHETHER OR NOT SECUREDATA, INC. WAS APPRISED OF THE POSSIBILITY OF SUCH DAMAGES. SECUREDATA, INC.'S LIABILITY SHALL BE LIMITED TO THE ACTUAL COST OF THE PRODUCT OR \$1,000.00, WHICHEVER IS GREATER. THE FOREGOING LIMITATION OF LIABILITY SHALL APPLY REGARDLESS OF THE CAUSE OF ACTION UNDER WHICH SUCH DAMAGES ARE SOUGHT.

Copyright © 2017 SecureData, Inc.. All rights reserved.

SecureDrive™ and SecureData™ are trademarks of SecureData, Inc.
Windows® is a registered trademark of Microsoft Corporation.
DataLock® is a registered trademark of ClevX, LLC.

All other trademarks and copyrights referred to are the property of their respective owners.

Distribution of the work or derivative work in any standard (paper) book form for commercial purposes is prohibited unless prior permission is obtained from the copyright holder.

DOCUMENTATION IS PROVIDED AS IS AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

SecureDrive is developed and manufactured by SecureData, Inc. and is based on technology licensed from ClevX, LLC.

