

# \* RF Exposure

#### 1. Regulation

According to \$15.247(i), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the Commission's guidelines. See \$1.1307(b)(1) of this Chapter.

Frequency Range	Electric Field Strength [V/m]	Magnetic Field Strength [A/m]	Power Density [ <sup>mW/cm*</sup> ]	Averaging Time [minute]			
Limits for General Population / Uncontrolled Exposure							
0.3 ~ 1.34	614	1.63	*(100)	30			
1.34 ~ 30	824/f	2.19/f	*(180/f <sup>2</sup> )	30			
30 ~ 300	27.5	0.073	0.2	30			
300 ~ 1 500	/	/	f/1 500	30			
1 500 ~ 15 000	/	1	1.0	30			

Limits for Maximum Permissive Exposure: RF exposure is calculated.

f=frequency in Miz, \*= plane-wave equivalent power density

#### MPE (Maximum Permissive Exposure) Prediction

Predication of MPE limit at a given distance: Equation from page 18 of OET Bulletin 65, Edition 97-01  $S = PG/4\pi R^2 \quad \left(\Rightarrow R = \sqrt{PG/4\pi S}\right)$ 

S = power density [mW/cm<sup>2</sup>]

P = Power input to antenna [mW]

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna [cm]



## 2. RF Exposure Compliance Issue

The information should be included in the user's manual: This appliance and its antenna must not be co-located or operation in conjunction with any other antenna or transmitter. A minimum separation distance of 20 cm must be maintained between the antenna and the person for this appliance to satisfy the RF exposure requirements.

## 3. Calculation Result of RF Exposure

Mode	Target power	Tune up tolerance	Max tune up power	Max tune up power	Ant Gain	Ant Gain	Power Density at 20 cm	Limit
	[dB <b>m</b> ]	[dB]	[dB <b>m]</b>	[mW]	[dBi]	[mW]	[mW/cm <sup>2</sup> ]	[mW/cm <sup>2</sup> ]
CSS	23	±1.0	24	251.19	2.85	1.93	0.096 32	1.000 00
Total				-			0.096 32	1.000 00

#### 4. Target power and tolerance, Max tuneup power

Mode	Target power [dBm]	Tolerance [dB]	Max tuneup power [dBm]	Average Power [dBm]
923.3 MHz_Lowest	23	±1.0	24	22.25
925.1 MHz_Middle	23	±1.0	24	22.57
927.5 MHz_Highest	23	±1.0	24	22.28