

# FVELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C AND INDUSTRY CANADA RSS 247 REQUIREMENT

OF

Applicant:	WWZN Information Technology Company Limited Room 901, 9th Floor, No.19, Zhong Guancun Street, Haidian District, Beijing, 100080 China
Product Name:	Smart Watch
Brand Name:	TicWatch
Model No.:	WG12026, WG12016
Model Difference:	Enclosure difference
FCC ID:	2AP42-WG12026
IC:	24006-WG12026
Report Number:	ER/2018/60014
FCC Rule Part:	§15.247, Cat: DTS
IC Rule Part:	RSS-247 issue 2 Feb 2017
Issue Date:	Jul. 09, 2018
Date of Test:	Jun. 05, 2018~ Jun. 29, 2018
Date of EUT Received:	Jun. 05, 2018
	•

#### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits. The test results of this report relate only to the tested sample identified in this report.

Tested By:

Louis Chen / Engineer

Approved By:

Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs Stateware stated are textus single stateware textus and textus Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/60014	Rev.00	Initial creation of docu- ment	All	Jul. 09, 2018	Stefanie Yu / Clerk

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# **Table of Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	8
5	MEASUREMENT UNCERTAINTY	10
6	CONDUCTED EMISSION TEST	11
7	DUTY CYCLE OF TEST SIGNAL	15
8	PEAK OUTPUT POWER MEASUREMENT	18
9	6dB & 99% BANDWIDTH MEASUREMENT	22
10	CONDUCTED BAND EDGE AND SPURIOUS EMISSION MEASUREMENT	28
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	38
12	PEAK POWER SPECTRAL DENSITY	75
13	ANTENNA REQUIREMENT	79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### **GENERAL INFORMATION** 1

#### **1.1 Product description**

General:

Draduat Nama			
Product Name:	Smart Watch		
Brand Name:	TicWatch		
Model No.:	WG12026, WC	G12016	
Model difference:	Enclosure difference		
Product SW/HW version:	OWDT.180612.001 / 1000		
Radio SW/HW version:	OWDT.180612.001 / 1000		
	3.85Vdc Rechargeable Li-ion Battery or 5Vdc from USB port		
Power Supply:	Battery:	Model No.: SP452929SF Supplier: TianJin Lishen Battery Joint-Stock CO., LTD	

#### WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power in dBm (Peak)	Rated Power in dBm (EIRP)	Type of Emission	Modulation Technology
802.11b			17.75	14.93	13M3G1D	DSSS,
802.11g	2412-2462	11	19.24	9.97	17M2D1D	
802.11n HT20			19.36	9.98	18M2D1D	OFDM
Antenna	Designation:	PIFA Antenna, Antenna Gain: -1.78dBi				
Modulatio	on type:	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transition	n Rate:	802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 2 Feb. 2017

RSS-Gen. issue 5 Apr. 2018

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

#### **1.3 Test Facility**

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Number and Designation are: 509634 / TW0001

#### **1.4 Special Accessories**


There are no special accessories used while test was conducted.

#### **1.5 Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### SYSTEM TEST CONFIGURATION 2

#### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 Test Procedure

#### 2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, The CISPR Quasi-Peak and Average detector mode is employed according to §15.207 & RSS-Gen §8.8. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Train documents issued by the company subject to is defined conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss and attenuator.

#### Offset:

= RF cable loss (dB)+ attenuation factor(dB) dB =11 (dB)

### 2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission


Configuration



### Fig. 2-2 Conducted Emission (AC Power Line) Configuration



# **Fig.2-3 Conducted Emission** (Antenna Port) Configuration



#### Table 2-1 Equipment Used in Tested System

ltem	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L420	LR-7HXZA	N/A	N/A
3.	DC Power Supply	Anritsu	E3640A	MY40000811	2017/12/18	2018/12/17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### SUMMARY OF TEST RESULTS 3

FCC Rules	IC Rules	Description Of Test	Result
§15.207(a)	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	RSS-247 §5.4(4)	Peak Output Power	Compliant
§15.247(a)(2)	RSS-247 §5.2 (1) RSS-Gen §6.6	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	RSS-247 §5.5	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	RSS-247 §5.5	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	RSS-247 §5.2(2)	Power Spectral Density	Compliant
§15.203 §15.247(b)	RSS- Gen §6.8	Antenna Requirement	Compliant

#### 4 **DESCRIPTION OF TEST MODES**

#### 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n\_HT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
1	2412 MHz	7	2442 MHz
2	2417 MHz	8	2447 MHz
3	2422 MHz	9	2452 MHz
4	2427 MHz	10	2457 MHz
5	2432 MHz	11	2462 MHz
6	2437 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

#### **RADIATED EMISSION TEST:**

RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11g 1 to 11 6 OFDM 6 Main					

RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11b	1 to 11	1, 6, 11	DSSS	1	Main
802.11g	1 to 11	1, 6, 11	OFDM	6	Main
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	Main

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11b	1 to 11	1, 6, 11	DSSS	11	Main	
802.11g	1 to 11	1, 6, 11	OFDM	54	Main	
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	Main	

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### **MEASUREMENT UNCERTAINTY** 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edge	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB					
	30MHz - 180MHz: +/- 3.37dB					
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB					
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB					
	1GHz - 18GHz: +/- 4.04dB					
	18GHz - 40GHz: +/- 4.04dB					

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : <b>Horizontal</b> )	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





#### CONDUCTED EMISSION TEST 6

### 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)										
MHz	Quasi-peak	Average									
0.15 to 0.50	66 to 56	56 to 46									
0.50 to 5	56	46									
5 to 30	60 50										
	Note 1.The lower limit shall apply at the transition frequencies 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50										

#### 6.2 Measurement Equipment Used

	Conducted Emission Test Site											
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.							
EXA Spectrum Analyzer	Agilent	N9010A	MY5712029 0	2018/02/14	2019/02/13							
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01							
DC Power Supply	Anritsu	E3640A	MY40000811	2017/12/18	2018/12/17							

#### 6.3 EUT Setup


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 6.4 Test SET-UP (Block Diagram of Configuration)



#### **6.5 Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed


#### 6.6 Measurement Result


Note: Refer to next page for measurement data and plots. Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







No.	Mk.	Freq.	Level	Factor	ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1620	48.79	0.03	48.82	65.36	-16.54	peak	
2		0.1900	48.01	0.03	48.04	64.04	-16.00	peak	
3		0.2340	43.71	0.03	43.74	62.31	-18.57	peak	
4		0.3820	39.81	0.04	39.85	58.24	-18.39	peak	
5		1.0180	35.52	0.05	35.57	56.00	-20.43	peak	
6	•	3.4420	41.01	0.13	41.14	56.00	-14.86	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



6

19.7540


33.85


0.40

34.25

60.00

-25.75





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

peak

peak



#### DUTY CYCLE OF TEST SIGNAL 7

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### Formula:

Duty Cycle = Ton / (Ton+Toff)

#### **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

#### **Duty Cycle:**

	Duty Cycle (%)	Duty Factor (dB)	1/T (kHz)	VBW setting (kHz)
802.11b	97.51	0.11	0.12	1.00
802.11g	87.41	0.58	0.73	1.00
802.11n_20	86.57	0.63	0.78	1.00

*b* = 97.51%, *g* = 87.41%,*n*\_*ht*\_20 = 86.57%

Duty Cycle Factor: 10 \* log(1/0.9751) = 0.11 Duty Cycle Factor: 10 \* log(1/0.8741) = 0.58 Duty Cycle Factor: 10 \* log(1/0.8657) = 0.63

#DIV/0!

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 7.1 DUTY CYCLE TEST SIGNAL Measurement Result 802.11 b

	11:49:46 AM Jun 11, 2018			SENSE:INT	1	Swept SA		RF		RI
Frequency	TRACE 1 2 3 4 5 6	/oltage	Avg Typ	Trig: Free Run		000000	2.437	eq	er F	en
	DET PNNNNN			#Atten: 30 dB	PNO: Fast					
Auto Tu	4kr3 8.438 ms -0.29 dB	Δ				11 dB 0 dBm	Offset 30.0		Vdiv	
Contro Fr		344			×.					.og+
Center Fr 2.437000000 G					110.3					10.0
2.437000000 6										1.00
										0.0
StartFr										0.0
2.437000000 G										0.0
		w.			*					0.0
Stop Fr										0.0
2.437000000 G										0.0
CF St 8.000000 M Auto M	Span 0 Hz .13 ms (1001 pts)	veep 19		8.0 MHz	#VBW	0 GHz		1370 MH		
Auto M	FUNCTION VALUE	ION WOTH	UNCTION FU			х		c sa		
				-1.22 dB 19.62 dBm	3.227 ms (Δ) 5.142 ms		(A)	t	A2 F	1 2
Freq Offs				-0.29 dB 19.52 dBm	8.438 ms (Δ) 8.142 ms		(Δ)	t	64 F	3
0				19.02 0011	.142 105			•		5
Scale Ty										6 7 8
Log										9
										1
		STATUS								3

#### 802.11 g



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90元。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Train documents issued by the company subject to is defined conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### 802.11 n\_20 MHz

	ectrum Analyzar - Swep						
Center F	req 2.437000	DOOD GHz PNO: Fast		Run	Avg Type: Voltage	TYPE WUUUUUUU	
10 dB/div	Ref Offset 11 c Ref 30.00 dl	IFGain/Low				ΔMkr3 1.474 ms -0.42 dB	Auto Tun
00 20.0 10.0 10.0	traduation	My water water	adricijski drugovatka		2.304 Contrate to the contrate	all-summers much a	Center Fre 2.437000000 GH
0.0							Start Fre 2.437000000 GH
40,0 50,0 50,0		<b>T</b> *			···		Stop Fre 2.437000000 GH
enter 2./			BW 8.0 MHz	EUNC	Sweep	Span 0 Hz 3.667 ms (1001 pts)	CF Ste 8.000000 MH Auto Ma
1 Δ2 2 F 3 Δ4 4 F 5	t (Δ) t t (Δ) t	1.276 ms 825.0 µs 1.474 ms 825.0 µs	13.17 dE	dB 3m dB			Freq Offse
6 7 8 9							Scale Typ
11							Log L
53					STA	tus	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is encoured to the before a certer of the formation of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 8 PEAK OUTPUT POWER MEASUREMENT

### 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

Per RSS-247 §5.4(4)

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1W. Except as provided in Section 5.4(5), the e.i.r.p. shall not exceed 4 W.


Frequency (MHz)	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
2412~2462	-6.76	42.76

#### 8.2 Measurement Equipment Used

Conducted Emission Test Site											
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Power Meter	Anritsu	ML2496A	1804001	2018/02/01	2019/01/31						
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01						
Power Sensor	Anritsu	MA2411B	1726104	2018/02/01	2019/01/31						
DC Power Supply	Anritsu	E3640A	MY40000811	2017/12/18	2018/12/17						

### 8.3 Test Set-up

Power Meter:



#### 8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新 北市 五股區新北產業園區五工路 134 號



#### 8.5 Measurement Result

802.1	1b Main						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)		Limit		RESULT
1	2412	1	17.75	1 Watt =	30.00	dBm	PASS
6	2437	1	17.20	1 Watt =	30.00	dBm	PASS
11	2462	1	17.54	1 Watt =	30.00	dBm	PASS
802.1	1b Main	-					
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT
1	2412	1	14.85	1 Watt =	30.00	dBm	PASS
6	2437	1	14.67	1 Watt =	30.00	dBm	PASS
11	2462	1	14.93	1 Watt =	30.00	dBm	PASS
802.1	1g Main						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)		Limit		RESULT
1	2412	6	19.09	1 Watt =	30.00	dBm	PASS
6	2437	6	19.24	1 Watt =	30.00	dBm	PASS
11	2462	6	19.01	1 Watt =	30.00	dBm	PASS
802.1	1g Main						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit R			RESULT
1	2412	6	9.51	1 Watt =	30.00	dBm	PASS
6	2437	6	9.97	1 Watt =	30.00	dBm	PASS
11	2462	6	9,59	1 Watt =	30.00	dBm	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



802.1	802.11n_HT20M Main									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESULT						
1	2412	MCS0	19.12	1 Watt =	30.00	dBm	PASS			
6	2437	MCS0	19.36	1 Watt =	30.00	dBm	PASS			
11	2462	MCS0	19.05	1 Watt =	30.00	dBm	PASS			
802.1	1n_HT20	M Main								
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT			
1	2412	MCS0	9.61	1 Watt =	30.00	dBm	PASS			
6	2437	MCS0	9.98	1 Watt =	30.00	dBm	PASS			
11	2462	MCS0	9.69	1 Watt =	30.00	dBm	PASS			

\* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

1



#### EIRP

802.1	1b Main								
сн	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)		Limit		RESULT
1	2412	1	14.85	0.00	14.85	4W=	36	dBm	PASS
6	2437	1	14.67	0.00	14.67	4W=	36	dBm	PASS
11	2462	1	14.93	0.00	14.93	4W=	36	dBm	PASS

#### 802 11a Main

802.1	1g Main								
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	L	.imit		RESULT
1	2412	6	9.51	0.00	9.51	4W=	36	dBm	PASS
6	2437	6	9.97	0.00	9.97	4W=	36	dBm	PASS
11	2462	6	9.59	0.00	9.59	4W=	36	dBm	PASS
802.1 <sup>°</sup>	1n_HT20	M Main							
сн	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	L	.imit		RESULT
1	2412	MCS0	9.61	0.00	9.61	4W=	36	dBm	PASS
6	2437	MCS0	9.98	0.00	9.98	4W=	36	dBm	PASS
11	2462	MCS0	9.69	0.00	9.69	4W=	36	dBm	PASS

\* Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# 9 6DB & 99% BANDWIDTH MEASUREMENT


### 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

### 9.2 Measurement Equipment Used

	Conduc	ted Emissio	on Test Site		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum An- alyzer	Agilent	N9010A	MY57120290	2018/02/14	2019/02/13
Attenuator	Mini-Circuit	BW-S10W 2+	2	2018/01/02	2019/01/01
DC Power Supply	Anritsu	E3640A	MY40000811	2017/12/18	2018/12/17

#### 9.3 Test Set-up



#### 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:

Set the spectrum analyzer as RBW = 100 kHz, VBW =  $3^{RBW}$ , Span = 30M/50MHz, Detector=peak, Sweep=auto.

- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.



#### 9.5 Measurement Result

#### 6dB Bandwidth

802.11b	Main		
Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result
2412	8581	> 500	PASS
2437	8577	> 500	PASS
2462	8111	> 500	PASS

#### 802.11g Main

6dB BW Freq. Limit Result (MHz) (kHz) (kHz) PASS 2412 16399 > 500 2437 > 500 PASS 16451 2462 16427 > 500 PASS

#### 802.11 n HT20 Main

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result
2412	17619	> 500	PASS
2437	17637	> 500	PASS
2462	17636	> 500	PASS

#### 99% Bandwidth

802.11b Ma	ain	802.11g Ma	in	802.11n_H	T20M Main
Freq. (MHz)	99% BW (MHz)	Freq. (MHz)	99% BW (MHz)	Freq. (MHz)	99% BW (MHz)
2412	13.274	2412	17.122	2412	18.139
2437	13.265	2437	17.128	2437	18.162
2462	13.331	2462	17.153	2462	18.116

\*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

#### 802.11b (Main) 6dB Band Width Test Data CH-Low


SGS



#### 6dB Band Width Test Data CH-Mid



#### 6dB Band Width Test Data CH-High




#### 802.11g (Main) 6dB Band Width Test Data CH-Low



#### 6dB Band Width Test Data CH-Mid



#### 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, is any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.


| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司


f (886-2) 2298-0488




#### 802.11n\_20M (Main) 6dB Band Width Test Data CH-Low



#### 6dB Band Width Test Data CH-Mid



#### 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對調試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, is any to the contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

#### 802.11b (Main) 99% Band Width Test Data CH-Low

SGS




#### 99% Band Width Test Data CH-Mid



#### 99% Band Width Test Data CH-High




#### 802.11g (Main) 99% Band Width Test Data CH-Low



#### 99% Band Width Test Data CH-Mid



#### 99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, is any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488




## 802.11n\_20M (Main)


#### 99% Band Width Test Data CH-Low



#### 99% Band Width Test Data CH-Mid



#### 99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對調試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, is any to the contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### CONDUCTED BAND EDGE AND SPURIOUS EMISSION MEASUREMENT 10

#### **Standard Applicable** 10.1

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.


In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a) & RSS-Gen §8.10, must also comply with the radiated emission limits specified in §15.209(a) & RSS-Gen §8.8.

If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

	Conducte	ed Emission <sup>-</sup>	Test Site		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum An- alyzer	Agilent	N9010A	MY5712029 0	2018/02/14	2019/02/13
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01
DC Power Supply	Anritsu	E3640A	MY4000081 1	2017/12/18	2018/12/17

#### **Measurement Equipment Used** 10.2

#### 10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### **10.4 Measurement Procedure**

#### **Conducted Band Edge Limt**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8.Allow trace to fully stabilize.

9.Use the peak marker function to determine the maximum amplitude level.

### **Conducted Band Edge:**

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

#### **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### 10.5 **Measurement Result**

Referer	Reference Level of Limit 802.11b mode					
Freq.	PSD	Reference Level of Limit				
(MHz)	(dBm)	(dBm)				
2412	6.75	-13.25				
2462	7.46	-12.54				


Referen	Reference Level of Limit 802.11g mode					
Freq.	PSD	Reference Level of Limit				
(MHz)	(dBm)	(dBm)				
2412	-1.32	-21.32				
2462	-1.38	-21.38				

Referen	Reference Level of Limit 802.11n20 mode						
Freq.	PSD	Reference Level of Limit					
(MHz)	(dBm)	(dBm)					
2412	-1.44	-21.44					
2462	-1.43	-21.43					


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is encoured to the before a certer of the formation of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

#### 802.11b Band Edge Limit Test Data CH-Low


SG:



#### 802.11b Band Edge Limit Test Data CH-Mid



#### 802.11b Band Edge Limit Test Data CH-High







#### 802.11g Band Edge Limit Test Data CH-Mid



#### 802.11g Band Edge Limit Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



#### 802.11n HT20 Band Edge Limit Test Data CH-Low



#### 802.11n\_HT20 Band Edge Limit Test Data CH-Mid



#### 802.11n\_HT20 Band Edge Limit Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

. SGS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com



#### 802.11b

#### **Band Edge Test Data CH-Low**




#### 802.11g **Band Edge Test Data CH-Low**



#### **Band Edge Test Data CH-High**

Frequency	12-51:43 PM Jun 11, 2018 TRACE 1 2 3 4 5 5 TYPE MWWWWW DET P 10 10 10 N	vg Type: Log-Pwr	g: Free Run tten: 30 dB	H. (-)	0000 GHz PNO: Far IEGainto	2,50000	req	er F	ent
Auto Tun	r3 2.483 6 GHz -48.69 dBm	Mk			dB	Offset 11 30.00 c		Idiv	IO dE
Center Fre 2.500000000 GH						1	11000		20.0 20.0 10.0
Start Fre 2.450000000 GH	12.1-1-44 apr					· M	r	1	10 D -
Stop Fre 2.550000000 GH	1 <sup>22</sup> * 1911 - 12-14-14	-14-1-0-04111,-		3	Ma			ud .	40.0 60.0 60.0
CF Ste 10.000000 MH Auto Ma	Stop 2.55000 GHz 600 ms (1001 pts)	Sweep 9.		VBW	#	kHz	000	BW	Res
Freq Offse	FUNCTION VALUE	FUNCTION WOTH	26 dBm 0.05 dBm 1.69 dBm	z	2.461 5 GHz 2.483 5 GHz 2.483 6 GHz	(Δ) (Δ)	t t	N N N	110 4 6
Scale Typ									6 7 8 9 10
		STATUS	n					-	100

#### **Band Edge Test Data CH-High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Difference states are states ar prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. [No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sqs.com



#### 802.11n\_HT20 **Band Edge Test Data CH-Low**

	02:43:57 PM Jun 11, 2018		SENSE-INT		c T	55 G	nr.		R
Auto 7.000	TRACE 1 2 4 5 5 TYPE MWWWWW DET P NA NEW	Avg Type: Log-Pwr	Trig: Free Run	_	DOD GHZ				
Auto Tune			Atten: 30 dB	9	IFGain:Low			_	
Auto Tun	48.13 dBm	Mkra				Offset 11 30.00 c		Bidiv	l0 di
Center Fre			1	_				_	20.0
2.370000000 GH	A1			-				-	10.0
	mun	24		-					17 11C)
Start Freq 2.310000000 GHz	and a more								10 D
	1	1							-30.0
Stop Free	1000			_			_		40.0
2 43000000 GH						-		-	60.0
				-			_	-	-60 D
CF Ste 12.000000 MH	Stop 2.43000 GHz 1.53 ms (1001 pts)		DO KHZ	BW	#V		1000		
Auto Ma	FUNCTION VALUE	ICTION FUNCTION WOTH			X		HC 1901		AND I
Freq Offse			-1.61 dBm 38.42 dBm		2.419 56 GHz 2.399 90 GHz	(Δ)	Ŧ	NNN	2
0 H			48.13 dBm	(Δ)	2.390 00 GHz	(Δ)	1 1	N	4 5 6
Scale Typ									789
Log Li									10
			11						

#### **Band Edge Test Data CH-High**

Keynight Spectrum Analyzer - Swept SA RL Nr Sn D DC					0 2 2
enter Freq 2.50000000	PNO: Fast	Trig: Free Run #Atten: 30 dB	Avg Type: Log-Pwr	02-58:28 PM Jun 11, 2018 TRACE 1 3 4 5 5 TYPE M WWWWWW DET P 14 M MM	Frequency
Ref Offset 11 dB Ref 30.00 dBm	IFGein/Low	#Atten: 30 dB	Mk	r3 2.483 6 GHz -43.99 dBm	Auto Tun
					Center Fre 2.500000000 GH
00 remainder				11) -27 47 dBr.	Start Fre 2.450000000 GH
	mellon 23				Stop Fre 2.55000000 GH
tart 2.45000 GHz Res BW 100 kHz	#VBW	300 kHz		Stop 2.55000 GHz 600 ms (1001 pts)	CF Ste 10.000000 MH Auto Ma
1 N 1 f (Δ) 2 N 1 f 3 N 1 f (Δ) 2 S	2.467 0 GHz (Δ) 2.483 6 GHz (Δ) 2.483 6 GHz (Δ)	-1.41 dBm -44.17 dBm -43.99 dBm	Policical North		Freq Offse
6 7 8 9 0					Scale Typ
a		n	STATUS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Difference states are states ar prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. [No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### 802.11b


# 30M-3GHz Spurious Emission Test Data **CH-Low**




#### 3G-26.5GHz Spurious Emission Test Data CH-Low




#### 30M-3GHz Spurious Emission Test Data CH-Mid




### **3G-26.5GHz Spurious Emission Test Data** CH-Mid



#### 30M-3GHz Spurious Emission Test Data **CH-High**



## 3G-26.5GHz Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




### 802.11g 30M-3GHz Spurious Emission Test Data **CH-Low**




#### 3G-26.5GHz Spurious Emission Test Data **CH-Low**




#### 30M-3GHz Spurious Emission Test Data CH-Mid




### **3G-26.5GHz Spurious Emission Test Data CH-Mid**



#### 30M-3GHz Spurious Emission Test Data **CH-High**



# 3G-26.5GHz Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




## 802.11n HT20 30M-3GHz Spurious Emission Test Data **CH-Low**



## 3G-26.5GHz Spurious Emission Test Data **CH-Low**




## 30M-3GHz Spurious Emission Test Data CH-Mid




### 3G-26.5GHz Spurious Emission Test Data **CH-Mid**



### 30M-3GHz Spurious Emission Test Data **CH-High**



#### 3G-26.5GHz Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



## 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

#### **Standard Applicable** 11.1

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 & RSS-Gen §8.8, 8.9 limit as below.

And according to §15.33(a) (1) & RSS-Gen §6.13(a), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level  $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### 11.2 Measurement Equipment Used:

966 Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28		
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2017/08/04	2018/08/03		
Horn Antenna	Schwarzbeck	BBHA9170	184	2017/12/12	2018/12/11		
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/09/25		
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01		
Spectrum Analyzer	Agilent	E4446A	MY51100003	2018/05/15	2019/05/14		
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2019/02/01		
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/01/01		
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/01/01		
Pre-Amplifier	EMC Instruments	EMC184045B	980135	2017/10/27	2018/10/26		
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	2018/01/02	2019/01/01		
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/01/01		

NOTE: N.C.R refers to Not Calibrated Required.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document be client and this document be and subject to a transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach be proceeded to be used. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




### 11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



## (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



### **11.4 Measurement Procedure**

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### **11.5 Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

### FS = RA + AF + CL - AG

Where	8	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

#### 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

#### 11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs So therwise stated the test is stated the test is stated the test is stated to be used in the state of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




### Radiated Band Edge Measurement Result (802.11b)

**Operation Band** Fundamental Frequency **Operation Mode** EUT Pol.

:802.11b :2412 MHz :Bandedge CH LOW :H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	31.53	0.20	31.73	54.00	-22.27
2390.00	Peak	43.87	0.20	44.07	74.00	-29.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 44 of 79




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11b :2412 MHz :Bandedge CH LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	31.07	0.20	31.27	54.00	-22.73
2390.00	Peak	43.44	0.20	43.64	74.00	-30.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 45 of 79



**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11b :2462 MHz :Bandedge CH HIGH :H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Margin
-
dB
-20.95
-29.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 46 of 79




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11b :2462 MHz :Bandedge CH HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	2483.50	Average	36.12	0.53	36.65	54.00	-17.35
	2483.50	Peak	47.98	0.53	48.51	74.00	-25.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




### Radiated Band Edge Measurement Result (802.11g)

**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11g :2412 MHz :Bandedge CH LOW :H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane :VERTICAL Measurement Antenna Pol.



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	33.41	0.20	33.61	54.00	-20.39
Peak	48.30	0.20	48.50	74.00	-25.50
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage33.41	ModeReading LevelPK/QP/AVdBµVdBAverage33.410.20	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage33.410.2033.61	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m   Average 33.41 0.20 33.61 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 48 of 79




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11g :2412 MHz :Bandedge CH LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	36.77	0.20	36.97	54.00	-17.03
Peak	56.11	0.20	56.31	74.00	-17.69
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage36.77	ModeReading LevelPK/QP/AVdBµVdBAverage36.770.20	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage36.770.2036.97	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m   Average 36.77 0.20 36.97 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 49 of 79



**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11g :2462 MHz :Bandedge CH HIGH :H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Actual	Limit	Margin
FS	@3m	
dBµV/m	dBµV/m	dB
37.38	54.00	-16.62
57.60	74.00	-16.40
	FS dBµV/m 37.38	FS @3m   dBµV/m dBµV/m   37.38 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 50 of 79




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11g :2462 MHz :Bandedge CH HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	2483.50	Average	41.53	0.53	42.06	54.00	-11.94
	2483.50	Peak	61.82	0.53	62.35	74.00	-11.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




### Radiated Band Edge Measurement Result (802.11\_HT20)

**Operation Band** Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20 :2412 MHz :Bandedge CH LOW :H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	34.83	0.20	35.03	54.00	-18.97
2390.00	Peak	54.21	0.20	54.41	74.00	-19.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 52 of 79




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11n20 :2412 MHz :Bandedge CH LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



F	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
23	390.00	Average	39.04	0.20	39.24	54.00	-14.76
23	390.00	Peak	58.58	0.20	58.78	74.00	-15.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 53 of 79



**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11n20 :2462 MHz :Bandedge CH HIGH :H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.5	0 Average	38.35	0.53	38.88	54.00	-15.12
2483.5	0 Peak	58.26	0.53	58.79	74.00	-15.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 54 of 79




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11n20 :2462 MHz :Bandedge CH HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL




Margin
-
dB
-10.17
-9.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



## Below 1GHz Worst-Case Data: Radiated Spurious Emission Measurement Result (802.11 g)

Operation Band	:802.11g	Test Date	:2018-06-26
Fundamental Frequency	:2437 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Kane
EUT Pol.	:H Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
47.46	Peak	31.56	-7.64	23.92	40.00	-16.08
133.79	Peak	34.57	-8.67	25.90	43.50	-17.60
354.95	Peak	26.78	-4.18	22.60	46.00	-23.40
483.96	Peak	29.38	-2.70	26.68	46.00	-19.32
565.44	Peak	28.31	-0.50	27.81	46.00	-18.19
740.04	Peak	26.96	3.56	30.52	46.00	-15.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 56 of 79



Operation Band	:802.11g
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
47.46	Peak	30.39	-7.64	22.75	40.00	-17.25
129.91	Peak	35.29	-9.19	26.10	43.50	-17.40
359.80	Peak	28.90	-4.26	24.64	46.00	-21.36
464.56	Peak	27.52	-2.08	25.44	46.00	-20.56
564.47	Peak	27.55	-0.56	26.99	46.00	-19.01
741.01	Peak	27.31	3.35	30.66	46.00	-15.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



## Above 1GHz Data: Radiated Spurious Emission Measurement Result (802.11 b)

Operation Band	:802.11b
Fundamental Frequency	:2412 MHz
Operation Mode	:Tx CH LOW
EUT Pol.	:H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	25.96	5.61	31.57	54.00	-22.43
4824.00	Peak	36.72	5.61	42.33	74.00	-31.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 58 of 79



Operation Band	:802.11b
Fundamental Frequency	:2412 MHz
Operation Mode	:Tx CH LOW
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	26.86	5.61	32.47	54.00	-21.53
4824.00	Peak	36.64	5.61	42.25	74.00	-31.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 59 of 79



Operation Band	:802.11b
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	26.11	5.85	31.96	54.00	-22.04
4874.00	Peak	36.54	5.85	42.39	74.00	-31.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 60 of 79



Operation Band	:802.11b
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	-
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	26.93	5.85	32.78	54.00	-21.22
Peak	36.70	5.85	42.55	74.00	-31.45
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage26.93	ModeReading LevelPK/QP/AVdBµVdBAverage26.935.85	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage26.935.8532.78	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m   Average 26.93 5.85 32.78 54.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 61 of 79



Operation Band	:802.11b
Fundamental Frequency	:2462 MHz
Operation Mode	:Tx CH HIGH
EUT Pol.	:H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



ector Spectrum	Factor	Actual	Limit	Margin
de Reading Level		FS	@3m	_
P/AV dBµV	dB	dBµV/m	dBµV/m	dB
rage 25.21	5.82	31.03	54.00	-22.97
ak 35.92	5.82	41.74	74.00	-32.26
	ode Reading Level P/AV dBµV rage 25.21	ode Reading Level P/AV dBµV dB rage 25.21 5.82	odeReading LevelFSP/AVdBµVdBdBµV/mrage25.215.8231.03	bde Reading Level FS @3m   P/AV dBμV dB dBμV/m dBμV/m   rage 25.21 5.82 31.03 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 62 of 79



Operation Band	:802.11b
Fundamental Frequency	:2462 MHz
Operation Mode	:Tx CH HIGH
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	26.29	5.82	32.11	54.00	-21.89
4924.00	Peak	36.04	5.82	41.86	74.00	-32.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




### Radiated Spurious Emission Measurement Result (802.11 g)

Operation Band	:802.
Fundamental Frequency	:2412
Operation Mode	:Tx C
EUT Pol.	:H Pl

.11g 2 MHz CH LOW lane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :VERTICAL



in
9
9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 64 of 79



Operation Band	:802.11g
Fundamental Frequency	:2412 MHz
Operation Mode	:Tx CH LOW
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	24.71	5.61	30.32	54.00	-23.68
4824.00	Peak	35.99	5.61	41.60	74.00	-32.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 65 of 79



Operation Band	:802.11g
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	24.77	5.85	30.62	54.00	-23.38
4874.00	Peak	36.28	5.85	42.13	74.00	-31.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 66 of 79



Operation Band	:802.11g
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	24.94	5.85	30.79	54.00	-23.21
4874.00	Peak	35.92	5.85	41.77	74.00	-32.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 67 of 79



**Operation Band** :802.11g **Fundamental Frequency** :2462 MHz **Operation Mode** :Tx CH HIGH EUT Pol. ·H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	24.71	5.82	30.53	54.00	-23.47
Peak	35.65	5.82	41.47	74.00	-32.53
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage24.71	ModeReading LevelPK/QP/AVdBµVdBAverage24.715.82	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage24.715.8230.53	Mode Reading Level FS @3m   PK/QP/AV dBµV dB dBµV/m dBµV/m   Average 24.71 5.82 30.53 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 68 of 79



**Operation Band** :802.11g **Fundamental Frequency** :2462 MHz **Operation Mode** :Tx CH HIGH EUT Pol. ·H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	24.83	5.82	30.65	54.00	-23.35
4924.00	Peak	36.39	5.82	42.21	74.00	-31.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




#### Radiated Spurious Emission Measurement Result (802.11n\_HT20)

**Operation Band** Fundamental Frequency Operation Mode EUT Pol.

:802.11n20 :2412 MHz :Tx CH LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	24.60	5.61	30.21	54.00	-23.79
4824.00	Peak	36.22	5.61	41.83	74.00	-32.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 70 of 79



Operation Band	:802.11n20
Fundamental Frequency	:2412 MHz
Operation Mode	:Tx CH LOW
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	24.76	5.61	30.37	54.00	-23.63
4824.00	Peak	36.37	5.61	41.98	74.00	-32.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 71 of 79



Operation Band	:802.11n20
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	24.79	5.85	30.64	54.00	-23.36
4874.00	Peak	36.03	5.85	41.88	74.00	-32.12
						-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 72 of 79



Operation Band	:802.11n20
Fundamental Frequency	:2437 MHz
Operation Mode	:Tx CH MID
EUT Pol.	:H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



ector Spectrum	Factor	Actual	Limit	Margin
ode Reading Level		FS	@3m	-
QP/AV dBµV	dB	dBµV/m	dBµV/m	dB
erage 24.93	5.85	30.78	54.00	-23.22
eak 36.75	5.85	42.60	74.00	-31.40
	ode Reading Level QP/AV dBμV erage 24.93	ode Reading Level QP/AV dBµV dB erage 24.93 5.85	odeReading LevelFSQP/AVdBµVdBdBµV/merage24.935.8530.78	ode Reading Level FS @3m   QP/AV dBμV dB dBμV/m dBμV/m   erage 24.93 5.85 30.78 54.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.:ER/2018/60014 Page 73 of 79



**Operation Band** :802.11n20 **Fundamental Frequency** :2462 MHz **Operation Mode** :Tx CH HIGH EUT Pol. ·H Plane

Test Date :2018-06-26 Temp./Humi. :21 deg\_C / 62 RH Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	24.63	5.82	30.45	54.00	-23.55
4924.00	Peak	36.83	5.82	42.65	74.00	-31.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.:ER/2018/60014 Page 74 of 79



**Operation Band** :802.11n20 **Fundamental Frequency** :2462 MHz **Operation Mode** :Tx CH HIGH EUT Pol. ·H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-06-26 :21 deg\_C / 62 RH :Kane :HORIZONTAL



า
)
2
)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# 12 PEAK POWER SPECTRAL DENSITY


#### **Standard Applicable** 12.1

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

#### 12.2 Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
EXA Spectrum An- alyzer	Agilent	N9010A	MY5712029 0	-	2019/02/13	
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01	
DC Power Supply	Anritsu	E3640A	MY4000081 1	2017/12/18	2018/12/17	

#### 12.3 Test Set-up



#### 12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz. & the VBW = 10 kHz
- 5. For defining Restricted Band Edge Limit:

Set the RBW = 100kHz & VBW = 300 kHz.

- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對测試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **12.5 Measurement Result**

POWER DENSITY 802.11b					POWER DENSITY 80	)2.11g	
Freq.	PPSD	Limit	Result	Freq.	PPSD	Limit	Desult
(MHz)	(dBm)	(dBm)	Result	(MHz)	(dBm)	(dBm)	Result
2412	-7.36	8.00	PASS	2412	-16.09	8.00	PASS
2437	-7.57	8.00	PASS	2437	-15.48	8.00	PASS
2462	-7.16	8.00	PASS	2462	-15.24	8.00	PASS


POWER DENSITY 802.11n HT20				
Freq.	PPSD	Limit	Result	
(MHz)	(dBm)	(dBm)	Result	
2412	-16.71	8.00	PASS	
2437	-15.30	8.00	PASS	
2462	-14.28	8.00	PASS	

offset	11.00	dB for SISO mode
offset		dB for MIMO mode

\*Refer to next page for plots




# 802.11b **Power Spectral Density Test Plot (CH-Low)**




## **Power Spectral Density Test Plot (CH-Mid)**




# Power Spectral Density Test Plot (CH-High)




# 802.11g **Power Spectral Density Test Plot (CH-Low)**



# Power Spectral Density Test Plot (CH-Mid)



# Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sqs.com







# 802.11n HT20 **Power Spectral Density Test Plot (CH-Low)**



## **Power Spectral Density Test Plot (CH-Mid)**



# **Power Spectral Density Test Plot (CH-High)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

. SGS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## **13 ANTENNA REQUIREMENT**

#### 13.1 **Standard Applicable**

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

#### 13.2 **Antenna Connected Construction**

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless to herwise stated the textus single(s) textual and textual to be the state and state textual to be days only. 防非方式 就明 : 此報告結果僅針測試之樣品負責、同時此樣品僅保留的人気。本報告未經公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.