



LTE Cat 1 Band 5 / 1.4MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 18.FEB.2022 09:16:21

Highest Band Edge / 1 RB




Date: 18.FEB.2022 09:24:09

Lowest Band Edge / Full RB



Date: 18.FEB.2022 09:17:45

Highest Band Edge / Full RB




Date: 18.FEB.2022 09:22:37




LTE Cat 1 Band 5 / 3MHz / QPSK

Lowest Band Edge / 1RB




Date: 18.FEB.2022 09:25:45

Highest Band Edge / 1 RB



Date: 18.FEB.2022 09:31:56

Lowest Band Edge / Full RB



Date: 18.FEB.2022 09:27:08

Highest Band Edge / Full RB




Date: 18.FEB.2022 09:33:28




LTE Cat 1 Band 5 / 3MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 18.FEB.2022 09:26:26

Highest Band Edge / 1 RB




Date: 18.FEB.2022 09:32:42

Lowest Band Edge / Full RB



Date: 18.FEB.2022 09:27:51

Highest Band Edge / Full RB




Date: 18.FEB.2022 09:34:14




LTE Cat 1 Band 5 / 5MHz / QPSK

Lowest Band Edge / 1 RB




Date: 18.FEB.2022 09:35:50

Highest Band Edge / 1 RB




Date: 18.FEB.2022 09:42:02

Lowest Band Edge / Full RB



Date: 18.FEB.2022 09:37:14

Highest Band Edge / Full RB




Date: 18.FEB.2022 09:43:34




LTE Cat 1 Band 5 / 5MHz / 16QAM

Lowest Band Edge / 1RB




Date: 18.FEB.2022 09:36:32

Highest Band Edge / 1 RB




Date: 18.FEB.2022 09:42:48

Lowest Band Edge / Full RB



Date: 18.FEB.2022 09:37:57

Highest Band Edge / Full RB




Date: 18.FEB.2022 09:44:20




LTE Cat 1 Band 5 / 10MHz / QPSK

Lowest Band Edge / 1 RB




Date: 18.FEB.2022 09:45:56

Highest Band Edge / 1 RB




Date: 18.FEB.2022 09:50:38

Lowest Band Edge / Full RB



Date: 18.FEB.2022 09:47:19

Highest Band Edge / Full RB




Date: 18.FEB.2022 09:52:10




LTE Cat 1 Band 5 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 18.FEB.2022 09:46:37

Highest Band Edge / 1 RB




Date: 18.FEB.2022 09:51:24

Lowest Band Edge / Full RB



Date: 25.FEB.2022 11:14:13

Highest Band Edge / Full RB



Date: 25.FEB.2022 11:15:01





Conducted Spurious Emission

LTE Cat 1 Band 5 / 1.4MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 18.FEB.2022 09:18:38

Date: 18.FEB.2022 09:21:05

Highest Channel / QPSK





Date: 18.FEB.2022 09:25:02




LTE Cat 1 Band 5 / 3MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Cat 1 Band 5 / 5MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Cat 1 Band 5 / 10MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK





Frequency Stability

Test Conditions		LTE Cat 1 Band 5 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0159	PASS
40	Normal Voltage	0.0047	
30	Normal Voltage	0.0027	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0049	
0	Normal Voltage	0.0045	
-10	Normal Voltage	0.0045	
-20	Normal Voltage	0.0178	
-30	Normal Voltage	0.0011	
20	Maximum Voltage	0.0140	
20	Normal Voltage	0.0061	
20	Battery End Point	0.0173	

Note:



- 1. Normal Voltage =3.88 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.45 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



LTE Cat 1 Band 13

Peak-to-Average Ratio

Mode	LTE Cat 1 Band 13 / 10MHz				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.87	5.62	-	-	PASS






26dB Bandwidth

Mode	LTE Cat 1 Band 13 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	5.00	4.89	9.77	5.93	-	-	-	-
Mode	LTE Cat 1 Band 13 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM
Middle CH	-	-	-	-	-	-	-	-	-	-	-	-




LTE Cat 1 Band 13

Middle Channel / 5MHz / QPSK




Date: 18.FEB.2022 10:04:16

Middle Channel / 5MHz / 16QAM




Date: 18.FEB.2022 10:04:40

Middle Channel / 10MHz / QPSK



Date: 24.MAR.2021 00:06:31

Middle Channel / 10MHz / 16QAM



Date: 25.FEB.2022 11:17:12




Occupied Bandwidth

Mode	LTE Cat 1 Band 13 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	4.50	4.49	8.91	5.00	-	-	-	-
Mode	LTE Cat 1 Band 13 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM	64QAM	256 QAM
Middle CH	-	-	-	-	-	-	-	-	-	-	-	-




LTE Cat 1 Band 13

Middle Channel / 5MHz / QPSK




Date: 18.FEB.2022 10:05:27

Middle Channel / 5MHz / 16QAM




Date: 18.FEB.2022 10:05:03

Middle Channel / 10MHz / QPSK



Date: 18.FEB.2022 10:13:22

Middle Channel / 10MHz / 16QAM




Date: 25.FEB.2022 11:17:00



Conducted Band Edge


LTE Cat 1 Band 13 / 5MHz / QPSK

Lowest Band Edge / 1 RB




Date: 18.FEB.2022 10:02:06

Highest Band Edge / 1 RB




Date: 18.FEB.2022 10:08:00

Lowest Band Edge / Full RB



Date: 18.FEB.2022 10:00:10

Highest Band Edge / Full RB





Date: 18.FEB.2022 10:06:04



LTE Cat 1 Band 13 / 5MHz / 16QAM

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB





Date: 18.FEB.2022 10:01:28

Date: 18.FEB.2022 10:07:22

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 18.FEB.2022 10:00:49



Date: 18.FEB.2022 10:06:43



LTE Cat 1 Band 13 / 10MHz / QPSK

Lowest Band Edge / 1 RB


Highest Band Edge / 1 RB



Date: 18.FEB.2022 10:15:39

Date: 18.FEB.2022 10:16:17

Band Edge / Full RB





Date: 18.FEB.2022 10:14:23



LTE Cat 1 Band 13 / 10MHz / 16QAM

Lowest Band Edge / 1 RB


Highest Band Edge / 1 RB



Date: 18.FEB.2022 10:15:01

Date: 18.FEB.2022 10:16:55

Band Edge / Full RB



Date: 25.FEB.2022 11:16:24





Conducted Spurious Emission

LTE Cat 1 Band 13 / 5MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 18.FEB.2022 10:02:59

Date: 18.FEB.2022 10:03:52

Highest Channel / QPSK




Date: 18.FEB.2022 10:08:53



LTE Cat 1 Band 13 / 10MHz

Middle Channel / QPSK



Date: 18.FEB.2022 10:17:47



Frequency Stability

Test Conditions		LTE Cat 1 Band 13 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0032	PASS
40	Normal Voltage	0.0078	
30	Normal Voltage	0.0090	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0119	
0	Normal Voltage	0.0006	
-10	Normal Voltage	0.0052	
-20	Normal Voltage	0.0056	
-30	Normal Voltage	0.0079	
20	Maximum Voltage	0.0121	
20	Normal Voltage	0.0054	
20	Battery End Point	0.0058	

Note:

- 1. Normal Voltage =3.88 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.45 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

LTE Cat 1 Band 2

LTE Cat 1 Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-47.25	-13	-34.25	-68.44	-53.82	1.67	8.24	H
	5556	-39.61	-13	-26.61	-65.63	-46.68	2.66	9.72	H
	7398	-52.98	-13	-39.98	-80.61	-62.11	2.46	11.60	H
									H
									H
									H
	3702	-52.02	-13	-39.02	-73.2	-58.59	1.67	8.24	V
	5556	-43.18	-13	-30.18	-69.09	-50.25	2.66	9.72	V
	7398	-52.74	-13	-39.74	-80.57	-61.87	2.46	11.60	V
									V
									V
									V
Middle	3744	-54.13	-13	-41.13	-75.32	-60.74	1.68	8.29	H
	5616	-40.69	-13	-27.69	-66.81	-47.74	2.69	9.75	H
	7480	-52.46	-13	-39.46	-80.18	-61.78	2.44	11.76	H
									H
									H
									H
	3744	-52.54	-13	-39.54	-73.4	-59.15	1.68	8.29	V
	5616	-49.25	-13	-36.25	-75.36	-56.3	2.69	9.75	V
	7480	-51.79	-13	-38.79	-79.74	-61.11	2.44	11.76	V
									V
									V
									V



LTE Cat 1 Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3780	-45.48	-13	-32.48	-66.64	-52.12	1.69	8.34	H
	5676	-39.09	-13	-26.09	-65.22	-46.13	2.73	9.77	H
	7560	-52.71	-13	-39.71	-80.55	-62.14	2.41	11.84	H
									H
									H
									H
	3780	-48.88	-13	-35.88	-70.05	-55.52	1.69	8.34	V
	5676	-52.35	-13	-39.35	-78.45	-59.39	2.73	9.77	V
	7560	-52.14	-13	-39.14	-80.21	-61.57	2.41	11.84	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Cat 1 Band 4

LTE Cat 1 Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-51.05	-13	-38.05	-71.98	-57.12	1.58	7.65	H
	5136	-35.13	-13	-22.13	-59.67	-42.41	2.42	9.70	H
	6840	-52.95	-13	-39.95	-80.54	-60.92	2.64	10.61	H
									H
									H
									H
	3420	-50.35	-13	-37.35	-71.36	-56.42	1.58	7.65	V
	5136	-39.14	-13	-26.14	-63.33	-46.42	2.42	9.70	V
	6840	-52.96	-13	-39.96	-80.44	-60.93	2.64	10.61	V
									V
									V
									V
Middle	3450	-49.17	-13	-36.17	-70.25	-55.36	1.59	7.78	H
	5172	-37.77	-13	-24.77	-62.27	-45.03	2.44	9.70	H
	6894	-50.37	-13	-37.37	-77.82	-58.42	2.62	10.67	H
									H
									H
									H
	3450	-47.87	-13	-34.87	-68.9	-54.06	1.59	7.78	V
	5172	-48.62	-13	-35.62	-72.95	-55.88	2.44	9.70	V
	6894	-52.01	-13	-39.01	-79.44	-60.06	2.62	10.67	V
									V
									V
									V



LTE Cat 1 Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3474	-43.68	-13	-30.68	-64.9	-49.97	1.60	7.89	H
	5208	-34.29	-13	-21.29	-58.8	-41.53	2.46	9.70	H
	6942	-51.26	-13	-38.26	-78.74	-59.38	2.61	10.73	H
									H
									H
									H
	3474	-46.93	-13	-33.93	-68.03	-53.22	1.60	7.89	V
	5208	-39.91	-13	-26.91	-64.31	-47.15	2.46	9.70	V
	6942	-52.51	-13	-39.51	-79.96	-60.63	2.61	10.73	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Cat 1 Band 5

LTE Cat 1 Band 5 / 10MHz / QPSK										
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Lowest	1648	-55.34	-13	-42.34	-67.18	-57.1	0.98	4.89	H	
	2472	-28.42	-13	-15.42	-45.72	-30.3	1.28	5.32	H	
	4120	-45.46	-13	-32.46	-66.61	-50.1	1.83	8.62	H	
	4944	-56.47	-13	-43.47	-78.95	-61.6	2.30	9.59	H	
	5776	-48.42	-13	-35.42	-74.44	-53.3	2.78	9.81	H	
										H
										H
	1648	-52.04	-13	-39.04	-64.42	-53.8	0.98	4.89	V	
	2472	-38.72	-13	-25.72	-56.19	-40.6	1.28	5.32	V	
	4120	-53.76	-13	-40.76	-74.66	-58.4	1.83	8.62	V	
	4944	-53.07	-13	-40.07	-76.28	-58.2	2.30	9.59	V	
	5776	-54.12	-13	-41.12	-79.95	-59	2.78	9.81	V	
										V
										V
									V	
Middle	1664	-39.81	-13	-26.81	-52.16	-41.52	0.98	4.84	H	
	2496	-31.06	-13	-18.06	-48.65	-33.01	1.29	5.39	H	
	4160	-38.42	-13	-25.42	-59.79	-43.05	1.85	8.63	H	
	4992	-54.14	-13	-41.14	-78	-59.34	2.33	9.68	H	
	5824	-48.77	-13	-35.77	-75.09	-53.64	2.81	9.83	H	
										H
										H
	1664	-45.54	-13	-32.54	-58.34	-47.25	0.98	4.84	V	
	2496	-26.14	-13	-13.14	-44.16	-28.09	1.29	5.39	V	
	4160	-42.44	-13	-29.44	-63.99	-47.07	1.85	8.63	V	
	4992	-52.56	-13	-39.56	-76.35	-57.76	2.33	9.68	V	
	5824	-42.26	-13	-29.26	-68.58	-47.13	2.81	9.83	V	
										V
										V



LTE Cat 1 Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1680	-55.45	-13	-42.45	-67.3	-57.1	0.99	4.80	H
	2520	-37.33	-13	-24.33	-54.56	-39.3	1.30	5.42	H
	4200	-48.69	-13	-35.69	-69.99	-53.3	1.88	8.64	H
	5040	-52.81	-13	-39.81	-76.54	-58	2.36	9.70	H
									H
									H
									H
	1680	-57.05	-13	-44.05	-69.4	-58.7	0.99	4.80	V
	2520	-39.23	-13	-26.23	-56.91	-41.2	1.30	5.42	V
	4200	-54.19	-13	-41.19	-75.41	-58.8	1.88	8.64	V
	5040	-51.41	-13	-38.41	-74.88	-56.6	2.36	9.70	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Cat 1 Band 13

LTE Cat 1 Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-60.53	-13	-47.53	-71.48	-62.60	0.94	5.15	H
	2336	-44.68	-13	-31.68	-61.17	-46.20	1.24	4.91	H
	4664	-56.47	-13	-43.47	-78.88	-61.20	2.14	9.03	H
									H
									H
									H
									H
	1552	-58.23	-13	-45.23	-69.17	-60.30	0.94	5.15	V
	2336	-43.98	-13	-30.98	-60.64	-45.50	1.24	4.91	V
	4664	-54.17	-13	-41.17	-75.69	-58.90	2.14	9.03	V
									V
									V
									V
									V
Middle	1560	-55.16	-42.15	-13.01	-66.18	-57.20	0.94	5.13	H
	2336	-36.08	-13	-23.08	-52.24	-37.60	1.24	4.91	H
	3896	-50.10	-13	-37.10	-70.32	-54.70	1.73	8.48	H
	4680	-56.54	-13	-43.54	-78.08	-61.30	2.15	9.06	H
	5456	-52.25	-13	-39.25	-77.15	-57.20	2.60	9.70	H
									H
									H
	1560	-57.26	-42.15	-15.11	-68.91	-59.30	0.94	5.13	V
	2336	-36.78	-13	-23.78	-53.49	-38.30	1.24	4.91	V
	3896	-52.90	-13	-39.90	-73.25	-57.50	1.73	8.48	V
	4680	-53.84	-13	-40.84	-75.62	-58.60	2.15	9.06	V
	5456	-51.75	-13	-38.75	-76.36	-56.70	2.60	9.70	V
									V
									V



LTE Cat 1 Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1568	-59.18	-42.15	-17.03	-70.32	-61.20	0.94	5.11	H
	2344	-39.66	-13	-26.66	-55.65	-41.20	1.24	4.93	H
	4696	-56.72	-13	-43.72	-78.85	-61.50	2.16	9.09	H
	5480	-54.76	-13	-41.76	-79.57	-59.70	2.61	9.70	H
									H
									H
									H
	1568	-58.78	-42.15	-16.63	-70.01	-60.80	0.94	5.11	V
	2344	-36.96	-13	-23.96	-53.63	-38.50	1.24	4.93	V
	4696	-53.52	-13	-40.52	-76.31	-58.30	2.16	9.09	V
	5480	-52.26	-13	-39.26	-77.20	-57.20	2.61	9.70	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Cat 1 Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-60.43	-13	-47.43	-71.12	-62.5	0.94	5.15	H
	2336	-39.58	-13	-26.58	-55.73	-41.1	1.24	4.91	H
	3888	-52.01	-13	-39.01	-71.83	-56.6	1.73	8.47	H
	4664	-56.87	-13	-43.87	-78.94	-61.6	2.14	9.03	H
									H
									H
									H
	1552	-58.03	-13	-45.03	-69.32	-60.1	0.94	5.15	V
	2336	-38.68	-13	-25.68	-55.26	-40.2	1.24	4.91	V
	3888	-53.31	-13	-40.31	-73.68	-57.9	1.73	8.47	V
	4644	-54.89	-13	-41.89	-77.11	-59.6	2.13	8.99	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.