# Appendix J: Test Data for E-UTRA Band 17

**Product Name: Tablet PC** 

duubee Trade Mark:

Test Model: DT1052

### **Environmental Conditions**

Temperature:	22.5° C
Relative Humidity:	53.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

## **J.1 Conducted Output Power**


Conducted Output Power Test Result (Channel Bandwidth: 5 MHz)						
Modulation Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	\/li4	
	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	21.74	20.65	PASS
		1	12	21.92	20.37	PASS
		1	24	21.86	20.44	PASS
	LCH	12	0	21.97	20.77	PASS
		12	6	21.75	20.61	PASS
		12	13	21.80	20.54	PASS
		25	0	21.93	20.57	PASS
		1	0	21.75	20.46	PASS
2721//	МСН	1	12	21.74	20.18	PASS
		1	24	21.30	20.31	PASS
QPSK / 16QAM		12	0	21.75	20.53	PASS
IOQAM		12	6	21.57	20.41	PASS
HCI		12	13	21.59	20.47	PASS
		25	0	21.65	20.69	PASS
		1	0	21.32	20.62	PASS
	нсн	1	12	21.57	20.66	PASS
		1	24	21.28	20.67	PASS
		12	0	21.42	20.77	PASS
		12	6	21.31	20.58	PASS
		12	13	21.24	20.62	PASS
		25	0	21.20	20.66	PASS


Conducted Output Power Test Result (Channel Bandwidth: 10 MHz)						
Modulation Channel	Channal	RB Configuration		Average Power [dBm]	Average Power [dBm]	V E (
	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	22.45	21.80	PASS
		1	24	22.30	21.56	PASS
		1	49	21.79	21.27	PASS
	LCH	25	0	21.55	20.43	PASS
		25	12	21.41	20.32	PASS
		25	25	21.16	20.18	PASS
		50	0	21.22	20.32	PASS
		1	0	22.32	21.82	PASS
	МСН	1	24	22.11	21.64	PASS
QPSK /		1	49	21.84	21.14	PASS
16QAM		25	0	21.38	20.43	PASS
IOQAW		25	12	21.15	20.12	PASS
		25	25	21.10	20.03	PASS
		50	0	21.12	20.10	PASS
		1	0	22.36	21.12	PASS
	нсн	1	24	21.95	20.89	PASS
		1	49	21.81	20.41	PASS
		25	0	21.35	20.23	PASS
		25	12	21.11	20.05	PASS
		25	25	21.03	20.06	PASS
		50	0	21.10	20.08	PASS


## J.2 Peak-to-Average Ratio


Peak-to Average Ratio Test Result (Channel Bandwidth: 5 MHz)					
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict	
Modulation		[dB]	[dB]		
	LCH	5.02	<13	PASS	
QPSK	MCH	4.46	<13	PASS	
	HCH	4.57	<13	PASS	
16QAM	LCH	5.86	<13	PASS	
	MCH	5.34	<13	PASS	
	HCH	5.26	<13	PASS	


Peak-to Average Ratio Test Result (Channel Bandwidth: 10 MHz)				
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict
iviodulation		[dB]	[dB]	verdict
	LCH	4.51	<13	PASS
QPSK	MCH	4.54	<13	PASS
	HCH	4.64	<13	PASS
16QAM	LCH	5.43	<13	PASS
	MCH	5.42	<13	PASS
	HCH	5.5	<13	PASS



































## J.3 26dB Bandwidth and Occupied Bandwidth


EBW & OBW Test Result (Channel Bandwidth: 5 MHz)					
Modulation	Channel	Occupied Bandwidth	26dB Bandwidth	Verdict	
Wodulation		(MHz)	(MHz)		
	LCH	4.4704	4.794	PASS	
QPSK	MCH	4.4660	4.767	PASS	
	HCH	4.4881	4.858	PASS	
16QAM	LCH	4.4739	4.827	PASS	
	MCH	4.4601	4.771	PASS	
	HCH	4.4895	4.801	PASS	


EBW & OBW Test Result (Channel Bandwidth: 10 MHz)					
Modulation	Channel	Occupied Bandwidth	26dB Bandwidth	Verdict	
Modulation		(MHz)	(MHz)		
	LCH	8.8805	9.365	PASS	
QPSK	MCH	8.8741	9.342	PASS	
	HCH	8.9071	9.373	PASS	
16QAM	LCH	8.8879	9.372	PASS	
	MCH	8.9026	9.360	PASS	
	HCH	8.8803	9.378	PASS	





































#### J.4 Band Edge























### J.5 Conducted Spurious Emission


## **Test Graphs**


**Channel Bandwidth: 5 MHz** 























#### **Channel Bandwidth: 10 MHz**

