



# RF TEST REPORT

**Applicant**      Quectel Wireless Solutions Co., Ltd  
**FCC ID**          XMR201808EC25AF  
**Product**        LTE Module  
**Brand**           Quectel  
**Model**           EC25-AF; EC25-AF MINIPCI-E  
**Report No.**     R1806A0301-R3V1  
**Issue Date**     July 31, 2018

TA Technology (Shanghai) Co., Ltd. tested the above equipment in accordance with the requirements in **FCC CFR47 Part 2 (2017)/ FCC CFR47 Part 27C (2017)**. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

*Performed by: Jiangpeng Lan*

*Approved by: Kai Xu*

## TA Technology (Shanghai) Co., Ltd.

*No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China*

*TEL: +86-021-50791141/2/3*

*FAX: +86-021-50791141/2/3-8000*

## Table of Contents

1	Test Laboratory.....	4
1.1	Notes of the Test Report .....	4
1.2	Test facility .....	4
1.3	Testing Location.....	5
2	General Description of Equipment under Test .....	6
3	Applied Standards .....	8
4	Test Configuration .....	9
5	Test Case Results .....	11
5.1	RF Power Output .....	11
5.2	Effective Isotropic Radiated Power .....	22
5.3	Occupied Bandwidth .....	29
5.4	Band Edge Compliance .....	60
5.5	Peak-to-Average Power Ratio (PAPR) .....	98
5.6	Frequency Stability.....	103
5.7	Spurious Emissions at Antenna Terminals .....	111
5.8	Radiates Spurious Emission .....	144
6	Main Test Instruments .....	171
ANNEX A:	EUT Appearance and Test Setup .....	172
A.1	EUT Appearance.....	172
A.2	Test Setup.....	176

## Summary of Measurement Results

Number	Test Case	Clause in FCC rules	Verdict
1	RF power output	2.1046	PASS
2	Effective Isotropic Radiated power	27.50(d)(4) /27.50(b)(10) /27.50(c)(10) /27.50(h)(2)	PASS
3	Occupied Bandwidth	2.1049	PASS
4	Band Edge Compliance	27.53(h) /27.53(g) /27.53(f) /27.53(c) /27.53(m)	PASS
5	Peak-to-Average Power Ratio	27.50(d)/KDB971168 D01(5.7)	PASS
6	Frequency Stability	2.1055 / 27.54	PASS
7	Spurious Emissions at Antenna Terminals	2.1051 /27.53(h) /27.53(g) /27.53(f)	PASS
8	Radiates Spurious Emission	2.1053 /27.53(h) /27.53(g) /27.53(f)	PASS
Date of Testing: June 29, 2018~ July 16, 2018 and July 30, 2018~ July 31, 2018			
Note: PASS: The EUT complies with the essential requirements in the standard. FAIL: The EUT does not comply with the essential requirements in the standard.			

# **1 Test Laboratory**

## **1.1 Notes of the Test Report**

This report shall not be reproduced in full or partial, without the written approval of **TA technology (shanghai) co., Ltd.** The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein .Measurement Uncertainties were not taken into account and are published for informational purposes only. This report is written to support regulatory compliance of the applicable standards stated above.

## **1.2 Test facility**

### **CNAS (accreditation number: L2264)**

TA Technology (Shanghai) Co., Ltd. has obtained the accreditation of China National Accreditation Service for Conformity Assessment (CNAS).

### **FCC (Designation number: CN1179, Test Firm Registration Number: 446626)**

TA Technology (Shanghai) Co., Ltd. has been listed on the US Federal Communications Commission list of test facilities recognized to perform electromagnetic emissions measurements.

### **IC (recognition number is 8510A)**

TA Technology (Shanghai) Co., Ltd. has been listed by industry Canada to perform electromagnetic emission measurement.

### **VCCI (recognition number is C-4595, T-2154, R-4113, G-10766)**

TA Technology (Shanghai) Co., Ltd. has been listed by industry Japan to perform electromagnetic emission measurement.

### **A2LA (Certificate Number: 3857.01)**

TA Technology (Shanghai) Co., Ltd. has been listed by American Association for Laboratory Accreditation to perform electromagnetic emission measurement.

### 1.3 Testing Location

Company: TA Technology (Shanghai) Co., Ltd.  
Address: No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China  
City: Shanghai  
Post code: 201201  
Country: P. R. China  
Contact: Xu Kai  
Telephone: +86-021-50791141/2/3  
Fax: +86-021-50791141/2/3-8000  
Website: <http://www.ta-shanghai.com>  
E-mail: [xukai@ta-shanghai.com](mailto:xukai@ta-shanghai.com)

## 2 General Description of Equipment under Test

### Client Information

<b>Applicant</b>	Quectel Wireless Solutions Co., Ltd
<b>Applicant address</b>	7th Floor, Hongye Building, No.1801 Hongmei Road, Xuhui District, Shanghai 200233, China
<b>Manufacturer</b>	Quectel Wireless Solutions Co., Ltd
<b>Manufacturer address</b>	7th Floor, Hongye Building, No.1801 Hongmei Road, Xuhui District, Shanghai 200233, China

### General information

EUT Description			
Model	EC25-AF; EC25-AF MINIPCI E		
IMEI	EC25-AF :866834040000767 EC25-AF MINIPCI E: 866834040002375		
Hardware Version	R1.0		
Software Version	EC25AFFAR07A02M4G		
Power Supply	External Power Supply		
Antenna Type	The EUT don't have standard Antenna, The Antenna used for testing in this report is the after-market accessory (Dipole Antenna)		
Antenna Gain	4dBi		
Test Mode(s)	WCDMA Band IV; LTE Band 4/12/13/ 66/ 71;		
Test Modulation	(WCDMA)QPSK; (LTE)QPSK 16QAM;		
HSDPA UE Category	24		
HSUPA UE Category	6		
LTE Category	4		
Maximum E.I.R.P./ E.R.P.	WCDMA Band IV:	25.62dBm	
	LTE Band 4:	26.08dBm	
	LTE Band 12:	20.48dBm	
	LTE Band 13:	23.63dBm	
	LTE Band 66:	27.51dBm	
	LTE Band 71:	22.72dBm	
Rated Power Supply Voltage:	3.8V		
Extreme Voltage	Minimum: 3.3V      Maximum: 4.3V		
Extreme Temperature	Lowest: -40°C      Highest: +85°C		
Operating Frequency Range(s)	Mode	Tx (MHz)	Rx (MHz)
	WCDMA Band IV	1710 ~ 1755	2110 ~ 2155
	LTE Band 4	1710 ~ 1755	2110 ~ 2155



	LTE Band 12	699 ~ 716	729 ~ 746
	LTE Band 13	777 ~ 787	746 ~ 756
	LTE Band 66	1710 ~ 1780	2110 ~ 2200
	LTE Band 71	663 ~ 698	617 ~ 652

Note: 1. The information of the EUT is declared by the manufacturer.

Accessory equipment	
Evaluation Board	RF Cable
RS232-to-USB Cable	Antenna: Dipole Antenna
Headset	DC 5V Adaptor

EC25-AF and EC25-AF MINIPCIE are all LTE modules. They support the same frequency bands, use the same chipset and share the same software & hardware design. The main difference is on the carrier board.

EC25-AF MINIPCIE makes up of EC25-AF module and PCIe transferred board.

The transferred board switches EC25-AF module to follow PCI Express Mini Card 1.2 standard connector protocol. No any other internal changes in EC25-AF module.

Two models are identical in interior structure and components, and just connector interface is different for the marketing requirement.

### **3 Applied Standards**

According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

#### **Test standards**

**FCC CFR47 Part 2 (2017)**

**FCC CFR47 Part 27C (2017)**

**ANSI/TIA-603-E (2016)**

**KDB 971168 D01 Power Meas License Digital Systems v03r01**



## 4 Test Configuration

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes. EUT stand-up position (Z axis), lie-down position (X, Y axis). Receiver antenna polarization (horizontal and vertical), the worst emission was found in position (Xaxis, horizontal polarization) and the worst case was recorded.

All mode and data rates and positions and RB size and modulations were investigated.

Subsequently, only the worst case emissions are reported.

The following testing in WCDMA/LTE is set based on the maximum RF Output Power.

The following testing in different Bandwidth is set to detailin the following table:

Test modes are chosen to be reported as the worst case configuration below for WCDMA Band IV:

Test items	Modes/Modulation
	WCDMA Band IV
RF power output	RMC HSDPA/HSUPA DC-HSDPA
Effective Isotropic Radiated power	RMC
Occupied Bandwidth	RMC
Band Edge Compliance	RMC
Peak-to-Average Power Ratio	RMC
Frequency Stability	RMC
Spurious Emissions at Antenna Terminals	RMC
Radiates Spurious Emission	RMC

Test modes are chosen to be reported as the worst case configuration below for LTE Band 4/12/13/66/71:

Test items	Modes	Bandwidth (MHz)						Modulation		RB			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	50%	100%	L	M	H
RF power output	LTE 4	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	LTE 12	O	O	O	O	-	-	O	O	O	O	O	O	O	O
	LTE 13	-	-	O	O	-	-	O	O	O	O	O	O	O	O
	LTE 66	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	LTE 71	-	-	O	O	O	O	O	O	O	O	O	O	O	O
Effective Isotropic	LTE 4	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	LTE 12	O	O	O	O	-	-	O	O	O	O	O	O	O	O



Radiated power	LTE 13	-	-	O	O	-	-	O	O	O	O	O	O	O	O
	LTE 66	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	LTE 71	-	-	O	O	O	O	O	O	O	O	O	O	O	O
Occupied Bandwidth	LTE 4	O	O	O	O	O	O	O	O	-	-	O	O	O	O
	LTE 12	O	O	O	O	-	-	O	O	-	-	O	O	O	O
	LTE 13	-	-	O	O	-	-	O	O	-	-	O	O	O	O
	LTE 66	O	O	O	O	O	O	O	O	-	-	O	O	O	O
	LTE 71	-	-	O	O	O	O	O	O	-	-	O	O	O	O
Band Edge Compliance	LTE 4	O	O	O	O	O	O	O	O	O	-	O	O	-	O
	LTE 12	O	O	O	O	-	-	O	O	O	-	O	O	-	O
	LTE 13	-	-	O	O	-	-	O	O	O	-	O	O	-	O
	LTE 66	O	O	O	O	O	O	O	O	O	-	O	O	-	O
	LTE 71	-	-	O	O	O	O	O	O	O	-	O	O	-	O
Peak-to-Average Power Ratio	LTE 4	O	O	O	O	O	O	O	O	-	-	O	O	O	O
	LTE 12	O	O	O	O	-	-	O	O	-	-	O	O	O	O
	LTE 13	-	-	O	O	-	-	O	O	-	-	O	O	O	O
	LTE 66	O	O	O	O	O	O	O	O	-	-	O	O	O	O
	LTE 71	-	-	O	O	O	O	O	O	-	-	O	O	O	O
Frequency Stability	LTE 4	O	O	O	O	O	O	O	O	-	-	O	O	-	O
	LTE 12	O	O	O	O	-	-	O	O	-	-	O	O	-	O
	LTE 13	-	-	O	O	-	-	O	O	-	-	O	O	-	O
	LTE 66	O	O	O	O	O	O	O	O	-	-	O	O	-	O
	LTE 71	-	-	O	O	O	O	O	O	-	-	O	O	-	O
Spurious Emissions at Antenna Terminals	LTE 4	O	O	O	O	O	O	O	-	O	O	O	O	O	O
	LTE 12	O	O	O	O	-	-	O	-	O	O	O	O	O	O
	LTE 13	-	-	O	O	-	-	O	-	O	O	O	O	O	O
	LTE 66	O	O	O	O	O	O	O	-	O	O	O	O	O	O
	LTE 71	-	-	O	O	O	O	O	-	O	O	O	O	O	O
Radiates Spurious Emission	LTE 4	O	-	O	-	-	O	O	-	O	-	-	O	O	O
	LTE 12	O	-	O	O	-	-	O	-	O	-	-	O	O	O
	LTE 13	-	-	O	O	-	-	O	-	O	-	-	O	O	O
	LTE 66	O	-	O	-	-	O	O	-	O	-	-	O	O	O
	LTE 71	-	-	O	O	-	O	O	-	O	-	-	O	O	O
Note	1. The mark "O" means that this configuration is chosen for testing. 2. The mark "-" means that this configuration is not testing.														

## 5 Test Case Results

### 5.1 RF Power Output


#### Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

#### Methods of Measurement

During the process of the testing, The EUT is controlled by the Base Station Simulator to ensure max power transmission and proper modulation.

#### Test Setup



The loss between RF output port of the EUT and the input port of the tester has been taken into consideration.

#### Limits

No specific RF power output requirements in part 2.1046.

#### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U=0.4$  dB.

**Test Results**

WCDMA Band IV		AV Conducted Power(dBm)		
		Channel 1312	Channel 1413	Channel 1513
		1712.4 (MHz)	1732.6 (MHz)	1752.6(MHz)
<b>RMC</b>		23.46	23.35	23.37
<b>HSDPA</b>	Sub - Test 1	22.46	22.31	22.30
	Sub - Test 2	22.50	22.31	22.38
	Sub - Test 3	21.92	21.83	21.91
	Sub - Test 4	21.91	21.81	21.90
<b>HSUPA</b>	Sub - Test 1	22.22	22.27	22.21
	Sub - Test 2	21.95	21.81	21.91
	Sub - Test 3	22.51	22.40	22.37
	Sub - Test 4	22.53	22.38	22.37
	Sub - Test 5	22.50	22.31	22.39
<b>DC-HSDPA</b>	Sub - Test 1	23.33	23.22	23.24
	Sub - Test 2	23.31	23.21	23.23
	Sub - Test 3	22.80	22.70	22.72
	Sub - Test 4	22.79	22.69	22.71

LTE Band 4				AV Conducted Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				19957/1710.7	20175/1732.5	20393/1754.3
1.4MHz	QPSK	1	0	23.55	23.20	23.42
		1	2	23.44	23.53	23.46
		1	5	23.20	23.54	23.68
		3	0	23.32	23.22	23.55
		3	2	23.28	23.33	23.40
		3	3	23.31	23.42	23.39
		6	0	22.30	22.40	22.64
	16QAM	1	0	22.45	22.25	23.27
		1	2	22.52	22.79	23.15
		1	5	22.38	22.98	23.37
		3	0	22.23	22.32	22.43
		3	2	22.32	22.39	22.26
		3	3	22.39	22.47	22.47
		6	0	21.34	21.48	21.68
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				19965/1711.5	20175/1732.5	20385/1753.5
3MHz	QPSK	1	0	23.57	23.24	23.45
		1	7	23.47	23.58	23.50
		1	14	23.23	23.59	23.72
		8	0	22.42	22.34	22.68
		8	4	22.40	22.43	22.52
		8	7	22.41	22.53	22.49
		15	0	22.33	22.44	22.67
	16QAM	1	0	22.48	22.27	23.30
		1	7	22.55	22.84	23.19
		1	14	22.40	23.02	23.40
		8	0	21.34	21.45	21.55
		8	4	21.43	21.52	21.38
		8	7	21.49	21.59	21.60
		15	0	21.37	21.52	21.71
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				19975/1712.5	20175/1732.5	20375/1752.5
5MHz	QPSK	1	0	23.54	23.22	23.41
		1	13	23.45	23.54	23.47
		1	24	23.20	23.54	23.68
		12	0	22.39	22.29	22.64
		12	6	22.38	22.39	22.47
		12	13	22.39	22.51	22.45
		25	0	22.31	22.43	22.65



	16QAM	1	0	22.45	22.23	23.27
		1	13	22.52	22.82	23.16
		1	24	22.37	23.00	23.36
		12	0	21.32	21.41	21.52
		12	6	21.40	21.47	21.34
		12	13	21.46	21.54	21.56
		25	0	21.35	21.48	21.66
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				20000/1715	20175/1732.5	20350/1750
10MHz	QPSK	1	0	23.56	23.23	23.44
		1	25	23.48	23.59	23.51
		1	49	23.22	23.58	23.71
		25	0	22.42	22.34	22.68
		25	13	22.41	22.44	22.51
		25	25	22.41	22.55	22.50
		50	0	22.39	22.45	22.69
	16QAM	1	0	22.47	22.26	23.29
		1	25	22.55	22.86	23.19
		1	49	22.40	23.02	23.39
		25	0	21.35	21.46	21.56
		25	13	21.42	21.51	21.37
		25	25	21.49	21.59	21.60
		50	0	21.38	21.53	21.70
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				20025/1717.5	20175/1732.5	20325/1747.5
15MHz	QPSK	1	0	23.55	23.19	23.42
		1	38	23.46	23.58	23.48
		1	74	23.19	23.53	23.67
		36	0	22.40	22.30	22.65
		36	18	22.38	22.39	22.47
		36	39	22.38	22.52	22.46
		75	0	22.37	22.41	22.64
	16QAM	1	0	22.42	22.24	23.27
		1	38	22.53	22.83	23.17
		1	74	22.37	22.98	23.36
		36	0	21.32	21.44	21.53
		36	18	21.39	21.46	21.33
		36	39	21.47	21.55	21.57
		75	0	21.35	21.48	21.66
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				20050/1720	20175/1732.5	20300/1745
20MHz	QPSK	1	0	23.52	23.15	23.39
		1	50	23.45	23.54	23.46



		1	99	23.17	23.52	23.64
		50	0	22.37	22.25	22.61
		50	25	22.36	22.35	22.44
		50	50	22.35	22.47	22.42
		100	0	22.34	22.36	22.60
	16QAM	1	0	22.40	22.20	23.22
		1	50	22.49	22.81	23.13
		1	99	22.35	22.95	23.34
		50	0	21.29	21.40	21.50
		50	25	21.36	21.44	21.30
		50	50	21.44	21.50	21.53
		100	0	21.33	21.44	21.63

LTE Band 12				AV Conducted Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				23017/699.7	23095/707.5	23173/715.3
1.4MHz	QPSK	1	0	23.63	23.64	23.61
		1	2	23.67	23.57	23.69
		1	5	23.61	23.50	23.70
		3	0	23.50	23.54	23.63
		3	2	23.45	23.50	23.54
		3	3	23.66	23.62	23.63
		6	0	22.61	22.57	22.65
	16QAM	1	0	22.95	22.18	22.96
		1	2	22.94	22.55	23.20
		1	5	22.76	22.36	22.86
		3	0	22.58	22.60	22.74
		3	2	22.52	22.50	22.51
		3	3	22.52	22.58	22.46
		6	0	21.71	21.63	21.84
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				23025/700.5	23095/707.5	23165/714.5
3MHz	QPSK	1	0	23.65	23.68	23.64
		1	7	23.70	23.62	23.73
		1	14	23.64	23.55	23.74
		8	0	22.60	22.66	22.76
		8	4	22.57	22.60	22.66
		8	7	22.76	22.73	22.73
		15	0	22.64	22.61	22.68
	16QAM	1	0	22.98	22.20	22.99
		1	7	22.97	22.60	23.24



		1	14	22.78	22.40	22.89
		8	0	21.69	21.73	21.86
		8	4	21.63	21.63	21.63
		8	7	21.62	21.70	21.59
		15	0	21.74	21.67	21.87
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				23035/701.5	23095/707.5	23155/713.5
5MHz	QPSK	1	0	23.63	23.63	23.61
		1	13	23.69	23.62	23.71
		1	24	23.60	23.49	23.69
		12	0	22.58	22.62	22.73
		12	6	22.55	22.56	22.61
		12	13	22.73	22.72	22.70
		25	0	22.68	22.58	22.65
	16QAM	1	0	22.92	22.17	22.96
		1	13	22.95	22.59	23.22
		1	24	22.75	22.36	22.85
		12	0	21.67	21.72	21.84
		12	6	21.59	21.57	21.58
		12	13	21.60	21.66	21.56
		25	0	21.72	21.63	21.82
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				23060/704	23095/707.5	23130/711
10MHz	QPSK	1	0	23.60	23.59	23.58
		1	25	23.68	23.58	23.69
		1	49	23.58	23.48	23.66
		25	0	22.55	22.57	22.69
		25	13	22.53	22.52	22.58
		25	25	22.70	22.67	22.66
		50	0	22.65	22.53	22.61
	16QAM	1	0	22.90	22.13	22.91
		1	25	22.91	22.57	23.18
		1	49	22.73	22.33	22.83
		25	0	21.64	21.68	21.81
		25	13	21.56	21.55	21.55
		25	25	21.57	21.61	21.52
		50	0	21.70	21.59	21.79



LTE Band 13				Conducted Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				23205/779.5	23230/782	23255/784.5
5MHz	QPSK	1	0	23.72	23.63	23.78
		1	13	23.79	23.68	23.77
		1	24	23.58	23.69	23.65
		12	0	22.87	22.77	22.82
		12	6	22.85	22.80	22.86
		12	13	22.75	22.82	22.83
		25	0	22.81	22.74	22.80
	16QAM	1	0	23.06	22.41	22.60
		1	13	23.14	22.45	22.35
		1	24	23.03	22.16	22.43
		12	0	21.50	21.52	21.68
		12	6	21.63	21.75	21.65
		12	13	21.76	21.60	21.57
		25	0	21.74	21.96	21.62
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
10MHz	QPSK	1	0	/	23.76	/
		1	25	/	23.85	/
		1	49	/	23.71	/
		25	0	/	22.87	/
		25	13	/	22.79	/
		25	25	/	22.88	/
		50	0	/	22.74	/
	16QAM	1	0	/	23.11	/
		1	25	/	23.41	/
		1	49	/	22.94	/
		25	0	/	21.78	/
		25	13	/	21.83	/
		25	25	/	21.88	/
		50	0	/	21.82	/

LTE Band 66				Conducted Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				131979/1710.7	132322/1745	132665/1779.3
1.4MHz	QPSK	1	0	23.42	23.57	23.56
		1	2	23.30	23.76	23.57
		1	5	23.37	23.64	23.45
		3	0	23.47	23.58	23.26



		3	2	23.35	23.75	23.33
		3	3	23.59	23.55	23.36
		6	0	22.51	22.73	22.34
	16QAM	1	0	22.84	22.38	22.20
		1	2	22.43	22.76	22.57
		1	5	22.57	22.42	22.22
		3	0	22.53	22.57	22.27
		3	2	22.32	22.76	22.43
		3	3	22.69	22.62	22.45
		6	0	21.65	21.84	21.45
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				131987/1711.5	132322/1745	132657/1778.5
3MHz	QPSK	1	0	23.44	23.61	23.59
		1	7	23.33	23.81	23.61
		1	14	23.40	23.69	23.49
		8	0	22.57	22.70	22.39
		8	4	22.47	22.85	22.45
		8	7	22.69	22.66	22.46
		15	0	22.54	22.77	22.37
	16QAM	1	0	22.87	22.40	22.23
		1	7	22.46	22.81	22.61
		1	14	22.59	22.46	22.25
		8	0	21.64	21.70	21.39
		8	4	21.43	21.89	21.55
		8	7	21.79	21.74	21.58
		15	0	21.68	21.88	21.48
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				131997/1712.5	132322/1745	132647/1777.5
5MHz	QPSK	1	0	23.41	23.59	23.55
		1	13	23.31	23.77	23.58
		1	24	23.37	23.64	23.45
		12	0	22.54	22.65	22.35
		12	6	22.45	22.81	22.40
		12	13	22.67	22.64	22.42
		25	0	22.52	22.76	22.35
	16QAM	1	0	22.84	22.36	22.20
		1	13	22.43	22.79	22.58
		1	24	22.56	22.44	22.21
		12	0	21.62	21.66	21.36
		12	6	21.40	21.84	21.51
		12	13	21.76	21.69	21.54
		25	0	21.66	21.84	21.43
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		



				132022/1715	132322/1745	132622/1775
10MHz	QPSK	1	0	23.43	23.60	23.58
		1	25	23.34	23.82	23.62
		1	49	23.39	23.68	23.48
		25	0	22.57	22.70	22.39
		25	13	22.48	22.86	22.44
		25	25	22.69	22.68	22.47
		50	0	22.60	22.78	22.39
	16QAM	1	0	22.86	22.39	22.22
		1	25	22.46	22.83	22.61
		1	49	22.59	22.46	22.24
		25	0	21.65	21.71	21.40
		25	13	21.42	21.88	21.54
		25	25	21.79	21.74	21.58
		50	0	21.69	21.89	21.47
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
				132047/1717.5	132322/1745	132597/1772.5
15MHz	QPSK	1	0	23.42	23.56	23.56
		1	38	23.32	23.81	23.59
		1	74	23.36	23.63	23.44
		36	0	22.55	22.66	22.36
		36	18	22.45	22.81	22.40
		36	39	22.66	22.65	22.43
		75	0	22.58	22.74	22.34
	16QAM	1	0	22.81	22.37	22.20
		1	38	22.44	22.80	22.59
		1	74	22.56	22.42	22.21
		36	0	21.62	21.69	21.37
		36	18	21.39	21.83	21.50
		36	39	21.77	21.70	21.55
		75	0	21.66	21.84	21.43
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				132072/1720	132322/1745	132572/1770
20MHz	QPSK	1	0	23.39	23.52	23.53
		1	50	23.31	23.77	23.57
		1	99	23.34	23.62	23.41
		50	0	22.52	22.61	22.32
		50	25	22.43	22.77	22.37
		50	50	22.63	22.60	22.39
		100	0	22.55	22.69	22.30
	16QAM	1	0	22.79	22.33	22.15
		1	50	22.40	22.78	22.55
		1	99	22.54	22.39	22.19



		50	0	21.59	21.65	21.34
		50	25	21.36	21.81	21.47
		50	50	21.74	21.65	21.51
		100	0	21.64	21.80	21.40

LTE Band 71				Conducted Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				133147/665.5	133297/680.5	133447/695.5
5MHz	QPSK	1	0	23.15	23.23	22.96
		1	13	23.44	23.23	23.08
		1	24	23.25	23.06	23.07
		12	0	22.15	22.33	22.29
		12	6	22.20	22.19	22.21
		12	13	22.38	22.36	22.33
		25	0	22.17	22.40	22.20
	16QAM	1	0	22.08	22.64	22.90
		1	13	22.20	22.85	22.91
		1	24	22.22	22.43	22.78
		12	0	21.29	21.23	21.07
		12	6	21.25	21.28	21.26
		12	13	21.38	21.23	21.13
		25	0	21.32	21.50	21.31
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				133172/668	133297/680.5	133422/693
10MHz	QPSK	1	0	23.17	23.24	22.99
		1	25	23.47	23.28	23.12
		1	49	23.27	23.10	23.10
		25	0	22.18	22.38	22.33
		25	13	22.23	22.24	22.25
		25	25	22.40	22.40	22.38
		50	0	22.25	22.42	22.24
	16QAM	1	0	22.10	22.67	22.92
		1	25	22.23	22.89	22.94
		1	49	22.25	22.45	22.81
		25	0	21.32	21.28	21.11
		25	13	21.27	21.32	21.29
		25	25	21.41	21.28	21.17
		50	0	21.35	21.55	21.35
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				133197/670.5	133297/680.5	133397/690.5
15MHz	QPSK	1	0	23.16	23.01	22.97



		1	38	23.45	23.11	23.09
		1	74	23.24	23.09	23.06
		36	0	22.16	22.25	22.30
		36	18	22.20	22.21	22.21
		36	39	22.37	22.13	22.34
		75	0	22.23	22.11	22.19
	16QAM	1	0	22.05	22.07	22.90
		1	38	22.21	22.09	22.92
		1	74	22.22	22.22	22.78
		36	0	21.29	21.25	21.08
		36	18	21.24	21.20	21.25
		36	39	21.39	21.12	21.14
		75	0	21.32	21.11	21.31
Bandwidth	Modulation	RB size	RB offset	Channel/Frequency (MHz)		
				133222/673	133322/683	133372/688
20MHz	QPSK	1	0	23.13	23.16	22.94
		1	50	23.44	23.23	23.07
		1	99	23.22	23.04	23.03
		50	0	22.13	22.29	22.26
		50	25	22.18	22.15	22.18
		50	50	22.34	22.32	22.30
		100	0	22.20	22.33	22.15
	16QAM	1	0	22.03	22.61	22.85
		1	50	22.17	22.84	22.88
		1	99	22.20	22.38	22.76
		50	0	21.26	21.22	21.05
		50	25	21.21	21.25	21.22
		50	50	21.36	21.19	21.10
		100	0	21.30	21.46	21.28

## 5.2 Effective Isotropic Radiated Power

### Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

### Methods of Measurement

1. The testing follows FCC KDB 971168 D01 v03r01 Section 5.8 and ANSI/TIA-603-E (2016).

a) Connect the equipment as illustrated. Mount the equipment with the manufacturer specified antenna in a vertical orientation on a manufacturer specified mounting surface located on a non-conducting rotating platform of a RF anechoic chamber (preferred) or a standard radiation site.

b) Key the transmitter, then rotate the EUT 360° azimuthally and record spectrum analyzer power level (LVL) measurements at angular increments that are sufficiently small to permit resolution of all peaks. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading at each angular increment. (Note: several batteries may be needed to offset the effect of battery voltage droop, which should not exceed 5% of the manufactured specified battery voltage during transmission).

c) Replace the transmitter under test with a vertically polarized half-wave dipole (or an antenna whose gain is known relative to an ideal half-wave dipole). The center of the antenna should be at the same location as the center of the antenna under test.

d) Connect the antenna to a signal generator with a known output power and record the path loss (in dB) as LOSS. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading.  $LOSS = \text{Generator Output Power (dBm)} - \text{Analyzer reading (dBm)}$

e) Determine the effective radiated output power at each angular position from the readings in steps b) and d) using the following equation:  $ERP \text{ (dBm)} = LVL \text{ (dBm)} + LOSS \text{ (dB)}$

f) The maximum ERP is the maximum value determined in the preceding step.

g) When calculating ERP, in addition to knowing the antenna radiation and matching characteristics, it is necessary to know the loss values of all elements (e.g. transmission line attenuation, mismatches, filters, combiners) interposed between the point where transmitter output power is measured, and the point where power is applied to the antenna. ERP can then be calculated as follows:


$$EIRP \text{ (dBm)} = \text{Output Power (dBm)} - \text{Losses (dB)} + \text{Antenna Gain (dBd)}$$

where: dBd refers to gain relative to an ideal dipole.

$$EIRP \text{ (dBm)} = ERP \text{ (dBm)} + 2.15 \text{ (dB.)}$$

The RB allocation refers to section 5.1, using the maximum output power configuration.

## Test setup



Note: Area side:2.4mX3.6m

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in stand-up position (Z axis) and the worst case was recorded.

### Limits

Rule Part 27.50(b) (10) specifies that “Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP”

Rule Part 27.50(c) (10) specifies that “Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP”

Rule Part 27.50(d) (4) specifies that “Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.”

Part 27.50(b)(10)Limit	$\leq 3 \text{ W}$ (34.77 dBm)
Part 27.50(c)(10)Limit	$\leq 3 \text{ W}$ (34.77 dBm)
Part 27.50(d)(4)Limit	$\leq 1 \text{ W}$ (30 dBm)

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U = 1.19 \text{ dB}$



**Test Results**

The measurement is performed for both of horizontal and vertical antenna Polarization, and only the data of worst mode is recorded in this report.

Mode	Channel	Frequency (MHz)	Polarization	EIRP (dBm)	Limit (dBm)	Conclusion
<b>WCDMA Band IV</b>	Low	1712.4	Horizontal	25.59	30	Pass
	Mid	1732.6	Horizontal	25.62	30	Pass
	High	1752.6	Horizontal	25.26	30	Pass

<b>LTE Band 4</b>						
Bandwidth	Channel	Frequency (MHz)	Polarization	EIRP (dBm)	Limit (dBm)	Conclusion
<b>1.4 MHz (QPSK)</b>	Low	1710.7	Horizontal	26.08	30	Pass
	Mid	1732.5	Horizontal	25.73	30	Pass
	High	1754.3	Horizontal	25.24	30	Pass
<b>3 MHz (QPSK)</b>	Low	1711.5	Horizontal	25.83	30	Pass
	Mid	1732.5	Horizontal	25.57	30	Pass
	High	1753.5	Horizontal	25.23	30	Pass
<b>5 MHz (QPSK)</b>	Low	1712.5	Horizontal	25.90	30	Pass
	Mid	1732.5	Horizontal	25.71	30	Pass
	High	1752.5	Horizontal	24.99	30	Pass
<b>10 MHz (QPSK)</b>	Low	1715	Horizontal	25.56	30	Pass
	Mid	1732.5	Horizontal	25.55	30	Pass
	High	1750	Horizontal	25.69	30	Pass
<b>15 MHz (QPSK)</b>	Low	1717.5	Horizontal	25.87	30	Pass
	Mid	1732.5	Horizontal	25.66	30	Pass
	High	1747.5	Horizontal	25.53	30	Pass
<b>20 MHz (QPSK)</b>	Low	1720	Horizontal	25.51	30	Pass
	Mid	1732.5	Horizontal	25.40	30	Pass
	High	1745	Horizontal	25.79	30	Pass
<b>1.4 MHz (16QAM)</b>	Low	1710.7	Horizontal	25.45	30	Pass
	Mid	1732.5	Horizontal	24.90	30	Pass
	High	1754.3	Horizontal	24.69	30	Pass
<b>3 MHz (16QAM)</b>	Low	1711.5	Horizontal	25.19	30	Pass
	Mid	1732.5	Horizontal	24.76	30	Pass
	High	1753.5	Horizontal	24.67	30	Pass
<b>5 MHz (16QAM)</b>	Low	1712.5	Horizontal	25.52	30	Pass
	Mid	1732.5	Horizontal	25.54	30	Pass
	High	1752.5	Horizontal	24.78	30	Pass
<b>10 MHz (16QAM)</b>	Low	1715	Horizontal	25.22	30	Pass
	Mid	1732.5	Horizontal	25.03	30	Pass
	High	1750	Horizontal	25.36	30	Pass



<b>15 MHz (16QAM)</b>	Low	1717.5	Horizontal	25.19	30	Pass
	Mid	1732.5	Horizontal	25.22	30	Pass
	High	1747.5	Horizontal	24.99	30	Pass
<b>20 MHz (16QAM)</b>	Low	1720	Horizontal	25.22	30	Pass
	Mid	1732.5	Horizontal	24.88	30	Pass
	High	1745	Horizontal	25.35	30	Pass

LTE Band 12						
Bandwidth	Channel	Frequency (MHz)	Polarization	ERP (dBm)	Limit (dBm)	Conclusion
<b>1.4 MHz (QPSK)</b>	Low	699.7	Horizontal	18.96	34.77	Pass
	Mid	707.5	Horizontal	20.31	34.77	Pass
	High	715.3	Horizontal	20.26	34.77	Pass
<b>3 MHz (QPSK)</b>	Low	700.5	Horizontal	19.55	34.77	Pass
	Mid	707.5	Horizontal	19.90	34.77	Pass
	High	714.5	Horizontal	20.16	34.77	Pass
<b>5 MHz (QPSK)</b>	Low	701.5	Horizontal	19.11	34.77	Pass
	Mid	707.5	Horizontal	20.04	34.77	Pass
	High	713.5	Horizontal	20.48	34.77	Pass
<b>10 MHz (QPSK)</b>	Low	704	Horizontal	19.21	34.77	Pass
	Mid	707.5	Horizontal	19.33	34.77	Pass
	High	711	Horizontal	19.83	34.77	Pass
<b>1.4 MHz (16QAM)</b>	Low	699.7	Horizontal	18.66	34.77	Pass
	Mid	707.5	Horizontal	19.77	34.77	Pass
	High	715.3	Horizontal	19.97	34.77	Pass
<b>3 MHz (16QAM)</b>	Low	700.5	Horizontal	19.19	34.77	Pass
	Mid	707.5	Horizontal	19.56	34.77	Pass
	High	714.5	Horizontal	19.92	34.77	Pass
<b>5 MHz (16QAM)</b>	Low	701.5	Horizontal	18.89	34.77	Pass
	Mid	707.5	Horizontal	19.93	34.77	Pass
	High	713.5	Horizontal	20.38	34.77	Pass
<b>10 MHz (16QAM)</b>	Low	704	Horizontal	18.55	34.77	Pass
	Mid	707.5	Horizontal	18.57	34.77	Pass
	High	711	Horizontal	19.30	34.77	Pass

LTE Band 13						
Bandwidth	Channel	Frequency (MHz)	Polarization	ERP (dBm)	Limit (dBm)	Conclusion
<b>5MHz (QPSK)</b>	Low	779.5	Horizontal	23.26	34.77	Pass
	Mid	782	Horizontal	23.25	34.77	Pass
	High	784.5	Horizontal	23.36	34.77	Pass
<b>10MHz (QPSK)</b>	Mid	782	Horizontal	23.63	34.77	Pass
<b>5MHz (16QAM)</b>	Low	779.5	Horizontal	22.65	34.77	Pass
	Mid	782	Horizontal	22.89	34.77	Pass
	High	784.5	Horizontal	22.78	34.77	Pass
<b>10MHz (16QAM)</b>	Mid	782	Horizontal	23.26	34.77	Pass

LTE Band 66						
Band width	Channel	Frequency (MHz)	Polarization	EIRP (dBm)	Limit (dBm)	Conclusion
<b>1.4 MHz (QPSK)</b>	Low	1710.70	Horizontal	27.17	30	Pass
	Mid	1745.00	Horizontal	27.10	30	Pass
	High	1779.30	Horizontal	26.05	30	Pass
<b>3 MHz (QPSK)</b>	Low	1711.50	Horizontal	27.51	30	Pass
	Mid	1745.00	Horizontal	27.06	30	Pass
	High	1778.50	Horizontal	26.01	30	Pass
<b>5 MHz (QPSK)</b>	Low	1712.50	Horizontal	26.92	30	Pass
	Mid	1745.00	Horizontal	26.78	30	Pass
	High	1777.50	Horizontal	25.98	30	Pass
<b>10 MHz (QPSK)</b>	Low	1715.00	Horizontal	27.25	30	Pass
	Mid	1745.00	Horizontal	27.30	30	Pass
	High	1775.00	Horizontal	26.13	30	Pass
<b>15 MHz (QPSK)</b>	Low	1717.50	Horizontal	27.01	30	Pass
	Mid	1745.00	Horizontal	27.12	30	Pass
	High	1772.50	Horizontal	26.43	30	Pass
<b>20 MHz (QPSK)</b>	Low	1720.00	Horizontal	26.98	30	Pass
	Mid	1745.00	Horizontal	27.02	30	Pass
	High	1770.00	Horizontal	26.31	30	Pass
<b>1.4 MHz (16QAM)</b>	Low	1710.70	Horizontal	26.54	30	Pass
	Mid	1745.00	Horizontal	26.27	30	Pass
	High	1779.30	Horizontal	25.50	30	Pass
<b>3 MHz (16QAM)</b>	Low	1711.50	Horizontal	26.87	30	Pass
	Mid	1745.00	Horizontal	26.25	30	Pass
	High	1778.50	Horizontal	25.45	30	Pass



<b>5 MHz (16QAM)</b>	Low	1712.50	Horizontal	26.14	30	Pass
	Mid	1745.00	Horizontal	26.21	30	Pass
	High	1777.50	Horizontal	25.37	30	Pass
<b>10 MHz (16QAM)</b>	Low	1715.00	Horizontal	26.61	30	Pass
	Mid	1745.00	Horizontal	26.48	30	Pass
	High	1775.00	Horizontal	25.50	30	Pass
<b>15 MHz (16QAM)</b>	Low	1717.50	Horizontal	26.63	30	Pass
	Mid	1745.00	Horizontal	26.98	30	Pass
	High	1772.50	Horizontal	26.19	30	Pass
<b>20 MHz (16QAM)</b>	Low	1720.00	Horizontal	26.79	30	Pass
	Mid	1745.00	Horizontal	26.60	30	Pass
	High	1770.00	Horizontal	25.97	30	Pass

LTE Band 71						
Bandwidth	Channel	Frequency (MHz)	Polarization	ERP (dBm)	Limit (dBm)	Conclusion
<b>5 MHz (QPSK)</b>	Low	665.5	Horizontal	21.30	34.77	Pass
	Mid	680.5	Horizontal	22.72	34.77	Pass
	High	695.5	Horizontal	22.54	34.77	Pass
<b>10 MHz (QPSK)</b>	Low	668	Horizontal	21.15	34.77	Pass
	Mid	680.5	Horizontal	22.42	34.77	Pass
	High	693	Horizontal	22.17	34.77	Pass
<b>15 MHz (QPSK)</b>	Low	670.5	Horizontal	21.32	34.77	Pass
	Mid	680.5	Horizontal	21.74	34.77	Pass
	High	690.5	Horizontal	22.44	34.77	Pass
<b>20 MHz (QPSK)</b>	Low	673	Horizontal	21.41	34.77	Pass
	Mid	683	Horizontal	22.66	34.77	Pass
	High	688	Horizontal	22.52	34.77	Pass
<b>5 MHz (16QAM)</b>	Low	665.5	Horizontal	20.62	34.77	Pass
	Mid	680.5	Horizontal	22.25	34.77	Pass
	High	695.5	Horizontal	22.03	34.77	Pass
<b>10 MHz (16QAM)</b>	Low	668	Horizontal	20.61	34.77	Pass
	Mid	680.5	Horizontal	21.70	34.77	Pass
	High	693	Horizontal	21.64	34.77	Pass
<b>15 MHz (16QAM)</b>	Low	670.5	Horizontal	20.64	34.77	Pass
	Mid	680.5	Horizontal	21.30	34.77	Pass
	High	690.5	Horizontal	21.90	34.77	Pass
<b>20 MHz (16QAM)</b>	Low	673	Horizontal	20.92	34.77	Pass
	Mid	683	Horizontal	21.94	34.77	Pass
	High	688	Horizontal	21.88	34.77	Pass

Note: 1. EIRP= E.R.P+2.15

### 5.3 Occupied Bandwidth

#### Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

#### Method of Measurement

The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The occupied bandwidth is measured using spectrum analyzer.

RBW is set to 51 kHz, VBW is set to 160 kHz for WCDMA Band IV.

RBW is set to 51 kHz, VBW is set to 160 kHz for LTE Band 4/12/66 (1.4MHz).

RBW is set to 100 kHz, VBW is set to 300 kHz for LTE Band 4/12/66 (3MHz).


RBW is set to 100 kHz, VBW is set to 300 kHz for LTE Band 4/12/13/66/71 (5MHz).

RBW is set to 300 kHz, VBW is set to 1MHz for LTE Band 4/12/13/66/71 (10MHz).

RBW is set to 300 kHz, VBW is set to 1MHz for LTE Band 4/66/71 (15MHz/20MHz).

99% power and -26dBc occupied bandwidths are recorded. Spectrum analyzer plots are included on the following pages.

#### Test Setup



#### Limits

No specific occupied bandwidth requirements in part 2.1049.

#### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U=624\text{Hz}$ .

**Test Result**
**EC25-AF**

Mode	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
WCDMA Band IV (RMC)	1312	1712.4	4.1288	4.696
	1413	1732.6	4.1217	4.714
	1513	1752.6	4.1281	4.715

LTE Band 4						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	19957	1710.7	1.1282	1.366
			20175	1732.5	1.1272	1.362
			20393	1754.3	1.1412	1.369
		3	19965	1711.5	2.7521	3.075
			20175	1732.5	2.7431	3.075
			20385	1753.5	2.7428	3.085
		5	19975	1712.5	4.5161	5.049
			20175	1732.5	4.5341	5.033
			20375	1752.5	4.5121	5.057
		10	20000	1715	9.0083	10.070
			20175	1732.5	9.0383	10.210
			20350	1750	9.0426	10.080
		15	20025	1717.5	13.4140	14.650
			20175	1732.5	13.4770	14.810
			20325	1747.5	13.4540	14.740
		20	20050	1720	17.8660	19.240
			20175	1732.5	17.8520	19.150
			20300	1745	17.8910	19.490
	16QAM	1.4	19957	1710.7	1.1249	1.334
			20175	1732.5	1.1305	1.353
			20393	1754.3	1.1225	1.377
		3	19965	1711.5	2.7348	3.064
			20175	1732.5	2.7630	3.089
			20385	1753.5	2.7407	3.079
		5	19975	1712.5	4.5356	5.040
			20175	1732.5	4.5138	5.037
			20375	1752.5	4.5368	5.045
		10	20000	1715	9.0158	10.050



			20175	1732.5	9.0392	10.000
			20350	1750	9.0281	10.090
			20025	1717.5	13.4620	14.740
		15	20175	1732.5	13.4740	14.730
			20325	1747.5	13.4740	14.810
			20050	1720	17.8840	19.410
		20	20175	1732.5	17.9000	19.320
			20300	1745	17.8550	19.320

LTE Band 12						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	23017	699.7	1.1276	1.362
			23095	707.5	1.1259	1.353
			23173	715.3	1.1378	1.342
		3	23025	700.5	2.7511	3.064
			23095	707.5	2.7413	3.074
			23165	714.5	2.7441	3.073
		5	23035	701.5	4.5181	5.050
			23095	707.5	4.5262	5.043
			23155	713.5	4.5110	4.989
		10	23060	704	9.0089	10.040
			23095	707.5	9.0229	10.090
			23130	711	9.0466	10.080
	16QAM	1.4	23017	699.7	1.1233	1.328
			23095	707.5	1.1305	1.335
			23173	715.3	1.1214	1.358
		3	23025	700.5	2.7342	3.065
			23095	707.5	2.7584	3.075
			23165	714.5	2.7401	3.068
		5	23035	701.5	4.5272	5.035
			23095	707.5	4.5071	5.026
			23155	713.5	4.5361	5.063
		10	23060	704	9.0130	10.070
			23095	707.5	9.0272	9.989
			23130	711	9.0403	10.110

LTE Band 13						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	5	23205	779.5	4.5103	5.025



			23230	782	4.5307	5.036
			23255	784.5	4.4991	5.010
		10	23230	782	9.0332	10.120
	16QAM	5	23205	779.5	4.5294	5.034
			23230	782	4.5129	5.021
			23255	784.5	4.5367	5.032
		10	23230	782	9.0348	10.010

LTE Band 66						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	131979	1710.7	1.1295	1.385
			132322	1745	1.1286	1.364
			132665	1779.3	1.1383	1.350
		3	131987	1711.5	2.7481	3.070
			132322	1745	2.7435	3.077
			132657	1778.5	2.7434	3.068
		5	131997	1712.5	4.5159	5.042
			132322	1745	4.5347	5.042
			132647	1777.5	4.5042	5.037
		10	132022	1715	9.0110	10.110
			132322	1745	9.0427	10.200
			132622	1775	9.0373	10.050
		15	132047	1717.5	13.4110	14.730
			132322	1745	13.4790	14.730
			132597	1772.5	13.4530	14.720
		20	132072	1720	17.8570	19.260
			132322	1745	17.8840	19.310
			132572	1770	17.8970	19.500
	16QAM	1.4	131979	1710.7	1.1247	1.332
			132322	1745	1.1301	1.350
			132665	1779.3	1.1222	1.360
		3	131987	1711.5	2.7340	3.056
			132322	1745	2.7701	3.094
			132657	1778.5	2.7384	3.072
		5	131997	1712.5	4.5369	5.046
			132322	1745	4.5175	5.046
			132647	1777.5	4.5340	5.043
		10	132022	1715	9.0146	10.060
			132322	1745	9.0407	10.040





			132622	1775	9.0275	10.080
		15	132047	1717.5	13.4620	14.740
			132322	1745	13.4870	14.740
			132597	1772.5	13.4630	14.850
		20	132072	1720	17.8850	19.500
			132322	1745	17.8840	19.410
			132572	1770	17.8600	19.290

LTE Band 71						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
		5	133147	665.5	4.5101	5.025
			133297	680.5	4.5218	5.037
			133447	695.5	4.5052	5.012
		10	133172	668	9.0070	10.120
			133297	680.5	9.0348	10.180
			133422	693	9.0305	10.040
		15	133197	670.5	13.4130	14.720
			133297	680.5	13.4490	14.760
			133397	690.5	13.4690	14.790
		20	133222	673	17.8330	19.240
			133322	683	17.8680	19.250
			133372	688	17.9120	19.430
		5	133147	665.5	4.5289	5.040
			133297	680.5	4.5090	5.016
			133447	695.5	4.5335	5.047
		10	133172	668	9.0112	10.050
			133297	680.5	9.0370	10.030
			133422	693	9.0266	10.070
		15	133197	670.5	13.4550	14.740
			133297	680.5	13.4680	14.730
			133397	690.5	13.4770	14.790
		20	133222	673	17.8350	19.430
			133322	683	17.8930	19.330
			133372	688	17.8710	19.360



## EC25-AF MINIPCIE

LTE Band 12						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	23095	707.5	1.1254	1.353
		3	23095	707.5	2.7455	3.081
		5	23095	707.5	4.5253	5.016
		10	23095	707.5	9.0398	10.140
	16QAM	1.4	23095	707.5	1.1285	1.334
		3	23095	707.5	2.7583	3.074
		5	23095	707.5	4.5101	5.022
		10	23095	707.5	9.0209	10.030




## EC25-AF


## WCDMA Band IV CH-Low



## WCDMA Band IV CH Middle



## WCDMA Band IV CH High







## LTE Band 4 QPSK 1.4MHz CH-Low




## LTE Band 4 QPSK 3MHz CH-Low



## LTE Band 4 QPSK 1.4MHz CH-Middle




## LTE Band 4 QPSK 3MHz CH-Middle



## LTE Band 4 QPSK 1.4MHz CH-High



## LTE Band 4 QPSK 3MHz CH-High






## LTE Band 4 QPSK 5MHz CH-Low




## LTE Band 4 QPSK 10MHz CH-Low



## LTE Band 4 QPSK 5MHz CH-Middle



## LTE Band 4 QPSK 10MHz CH-Middle



## LTE Band 4 QPSK 5MHz CH-High




## LTE Band 4 QPSK 10MHz CH-High







## LTE Band 4 QPSK 15MHz CH-Low




## LTE Band 4 QPSK 20MHz CH-Low




## LTE Band 4 QPSK 15MHz CH-Middle




## LTE Band 4 QPSK 20MHz CH-Middle



## LTE Band 4 QPSK 15MHz CH-High



## LTE Band 4 QPSK 20MHz CH-High









## LTE Band 4 16QAM 1.4MHz CH-Low




## LTE Band 4 16QAM 3MHz CH-Low




## LTE Band 4 16QAM 1.4MHz CH-Middle




## LTE Band 4 16QAM 3MHz CH-Middle



## LTE Band 4 16QAM 1.4MHz CH-High



## LTE Band 4 16QAM 3MHz CH-High







## LTE Band 4 16QAM 5MHz CH-Low




## LTE Band 4 16QAM 10MHz CH-Low



## LTE Band 4 16QAM 5MHz CH-Middle



## LTE Band 4 16QAM 10MHz CH-Middle



## LTE Band 4 16QAM 5MHz CH-High




## LTE Band 4 16QAM 10MHz CH-High









## LTE Band 4 16QAM 15MHz CH-Low




## LTE Band 4 16QAM 20MHz CH-Low



## LTE Band 4 16QAM 15MHz CH-Middle




## LTE Band 4 16QAM 20MHz CH-Middle



## LTE Band 4 16QAM 15MHz CH-High



## LTE Band 4 16QAM 20MHz CH-High







## LTE Band 12 QPSK 1.4MHz CH-Low




## LTE Band 12 QPSK 3MHz CH-Low




## LTE Band 12 QPSK 1.4MHz CH-Middle



## LTE Band 12 QPSK 3MHz CH-Middle



## LTE Band 12 QPSK 1.4MHz CH-High



## LTE Band 12 QPSK 3MHz CH-High









## LTE Band 12 16QAM 1.4MHz CH-Low




## LTE Band 12 16QAM 3MHz CH-Low




## LTE Band 12 16QAM 1.4MHz CH-Middle




## LTE Band 12 16QAM 3MHz CH-Middle



## LTE Band 12 16QAM 1.4MHz CH-High



## LTE Band 12 16QAM 3MHz CH-High








## LTE Band 12 16QAM 5MHz CH-Low



## LTE Band 12 16QAM 10MHz CH-Low




## LTE Band 12 16QAM 5MHz CH-Middle




## LTE Band 12 16QAM 10MHz CH-Middle



## LTE Band 12 16QAM 5MHz CH-High



## LTE Band 12 16QAM 10MHz CH-High





## LTE Band 13 QPSK 5MHz CH-Low




## LTE Band 13 16QAM 5MHz CH-Low



## LTE Band 13 QPSK 5MHz CH-Middle



## LTE Band 13 16QAM 5MHz CH-Middle



## LTE Band 13 QPSK 5MHz CH-High




## LTE Band 13 16QAM 5MHz CH-High





## LTE Band 13 QPSK 10MHz CH- Middle



## LTE Band 13 16QAM 10MHz CH-Middle







## LTE Band 66 QPSK 1.4MHz CH-Low



## LTE Band 66 QPSK 3MHz CH-Low




## LTE Band 66 QPSK 1.4MHz CH-Middle




## LTE Band 66 QPSK 3MHz CH-Middle



## LTE Band 66 QPSK 1.4MHz CH-High



## LTE Band 66 QPSK 3MHz CH-High









## LTE Band 66 QPSK 5MHz CH-Low



## LTE Band 66 QPSK 10MHz CH-Low




## LTE Band 66 QPSK 5MHz CH-Middle




## LTE Band 66 QPSK 10MHz CH-Middle



## LTE Band 66 QPSK 5MHz CH-High




## LTE Band 66 QPSK 10MHz CH-High







## LTE Band 66 QPSK 15MHz CH-Low




## LTE Band 66 QPSK 20MHz CH-Low




## LTE Band 66 QPSK 15MHz CH-Middle




## LTE Band 66 QPSK 20MHz CH-Middle



## LTE Band 66 QPSK 15MHz CH-High



## LTE Band 66 QPSK 20MHz CH-High







## LTE Band 66 16QAM 1.4MHz CH-Low




## LTE Band 66 16QAM 3MHz CH-Low



## LTE Band 66 16QAM 1.4MHz CH-Middle




## LTE Band 66 16QAM 3MHz CH-Middle



## LTE Band 66 16QAM 1.4MHz CH-High




## LTE Band 66 16QAM 3MHz CH-High







## LTE Band 66 16QAM 5MHz CH-Low




## LTE Band 66 16QAM 10MHz CH-Low




## LTE Band 66 16QAM 5MHz CH-Middle



## LTE Band 66 16QAM 10MHz CH-Middle



## LTE Band 66 16QAM 5MHz CH-High




## LTE Band 66 16QAM 10MHz CH-High









## LTE Band 66 16QAM 15MHz CH-Low




## LTE Band 66 16QAM 20MHz CH-Low




## LTE Band 66 16QAM 15MHz CH-Middle




## LTE Band 66 16QAM 20MHz CH-Middle



## LTE Band 66 16QAM 15MHz CH-High



## LTE Band 66 16QAM 20MHz CH-High






## LTE Band 71 QPSK 5MHz CH-Low




## LTE Band 71 QPSK 10MHz CH-Low



## LTE Band 71 QPSK 5MHz CH-Middle



## LTE Band 71 QPSK 10MHz CH-Middle



## LTE Band 71 QPSK 5MHz CH-High




## LTE Band 71 QPSK 10MHz CH-High







## LTE Band 71 QPSK 15MHz CH-Low




## LTE Band 71 QPSK 20MHz CH-Low




## LTE Band 71 QPSK 15MHz CH-Middle




## LTE Band 71 QPSK 20MHz CH-Middle



## LTE Band 71 QPSK 15MHz CH-High



## LTE Band 71 QPSK 20MHz CH-High






## LTE Band 71 16QAM 5MHz CH-Low



## LTE Band 71 16QAM 10MHz CH-Low



## LTE Band 71 16QAM 5MHz CH-Middle



## LTE Band 71 16QAM 10MHz CH-Middle



## LTE Band 71 16QAM 5MHz CH-High




## LTE Band 71 16QAM 10MHz CH-High








## LTE Band 71 16QAM 15MHz CH-Low




## LTE Band 71 16QAM 20MHz CH-Low




## LTE Band 71 16QAM 15MHz CH-Middle



## LTE Band 71 16QAM 20MHz CH-Middle



## LTE Band 71 16QAM 15MHz CH-High



## LTE Band 71 16QAM 20MHz CH-High






## EC25-AF MINIPICIE


## LTE Band 12 QPSK 1.4MHz CH- Middle




## LTE Band 12 16QAM 1.4MHz CH- Middle



## LTE Band 12 QPSK 3MHz CH- Middle




## LTE Band 12 16QAM 3MHz CH- Middle



## LTE Band 12 QPSK 5MHz CH- Middle



## LTE Band 12 16QAM 5MHz CH- Middle





## LTE Band 12 QPSK 10MHz CH- Middle



## LTE Band 12 16QAM 10MHz CH- Middle



## 5.4 Band Edge Compliance

### Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa


### Method of Measurement

The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The band edge of the lowest and highest channels were measured.

The testing follows KDB 971168 D01 v03r01 Section 6.0

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured.  
 RBW is set to 51 kHz, VBW is set to 160 kHz for WCDMA Band IV.  
 RBW is set to 15 kHz, VBW is set to 51 kHz for LTE Band 4/66 (1.4MHz).  
 RBW is set to 30 kHz, VBW is set to 100 kHz for LTE Band 4/66 (3MHz).  
 RBW is set to 51 kHz, VBW is set to 160 kHz for LTE Band 4/66/71 (5MHz).  
 RBW is set to 100 kHz, VBW is set to 300kHz for LTE Band 4/66/71 (10MHz).  
 RBW is set to 150 kHz, VBW is set to 510 kHz for LTE Band 4/66/71 (15MHz).  
 RBW is set to 200 kHz, VBW is set to 620 kHz for LTE Band 4/66/71 (20MHz).  
 RBW is set to 100 kHz, VBW is set to 300kHz for LTE Band 12(1.4MHz/3MHz/5MHz/10MHz).  
 RBW is set to 10 kHz, VBW is set to 30 kHz for LTE Band 13 (763MHz~775MHz).  
 RBW is set to 100 kHz, VBW is set to 300 kHz for LTE Band 13 (775MHz~777MHz).  
 RBW is set to 100 kHz, VBW is set to 300 kHz for LTE Band 13 (787MHz~793MHz).  
 RBW is set to 10 kHz, VBW is set to 30 kHz for LTE Band 13 (793MHz~805MHz).  
 on spectrum analyzer.
4. Set spectrum analyzer with RMS detector.
5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
6. Checked that all the results comply with the emission limit line.

### Test Setup



**Limits**

Rule Part 27.53(i) By a factor of not less than  $43 + 10 \log (P)$  dB on all frequencies between 2305 and 2320 MHz.

Rule Part 27.53(h) specifies that “ for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10} (P)$  dB”

Part 27.53(g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log (P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 27.53(m) (4) specifies that “for BRS and EBS stations. For mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log (P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log (P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log (P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(4) of this section. In addition, the attenuation factor shall not be less than  $43 + 10 \log (P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log (P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Example:

The limit line is derived from  $43 + 10 \log (P)$  dB below the transmitter power P(Watts)  
=  $P(W) - [43 + 10 \log(P)]$  (dB)  
=  $[30 + 10 \log (P)]$  (dBm) -  $[43 + 10 \log(P)]$  (dB) = -13dBm.

Rule Part 27.53(f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

Part 27.53 (c) For operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log (P)$  dB;



- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log (P)$  dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than  $76 + 10 \log (P)$  dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than  $65 + 10 \log (P)$  dB in a 6.25 kHz band segment, for mobile and portable stations;
- (5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 1.96$ ,  $U=0.684\text{dB}$ .

## Test Result

All the test traces in the plots shows the test results clearly.







## LTE Band 4 QPSK 1.4MHz CH-Low, 1 RB



## LTE Band 4 QPSK 1.4MHz CH-High, 1 RB




## LTE Band 4 QPSK 1.4MHz CH-Low, 100%RB



## LTE Band 4 QPSK 1.4MHz CH-High, 100%RB



## LTE Band 4 QPSK 3MHz CH-Low, 1 RB



## LTE Band 4 QPSK 3MHz CH-High, 1 RB








## LTE Band 4 QPSK 3MHz CH-Low, 100%RB



## LTE Band 4 QPSK 3MHz CH-High, 100%RB



## LTE Band 4 QPSK 5MHz CH-Low, 1 RB



## LTE Band 4 QPSK 5MHz CH-High, 1 RB



## LTE Band 4 QPSK 5MHz CH-Low, 100%RB




## LTE Band 4 QPSK 5MHz CH-High, 100%RB







## LTE Band 4 QPSK 10MHz CH-Low, 1 RB



## LTE Band 4 QPSK 10MHz CH-High, 1 RB




## LTE Band 4 QPSK 10MHz CH-Low, 100%RB



## LTE Band 4 QPSK 10MHz CH-High, 100%RB



## LTE Band 4 QPSK 15MHz CH-Low, 1 RB



## LTE Band 4 QPSK 15MHz CH-High, 1 RB

