



1. Duty Cycle

| Condition | Mode | Frequency (MHz) | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|----------------|------------------------|-----------|
| NVNT | a | 5260 | 68.82 | 1.62 | 8.55 |
| NVNT | a | 5300 | 68.82 | 1.62 | 8.55 |
| NVNT | a | 5320 | 69.12 | 1.6 | 8.51 |
| NVNT | n20 | 5260 | 68.93 | 1.62 | 8.58 |
| NVNT | n20 | 5300 | 68.93 | 1.62 | 8.58 |
| NVNT | n20 | 5320 | 68.93 | 1.62 | 8.58 |
| NVNT | n40 | 5270 | 55.75 | 2.54 | 12.97 |
| NVNT | n40 | 5310 | 59.53 | 2.25 | 13.02 |
| NVNT | ac20 | 5260 | 70.06 | 1.55 | 8.06 |
| NVNT | ac20 | 5300 | 70.06 | 1.55 | 8.06 |
| NVNT | ac20 | 5320 | 70.06 | 1.55 | 8.06 |
| NVNT | ac40 | 5270 | 61.62 | 2.1 | 11.86 |
| NVNT | ac40 | 5310 | 61.62 | 2.1 | 11.86 |
| NVNT | ac80 | 5290 | 54.57 | 2.63 | 15.95 |


Duty Cycle NVNT a 5320MHz




Duty Cycle NVNT n20 5260MHz




Duty Cycle NVNT n20 5300MHz




Duty Cycle NVNT n20 5320MHz




Duty Cycle NVNT n40 5270MHz




Duty Cycle NVNT n40 5310MHz




Duty Cycle NVNT ac20 5320MHz




Duty Cycle NVNT ac40 5270MHz



Duty Cycle NVNT ac40 5310MHz



Duty Cycle NVNT ac80 5290MHz




2. Maximum Conducted Output Power


| Condition | Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT | a | 5260 | 10.46 | 1.62 | 12.08 | <=24 | Pass |
| NVNT | a | 5300 | 10.57 | 1.62 | 12.19 | <=24 | Pass |
| NVNT | a | 5320 | 9.99 | 1.6 | 11.59 | <=24 | Pass |
| NVNT | n20 | 5260 | 10.6 | 1.62 | 12.22 | <=24 | Pass |
| NVNT | n20 | 5300 | 10.79 | 1.62 | 12.41 | <=24 | Pass |
| NVNT | n20 | 5320 | 10.25 | 1.62 | 11.87 | <=24 | Pass |
| NVNT | n40 | 5270 | 9.47 | 2.54 | 12.01 | <=24 | Pass |
| NVNT | n40 | 5310 | 9.94 | 2.25 | 12.19 | <=24 | Pass |
| NVNT | ac20 | 5260 | 10.79 | 1.55 | 12.34 | <=24 | Pass |
| NVNT | ac20 | 5300 | 10.84 | 1.55 | 12.39 | <=24 | Pass |
| NVNT | ac20 | 5320 | 10.35 | 1.55 | 11.9 | <=24 | Pass |
| NVNT | ac40 | 5270 | 9.68 | 2.1 | 11.78 | <=24 | Pass |
| NVNT | ac40 | 5310 | 10.1 | 2.1 | 12.2 | <=24 | Pass |
| NVNT | ac80 | 5290 | 9.63 | 2.63 | 12.26 | <=24 | Pass |

Test Graphs


Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz




Power NVNT n40 5270MHz




Power NVNT n40 5310MHz




Power NVNT ac20 5260MHz




Power NVNT ac20 5300MHz




Power NVNT ac20 5320MHz




Power NVNT ac40 5270MHz



Power NVNT ac40 5310MHz



Power NVNT ac80 5290MHz




3. -26dB Bandwidth


| Condition | Mode | Frequency (MHz) | -26 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|------------------------|---------|
| NVNT | a | 5260 | 27.0708 | Pass |
| NVNT | a | 5300 | 25.4023 | Pass |
| NVNT | a | 5320 | 24.9073 | Pass |
| NVNT | n20 | 5260 | 26.1671 | Pass |
| NVNT | n20 | 5300 | 28.5604 | Pass |
| NVNT | n20 | 5320 | 26.9812 | Pass |
| NVNT | n40 | 5270 | 39.6338 | Pass |
| NVNT | n40 | 5310 | 40.9409 | Pass |
| NVNT | ac20 | 5260 | 27.8598 | Pass |
| NVNT | ac20 | 5300 | 28.6969 | Pass |
| NVNT | ac20 | 5320 | 27.9816 | Pass |
| NVNT | ac40 | 5270 | 48.1625 | Pass |
| NVNT | ac40 | 5310 | 47.9648 | Pass |
| NVNT | ac80 | 5290 | 80.3598 | Pass |

Test Graphs


-26dB Bandwidth NVNT a 5260MHz




-26dB Bandwidth NVNT a 5300MHz




-26dB Bandwidth NVNT a 5320MHz




-26dB Bandwidth NVNT n20 5260MHz




-26dB Bandwidth NVNT n20 5300MHz




-26dB Bandwidth NVNT n20 5320MHz




-26dB Bandwidth NVNT n40 5270MHz




-26dB Bandwidth NVNT n40 5310MHz




-26dB Bandwidth NVNT ac20 5260MHz




-26dB Bandwidth NVNT ac20 5300MHz




-26dB Bandwidth NVNT ac20 5320MHz




-26dB Bandwidth NVNT ac40 5270MHz



-26dB Bandwidth NVNT ac40 5310MHz



-26dB Bandwidth NVNT ac80 5290MHz




4. Occupied Channel Bandwidth


| Condition | Mode | Frequency (MHz) | 99% OBW (MHz) |
|-----------|------|-----------------|---------------|
| NVNT | a | 5260 | 16.5168 |
| NVNT | a | 5300 | 16.5188 |
| NVNT | a | 5320 | 16.4871 |
| NVNT | n20 | 5260 | 17.6237 |
| NVNT | n20 | 5300 | 17.6017 |
| NVNT | n20 | 5320 | 17.5816 |
| NVNT | n40 | 5270 | 36.3407 |
| NVNT | n40 | 5310 | 36.3488 |
| NVNT | ac20 | 5260 | 17.6042 |
| NVNT | ac20 | 5300 | 17.576 |
| NVNT | ac20 | 5320 | 17.5608 |
| NVNT | ac40 | 5270 | 36.2834 |
| NVNT | ac40 | 5310 | 36.3302 |
| NVNT | ac80 | 5290 | 75.6901 |

Test Graphs


OBW NVNT a 5260MHz




OBW NVNT a 5300MHz




OBW NVNT a 5320MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz




OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




OBW NVNT ac20 5260MHz




OBW NVNT ac20 5300MHz




OBW NVNT ac20 5320MHz




OBW NVNT ac40 5270MHz



OBW NVNT ac40 5310MHz



OBW NVNT ac80 5290MHz




5. Maximum Power Spectral Density Level


| Condition | Mode | Frequency (MHz) | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------------------|------------------|-----------------|-------------|---------|
| NVNT | a | 5260 | 0.097 | 1.62 | 1.717 | <=11 | Pass |
| NVNT | a | 5300 | -15.967 | 1.62 | -14.347 | <=11 | Pass |
| NVNT | a | 5320 | -0.321 | 1.6 | 1.279 | <=11 | Pass |
| NVNT | n20 | 5260 | 0.161 | 1.62 | 1.781 | <=11 | Pass |
| NVNT | n20 | 5300 | -16.553 | 1.62 | -14.933 | <=11 | Pass |
| NVNT | n20 | 5320 | 0.046 | 1.62 | 1.666 | <=11 | Pass |
| NVNT | n40 | 5270 | -3.642 | 2.54 | -1.102 | <=11 | Pass |
| NVNT | n40 | 5310 | -3.165 | 2.25 | -0.915 | <=11 | Pass |
| NVNT | ac20 | 5260 | 0.116 | 1.55 | 1.666 | <=11 | Pass |
| NVNT | ac20 | 5300 | -12.049 | 1.55 | -10.499 | <=11 | Pass |
| NVNT | ac20 | 5320 | -0.076 | 1.55 | 1.474 | <=11 | Pass |
| NVNT | ac40 | 5270 | -3.645 | 2.1 | -1.545 | <=11 | Pass |
| NVNT | ac40 | 5310 | -3.076 | 2.1 | -0.976 | <=11 | Pass |
| NVNT | ac80 | 5290 | -6.03 | 2.63 | -3.4 | <=11 | Pass |



Test Graphs



PSD NVNT a 5260MHz




PSD NVNT a 5300MHz







PSD NVNT n40 5270MHz



PSD NVNT n40 5310MHz

