







### 3. Maximum Peak Conducted Output Power



Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	7.04	<=20.97	Pass
NVNT	1-DH5	2441	8.2	<=20.97	Pass
NVNT	1-DH5	2480	7.04	<=20.97	Pass
NVNT	2-DH5	2402	8.34	<=20.97	Pass
NVNT	2-DH5	2441	9.55	<=20.97	Pass
NVNT	2-DH5	2480	8.32	<=20.97	Pass
NVNT	3-DH5	2402	8.53	<=20.97	Pass
NVNT	3-DH5	2441	9.74	<=20.97	Pass
NVNT	3-DH5	2480	8.38	<=20.97	Pass






















#### 4. -20dB Bandwidth


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	1.013	Pass
NVNT	1-DH5	2441	1.0042	Pass
NVNT	1-DH5	2480	1.008	Pass
NVNT	2-DH5	2402	1.2852	Pass
NVNT	2-DH5	2441	1.3261	Pass
NVNT	2-DH5	2480	1.2811	Pass
NVNT	3-DH5	2402	1.3022	Pass
NVNT	3-DH5	2441	1.2801	Pass
NVNT	3-DH5	2480	1.3102	Pass













## 5. Carrier Frequencies Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.842	2402.9	1.058	$\geq 0.675$	Pass
NVNT	1-DH5	2439.968	2440.992	1.024	$\geq 0.669$	Pass
NVNT	1-DH5	2478.882	2479.838	0.956	$\geq 0.672$	Pass
NVNT	2-DH5	2402.158	2403.164	1.006	$\geq 0.857$	Pass
NVNT	2-DH5	2440.984	2442.022	1.038	$\geq 0.884$	Pass
NVNT	2-DH5	2479.014	2480.012	0.998	$\geq 0.854$	Pass
NVNT	3-DH5	2402.138	2403.156	1.018	$\geq 0.868$	Pass
NVNT	3-DH5	2440.856	2442.012	1.156	$\geq 0.853$	Pass
NVNT	3-DH5	2478.816	2479.818	1.002	$\geq 0.873$	Pass











## 6. Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	$\geq 15$	Pass
NVNT	2-DH5	79	$\geq 15$	Pass
NVNT	3-DH5	79	$\geq 15$	Pass







## 7. Band Edge

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-60.63	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-64.91	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-52.87	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-62.38	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-52.71	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-60.06	<=-20	Pass















## 8. Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-70.45	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-64.46	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-64.84	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-65.37	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-64.57	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-60.43	<=-20	Pass

















## 9. Conducted RF Spurious Emission



Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-53.07	<=-20	Pass
NVNT	1-DH5	2441	-53	<=-20	Pass
NVNT	1-DH5	2480	-53.57	<=-20	Pass
NVNT	2-DH5	2402	-52.8	<=-20	Pass
NVNT	2-DH5	2441	-53.23	<=-20	Pass
NVNT	2-DH5	2480	-52.57	<=-20	Pass
NVNT	3-DH5	2402	-52.73	<=-20	Pass
NVNT	3-DH5	2441	-54	<=-20	Pass
NVNT	3-DH5	2480	-53.15	<=-20	Pass

































## APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

\*\*\*\*\*END OF THE REPORT\*\*\*\*\*